city, town

## **United States Department of the Interior National Park Service**

# National Register of Historic Places Inventory—Nomination Form

For NPS use only

received FEB 2 2 1985

date entered

state

MAR 2 1 1965

See instructions in How to Complete National Register Forms Type all entries—complete applicable sections Name First Baptist Church historic and/or common Location street & number 201 N. High Street N/A not for publication Salem N/A vicinity of city, town Indiana 018 Washington 175 code code county state Classification Ownership Status **Present Use** Category \_ public  $X_{-}$  occupied \_ district \_\_ agriculture museum  $\frac{\chi}{\Delta}$  building(s) private unoccupied commercial \_\_ park both work in progress \_ structure \_ educational private residence \_ site **Public Acquisition** Accessible entertainment X religious \_ scientific \_ object in process \_ yes: restricted government being considered yes: unrestricted industrial transportation N/A no military other: Owner of Property Congregation, First Baptist Church name c/o Dennis Colglazier, Trustee street & number R. 1, East Jackson Street X\_\_\_ vicinity of city, town Salem state Indiana 47167 **Location of Legal Description** courthouse, registry of deeds, etc. Washington County Courthouse, Recorder's Office Salem Square street & number Salem Indiana 47167 state **Representation in Existing Surveys** title N/A has this property been determined eligible? date federal \_\_ state county N/A depository for survey records

### 7. Description

Condition       Check one       Check one         excellent       deteriorated       unaltered       X original site         X good       ruins       X altered       moved       date         fair       unexposed
---

#### Describe the present and original (if known) physical appearance

Situated at the corner of High and Walnut Streets, the First Baptist Church is a brick and stone structure of irregular massing with dominant gables, towers, and a variety of roof designs. The building is styled in the Richardsonian Romanesque, and consists of the original 1900 structure and a 1949 rear addition. It has a rock-faced stone foundation capped by a dressed stone water table, and a basement.

Facing south, the front facade (Photo #1) consists of a central gabled nave, flanked by a three-story corner tower with a pyramidal roof on the west side, and a one-story, three-bay-wide area on the east side. The main entry is located in the first level of the corner tower and is accessed by stone steps flanked by rock-faced stone stair buttresses. The double paneled door is recessed in a round arch opening, with a stone radiating voussoir topped by a drip mold with decorative stops. The steel doors have traffic visual panels and are recent replacements of the original wood paneled doors.

Rock-faced stone extends up the tower to the impost level and is capped by a stone belt course. The rest of the tower is brick. Paired, round-arched windows with stained glass panes are located above the entry on the second level; each has a rock-faced brick radiating voussoir capped by a brick drip mold, and a stone sill. Three rows of brick corbeling are above the windows and extend around the tower. A projecting stone belt course extends around the tower and separates the second and third levels. On the third level, a tou-relle with a stone finial is positioned on each corner of the tower and rests on the stone coursing; the southwest tourelle extends above and below the others. Arcaded windows with louvered openings and stone sill fill the third level of the tower. Three stone belt courses of varying widths extend around the top of the tower. A pyramidal roof, which extends above the rest of the structure, terminates the tower and is topped by a finial.

The central gabled nave is dominated by a large, round-arched stained glass window divided into four, round-arched lights below; and one large and two small circle windows above. The window has a dripstone with decorative stops and a stone sill. Two small, round-arched, traceried, stained glass windows flank the large window. Each window head and sill is identical to the second level tower windows. The gable is accentuated by a raking cornice with a decorative panel at the gable peak.


The one-story, east end of the main facade is three bays wide. The two easternmost bays are identical to the small central gable windows, but with different stained glass. The third bay is an entry which has a metal, double-paneled door with small glass traffic panels; it recently replaced the original wood paneled door. Surmounting the door is a round-arched transom with a brick radiating voussoir and drip mold. The projecting cornice has a brick parapet with a stone cap.

Facing High Street, the west side facade (Photo #2) exhibits the original church facade and the 1949 addition, which are connected by a one-story bay with an open arch. The west exterior of the original building is identical to the corner tower and gabled nave of the main facade, except for a round-arched, stained glass window in place of the entry door in the tower. The window has the same head trim as the main entry.

The one-story bay connecting the original structure and the addition has a sloped roof. The arched opening in the bay has the same head trim as the main entry. The interior of of the church is accessible through a door located inside the arched opening. A square, two-story tower, smaller and plainer than the corner tower, is located north of the arched opening. A round-arched, stained glass window with a stone radiating voussoir

## **United States Department of the Interior**National Park Service

# National Register of Historic Places Inventory—Nomination Form



Continuation sheet First Baptist Church

Item number

7

Page 1

and stone sill is located on the first level of the tower. Paired windows with similar surrounds are located on the second level. An arcaded frieze board extends around the top of the tower below the hipped roof, which is topped by a finial.

A two-story, flat-roofed area extends to the rear (north) of the tower. Both levels of this area have rectangular, double-hung windows grouped in three's. The windows are headed by a soldier course of brick and have stone sills.

The southeast corner of the annex has an entry accessed by stone steps with rock faced stone piers. The entry has an arched opening and conforms to the architecture of the original building.

The church building has a variety of roof designs. The nave has a large, gabled roof; the corner tower has a pyramidal-shaped roof; the one-story original area has a low mansard roof; the smaller tower has a hipped roof, and the two-story annex has a flat roof.

### 8. Significance

1700–1799 1800–1899	Areas of Significance—C archeology-prehistoric agriculture X architecture art commerce communications	community planning conservation economics education engineering exploration/settlement	• • •	religion science sculpture social/ humanitarian theater transportation other (specify)
Specific dates	1900, 1949	Builder/Architect R. C.	Stephans, Louisvill	e

#### Statement of Significance (in one paragraph)

The First Baptist Church is significant as the only existing example of Richardsonian Romanesque architecture in Salem. It is also important as one of the oldest remaining churches in Salem.

A fine example of Richardsonian Romanesque architecture, the church exhibits many characteristics of the style. Distinctive of the style, round arches shape most windows and doors, which are positioned in a visually pleasing manner. The building is highlighted by stone window surrounds, belt courses, finials, and decorative panels. The tower with a pyramid-shaped roof, a main focal point of the structure, and the transcept, are also often found in Richardsonian Romanesque architecture.

At a church meeting on August 2, 1899, R. C. Stephans, of Louisville, Kentucky, was chosen as the architect for the building. It was further decided, on October 2, 1899, that the entire cost of the building was not to exceed \$7,000.

Robert Owens, of Salem, bid to do the rubble masonry at \$4.00 a perch. Kern Shrum of Salem furnished and laid the brick. J. S. Depew furnished and did the carpentry work, and Hagen and Frick did the tin work and slate roof work. Bourlier Cornice Company, of Louisville, Kentucky, was granted its bid for the galvanized iron work. Ed Denny, of Salem, did the painting, and G. M. Rust, of Brownstown, Indiana, did the plastering. John Black of Indianapolis Art Glass Works did the stained glass work for \$320. N. F. DePauw donated \$100 toward the stained glass work to have one small section read, "In Memoriam, Elizabeth DePauw". Sarah A. Redfield donated \$100 toward the "tower" stained glass window. Steel walls and ceiling were installed by the Canton Steel and Roofing Company.

The church has been in constant use by the same denomination since its construction, which signifies the devotion of the community. Twenty-five ministers have served since 1900.

d'i

9. Majo	r Biblio	graphic	al Refer	ences		
Manstriridge, Richards, J.	John. Grap M. Who's Wh	phic History on the contract of the contract o	afayette, Ind of Architectu cture from 14 rch, Salem, I	<u>re</u> . 00 to the p	23, 1984. resent.	
10. Ge	ographi	cal Data	1			
Acreage of nomir Quadrangle name UTM References	nated property e Salem, Inc	Less than one liana	e acre	(	Quadrangle sca	le 1:24000
Zone Eastir C	No No	2 7 13 3 13 10 rthing  and justification of North	D	end Fast Wa	Nort Nort	hing  Lilia  Lil
north to an a High Street.	111ey, 144 fe	eet east, 150	feet south t	o Walnut St	reet, 144 f	
state	N/A	code	county			code
state		code	county			code
name/title		ared By  arr, Historia  st Church	an FBC	date	September	7 1984
organization street & number	709 N. Haye			telephone	812/883-2	
city or town	Salem			state	Indiana	47167
	te Histo	oric Pre	servatio		er Cert	ification
The evaluated sig	nificance of this	property within th	ne state is:			
	_ national	state	_X local			
665), I hereby nor according to the o	ninate this prope criteria and proce eservation Office	erty for inclusion i edures set forth b	n the National Reg y the National Par	ister and certify		
For NPS use					2-0-0	<u> </u>
I hereby cer	rtify that this pro	perty is included i	n the National Reg Intersu হয় ই শ্ৰুপ্ত শ্ৰুপ্ত শ্ৰুপ্ত	har is	date 🥰	3-21-85
Keeper of the	National Registe	er			,	
Attest: Chief of Regis	etration				date	
Ciliel of negli	311 (31 11 11 I					