United States Department of the Interior National Park Service

National Register of Historic Places Inventory—Nomination Form

See instructions in How to Complete National Register Forms

For NPS	use only	
	MAY	1 8 1983
received	1 1.00.13	1 0 1303
date ent	ered	

Type all entries	-complete appl	icable sec	tions				
1. Nam	e		,				
historic	Lords, Wil	liam L.,	House				
and/or common	Stone House	e					
2. Loca	ation						
street & number	Clear Lake	Road, j	ust west	of Round	Lake N	/A_ not for publication	
city, town	Fremont _v	٠.	X vic	inity of			
state	Indiana	code	018	county	Steuben	code 151	
3. Clas	sificatio	n	,				
Category district building(s) structure site object	Ownership public private both Public Acquisit in process being consid	ion	Accessible X yes: re	upied n progress e	Present Use agriculture commercial educational entertainment government industrial military	museum park X private residence religious scientific transportation other:	ce
4. Own	er of Pro	pert	y				_
name	McNaughton,	Inc.					
street & number	First Natio		k Buildi	ng. P.O. B	Sox A		
city, town	Fremont		N/A vic	•	state	Indiana 46737	
	ation of I				n		
	stry of deeds, etc.		. The state of the	Recorder			
street & number		Steube	n County	Courthous	e		
city, town		Angola			state	Indiana	
6. Repi	resentat	ion ir	n Exis	sting S	urveys		
title	N/A			has this prop	erty been determined	eligible?yes _X	 _ no
date					federal st	ate county lo	ocal
depository for su	rvey records N/A	1					
city, town					state		

7. Description

Condition	Check one	Check one
excellent deteriorated good ↑ ΥΛ₩ ruins	unaltered	X_ original site
X fair unexposed	_X_ altered	moved dateN/A

Describe the present and original (if known) physical appearance

The Stone House is situated in gently rolling moraine country in extreme Northeast Indiana. A farmhouse on a county road in a quiet rural area, its mood is serene. Seen through a stand of tall pines, surrounded by cornfields against a forested horizon, it belongs there-almost as though it had always been there.

The house is immediately perceived as old, unusual, unexpected. Of course, it is the stone that makes it seem so. Random-laid, faced fieldstone foundations are almost standard for older Steuben County farmhouses, but most are log cabines or frame with white painted board or shingle siding. Here is a structure unique in the county, a whole house of cut stone. Moreover, on the more "public" sides, at least, the stonework, itself, is not at all like other stonework in the area. Fieldstones have been quite accurately squared and faced on five of their six sides, then laid in level bed courses which run consistently across five wall faces. Adding to the squared stone effect, mortar was held level with trowel at the bottom, and at one side of vertical joints, then neatly tucked to the stone at the other edge. A date stone with "1866" carved into its face is set in the south gable. At the rear, walls become faced but uncoursed. Random, yet carefully laid, stones are set in the same buff, coarse mortar. It is evident that at some point the east end of the house developed problems, and was rebuilt in a haphazard fashion.

Other exterior materials are painted wood lintels and sills set in the stone at all openings, plain wood board soffits and fascias at the eaves, double-hung windows set almost flush, panel doors, wood shingle roofs, stuccoed brick chimneys. The north (rear) wing is presently roofed in "5-v crimp" painted galvanized roofing and the west slope of the original house has the same metal roofing over wood shingles.

The T-plan original house has an earth floored cellar under the west wing, crawl space under the east. All first floor joists are peeled logs, possibly tamarack. Obviously a later addition, a long, narrow north wing has fieldstone walls laid by different hands-random stones not so carefully cut, wider joints, another mortar. The wing's west wall starts into an original first floor window, then jogs away at the last minute.

The main (south) entrance is directly into the east wing living room, through a deeply inset door with wood jamb facings. There are seven first floor rooms: A living room and parlor in the east, a bedroom (original kitchen?) and adjoining smaller room, and a bath in the west wing, a kitchen and pantry in the north wing. A steep stair leads from the living room to the second floor where there are one large and two small bedrooms and, through a 4' high door, an east wing loft. Second floor ceilings are clipped, with 5' knee walls.

Windows are 1/1 double-hung except a north pair which are 4/4 barn sash. Three-lite sash are used for basement and low 2nd floor windows. No sash appear to be original. Wood storms have been fitted. One exterior door and seven interior doors are original. These are hand planed and mortised vertical panel doors with a few original surface locksets, porcelain knobs.

Interior finishes consist of 1 1/8" tongue-and-groove oak flooring on first and 3/4" tongue-groove on second. Walls and ceilings are plaster on wood lath over 2x furring on exterior walls, on 2x rough-sawn studs, joists and rafters elsewhere. Casings, trim, base and doors are probably poplar. A high percentage of the interiors seem original, although the north wing was remodeled and an inside bath installed in the west wing. To admit more light through the 21" thick walls, interior jambs are splayed at 45°, giving the window surrounds a broad, expansive feeling out of proportion to the 32" sash width. Two brick stove chimneys are supported on wood shelving bases, one in the living and one in the south, second floor bedroom.

8. Significance

Period prehistoric 1400–1499 1500–1599 1600–1699 1700–1799 X 1800–1899 1900–	Areas of Significance—C archeology-prehistoric agriculture architecture art commerce communications		Iandscape architectur Iaw Iterature military music theorem philosophy politics/government	re religion science sculpture social/ humanitarian theater transportation other (specify)
Specific dates	C. 1866	Builder/Architect Unk	known	

Statement of Significance (

The Stone House is significant as the unusual farm home of early settlers in a late frontier area of northeastern Indiana. This landmark house is also significant as admirable folk architecture and as an architectural manifestation of social and cultural forces and events of its period and prior thereto. It is the only known example of a rural home with full-height cut fieldstone walls and internally splayed window openings in Steuben County. Known by everyone in the area, the Stone House is universally admired for its idyllic setting, for its feeling of appropriateness and belonging, and for its striking, honest stonework.

The Stone House was built by settlers who had moved westward along early 19th century migration routes. According to U.S. Census Reports of 1840-1880, the Lords family had roots in Maine, moved to Ohio, to southern Michigan, and finally to Steuben County, Indiana. The Vistula Road, a secondary migration route, ran from western Lake Erie to Chicago and through Brockville (now Fremont) about 3 miles from the Stone House, and was used by many settlers.

William L. Lords, owner of the Stone House, was born in Ohio in 1821, married in Ohio in 1846, had one child born in Michigan, and three in Indiana. Children's birthdates indicate that both he and Henry, his brother, settled with their familes in Indiana about 1848.

The Stone House was built in 1866, according to the datestone in the south gable. Had it followed the pattern of its time and location, it would likely have had a wood frame resting on a random laid fieldstone foundation. Foundation walls would have been faced on the exterior, only. This was logical and economic use of plentiful local materials—framing from the hardwood forests being cleared for tillage fields, and rounded, glacially deposited granite stones from the same fields for foundations.

Although plentiful, the cutting of granite stones entailed considerable hand work. Consequently, stones were usually faced, only, or received a few crude bed or edge cuts. Field-stone is not an ideal building stone, particularly in its "found" rounded condition. Bond is difficult to establish between mortar and dense, smooth granite; stones tend to slide before mortar sets; and walls sometimes crack or fall apart due to the rounded stones' tendency to slip and roll, once the bond is weakened by frost heave, freeze-thaw, or lime erosion. Local builders limited stonework to foundations for these reasons.

Settlers in the east and further south in Indiana and Ohio had an easier time of it with stonework. There, creeks cut through a few feet of earth to limestone bedrock and the "ledgestone" bottoms were quarried for their flat, easily shaped, rather consistently thick slabs. Ledgestone made excellent stonework and whole houses of stone are common in these areas.

In the glacial moraines of Northern Indiana, however, bedrock is buried under thick deposits of sand, gravel and sandy clay containing granite stones from the Canadian Shield rounded by glacial polishing. Creek bottoms are sand or muck, swamps and lakes dot the lowlands. There is no ledgesone--fieldstone was the only stone available to settlers.

If fieldstone walls were difficult and timber readily available, why, in the case of the Lords house, was so much additional time and effort spent to erect—full height stone walls and to carefully square cut and accurately course stone for the prominent walls? Such construction ran counter to local patterns and cost economies. The 1860 U.S. Census shows that, residing

9. Major Bibliographical References In Ball State University Library, Muncie, Indiana:

Pilsbury, Richard, A Field Guide to the Folk Architecture of the Northeastern United States (Geographic Publications of Dartmouth, No.8)

See Continuation Sheet

						
<u>10. Ge</u>	<u>ographical</u>	<u>Data</u>				
Acreage of nomi Quadrangle nam UTM References	nated property <u>Less</u> ne Camden Michigar	than one ac n-Indiana	re	Q	luadrangle scale	1:24000
A 1 6 6 7 Zone Easti	18 6, 4,0 4,6 2,4 ng Northing	3,9,0	B Zone	Easting	North	ng
C E G			D F H _			
Lake Road 3 Steuben Cou west 110' t	ry description and just 35' west of center nty, Indiana, ther o point of beginn and counties for prop	r of Section nce north 20 ing.	18, TWP 38 0', thence	N., Rang east 110'	e 15 E., Cle , thence sou	ar Lake Civil Tv
state N/A	and countries for prop	code	county	county bou		code
state	D	code	county			code
11. For	m Prepare	а ву		***		
name/title	Arthur J. Matott	, AIA, Partn	er			
organization	Cole, Matott, Ri Architects/Planne			date	12-2-82	
street & number	123 West Wayne St	treet		telephone	219/426-820)5
city or town	Ft. Wayne			state	Indiana	46802-2592
12. Sta	te Historic	Prese	rvation	Offic	er Certi	fication
	gnificance of this proper		· · · · · · · · · · · · · · · · · · ·			
_	næional	state X	_ local			
665), I hereby no	d State Historic Preserva minate this property for criteria and procedures	inclusion in the	National Registe	er and certify		
State Historic Pro	eservation Officer signat	ure	ames	MA	den	m/
title Indiana	State Historic Pro	eservation ()fficer	•	date April	21, 1983
For NPS use I hereby ce	only irtify that this property is Loves Green	Enter	od 1		date 6/	16 N3
Keeper of the	National Register	(4000)	al Register		100 PM 10	
Attest:					date	
Chief of Regi	stration					

United States Department of the Interior National Park Service

National Register of Historic Places Inventory—Nomination Form

For NPS use only received date entered

Continuation sheet Lords House

Item number


8

1 Page

two dwellings away from William Lords, was A. Cooper, a New York born mason. One can only speculate that Cooper may have been responsible for the unusual stonework, recalling and attempting to duplicate in cut fieldstone the coursed stonework of an eastern apprenticeship, or something recalled from his youth in New York. It is clear that someone made the decision to build a whole house of stone in the patterns of another region, using a resistant local material in an uncommon way.

United States Department of the Interior Heritage Conservation and Recreation Service

National Register of Historic Places Inventory—Nomination Form



Continuation sheet

Item number

Page contin.

LORDS HOUSE (STONE HOUSE) - Clear Lake Township, Steuben County, Indiana

9. MAJOR BIBILOGRAPHICAL REFERENCES (Continued)

In Allen County Public Library, Fort Wayne Indiana:

- U.S. Census Reports Brockville (Fremont) and Clear Lake Townships, Indiana, 1840, 1850, 1860, 1870, 1880.

- Steuben County Tract Book 1832-1837.

- History of Steuben County, Indiana, 1885 (Inter State Publishing Co., Chicago).

- Morley, H.W. Atlas of Steuben County, Indiana 1880 & 1912 (Angola, Indiana).

- Morley, H.W. <u>History of Steuben County, Indiana</u> 1956 (Angola, Indiana). - <u>History of Northeast Indiana</u>, Vols 1 & 2, 1920, (Lewis Publishing Co., Chicago & N. York).

In Steuben County Court House, Angola, Indiana:

- Records - Larry Randsburg, Auditor

In Fremont, Indiana:

- Abstracts of Title. Stone House property - G. T. McNaughton, Atty.

Interviews:

- With Mr. & Mrs. F. B. McNaughton, Fremont, IN, 16 July 1982

- With Ms. Ruth Krause, Steuben Co. Hist. Society, Angola, Indiana, 16 July, 1982.

- With Charles Skove, President, Steuben Co. Historical Society, 16 July, 1982.

- With Lee Duguid, author of The History of the Duguid Family in Clear Lake Township, June and July 1982.