


United States Department of the Interior
National Park Service

National Register of Historic Places Registration Form

367



1. Name of Property

Historic name: N/A

Other name/site number: North Gypsum Creek Truss Leg Bedstead Bridge (preferred); 59-LT-22

2. Location On Sioux Road, 0.2 miles east of the intersection with 24th Avenue; 1.0 mile south and 2.8 miles west of the town of Roxbury

city or town Roxbury not for publication vicinity
state code KS county McPherson county code 113 zip code 67476

3. State/Federal Agency Certification

As the designated authority under the National Historic Preservation Act of 1986, as amended, I hereby certify that this nomination request for determination of eligibility meets the documentation standards for registering properties in the National Register of Historic Places and meets the procedural and professional requirements set forth in 36 CFR Part 60. In my opinion, the property meets does not meet the National Register criteria. I recommend that this property be considered significant nationally statewide locally. (See continuation sheet for additional comments.)

Richard D. Parkratz
Signature of certifying official

3/26/03
Date

State or Federal agency and bureau

In my opinion, the property meets does not meet the National Register criteria. (See continuation sheet for additional comments.)

Signature of commenting or other official

Date

State or Federal agency and bureau

4. National Park Service Certification

I, hereby, certify that this property is:

- entered in the National Register. See continuation sheet
- determined eligible for the National Register. See continuation sheet
- determined not eligible for the National Register.
- removed from the National Register.
- other, (explain:)

Elson H. Beall

for
Signature of Keeper

Date of Action

United States Department of the Interior
National Park Service

National Register of Historic Places Registration Form

1. Name of Property

Historic name: N/A
Other name/site number: North Gypsum Creek Truss Leg Bedstead Bridge (preferred); 59-LT-22

2. Location On Sioux Road, 0.2 miles east of the intersection with 24th Avenue; 1.0 mile south and 2.8 miles west of the town of Roxbury

not for publication
city or town Roxbury X vicinity
state code KS county McPherson county code 113 zip code 67476

3. State/Federal Agency Certification

As the designated authority under the National Historic Preservation Act of 1986, as amended, I hereby certify that this XX nomination request for determination of eligibility meets the documentation standards for registering properties in the National Register of Historic Places and meets the procedural and professional requirements set forth in 36 CFR Part 60. In my opinion, the property XX meets does not meet the National Register criteria. I recommend that this property be considered significant nationally XX statewide locally. (See continuation sheet for additional comments.)

Richard D. Penkertz

4-09-03

Signature of certifying official

Date

KANSAS STATE HISTORICAL SOCIETY

State or Federal agency and bureau

In my opinion, the property meets does not meet the National Register criteria. (See continuation sheet for additional comments.)

Signature of commenting or other official

Date

State or Federal agency and bureau

4. National Park Service Certification

I, hereby, certify that this property is:

- entered in the National Register.
See continuation sheet
- determined eligible for the National Register.
See continuation sheet
- determined not eligible for the National Register.
- removed from the National Register.
- other, (explain:)

Signature of Keeper

Date of Action

Property Name North Gypsum Creek Truss Leg Bedstead Bridge

County and State McPherson, Kansas

5. Classification

| Ownership of Property | Category of Property | No. of Resources within Property | |
|--|---|----------------------------------|-------------------------------------|
| | | contributing | noncontributing |
| <input type="checkbox"/> private | <input type="checkbox"/> building(s) | <input type="checkbox"/> | <input type="checkbox"/> buildings |
| <input checked="" type="checkbox"/> public-local | <input type="checkbox"/> district | <input type="checkbox"/> | <input type="checkbox"/> sites |
| <input type="checkbox"/> public-State | <input type="checkbox"/> site | <input type="checkbox"/> | <input type="checkbox"/> structures |
| <input type="checkbox"/> public-Federal | <input checked="" type="checkbox"/> structure | <u>1</u> | <input type="checkbox"/> objects |
| | <input type="checkbox"/> object | <input type="checkbox"/> | <input type="checkbox"/> Total |
| | | <u>1</u> | <u>0</u> |

Name of related multiple property listing:
(Enter "N/A" if property is not part of a multiple property listing.):

No. of contributing resources previously listed in the National Register

Metal Truss Bridges in Kansas

0

6. Functions or Use

Historic Functions
(Enter categories from instructions.)

Current Functions
(Enter categories from instructions.)

TRANSPORTATION: Road-related (vehicular)

TRANSPORTATION: Road-related (vehicular)

7. Description

Architectural Classification
(Enter categories from instructions.)

Materials
(Enter categories from instructions.)

OTHER: Truss Leg Bedstead

Foundation Stone, Wood

Walls _____

Roof _____

Other Metal: Iron, Steel

Narrative Description (Describe the historic and current condition of the property on one or more continuation sheets.)

Property Name North Gypsum Creek Truss Leg Bedstead Bridge

County and State McPherson, Kansas

8. Statement of Significance

Applicable National Register Criteria (Mark "x" in one or more boxes for the criteria qualifying the property for National Register listing.)

- A Property is associated with events that have made a significant contribution to the broad patterns of our history.
- B Property is associated with the lives of persons significant in our past.
- C Property embodies the distinctive characteristics of a type, period, or method of construction or represents the work of a master, or possesses high artistic values, or represents a significant and distinguishable entity whose components lack individual distinction.
- D Property has yielded, or is likely to yield, information important in prehistory or history.

Criteria Considerations (Mark "x" in all the boxes that apply.)

- A owned by a religious institution or used for religious purposes.
- B removed from its original location.
- C a birthplace or a grave.
- D a cemetery.
- E a reconstructed building, object, or structure.
- F a commemorative property.
- G less than 50 years of age or achieved significance within the past 50 years.

Areas of Significance

Enter categories from instructions.)

ENGINEERING

Period of Significance

1902

Significant Dates

1902

TRANSPORTATION

Cultural Affiliation

N/A

Significant Person

N/A

Architect/Builder

Kansas City Bridge Company (Kansas City, Missouri)

Narrative Description (Describe the historic and current condition of the property on one or more continuation sheets.)

Property Name North Gypsum Creek Truss Leg Bedstead Bridge

County and State McPherson, Kansas

Page 4

9. Major Bibliographical References

(Cite the books, articles, and other sources used in preparing this form on one or more continuation sheets.)

Previous documentation on file (NPS):

- preliminary determination of individual listing (36 CFR 67) has been requested
- previously listed in the National Register
- previously determined eligible by the National Register
- designated a National Historic Landmark
- recorded by Historic American Buildings Survey # _____
- recorded by Historic American Engineering

Primary location of additional data:

- State Historic Preservation Office
- Other State agency
- Federal agency
- Local government
- University
- Other

Specify repository:

Record # _____

10. Geographical Data

Acreage of property <1 acre

UTM References

| | | | | | | | |
|---|------------|--------------------|----------------------|---|----------|------------------|------------------|
| 1 | <u>1/4</u> | <u>6/3/2/7/0/0</u> | <u>4/2/6/6/2/6/0</u> | 3 | <u>/</u> | <u>/ / / / /</u> | <u>/ / / / /</u> |
| | Zone | Easting | Northing | | Zone | Easting | Northing |
| 2 | <u>/</u> | <u>/ / / / /</u> | <u>/ / / / /</u> | 4 | <u>/</u> | <u>/ / / / /</u> | <u>/ / / / /</u> |

____ See continuation sheet

Verbal Boundary Description (Describe the boundaries of the property on a continuation sheet.)

Boundary Justification (Explain why the boundaries were selected on a continuation sheet.)

11. Form Prepared By

name/title Kerry Davis, Architectural Historian & Elizabeth Rosin, Partner

organization Historic Preservation Services date August 5, 2002

street & number 323 West Eighth Street, Suite 112 telephone (816) 221-5133

city or town Kansas City state Missouri zip code 64105

Additional Documentation

Submit the following items with the completed form:

Continuation Sheets

Maps

A USGS map (7.5 or 15 minute series) indicating the property's location.

A sketch map for historic districts and properties having large acreage or numerous resources.

Photographs

Representative black-and-white photographs of the property.

Additional items (Check with the SHPO or FPO for any additional items.)

Property Owners (Complete this item at the request of the SHPO or FPO.)

Name County of McPherson

street & number County Courthouse, P.O. Box 676 telephone 620-241-0466

city or town McPherson state KS zip code 67460

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**

Section Number 7 Page 1

North Gypsum Creek Truss Leg Bedstead Bridge
McPherson County, Kansas

DESCRIPTION

LOCATION AND SETTING

The North Gypsum Creek Truss Leg Bedstead Bridge is located 1.0 mile south and 2.8 miles west of the town of Roxbury in the Smoky Hills region of central Kansas; in the SW ¼ of Section 30, Township 17S, Range 1W. The region is defined by prairie hills with tree-lined creek valleys and rocky bluffs. The North Gypsum Creek Truss Leg Bedstead Bridge carries Sioux Road across North Gypsum Creek, a narrow, shallow branch of Gypsum Creek. The dirt roadway, flanked by cultivated fields, aligns in a sharp U-shaped curve with the North Gypsum Creek Truss Leg Bedstead Bridge.

TRUSS TYPE

The North Gypsum Creek Truss Leg Bedstead Bridge consists of a pin-connected pony truss¹ that measures 36½ feet in length and a flat, timber approach span at each end. The southwest approach span measures 15½ feet in length and the northeast approach span measures 13 feet in length. The deck is 16 feet wide. Dry-laid, rough-cut stone and timber forms the abutments that support the outer ends of the approach spans. The vertical end posts of the truss extend below the end floor beams to form the characteristic “legs” of the Truss Leg Bedstead design. These legs are embedded into poured concrete foundation pads.

The long vertical end posts rise from the poured concrete foundation pads and meet the horizontal top chords to form a rectangular shape. The top chords and end posts consist of two channels, a cover plate, lacing bars, and stay plates; the bottom chords consist of two flat eye bars.

The web members include vertical posts that form three equivalent panels and diagonal ties that intersect within the central panel. Angle stock and lacing bars compose the vertical posts; flat eye bars and tension rods compose the diagonal ties.

The timber deck is 16 feet wide and rises 14 feet above the creek bed on timber stringers. Floor beams located at the base of each vertical post are connected by lower lateral bracing rods.

Four of six sections of timber guardrails are intact along the length of the truss. A rectangular, cast-iron plaque located on the north vertical end post reads “1902” and a half-missing plaque located on the south vertical end post reads “... / BRIDGE CO / KANSAS CITY / MO[.]” Letters in relief read “JONES & LAUGLINS” on several structural components.

INTEGRITY

The North Gypsum Creek Truss Leg Bedstead Bridge is an excellent example of this bridge type, historically popular in Kansas.² With no apparent alterations to the original design or materials, the North Gypsum Creek Truss Leg Bedstead Bridge retains a high degree of integrity. The original workmanship, materials, design, setting, and feeling of the structure are readily apparent. Furthermore, the potential for preservation of the bridge is high. Located on a secondary road, it is unlikely that traffic requirements will necessitate alteration or replacement.

¹ A pony truss is also referred to as a low truss.

² Dale Nimz, *Activity III Review Initial Assessment Metal Truss Bridges*. (Topeka: Kansas State Historical Society, 1998), 6. Nimz stated there were approximately 375 extant truss leg bedstead bridges in Kansas.


United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**


Section Number 7 Page 2

North Gypsum Creek Truss Leg Bedstead Bridge
McPherson County, Kansas

TRUSS TERMINOLOGY



Bridge Truss Types: A Guide to Design and Identifying Technical Leaflet 95, AASLH



Vermont Truss Bridges and Maintenance, Vermont Bridge Program, 2000

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**

Section Number 8 Page 3

North Gypsum Creek Truss Leg Bedstead Bridge
McPherson County, Kansas

STATEMENT OF SIGNIFICANCE

The North Gypsum Creek Truss Leg Bedstead Bridge is significant under National Register Criterion C in the areas of Engineering and Transportation. As defined by the *Multiple Property Documentation Form for Metal Truss Bridges in Kansas*, it is an excellent example of the Truss Leg Bedstead bridge type. Built in 1902, the North Gypsum Creek Truss Leg Bedstead Bridge represents a common bridge solution applied to a short span. Its pin-connected structure, timber deck, and stone and timber abutments, coupled with poured concrete foundation pads illustrate the technological transitions that took place during the period of significance. As no historic name identifies this bridge, the preferred name "North Gypsum Creek Truss Leg Bedstead Bridge" has been assigned. This describes the location, design, and function of the structure.

ELABORATION

The need for all-weather crossings of rivers and streams corresponded to the growth of the market economy across Kansas during the late nineteenth and early twentieth centuries. Bridges provided farmers easy access to markets and could make the difference between growth and stagnation for the many small, young communities across the state.¹ Proximity to a bridge nearby often secured a town's economic stability, and it contributed to a local sense of modernity.

Prior to the 1930s, the railroad was the primary means of long-distance travel and there was little need for roads to extend more than a few dozen miles. With little stimulus for improving roads that would cross multiple jurisdictions, road construction and maintenance remained local concerns. County commissioners often carried the burden of selecting bridge locations, over which much contention was common.

The range of choices for bridge designs and companies was vast. Many of the larger bridge companies sold metal truss bridges through mail order catalogues. County commissioners could simply specify the span, clearance needs, and truss type (if there was a preference), then choose the lowest bidder from the numerous competing companies that had salesmen in the field.

By the late nineteenth century, fabrication of iron and steel was widespread. The speed of construction and the relatively low cost of metal truss bridge parts ensured their popularity over labor-intensive masonry bridges and short-lived timber bridges. Toward the end of the nineteenth century, the quality, quantity, and cost of steel improved to such a degree that it virtually replaced wrought iron for bridge construction by 1910.²

Most metal trusses were constructed of built-up members composed of mass-produced, standard-shaped channel, plate, and angle stock purchased from one or more of the numerous steel companies nationwide. The bridge companies preassembled trusses in their factories then simply shipped them to the bridge site for installation. Installation involved grading approaches, constructing abutments and piers, erecting preassembled floor and truss members, and placing deck material.

¹ Larry Jochims, *Metal Truss Bridges in Kansas 1861-1939, National Register of Historic Places Multiple Property Documentation Form*, (Topeka: Kansas State Historical Society, 1989), E.

² Ibid, F.

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**

Section Number 8 Page 4

North Gypsum Creek Truss Leg Bedstead Bridge
McPherson County, Kansas

Before 1900, generally all panel point connections – the locations at which structural bridge elements intersect – were made with the use of a pin. This technique was so widespread that it became one of the distinctive features of American bridge construction in the nineteenth century.³ However, subsequent advancements in pneumatic riveting techniques greatly improved rivet installation quality, enabling more reliable panel point connections. With the increased portability of this construction technology, the more rigid riveting technique rapidly surpassed pin-connected bridge construction during the first years of the twentieth century. The pin-connected construction of the North Gypsum Creek Truss Leg Bedstead Bridge is an example of this once standard technique.

In addition, the contemporary development of economic cement production promoted the widespread combination of steel and concrete in bridge construction. It was not uncommon for older metal truss bridges to receive new reinforced concrete decks or poured concrete reinforcements for older stone abutments. By the 1920s, reinforced concrete was the standard material for abutments, piers, and decks of steel truss bridges. The combination of timber and stone abutments and poured concrete foundation pads at the North Gypsum Creek Truss Leg Bedstead Bridge illustrates the transition in construction technology and materials that occurred during the period of significance.

The North Gypsum Creek Truss Leg Bedstead Bridge is a classic example of this truss design. The Truss Leg Bedstead is a variation of the Pratt truss. Patented in 1844, the Pratt truss incorporates vertical members in compression and diagonal members in tension, a design that reduces the required length of compression members, helping to prevent bending or buckling. It became the most common bridge truss type of the late nineteenth and early twentieth centuries and spawned numerous variations including Parker, Camelback, Truss Leg Bedstead, Baltimore, Lenticular, and Pennsylvania trusses.⁴

The Truss Leg Bedstead is a Pratt pony truss with vertical end posts that extend down below the end floor beams and are embedded into foundation pads or abutments, thus forming the namesake “legs” of the design. This variation of the standard Pratt truss design was intended for short spans between 30 and 100 feet. The Truss Leg Bedstead bridge type was widespread and continued to be constructed into the twentieth century in Kansas, indicating the appeal of its simplicity and economical construction costs. In 1998, approximately 375 Truss Leg Bedstead bridges, including the North Gypsum Creek Truss Leg Bedstead Bridge, existed throughout the state of Kansas.⁵

STRUCTURE HISTORY

Located in the rich valley of Gypsum Creek, the nearby village of Roxbury was first settled in 1866. Within a few years, the town was founded, a post office established, a schoolhouse built, and a handful of businesses established, including a sorghum mill. However, during the 1880s, the nation’s expanding network of railroads by passed the community twice when the Atchison, Topeka & Santa Fe Railroad located its track eleven miles to

³ Ibid, F.

⁴ T. Allan Comp and Donald Jackson, *Bridge Truss Types: A guide to dating and identifying*. (Nashville, Tennessee: American Association for State and Local History, Technical Leaflet 95), 8.

⁵ Nimz, 6.

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**

Section Number 8 Page 5

North Gypsum Creek Truss Leg Bedstead Bridge
McPherson County, Kansas

the south of town and again when the T. S. & Western Railroad located its track eleven miles to the north of town. Denied railroad access, Roxbury remained a small but essential commercial center in northeastern McPherson County into the early twentieth century. Typical of small towns throughout Kansas, it served as a trading and shipping point for the surrounding rural community. As a result, the fords and bridges that provided area farmers with access to local markets were critical to the survival of the regional economy.

The Kansas City Bridge and Iron Company of Kansas City, Missouri, a prolific out-of-state bridge builder in Kansas, built the North Gypsum Creek Truss Leg Bedstead Bridge in 1902. Markings on the structural members indicate that the Kansas City Bridge and Iron Company purchased stock metal from the Jones & Laughlin Steel Company of Pittsburgh, Pennsylvania. No further construction history has presently been located.⁶

Organized between 1880 and 1882, the Kansas City Bridge and Iron Company was controlled in 1887 by G. H. Wheelock, president; A. M. Blodgett, vice president; and E. I. Farnsworth, chief engineer. Farnsworth was previously the chief engineer for King Iron Bridge Company and a co-founder of Missouri Valley Bridge Company of Leavenworth, Kansas.⁷

⁶ Inquiry into the Lincoln County Road and Bridge records, Kansas Department of Transportation records, and Kansas State Historical Society archives revealed no further construction history specific to the Salt Creek Truss Leg Bedstead Bridge.

⁷ Jochims, E3.

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**

Section Number 9 Page 5

North Gypsum Creek Truss Leg Bedstead Bridge
McPherson County, Kansas

BIBLIOGRAPHY

Comp, T. Allan and Donald Jackson. *Bridge Truss Types: A guide to dating and identifying*. Nashville, Tennessee: American Association for State and Local History, Technical Leaflet 95.

Cutler, William G. *History of the State of Kansas*. Chicago: A. T. Andreas, 1883.

Delaware Historic Bridges, Survey and Evaluation. Historic Architecture and Engineering Series, No. 89. Dover: Delaware Department of Transportation, Division of Highways, 1991.

Historic Bridge Inventory. Kansas Department of Transportation, 28 March 2002.

Historic Highway Bridges in Pennsylvania. Harrisburg: Pennsylvania Department of Transportation and Pennsylvania Historical and Museum Commission, 1986.

“Industrial Images from the Library of Congress,” *Illustrated Pittsburgh Retrospective* [article on-line]; available from <http://www.andrew.cmu.edu/user/vck/pghretro.htm>; Internet; accessed 18 March 2002.

Jochims, Larry. *Metal Truss Bridges in Kansas 1861-1939, National Register of Historic Places Multiple Property Documentation Form*. Topeka: Kansas State Historical Society, 1989.

Jochims, Larry. *Riley Creek Bridge, National Register of Historic Places Registration Form*. Topeka: Kansas State Historical Society, 1989.

Kansas Historic Bridge Rating System. Kansas Department of Transportation, 1980-1983.

Nimz, Dale E. *Activity III Review Initial Assessment Metal Truss Bridges*. Topeka: Kansas State Historical Society, 1998.

The Second Ohio Historic Bridge Inventory: Evaluation and Preservation Plan. Columbus: Ohio Department of Transportation, 1990.

Vermont Truss Bridges and Maintenance. Vermont Bridge Program, 2000.

WPA Guide to 1930s Kansas. Lawrence: University of Kansas Press, 1984.

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**

Section Number 10 Page 6

North Gypsum Creek Truss Leg Bedstead Bridge
McPherson County, Kansas

GEOGRAPHICAL DATA

Verbal Boundary Description:

Located on the SW $\frac{1}{4}$ of Section 30, Township 17S, Range 1W, the North Gypsum Creek Truss Leg Bedstead Bridge encompasses an area measuring approximately 65 feet by 16 feet. The northwest corner of this area corresponds to the northwest corner of the bridge.

Boundary Justification:

The boundary includes the truss, deck, abutments, and associated approaches that represent the significant features associated with the bridge structure.

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**


Section - Photographic Documentation Page 7


North Gypsum Creek Truss Leg Bedstead Bridge
McPherson County, Kansas

PHOTO LOG

Photographer: Kerry Davis
Date of Photographs: May 2002
Location of Original Negative: Kansas State Historical Society, Topeka, Kansas

| Photograph Number | Camera View |
|-------------------|---|
| 1. | View W, bridge truss and northeast approach span |
| 2. | View SW, bridge truss and roadway |
| 3. | View E, bridge truss |
| 4. | View S, bridge truss and understructure |
| 5. | View NE, bridge understructure and northeast abutment |
| 6. | View W, plaque detail |
| 7. | View E, plaque detail |





NORTH GYPSUM CREEK
 TRUSS LEG
 BEDSTEAD BRIDGE
 McPHERSON Co., KS
 UTM REFERENCE:
 14/632700 | 4266260


(GALVA)
 6460 / NE

Mapped, edited, and published by the Geological Survey
 Control by USGS and USC&GS

Topography by photogrammetric methods from aerial
 photographs taken 1959. Field checked 1964
 Polyconic projection. 1927 North American datum
 10,000-foot grids based on Kansas coordinate system,
 north and south zones
 1000-meter Universal Transverse Mercator grid ticks,
 zone 14, shown in blue

To place on the predicted North American Datum 1983
 move the projection lines 1 meter north and
 27 meters east as shown by dashed corner ticks

Revisions shown in purple and woodland compiled from
 aerial photographs taken 1981 and other sources. This
 information not field checked. Map edited 1985



UTM GRID AND 1985 MAGNETIC NORTH
 DECLINATION AT CENTER OF SHEET