

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Section number _____ Page _____

SUPPLEMENTARY LISTING RECORD

NRIS Reference Number: 91000159 Date Listed: 3/6/91

<u>Steliko Ranger Station</u>	<u>Chelan</u>	<u>WA</u>
Property Name	County	State

USDA Forest Service Administrative Buildings in OR and WA Built
by the CCC
Multiple Name

This property is listed in the National Register of Historic Places in accordance with the attached nomination documentation subject to the following exceptions, exclusions, or amendments, notwithstanding the National Park Service certification included in the nomination documentation.

for *Autonietta Rice*
Signature of the Keeper

3/6/91
Date of Action

=====
Amended Items in Nomination:

Classification: Under Category of Property, only building(s) should be checked.

Statement of Significance: The check next to Criteria Consideration G should be deleted. The Period of Significance should be amended to read: 1935-41. The Significant Dates should be amended to read: 1935-36.

This information was confirmed with Evan DeBloois, Preservation Officer, Forest Service.

DISTRIBUTION:

- National Register property file
- Nominating Authority (without nomination attachment)

United States Department of the Interior
National Park Service

RECEIVED
JAN 25 1991

**NATIONAL REGISTER OF HISTORIC PLACES
REGISTRATION FORM**

NATIONAL
REGISTER

This form is for use in nominating or requesting determinations of eligibility for individual properties or districts. See instructions in How to Complete National Register Forms (revised 1986). Complete each item by marking "x" in the appropriate box or by entering the requested information. If an item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, styles, materials, and areas of significance, enter only the categories and subcategories listed in the instructions. For additional space use continuation sheets (Form) and identify the section being continued. Type all entries.

1. NAME OF PROPERTY

~~Steliko Guard Station~~ Ranger Station

historic name

other names/site number Steliko Guard Station

2. LOCATION

Wenatchee National Forest, Entiat Ranger District

street & number ~~801 Yakima Street~~ Entiat Ranger District

N/A not for publication

city, town ~~Wenatchee~~ Ardenvoir

vicinity

state Washington code 53 county Chelan code 007 zip code 98811 ~~98804~~

3. CLASSIFICATION

Ownership of Property	Category of Property	Number of Resources within Property	
<input type="checkbox"/> private	<input checked="" type="checkbox"/> building(s)	Contributing	Noncontributing
<input type="checkbox"/> public-local	<input type="checkbox"/> district	5	0 6 buildings
<input type="checkbox"/> public-State	<input checked="" type="checkbox"/> site	_____	_____ sites
<input checked="" type="checkbox"/> public-Federal	<input type="checkbox"/> structure	_____	_____ structures
	<input type="checkbox"/> object	_____	_____ objects
		5	0 6 Total

Name of related multiple property listing:
USDA Forest Service Administrative Buildings
in the States of Oregon and Washington
Built by the Civilian Conservation Corps

Number of contributing resources previously listed in the National Register 0

4. STATE/FEDERAL AGENCY CERTIFICATION

As the designated authority under the National Historic Preservation Act of 1966, as amended, I hereby certify that this nomination request for determination of eligibility meets the documentation standards for registering properties in the National Register of Historic Places and meets the procedural and professional requirements set forth in 36 CFR Part 60. In my opinion, the property meets does not meet the National Register criteria. See continuation sheet.

Jacob E. [Signature] April 11, 1988
 Signature of certifying official Date
 Office of Archaeology & Historic Preservation
 State or Federal agency and bureau

In my opinion, the property meets does not meet the National Register criteria. See continuation sheet.

[Signature] 1-8-91
 Signature of commenting or other official Date
 USDA Forest Service
 State or Federal agency and bureau

5. NATIONAL PARK SERVICE CERTIFICATION

I, hereby, certify that this property is:

	Signature of the Keeper	Date of Action
<input checked="" type="checkbox"/> entered in the National Register.	<u><i>[Signature]</i></u>	<u>3/6/91</u>
<input type="checkbox"/> determined eligible for the National Register.	_____	_____
<input type="checkbox"/> determined not eligible for the National Register.	_____	_____
<input type="checkbox"/> removed from the National Register.	_____	_____
<input type="checkbox"/> other, (explains) _____	_____	_____

6. FUNCTION OR USE

Historic Functions (enter categories from instructions)

GOVERNMENT: Government Office

Current Functions (enter categories from instructions)

GOVERNMENT: Government Office

7. DESCRIPTION

Architectural Classification (enter categories from instructions)

OTHER: Rustic Architecture of the
USDA Forest Service in the Pacific
Northwest Region

Materials (enter categories from instructions)

foundation concrete roof wood: shingle
walls wood: weatherboard other shiplap, vertical
board & batten,
metal

Describe present and historic physical appearance.

See continuation sheet

8. STATEMENT OF SIGNIFICANCE

Certifying official has considered the significance of this property in relation to other properties:

nationally statewide locally

Applicable National Register Criteria A B C D

Criteria Considerations (Exceptions) A B C D E F G

Areas of Significance (enter categories from instructions)

POLITICS/GOVERNMENT
CONSERVATION
ARCHITECTURE

Period of Significance

Significant Dates

1933-1942

1933-36

Cultural Affiliation

N/A

Significant Person

Architect/Builder

Regional Office Architecture Group:
Lynn A. Forrest, Howard L. Gifford, Ward
Gano, James Pollock, Emmett U. Blanchfield

State significance of property and justify criteria, criteria considerations, and areas and periods of significance noted above.

See continuation sheet

9. MAJOR BIBLIOGRAPHICAL REFERENCES

- Previous documentation on file (NPS):
- preliminary determination of individual listing (36 CFR 67) has been requested
 - previously listed in the National Register
 - previously determined eligible by the National Register
 - designated a National Historic Landmark
 - recorded by Historic American Buildings Survey # _____
 - recorded by Historic American Engineering Record # _____

See continuation sheet

- Primary location of additional data:
- State historic preservation office
 - Other State agency
 - Federal agency
 - Local government
 - University
 - Other

Specify repository:
USDA Forest Service, Regional Office,
Pacific Northwest Region, Recreation Unit

10. GEOGRAPHICAL DATA

Acreage of property 3.27 acres

UTM References

	Zone	Easting	Northing		Zone	Easting	Northing
A	10	697970	5290984	B			
C				D			
E				F			
G				H			

Verbal Boundary Description

See continuation sheet

Boundary Justification The boundaries are drawn to include those buildings and spaces that describe the Forest Service administrative use of the site. The area encompassed is limited to the portion of the tract designated for administrative withdrawal containing the actual improvements, and such spaces as may define the site function.

See continuation sheet

11. FORM PREPARED BY

name/title E. Gail Throop, Regional Historian
organization USDA Forest Service, Pacific Northwest Region date 9/2/86
street & number 319 SW Pine, P.O. Box 3623 telephone (503) 221-3644
city or town Portland state Oregon zip code 97208

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**

Section number 7 Page 1 of 2

Steliko Guard Station

Residence #1162: 1935-38; T-shaped, 1 1/2-story, wood-frame, poured concrete foundation, wood-shingled high gable roof with center gable on east elevation. Horizontal shiplap exterior, end boards. Six-over-six double-hung sash windows, singly and in combinations with mullions. Shed-roofed open porch, north (main) facade. No decoration. Addition of semi-enclosed screened end porch extends width of south gable end.

Residence #1163: 1938; rectangular, 1 1/2-story, wood-frame, poured concrete foundation, wood-shingled high gable roof with offset main gable on north (main) facade, large gable-roofed dormer, south slope of roof. Stretcher bond brick exterior chimney on west elevation. Horizontal shiplap exterior, end boards. Six-over-one double-hung sash windows, singly and in combinations with mullions. Hipped-roof hood above main and rear entrances. No decoration. No apparent exterior alteration.

Warehouse #2256: 1937; rectangular, 1 1/2-story, wood-frame, medium gable roof with offset gable on north (main) facade, shed-roof extends from slope of main gable to form porch above loading dock, supported by heavy squared-timber posts with curved brackets, affixed. Loading dock is faced with coursed rubble stone. Horizontal clapboard exterior, vertical boards, battens every other board on all gable ends. Nine-light sash windows. No decoration. Concrete side steps added to west end of loading dock; wood-shingle roof materials replaced with textured metal sheet roofing. Overhead-lift door, single-leaf laminate door introduced in north-projecting gable end; freight door, center, main facade, replaced with single leaf solid-core door.

Barn #2457: 1937-38; large, rectangular, wood-frame, wood-shingled medium gable roof with three gabled dormers set immediately above eaveline on west elevation, enclosing nine-light sash windows. Horizontal clapboard exterior, vertical board, battens every other board on gable ends. Center, slide-opening doors on north and south gable ends, two-leaf hinged hay door on south gable end. No decoration. No obvious exterior alteration.

**United States Department of the Interior
National Park Service**

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**

Steliko Ranger Station
Section number 7 Page 2 of 2

Gas and Oil House: Detached, rectangular plan, poured concrete foundation, nailed wood frame, wood-shingled medium gable roof; south anterior wall recessed to form umbrage, entry flanked by two heavy squared-timber posts with large curving inset brackets; revised plank loading dock, foundation veneered with rubble masonry, abuts east (right side) elevation. Horizontal beveled siding on exterior walls; vertical board, battens every other board, on gable ends. Vertical single-sash windows with divisions of three lights flank entry. Main entry, center south-facing gable-end facade; single leaf vertical plank door. No decoration. East slope of roof has been raised and extended to cover loading dock; original line of roof delineated with trim.

Non-Contributing Buildings: Also present on the property are six buildings constructed subsequent to the Depression and therefore not contributing to the theme. They consist of two garages, one built in 1944 and another at an unknown date; one bunkhouse built in 1966; two storage sheds, built in 1971 and 1981; and one residential trailer added in 1986.

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**

Section number 8 Page 1 of 1

SIGNIFICANCE:

The Steliko Guard Station typifies the construction projects undertaken by the Civilian Conservation Corps and signifies the aid to the local community provided by the emergency work-relief program through employment of youth and experienced craftsmen, purchase of building materials and camp supplies, and personal expenditures of enrollees. The property represents the Forest Service's presence in the locality, as the headquarters for field operation, and denotes, via the physical facilities required to carry out the agency's expanding responsibilities, the critical transition in the Service's development from custodial superintendence to extensive resource management. The Steliko Guard Station exemplifies the rustic architectural idiom developed by the Forest Service, Pacific Northwest Region, to impart Forest Service identity and to represent its purposes and ideals, and signifies the agency's particular interpretation of a singular expression of early twentieth century American architectural thought. Possessing standard qualities of design and execution, the Guard Station is a good example of an architectural locution invested with special aesthetic and associative values by the agency that created it.

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**

Section number 9 Page 1 of 1

1935-1941 Building Plans and Specifications, Unit of Engineering Files, USDA Forest Service, Regional Office, Portland, Oregon. Microfilm.

Administrative Site Plans, Unit of Recreation Files, USDA Forest Service, Regional Office, Portland, Oregon. Microfilm.

Photograph Collections, Office of Information and Unit of Recreation Files, USDA Forest Service, Regional Office, Portland, Oregon.

Property, Capital Investment, and Building Maintenance Records; Improvements Atlases. Internal Documents on File in Forest Supervisor's Offices. Locations Available USDA Forest Service, Regional Office, Portland, Oregon.

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**

Section number 10 Page 1 of 1

Steliko Work Center

In the County of Chelan, State of Washington. A parcel of land lying in the northwestern quarter of Section 20, T.26N., R.20E., W.M., described as follows:

Commencing at the northwest corner of Section 20; thence south 182° a distance of 947.465 feet, more or less, to a metal cap inscribed "USFS Prop Cor. LS 17304" near the west boundary of the work center; said metal cap being the true point of beginning; thence 360° for a distance of 142.5 feet to a metal carriage bolt in the middle of Steliko Canyon Road; thence 73° along the northern edge of the work center for a distance of 195.5 feet to a second carriage bolt in the Steliko Canyon Road; thence 81° continuing along the northern edge of the property a distance of 201.8 feet to a third carriage bolt in the Steliko Canyon Road; thence 74° for a distance of 154.6 feet to the northeastern corner of the Steliko Barn; thence 69° continuing along the northern edge of the work center for a distance of 65 feet to the tree cooler access road; thence 124° for a distance of 133.3 feet along the eastern edge of the property to the west corner of the tree cooler; thence 233° along the southern edge of the work center for a distance of 124 feet to a 14 inch DBH ponderosa pine with a carriage bolt imbedded in the south face; thence 247° continuing along the south edge of the work center for a distance of 136.75 feet to a 12 inch DBH ponderosa pine with an orange peg imbedded in the south face, near the southeast corner of the warehouse; thence 235° for a distance of 188 feet to a 24 inch DBH ponderosa pine with an orange peg imbedded in the south face; thence 242° for a distance of 311.7 feet to the southwest corner of the work center where a carriage bolt is imbedded in the ground; thence 350° for a distance of 115.25 feet along the west edge of the work center to the true point of beginning. Said parcel of land contains 3.27 acres, more or less.

