UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

FOR NPS	USE ONLY	
	**** 0 ****	
RECEIVE	MAY 8 1980	
		- 4 1981

SEE INSTRUCTIONS IN HOW TO TYPE ALL ENTRIES O	O COMPLETE NATIONAL COMPLETE APPLICABLES	
NAME	01111 221 2711 210710 223	
HISTORIC 6 FLETCHER COVERED BRIDGE		
AND/OR COMMONS and the state of	STANCE TROUBLES &	• • • • • • • • • • • • • • • • • • • •
LOCATION IN TO CIT 18 TO A VALUE OF THE PROPERTY OF THE PROPER		Kier kaj – primisi den Sarata,
STREET & NUMBER Secondary Route 5/29 are across the right fork of Ten Mile	· //	condary Route 5, N.W. of
CITY, TOWN AND A SECRET SECTION OF THE SECTION OF T	VICINITY OF Maken	CONGRESSIONAL DISTRICT
STATE West Virginia	CODE. 54 - All Fair Bankgor (20	COUNTY CODE Harrison 053
CLASSIFICATION		
CATEGORY OWNERSHIP	STATUS	PRESENT USE
DISTRICT X_PUBLIC	XOCCUPIED in service	AGRICULTUREMUSEUM
BUILDING(S)PRIVATE	UNOCCUPIED	COMMERCIALPARK
X_STRUCTUREBOTH	WORK IN PROGRESS	EDUCATIONALPRIVATE RESIDENCE
_SITE PUBLIC ACQUISITION	ACCESSIBLE	ENTERTAINMENTRELIGIOUS
OBJECTIN PROCESS	YES: RESTRICTED	GOVERNMENTSCIENTIFIC
BEING CONSIDERED	X YES: UNRESTRICTEDNO	INDUSTRIAL X_TRANSPORTATIONMILITARYOTHER:
OWNER OF PROPERTY NAME West Virginia Department of STREET & NUMBER 1900 Washington Street, East		
City, TOWN	MOINTY OF	STATE
Charleston LOCATION OF LEGAL DESCR	PTION	West Virginia 25305
COURTHOUSE, REGISTRY OF DEEDS, ETC. Harrison County		
STREET & NUMBER		
CITY, TOWN		STATE
Clarksburg	**************************************	West Virginia
G REPRESENTATION IN EXIST	ING SURVEYS	
TITLE None		
DATE	FEDERALSTA	TECOUNTYLOCAL
DEPOSITORY FOR SURVEY RECORDS		



__FAIR

CONDITION

X_EXCELLENT __DETERIORATED __GOOD __RUINS

__UNEXPOSED

CHECK ONE

__ALTERED

CHECK ONE

X_UNALTERED X_ORIGINAL SITE

__MOVED DATE____

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

The Fletcher Bridge is 12.4 feet wide and 58.4 feet long. It has red board-and-batten siding and an asphalt composition roof covering and protecting a pair of kingpost trusses. The multiple kingpost truss was the most popular type used for covered bridges. These trusses have six panels, each approximately 9.6 feet in length and 11.6 feet high. The ends of the diagonals (typically 6 x 8 inches) are flush against the top and bottom chords, which consist of two-6 x 4½ inch and two-6 x 10 inch timbers, and fit partially into small notches made in the 7 x 8 inch verticals. The cross sectional dimensions of the diagonals at the end panels, and the centerposts are 8 x 8 inches and 8 x 9½ inches respectively. A series of 2 x 9 inch transverse floor beams, which rest on the bottom chords spaced on 20 inch centers, along the length of the bridge, support the timber deck. Noteworthy are the joggle splice pieces which join the components of the lower chord, and the superior masonry work of the abutments.

The bridge continues to function without the aid of any modern reinforcement.

PERIOD	AH	EAS OF SIGNIFICANCE CH	IECK AND JUSTIFY BELOW	
PREHISTORIC	_ARCHEOLOGY-PREHISTORIC	COMMUNITY PLANNING	LANDSCAPE ARCHITECTURE	RELIGION
1400-1499	ARCHEOLOGY-HISTORIC	CONSERVATION	LAW	SCIENCE
1500-1599	AGRICULTURE	ECONOMICS	LITERATURE	SCULPTURE
1600-1699	ARCHITECTURE	EDUCATION	MILITARY	_SOCIAL/HUMANITARIAN
1700-1799	ART	X ENGINEERING	MUSIC	THEATER
X.1800-1899	COMMERCE	EXPLORATION/SETTLEMENT	PHILOSOPHY	X_TRANSPORTATION
1900-	COMMUNICATIONS	INDUSTRY	POLITICS/GOVERNMENT	_OTHER (SPECIFY)
		INVENTION		

SPECIFIC DATES

1891

BUILDER/ARCHITECT Solomon Swiger & L.E. Strum

STATEMENT OF SIGNIFICANCE


On March 10, 1890 the Harrison County Court, after considering the petition of John C. Rogers, ordered that William N. Edgell, Elias Swiger, and R. M. Rogers be appointed viewers to locate a site for a bridge over the right hand fork of Ten Mile Creek, near the residence of John G. Rogers. The viewers were to report back to court concerning the size of abutments, height of fills, span length, and the probable cost (1). J. T. Williams was appointed by the court on July 1, 1891 as a special commissioner to advertise and receive bids for the construction of the bridge. On August 21, 1891, Soloman Swiger was awarded the contract for building the superstructure for \$7.25 per lineal foot, and L. E. Sturm received the contract for the construction of the abutments for \$4.45 per cubic yard. To ensure the faithful performance of their work, Sturm entered into bond with the court on September 16, 1891 for \$1500.00 and on September 18, 1891, Swiger entered into bond for \$600.00. Genius Payne, who was appointed by the court to superintend the building of the bridge, declined the appointment on September 27, 1891 and was succeeded by W. J. Williams. After W. J. Williams, on November 27, 1891, reported to the court that the masonry had been completed according to contract, it was ordered that L. E. Sturm be paid \$937.46. The same day Williams also reported that the superstructure was nearing completion, and the court ordered that Soloman Swiger be given an advance of \$100.00. On December 14, 1891, Williams submitted his final report. A county claims list, dated December 23, 1891, shows that a total of \$435.00 was paid to Soloman Swiger, \$18.00 of which was to be given to D. D. Robinson, and \$30.00 was to be given to the Garrett brothers. The total cost of the bridge was \$1372.46 (2).

The Fletcher Bridge is one of three covered bridges remaining in Harrison County and stands out as one of the few covered bridges in West Virginia that has not been significantly altered from its original condition.


9 MAJOR BIBLIOGRAPHICAL REFERENCES

- 1. General Order Book #4, Harriosn County Court, p. 218.
- 2. General Order Book #5, Harriosn County Court, pp. 169, 176, 180, 184, 225, 226, 237, 242, 269.


		PA 1250 TE 1888 PA				
10 GEOGRAPHI	CAL DATA	AUNEA</th <th>ic hui ya</th> <th></th> <th></th> <th></th>	ic hui ya			
ACREAGE OF NOMINA	TED PROPERTY Not ap	plicable	MAT WEDI	TITN		
UTM REFERENCES	Quad. name Wolf :	Summit Ulli	INUI YEM	Quad. scale	1:24000	
A 1,7 5 4,4	18,0,5 4,3 5,06	5,0,01 в	1.111.			
ZONE EASTIN			ZONE EASTING	NORTH	ING	
C		<u> </u>	<u> </u>		<u> </u>	·
VERBAL BOUNDA	AY DESCRIPTION					
	n d ire s S ir ene, con dina . Mangan			N.		-
	e produkti kanala k Kanala kanala kanal				n trakti ja kistori štori ja sisteri	.: 799 1865 3
	e de la citatra de final de la citatra d Contrasta de la citatra de				nn y digiriya. Kalif digiriya.	
						i i to
LIST ALL STA	TES AND COUNTIES FOR	PROPERTIES OVE	RLAPPING STATI	OR COUNTY BOU	NDARIES	- 7
			កាល កញ្ញា ក្រាញ៉ា នេះ ក្រុម ប្រាសាសន៍		rromania (n. 1864). Distributor	
STATE	udigi duma komboligi gamma u samati ji sa sama Ci Aliya aya wasa kaka u sama u samati ji sama a samati	ODE COU	NTY		CODE	
STATE		ODE COU	NTY		CODE	
	the fire property of the					
ORGANIZATION West Virginia Un	fessor of History	of Science a	nd Technolog	DATE	1 Engineeri	.ng
STREET & NUMBER				(304) 293-38	67	
G14 Woodburn Ha	II, Town Campus			STATE		
Morgantown.			V	West Virginia	26506	
The Auto-Comp	ORIC PRESERV	ATION OF	FICER CER	TIFICATIO	V	
	THE EVALUATED SIGNIFIC					
NATION		STATE		LOCAL		
INATION	16	31A1E	galaten herbildi in his	LOCAL		
hereby nominate this pi	Historic Preservation Office roperty for inclusion in the set forth by the National Pa	National Register	· · · · · · · · · · · · · · · · · · ·			• • • • • • • • • • • • • • • • • • •
FEDERAL REPRESENTA	TIVE SIGNATURE					· ·
TITLE				DATE		
FOR NPS USE ONLY			1-			50386 J. 1 V
I HEREBY CERTIFY T	TIATTINE DOODEDTVICE				6632/30 1 1 2 4 6 1 1 2 2 3 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	
	HAL THIS FAUFERILIS II	ACTODED IN THE	NATIONAL REGIS	TER		
	HAT THIS FROM ENTER 13 II	ACTODED IN THE	NATIONAL REGIS			
	OF ARCHEOLOGY AND HIS			DATE		
DIRECTOR, OFFICE O ATTEST: KEEPER OF THE NAT	OF ARCHEOLOGY AND HIS					




7. FLETCHER COVERED BRIDGE



7. FLETCHER COVERED BRIDGE



7. FLETCHER COVERED BRIDGE



7. FLETCHER COVERED BRIDGE