

UNITED STATES DEPARTMENT OF THE INTERIOR
NATIONAL PARK SERVICE

**NATIONAL REGISTER OF HISTORIC PLACES
INVENTORY -- NOMINATION FORM**

FOR FEDERAL PROPERTIES

FOR NPS USE ONLY	
RECEIVED	
DATE ENTERED	

SEE INSTRUCTIONS IN *HOW TO COMPLETE NATIONAL REGISTER FORMS*
TYPE ALL ENTRIES -- COMPLETE APPLICABLE SECTIONS

1 NAME

HISTORIC
Northeast Entrance Station
AND/OR COMMON

2 LOCATION

STREET & NUMBER

--- NOT FOR PUBLICATION

CONGRESSIONAL DISTRICT

CITY, TOWN
Yellowstone National Park
STATE
Montana

VICINITY OF
 VICINITY OF Cooke City and Silver Gate
CODE
30

COUNTY
Park
CODE
067

1st

3 CLASSIFICATION

CATEGORY	OWNERSHIP	STATUS	PRESENT USE
<input type="checkbox"/> DISTRICT	<input checked="" type="checkbox"/> PUBLIC	<input checked="" type="checkbox"/> OCCUPIED (Seasonally)	<input type="checkbox"/> AGRICULTURE
<input checked="" type="checkbox"/> BUILDING(S)	<input type="checkbox"/> PRIVATE	<input type="checkbox"/> UNOCCUPIED	<input type="checkbox"/> COMMERCIAL
<input type="checkbox"/> STRUCTURE	<input type="checkbox"/> BOTH	<input type="checkbox"/> WORK IN PROGRESS	<input type="checkbox"/> EDUCATIONAL
<input type="checkbox"/> SITE	PUBLIC ACQUISITION	ACCESSIBLE	<input type="checkbox"/> ENTERTAINMENT
<input type="checkbox"/> OBJECT	<input type="checkbox"/> IN PROCESS	<input checked="" type="checkbox"/> YES: RESTRICTED	<input checked="" type="checkbox"/> GOVERNMENT
	<input type="checkbox"/> BEING CONSIDERED	<input type="checkbox"/> YES: UNRESTRICTED	<input type="checkbox"/> INDUSTRIAL
		<input type="checkbox"/> NO	<input type="checkbox"/> MILITARY
			<input type="checkbox"/> MUSEUM
			<input type="checkbox"/> PARK
			<input type="checkbox"/> PRIVATE RESIDENCE
			<input type="checkbox"/> RELIGIOUS
			<input type="checkbox"/> SCIENTIFIC
			<input type="checkbox"/> TRANSPORTATION
			<input type="checkbox"/> OTHER

4 AGENCY

REGIONAL HEADQUARTERS: (If applicable)

National Park Service -- Rocky Mountain Regional Office
STREET & NUMBER
655 Parfet Street, P. O. Box 25287

CITY, TOWN
Denver

VICINITY OF

STATE
Colorado

5 LOCATION OF LEGAL DESCRIPTION

COURTHOUSE,
REGISTRY OF DEEDS, ETC.
National Park Service -- Rocky Mountain Regional Office

STREET & NUMBER
655 Parfet Street, P. O. Box 25287

CITY, TOWN
Denver

STATE
Colorado

6 REPRESENTATION IN EXISTING SURVEYS

TITLE
List of Classified Structures Inventory

DATE
1976 and 1983

FEDERAL STATE COUNTY LOCAL

DEPOSITORY FOR
SURVEY RECORDS
National Park Service

CITY, TOWN
Washington

STATE
D. C.

7 DESCRIPTION

CONDITION		CHECK ONE	CHECK ONE
<input type="checkbox"/> EXCELLENT	<input type="checkbox"/> DETERIORATED	<input checked="" type="checkbox"/> UNALTERED	<input checked="" type="checkbox"/> ORIGINAL SITE
<input checked="" type="checkbox"/> GOOD	<input type="checkbox"/> RUINS	<input type="checkbox"/> ALTERED	<input type="checkbox"/> MOVED DATE _____
<input type="checkbox"/> FAIR	<input type="checkbox"/> UNEXPOSED		

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

The nomination for the Northeast Entrance Station at the Cooke City/Silver Gate entrance to Yellowstone National Park consists of two buildings: a checking station and ranger station/residence, both of classic rustic design. The checking station spans most of road--Montana Highway 212--as it enters the park and is the structure most visible to the public. The ranger station/residence is a short distance away on the north side of the road. It is partially screened from view by the surrounding vegetation (primarily evergreens) and its raised elevation above the roadway. The ranger station's natural materials and dark brown color help it recede further into its sylvan setting. Both structures are built of logs.

The checking station is a log structure of three separate rooms. The central office is flanked by two small wings on the north and south that are connected to the central portion by a gable roof. The two lanes of the entrance road pass through those roof-covered spaces between the central portion and its wings to the north and south. The foundation of the building is concrete with a rubble masonry veneer. Construction specifications for the building called for native stone selected for variation in color, texture, size and shape, with irregularities of a depth up to 2 1/2" allowed in the face surfaces. The specifications for the logs were also followed. The lodgepole pine logs were cut from an area designated within the park. All of the logs had a maximum taper of not more than 1" in 15' and were peeled prior to construction. The saddle-coped joints at corners, called for in the specifications, were finely executed. The oakum rope chinking still remains. The logs were laid with alternating butts and tips, and log ends were cut with two or three bevel faces in random directions. Log rafter ends projecting beyond the eaves have that similar frontier detailing of axe-cut ends. The most expressive aspect of the logwork is the gentle concave curve of the log ends from the foundation up to the eaves. This sophisticated treatment adds an elegant touch to a building constructed of such simple materials.

The intersecting gable roofs are covered with wood shingles. The lines created by the double courses of shingles every fifth row re-emphasizes the building's horizontality. The roofs were originally stained with a creosote-based stain (Cabot's color #248--probably a forest green). The new roof put on in 1984 has not been stained. The exterior log walls were stained with a creosote stain. Exterior trim woodwork of doors and windows is painted forest green, matching the original color. Gable ends are finished with vertical channeled siding. Changes on the exterior

8 SIGNIFICANCE

PERIOD	AREAS OF SIGNIFICANCE -- CHECK AND JUSTIFY BELOW			
<input type="checkbox"/> PREHISTORIC	<input type="checkbox"/> ARCHEOLOGY-PREHISTORIC	<input type="checkbox"/> COMMUNITY PLANNING	<input type="checkbox"/> LANDSCAPE ARCHITECTURE	<input type="checkbox"/> RELIGION
<input type="checkbox"/> 1400-1499	<input type="checkbox"/> ARCHEOLOGY-HISTORIC	<input type="checkbox"/> CONSERVATION	<input type="checkbox"/> LAW	<input type="checkbox"/> SCIENCE
<input type="checkbox"/> 1500-1599	<input type="checkbox"/> AGRICULTURE	<input type="checkbox"/> ECONOMICS	<input type="checkbox"/> LITERATURE	<input type="checkbox"/> SCULPTURE
<input type="checkbox"/> 1600-1699	<input checked="" type="checkbox"/> ARCHITECTURE	<input type="checkbox"/> EDUCATION	<input type="checkbox"/> MILITARY	<input type="checkbox"/> SOCIAL/HUMANITARIAN
<input type="checkbox"/> 1700-1799	<input type="checkbox"/> ART	<input type="checkbox"/> ENGINEERING	<input type="checkbox"/> MUSIC	<input type="checkbox"/> THEATER
<input type="checkbox"/> 1800-1899	<input type="checkbox"/> COMMERCE	<input type="checkbox"/> EXPLORATION/SETTLEMENT	<input type="checkbox"/> PHILOSOPHY	<input type="checkbox"/> TRANSPORTATION
<input checked="" type="checkbox"/> 1900-Present	<input type="checkbox"/> COMMUNICATIONS	<input type="checkbox"/> INDUSTRY	<input type="checkbox"/> POLITICS/GOVERNMENT	<input type="checkbox"/> OTHER (SPECIFY)
		<input type="checkbox"/> INVENTION		

SPECIFIC DATES 1935 - Present

BUILDER/ARCHITECT

N.P.S. Branch of Plans and design, architects; George Larkin, builder.

STATEMENT OF SIGNIFICANCE

Of all of the entrance stations in national parks and monuments, the Northeast Entrance Station at Yellowstone is a classic in terms of its rustic design. Its pristine, nearly original condition makes it outstanding in the National Park system, and perhaps unique, for its architectural integrity. At the time of its construction it was considered one of the most ambitious of its type.

In 1935 the National Park Service published a volume entitled Park Structures and Facilities to serve as a training tool for architects and landscape architects hired under Emergency Conservation Work and Public Works Administration programs. Very few, if any, of the designers hired under those programs had any experience in designing the types of structures needed for visitor use in county, state, and national parks. Their design training emphasized European architectural precedents. American architectural schools still patterned their curricula after that of L'Ecole des Beaux Arts in Paris, the premier architectural school in the western hemisphere. That type of classically oriented architecture had no place in natural areas. From the outset directors of the National Park Service stressed the importance of harmonizing improvements with the landscape. Even in 1918 Director Stephen T. Mather urged "the employment of trained engineers who either possess a knowledge of landscape architecture or have a proper appreciation of the esthetic value of park lands." [1] By 1935 the sense of appropriate park architecture was fully developed. When the National Park Service was designated to supervise development in state, county, and metropolitan recreation areas under the Emergency Conservation Work Act of 1933, the need for training the large numbers of new architects and landscape architects was pressing. Thus, Park Structures and Facilities came about, first published in 1935. An expanded three-volume version, Park and Recreation Structures, was printed in 1938, with separate chapters reprinted several times before World War II.

The books stressed that rustic design "is a style which, through the use of native materials in proper scale, and through the avoidance of rigid, straight lines, and over-sophistication, gives the feeling of having been executed by pioneer craftsmen

9 MAJOR BIBLIOGRAPHICAL REFERENCES

See continuation sheet.

10 GEOGRAPHICAL DATA

ACREAGE OF NOMINATED PROPERTY Approximately 1.27 acres

UTM REFERENCES

A

1	2	5	7	8	0	8	1	0
---	---	---	---	---	---	---	---	---

4	9	8	3	7	4	0
---	---	---	---	---	---	---

B

--	--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--	--

C

--	--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--	--

D

--	--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--	--

VERBAL BOUNDARY DESCRIPTION

See continuation sheet.

LIST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES

STATE	CODE	COUNTY	CODE
N/A			

STATE	CODE	COUNTY	CODE
N/A			

11 FORM PREPARED BY

NAME / TITLE

Laura Soulliere Harrison Architectural Historian

ORGANIZATION

National Park Service -- Southwest Regional Office

DATE

1985

STREET & NUMBER

P.O. Box 728

TELEPHONE

(505) 988-6787

CITY OR TOWN

Santa Fe

STATE

New Mexico

12 CERTIFICATION OF NOMINATION

STATE HISTORIC PRESERVATION OFFICER RECOMMENDATION

YES ___ NO ___ NONE ___

STATE HISTORIC PRESERVATION OFFICER SIGNATURE

In compliance with Executive Order 11593, I hereby nominate this property to the National Register, certifying that the State Historic Preservation Officer has been allowed 90 days in which to present the nomination to the State Review Board and to evaluate its significance. The evaluated level of significance is ___ National ___ State ___ Local.

FEDERAL REPRESENTATIVE SIGNATURE

TITLE

DATE

FOR NPS USE ONLY

I HEREBY CERTIFY THAT THIS PROPERTY IS INCLUDED IN THE NATIONAL REGISTER

DATE

DIRECTOR, OFFICE OF ARCHEOLOGY AND HISTORIC PRESERVATION

ATTEST:

DATE

KEEPER OF THE NATIONAL REGISTER

United States Department of the Interior
National Park ServiceNational Register of Historic Places
Inventory—Nomination Form

For NPS use only

received

date entered

Continuation sheet

Item number 7

Page 2

include the addition of concrete bollards on the east and west elevations to prevent vehicles from driving into the building; the addition of a National Park Service arrowhead in the east gable end; and the addition of two street lights and one flagpole. The road originally consisted of the two lanes passing through the building and possibly a service lane to the north of the building. Additional traffic lanes have been constructed to the north and south so that larger vehicles can pass around the building upon entrance or exit. Drivers of larger recreational vehicles now get out and walk around to the checking station office to pay their fees to the ranger on duty (cars and pick-up trucks still drive under the roof). The relatively small amount of traffic that passes through the northeast entrance to the park precludes any traffic jams. This sensible solution for accomodating today's larger vehicles saved the building from having its wings literally chopped off, as has been done with other entrance stations with similar drive-throughs.

The interior of the checking station has undergone very little change through the years. The exposed logs of the walls and roof structure in the central portion retain their original finish--an oil stain coated with white shellac. The oil stove which heats the central portion replaced the original wood stove about 20 years ago, but occupies the same central location in the checking station. The brick chimney on the west wall (rubble masonry above roof line) is original. The north and south walls of the central portion each have dutch doors with sliding, paired six-light windows next to them. The dutch doors have four lights above and a diagonal board inset panel below. This original door and window configuration makes the fee-collection function easy. When the building was re-wired in recent years, simple electrical fixtures were attached to the log ceiling joists. A small shelf was also built to support a fan. The building underwent extensive rehabilitation work during the summer of 1984. Log rafters were replaced, some of the log ends were repaired with epoxy, the foundation was repaired, and the building re-roofed.

The small room of the south wing houses the fuel tank for the oil stove as well as search and rescue equipment. The north wing contains the electrical switch box. Both rooms have concrete floors that were probably poured sometime after construction. The original plans called for earth floors.

The ranger residence is a rectangular log building with an additional rectangular wing at its northeast corner. The ranger office is in this small northeast wing; the remainder of the building is a residence. The one-story building contains seven

**United States Department of the Interior
National Park Service**

**National Register of Historic Places
Inventory—Nomination Form**

For NPS use only

received

date entered

Continuation sheet

Item number 7

Page 3

rooms and a partial basement. The foundation is battered rubble masonry more than two feet above grade in some areas. The log walls, like those of the checking station, are have saddle-notching and axe cut ends. The log end alignment at the building corners begins at the foundation, cuts back toward the body of the building, and then flanges out to the eaves. The result, like the checking station, is the expressive curve that moves the building up from a category of simple log structure to that of distinguished log structure. The roofs of the main residential section and the ranger office are both gable, finished with wood shingles. Doors and windows are original. The main entrance door into the ranger office is made of two-inch thick vertical planks with wrought-iron strap hinges and glazing above to let natural light into the building. Windows are single, paired, or tripled six-light casements, with mullions and wood frames painted green. The interior of the building has wood floors, some of which have been covered with linoleum. Fluorescent lights have been added to the office section of the building. Some re-wiring has been done over the years. As an experiment, the building's ceiling was heavily insulated at the time of construction to improve its heat retention and help prevent the build up of ice on the roof.

The buildings were designed by a member or members of Thomas Vint's Branch of Plans and Design in San Francisco. The buildings were constructed as a Public Works project through contract with George Larkin of Gardiner, Montana.

**United States Department of the Interior
National Park Service**

**National Register of Historic Places
Inventory—Nomination Form**

For NPS use only

received

date entered

Continuation sheet

Item number 8

Page 2

with limited hand tools. It thus achieves sympathy with natural surroundings, and with the past." [2] The native materials used in the Northeast Entrance Station are the logs and stone from the park, and the wood shingles of the roofs. The axe-cut log ends contribute to that frontier/pioneer feeling. The checking station in particular far exceeds those criteria by combining its solids (rooms) and voids (drive-throughs) with the sculptural quality of the concave log ends creating a highly mannered, expressive structure. The ranger station/residence is inseparable from the checking station in terms of both design and function, even though its form has simpler lines.

One of the most important building types for rustic design in park areas was the entrance station, or checking station. The station served several purposes. First was for collecting fees and counting visitors. Second was to provide the first visitor contact in a national park, so the ranger could be a tangible Park Service presence while answering questions and providing a quick orientation at the same time. The third purpose was to provide a definite entrance, so that the visitor would know that he was entering an area different than that which he left, and on a subconscious level to create a sense of place and identity. A small wood-frame box of a building, for instance, could serve the purposes of sheltering a ranger for fee collection and minimal orientation, and could provide boundary definition; but the log entrance station did that and more. It subconsciously reinforced the visitor's sense of the western frontier and the wilderness he was about to enter. The building was not only the physical boundary, but the psychological boundary between the rest of the world and what was set aside as a permanently wild place. According to the Park and Recreation Structures reprint, the entrance station "should at once invite and deter, encouraging use while discouraging abuse of the park by the public. It should be all things to all men, tempting the devotees to Nature and of the past, while warding off and detouring that block of the public primarily bent on a greater gasoline consumption--a king of semaphore simultaneously reading 'stop' and 'go,' yet somehow avoiding all accidents to traffic and to temperament. Surely no easy accomplishment, perhaps unattainable!" [3] The checking station of Yellowstone's northeast entrance was featured in that publication as a prime example and an "ambitious" structure whose looks, in the eyes of the author, could only be improved by the addition of some "judicious low growth to break the harsh and barren foundation line." [4]

A 1932 plat of Silver Gate, the small community just east of the entrance station, proposed that all of the structures in the

**United States Department of the Interior
National Park Service**

**National Register of Historic Places
Inventory—Nomination Form**

For NPS use only

received

date entered

Continuation sheet

Item number 8

Page 3

community be of log construction.[5] A log two-story hotel, several log restaurants and residences are extant. Perhaps the architect's choice of logs for the primary building material of the checking station and ranger residence was also influenced by that local decision. In any case, the Northeast Entrance Station's architectural quality surpasses not only the Silver Gate buildings in design and craftsmanship, but also surpasses other national and state park log structures of similar function.

1. William Tweed, Laura E. Soulliere, and Henry Law, National Park Service Rustic Architecture 1916-1942 (San Francisco: National Park Service, 1977), p. 23.

2. Ibid., p. 93.

3. "Entranceways and Checking Stations," reprint from Park and Recreation Structures (Washington, D.C.: Government Printing Office), p.1.

4. Ibid., p.21.

5. A photograph of the plat specifying log construction for the buildings in Silver Gate hangs on the wall of a restaurant in that village. The original plat undoubtedly could be tracked down through county and state records.

**United States Department of the Interior
National Park Service**

**National Register of Historic Places
Inventory—Nomination Form**

For NPS use only

received

date entered

Continuation sheet

Item number 9

Page 1

Conservation Services. Completion Report--Stabilization of
Northeast Entrance Station, Yellowstone National Park.
September, 1984.

National Park Service. "Entranceways and Checking Stations,"
Reprint from Park and Recreations Structures, U.S. Government
Printing Office, 1938. No date on reprint.

Park files including List of Classified Structures Field
Inventory Report, Yellowstone 3073-B Construction Specifications,
and Forms 10-768 Building Folders.

Tweed, W.C., and L.E. Soulliere and H.G. Law. National Park
Service Rustic Architecture 1916-1942. San Francisco, National
Park Service, 1977.

**United States Department of the Interior
National Park Service**

**National Register of Historic Places
Inventory—Nomination Form**

For NPS use only

received


date entered

Continuation sheet

Item number 10

Page 1

The boundary begins at a point in the center of the entrance road 100 feet east-northeast of the exact center of the checking station building, then proceeds south-southeast 100 feet, then west-southwest 125 feet, then west-northwest 275 feet, then north-northwest 125 feet running parallel to and 25 feet west of the west wall of the ranger station, then 100 feet east-northeast running parallel to and 25 feet north of the north wall of the ranger station, then 250 feet south-southwest to the starting point, as shown on the enclosed sketch map.



Northeast Entrance Station
Yellowstone National Park

1":200'

(Note: Drawing is to approximate scale only)