EE INSTRUCTIONS

MUGGE Gas

Oregon

STATE:

Form 10-300 UNITED STATES DEPARTMENT OF THE INTERIOR (Rev. 6-72) NATIONAL PARK SERVICE

				COUNTY:			ļ
	NATIONAL REGISTER OF HISTOR	CES	Manton FOR MPS USE ONLY ENTRY ONTE				
	INVENTORY - NOMINATION						
	(Type all entries - complete applicab	le sectio	ns)		NOV 5 19	74	
	NAME			- PERLAND	HOOR OF THE	7-5	
•	C OMMON:				<del></del>		l k
		100		24/1/2	NAS		
	Sam Brown Hou	ise		12/ 12/10	18r		
	AND/OR HISTORIC:			V VICCI.	<i>Y</i>		
	"The Willows"	!		(9) Kr	_< <u>(() · </u>		i
2.	LOCATION				17/		
	STREET AND NUMBER: E of Tervai						
	Route 1. Box 164	'S	Represe	ntative Al Ullm	an	ĺ	
	Route 1, Box 164	_	CONGRESS	IONAL DISTRICT: Ore	gon's Secu	ond	
	Gervais Vicinity		Cor	gressional Dist	rict		
	Gervais VICINITY		COUNTY:	gressionar Dist			1
		CODE	- COUNTY:			DE	l
********	Oregon 97026	41	1	Marion	04	47	
3.	CLASSIFICATION				_		ĸ
	CATEGORY	RSHIP		STATUS	ACCESSIBL	Ε	l
	(Check One)	NJIII T		JIAIUS	TO THE PUB	LIC	
	☐ District ☒ Building ☐ Public Publi	c Acquisit	ion:	X Occupied	Yes:		
	Z Dollaring	In Pro			Restricted		1
	Shoctore as the same		Considered	Unoccupied	Unrestrict	1	ĺ
	Object Both	☐ peing	Considered	Preservation work	No No	-	l
				in progress	X 140		ĺ
	PRESENT USE (Check One or More as Appropriate)	-		<del></del>	+		l
							ĺ
	Agricultural Government Park			☐ Transportation ☐ Comments			l
	Commercial Industrial X Priv	ate Reside	ence	Other (Specify)			i
	☐ Educational ☐ Military ☐ Reli	gious	-				ĺ
	☐ Entertainment ☐ Museum ☐ Scie	ntific					İ
4.	OWNED OF PROPERTY						ĺ
	OWNER OF PROPERTY OWNER'S NAME:						- (0)
						0	Ž
	Mrs. Sam Brown	<u>II</u>				Oreg	긒
	STREET AND NUMBER:					86	[;'
	Route 1, Box 16	54				on	
	CITY OR TOWN:		STATE	:	CODE	7	1
	Gervais		Ì	07006	- /1	7	
•	LOCATION OF LEGAL DESCRIPTION		L	Oregon 97026			
•	COURTHOUSE, REGISTRY OF DEEDS, ETC:	<u></u>					
						Z	COUNTY:
	Marion County (	Courtho	use			Marion	ž
	STREET AND NUMBER:					Ľ.	7
						αc	"
	CITY OR TOWN:		STATE		CODE	7	1
			1			7	
٠.	Salem.		1	Orogen 07201	, ,	<del> </del>	$\vdash$
				Oregon 97301		**	$  \  $
φ,	REPRESENTATION IN EXISTING SURVEYS						
	TITLE OF SURVEY:						z
	Historic Americ	an Bui	lding Su	rvev		5	뒮
	DATE OF SURVEY: 1934	Federal	State		Local	1	ENTRY NUMBER
	DEPOSITORY FOR SURVEY RECORDS:		<del></del>			UT	Ś
	3T . A 1 m +						8
	National Parks S	service	2			<del>්</del> ත්	밁
	STREET AND NUMBER:					1974	
						7	
	CITY OR TOWN:		STATE		CODE	-	
	Washington		ר בית	rict of Columbi	2 11	_	DA
	Masiitiik foil		1 11751	TICE OF COLUMNS	9 1 TT-	1 .	۱ سر،

7. DESCRIPTION									
	(Check One)								
CONDITION	☐ `Excellent	👿 Good	☐ Fair	Det	eriorated	Ruins	Unexposed		
CONDITION		(Check Or	7e)			(Che	ck One)		
	☐ Alter	ed	X Unaltered			Moved	○ Original Site		

DESCRIBE THE PRESENT AND ORIGINAL (if known) PHYSICAL APPEARANCE

"The Willows", or the Sam Brown house near Gervais, built in 1856-58 in the Classical Revival style of the mid-ninteenth century, is in the form of a temple with flanking wings, often used in the East and Mid-West but rare in Oregon. Designed by another Sam Brown, not related to the builder, it is said to be the first architect-designed house in Oregon. Strongly Palladian in appearance, additional Palladian influence may be detected in the arrangement of the detatched dependencies which originally formed a small court on the back side of the house.

The westerly-facing center "temple" section is two storeys in height. It contains a large hall with fireplace below and sleeping quarters above. A two-storey portico forms the temple front. It is supported by square untapered columns one story in height. A plain freize and molded cornice surrounds this section, and the gable roof end forms a full pediment with boxed raking cornice. The center door on both floors is flanked on either side by a double-hung window six lights over six. The door on the ground floor has sidelights and a transom.

The symmetrical wings flanking the center temple are each a storey and a half high and contain fireplaces at the extreme ends with chimneys which rise to the same height as that on the center section. There are three formally-arranged front-facing windows in each wing, and a cornice with the same detailing as that of the center portion except that the horizontal cornice at the gable ends is broken. Two small windows set at cornice level at each end illuminate the attic storeys of the wings.

There were originally two detached dependencies behind the wings connected to the house by covered walkways or porches. Their arrangement was such that they formed a small court behind the house. That at the north end provided living quarters for hired help and the boys of the family, as well as storage for large quantities of firewood. It was demolished some time ago. That at the south end, still standing, contains the original dining room, kitchen, fruit room and pantry. This is apparently the first portion of the house to be built. It was lived in while the rest of the house was constructed.

The Sam Brown house is built on a frame of large hand-hewn timbers and sills. Where timbers and braces meet there are counter-sunk and pinned with large wooden pegs. The original weather-boards are hand-planed white fir. Walls of the original kitchen are filled with brick between uprights. Eve troughs were fashioned out of 50-foot cedar logs. The original cedar shingles, which were split and shaved smooth by hand, lasted 80 years.

According to Brown family tradition, the house was designed to the specification of Elizabeth Brown, Brown's wife, who wished it to resemble a Southern house she remembered. Initial cost was \$10,000. The house consumed 420 cords of wood a year for cooking and heating. Windows and paneled doors and paneled wainscoting were hand fashioned by Brown, who had been trained as a carpenter and cabinet maker. Much of the (continued)

Form 10-300a (July 1969)

# UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

# NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

ATE	
Oregon	
DUNTY	
Marion	
FOR NPS USE ONLY	
ENTRY NUMBER DATE	
NU 0 13/4	

(Continuation Sheet)

(Number	A11	entries	۱

#### SAM BROWN HOUSE (CONTINUED)

#### 2. Location

The Brown farm is located in the E. 1/2 Sec. 26 and S. 1/2 Sec. 25, T. 5S., R.2E. on the Willamette Meridian, Gervais, Marion County, Oregon.

## 6. Representation in Existing Surveys

Also:

Statewide Inventory of Historic Sites and Buildings State of Oregon, 1970
Parks and Recreation Section
Oregon State Highway Division
Salem, Oregon 97310
Code: 41

### 7. Description

original woodwork was painted with a marblized finish. The thick plaster has visible animal hairs for binding. Some of the original furnishings which were brought across the plains with the Browns or were shipped around Cape Horn remain in the house.

The house is still owned and lived in today by descendents of the Browns. Some adaptations have been made, such as the enclosing of back porches to provide kitchen and bathroom space in the main house, but it is largely unaltered and is maintained in good condition.



IGNIFICANCE			
PERIOD (Check One or More as	Appropriate)		
Pre-Columbian	16th Century	18th Century	20th Century
☐ 15th Century	☐ 17th Century	🗓 19th Century	
SPECIFIC DATE(S) (If Applica	ble and Known) 1858		
AREAS OF SIGNIFICANCE (CI	neck One or More as Appropri	ate)	Carl Line
Abor iginal	Education	X Political	Ur Planning
Prehistoric	Engineering	Religion/Phi-	PHEN Veregity)
Historic	Industry	losophy	HILL BILL
Agriculture	Invention	Science	10.00
X Architecture	Landscape	Sculpture	1101/28
☐ Art	Architecture	Social/Human-	NAGISTA
Commerce	Literature	itarian	(6) Kr
Communications	Military	Theater	VAITITION OF
Conservation	☐ Music	X Transportation	

STATEMENT OF SIGNIFICANCE

Apart from its unique architectural features, the Sam Brown house, like the story of the Brown family, is woven into the fabric of Oregon history. Sammuel Brown was born in Pennsylvania in 1821 and later moved to Indiana where he learned carpentry and cabinet making. At the age of 21 he moved to Missouri where he practiced his trade and married Elizabeth Allen. In 1846 the Browns and their nine-month old son joined a wagon train bound for Oregon. At Fort Hall in Idaho they were persuaded by Jesse Applegate (a brother of the builder of the Charles Applegate house in Yon-calla) and Jeni Scott to take the more "easily possible" Southern Immigrant Road, or Applegate Trail, into Oregon rather than follow the remainder of the Oregon Trail. At a subsequent point the Browns left the Applegate—Scott party and headed south for California, where Brown built a sawmill on the Feather River. With the discovery of gold in 1848, Brown, unable to find men to work the mill, decided to follow suit and try his hand at placer mining. He was successful.

In 1850, the Browns, \$20,000 richer, embarked by sea to visit a relative of Mrs. Brown's in Oregon. They decided to stay, filed for a Donation Land Claim of 640 acres, purchased 1500 acres more, and lived in a log cabin until the first part of their house was completed about 1856. The completed house, in addition to being the family house, and a very grand one for Territorial Oregon, also served as a way station and run on the Oregon-California stagecoach line until about 1872. Brown was as well involved in several commercial enterprises and served as a state senator from 1866 to 1872. His son Sammuel II served in the state House of Representatives from 1915 to 1918 and Senate from 1923 to 1934. He was a Republican candidate for Governor in 1934.



#### 9. MAJOR BIBLIOGRAPHICAL REFERENCES

Davis, Marguerite Norris, "Brown Century Farm House Living Story of Another Day," Oregon <u>Journal</u> (October 26, 1967), Features Section, p. 1.

Ross, Marion D., "Architecture în Oregon, 1845-1895." Oregon Historical Quarterly, Vol. LVII (March 1956), p. 40.

10	GEOGI	RAPHICAL DATA											
	LATITUDE AND LONGITUDE COORDINATES  DEFINING A RECTANGLE LOCATING THE PROPERTY						ORDINA A PROP RES						
	CORNER				R		LATITUDE		LONGITUDE			E	
	NW	Degrees Minutes Seconds	grees Minutes Seconds Degrees Minutes Seconds			Degrees Minutes Seconds Deg				rees 220	Seconds 09"		
	NE	0 , ,		,,		45	00,	۷1."	1.2	220	53,	09"	
Ì	SE	0 , "			.								
	SW	Q , m					171	18/					
Ì		MATE ACREAGE OF NON	INATED PROPER	RTY: 0				$\frac{1}{\sqrt{2}}$	3				
ŀ	LIST ALL	STATES AND COUNTIES	FOR PROPERTIE	ES OVER	LA	PPINGST	XTE OR	PONTE BO	AND.	ARIES			
-	STATE:			CODE		OUNTE	DECE	10 10 m	10	,		CODE	
					┥	1,5	110 c	8 .		-4			
f	STATE:			CODE	+	OUNTY	4/1/2	7 6.20 CV	1	-		CODE	
-				·	$\dashv$	-0		41/2 C	1	7		1	
ŀ	STATE:			CODE	+	OUNTX	1 6	35	$\frac{\sqrt{2}}{\sqrt{2}}$			CODE	
- 1					┨`		(Elisa)	المراجعين المعالم					
-	CTATE			CODE	+	OUNTY:		H				CODE	
	STATE:			CODE	┨`	JOON 14:	*********	and the second s				CODE	
					1								
		PREPARED BY											
-													
-	Pau1	Hartwig, Park H	<u>istorian, a</u>	nd D.	W	Power	rs III,	Tempor	rary	'As:	sistar	nt	
	ORGANIZ								ا	ATE			
L	Oreg	on State Highway	Division							July	y 17,	1974	
- 1	STREET	AND NUMBER:											
L		e Highway Buildi	ng									·	
	CITY OR				s	TATE						CODE	
$\perp$	Sale	m			Oregon 97310						41		
12.	STATE	LIAISON OFFICER C	ERTIFICATION		1	N	IATIONAL	REGIST	ER V	ERIF	ICATIO	N	
	As the designated State Liaison Officer for the National Historic Preservation Act of 1966 (Public Law 89-665), I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the c-iteria and procedures set forth by the National Park Service. The recommended level of significance of this nomination is:  National State Local  Title State Parks Superintendent					Nationa	1 Registe  A A  Office of  I((5))	Archeology  ///  Archeology	and I	Ceo X	Lec		
Date Quoust 2, 1974						Date (1. ).							