Form 10-300 (Dec. 1968)

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

## NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

STATE:	
Utah	
COUNTY:	
Wasatch	
FOR NPS USE O	NLY
ENTRY NUMBER	DATE
70.12.49.0013	12/2/20

ioso		l entries — comple	ete applicabl	e section	ıs)	70.1	2,49.001	3 12/2/	70				
	NAME COMMON:												
	1	Wasatch Stake	Tabernac	le and	Heber	Amusement Ha	111						
	AND/OR HISTORIC:												
FEE S	<del> </del>	Wasatch Stake	Tabernac	le and	Heber	Social Hall							
2.	2. LOCATION STREET AND NUMBER:												
	Main Street @ 100 North Street and 100 West Street Corner												
	CITY OR TOWN:								$\neg$				
	Heber City												
	STATE			CODE	COUNTY			COD					
1020		Utah		43		Wasatch		05					
3.	CLASSIFICATION	T		<u> 49 </u>		T		CCECUPL E					
	(Check One)		ÖWNERSHIP			STATU	S I	THE PUBL	- 1				
	District   Build	ing V Public	XX Public	Acquisiti	on:	Occupied	X Yes	:	_				
	Site Struct		7 17 1	Process		Unoccupied	R	Restricted	<b>X</b>				
	Object	Both	☐ Be	eing Consid	dered	Preservation		Inrestricted					
					in progres	in progress No:							
	PRESENT USE (Check	k One or More as Appr	opriate)										
	Agricultural 🔲	Government	] Park			Transportation	aso Mil	aments					
	Commercial	Industria1	] Private R	esidence		Other (Space)	70-	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	_				
	Commercial   Industrial   Private Residence   Other Spall   15   370							Tal -					
10000								120					
4.	OWNER OF PROPER	TY				NA!	HSTER	<u>&amp; / </u>					
		Unham City						7					
	STREET AND NUMBE	Heber City				- KITTO	1119						
		30 E. Ist Nor	th			The state of the s	d'anne						
	CITY OR TOWN:				STA	TE:		CODE	Ť				
h-1-1-1-	transfer for the transfer for the first of t	Heber City				Utah		43-49					
5.	LOCATION OF LEG												
	COURTHOUSE, REGIS	25							Uta				
	STREET AND NUMBE	Wasatch Count	y courtno	use					불				
		Main and Cent	er Street	9									
	CITY OR TOWN:	narm and cone	<u> </u>	<u> </u>	STA	TE		CODE	<b>T</b> _				
		Heber City				Utah		4349	Wasai				
(Feet.)	APPROXIMATE ACRE	The second secon		2			***		Wasat				
6.	REPRESENTATION	IN EXISTING SURV	EY\$						S				
	TITLE OF SURVEY:	11a.b. 112.a.a.a.a.		014	: C								
	DATE OF SURVEY:	Utah Historic 1967			Ings 3 State		7 Local		1				
	DEPOSITORY FOR SU		Гес	deral X	31016	County [	Local		70.				
		Utah Heritage	Foundati	On					2				
	STREET AND NUMBE	R:	: I Ouilug [ ]	VII				***************************************	10.12, 49.00				
		603 East Sout	h Temple						9.00				
	CITY OR TOWN:				STA	TE:		CODE					
		Salt Lake Cit	у			Utah		+3	/3				
								2200					

DESCRIPTION										
CONDITION	(Check One)									
CONDITION	Excellent 🗌	Good 🗶	Fair 🔲.	Deteriorated	Ruins	Unexposed				
INTECDITY		(Check O	ne)		(Check One)					
INTEGRITY	Altered	×	Unaltered 🗌		Moved 🗌	Original Site	· 🗙			

DESCRIBE THE PRESENT AND ORIGINAL (if known) PHYSICAL APPEARANCE

The building is 50 feet by 90 feet, 30 feet in height to the square. It is built on a heavy foundation which is 5 feet wide at the bottom, and tapers upward to 3 feet at the top. The walls are 2 feet thick...covered with a self-supporting wood and iron roof. The tower is built of rock and extends about 10 feet above the ridge of the roof. From this point the tower, in red wood and metal, extends about 25 feet, making it in all about 90 feet to the top of the weather vane. The tower is 14 feet square. The walls of the building are strengthened by buttresses on the sides, front and rear.

The original building had an entrance foyer on the east with steps leading into the front gallery, a large assembly room with a three-elevation stand on the west end. The top seats were for Stake and General authorities, the middle for the Stake High Councils, and the lower for the Bishops. On each elevation was a pulpit. The lower one extended across the main floor where it was also used as a sacrament table. Galleries were on the east end, and north and south sides, each with four elevations of seats. The bell tower was entered through the east gallery. At the rear of the building was the "Circle" or prayer room. Heating was done with a potbellied coal stove in each corner.

The original seating arrangement prescribed men on the south side, women on the north, ladies with babies around the stoves in the corners, and mixed couples in the center.

The Amusement Hall was built of local red sandstone and now has an overall dimension of  $126'\ 2''\ x\ 61'$  in the northsouth rectangle which intersects with an east-west  $61'\ x\ 40'\ 8''$  rectangle to form a "T." The ballroom itself is some  $58'\ x\ 123'$ , with an oval-shaped dance floor elevated about 6''. The floor is set on 56 heavy coil springs embedded in native sandstone. The first floor is Oregon fir and the second is maple. Dancers boast of its excellent "feel."

At the south end of the main hall was the entrance, ticket office, and cloak rooms. At the north end was a stage and band stand. In the annex-kitchen area were located the cooking and dining facilities. The ceiling was supported by pendant arches, but in 1928 these were replaced.

Doorways on the north and west have Roman arches over a semi-circular window and three doors. The roof has gables at the north and west, probably dating from 1928.

The building remains structurally sound today.



SIGN	IFICANCE							
PE	PERIOD (Check One or More as Appropriate)							
	Pre-Columbian		16th Centu	ry 🔲	18th Centur	у 🗌	20th Century 🙎	]
	15th Century	17th Centu	ry 🗌	19th Centur	у 💢			
SPE	ECIFIC DATE(S) (If A	pplica	ble and Known)	Built	1887-1889 an	d 1908.		
ARE	EAS OF SIGNIFICANC	E (Cf	neck One or More as	Appropr	iate)			
	Abor iginal		Education		Political		Urban Planning	
	Prehistoric		Engineering		Religion/Phi-		Other (Specify)	X
	Historic		Industry		losophy	X	<u>Architectur</u>	<u>e</u>
	Agriculture		Invention		Science			
	Art		Landscape		Sculpture			
	Commerce		Architecture		Social/Human-	*		
1	Communications		Literature		itarian	x		
	Conservation		Military		Theater			
			Music		Transportation			

STATEMENT OF SIGNIFICANCE (Include Personages, Dates, Events, Etc.)

The Tabernacle is significantly associated with the history of the area and reflects the religious, cultural and social aspirations of the settlers of Heber Valley. The Tabernacle is unique since there is no other such building in Heber Valley, and it is one of the few remaining outstanding early church structures left in Utah. In addition to being a typical early Mormon meeting house, it is part of the Heber Town Square which, in itself, is typical of the early Utah Town Square on which were located governmental, recreational and religious structures.

The Wasatch Stake Tabernacle was built of red sandstone quarried from the mountains east of Heber near Lake Creek. It was begun in 1887 and dedicated May 5, 1889, at a cost of over \$30,000. President Abram Hatch served as Superintendent, Elisha Averett directed the masonry work, and Alex Fortie the carpentry work. Frederick 0. Buell fixed the metal shingles on the tower, and Francis Kirby oversaw the painting. Most of the labor was volunteer.

The good people of Heber City, who had toiled and sacrificed to build the Tabernacle, quite naturally took special pains to furnish and maintain their new stake house. The floors were scrubbed and bleached with homemade soap; homemade carpets were carefully laid down the aisles; the hard benches were sanded and smoothed and polished. Coal oil lamps were hung from the ceiling, and finally, a large bell was placed in the tower. The surrounding grounds were landscaped and cottonwood trees were planted.

In 1930-31, under the direction of President D. A. Broadbent, the inside was extensively remodeled at a cost of \$20,000 and a new heating system installed. The side galleries and stand were taken out and a stage put in the west end. This describes its present condition. The structure is in good condition generally, although the interior needs painting and minor repairs.

Built in 1906-1908 as a joint three-Ward project, the Heber City Amusement Hall became a part of the Town Square complex containing religious, governmental, and recreational facilities. The structure was designed by a Mr. Watkins from Provo, and Edward D. Clyde supervised the volunteers who built it.

The unusual dancing floor is still considered to be one of the best in the State. In 1917 a kitchen was added on the southwest corner and in 1928 a large annex was also built onto the west side to form a "T" structure. At this time the front facade was modified somewhat.

Although it has served for recreational and social functions in the community for years, its destruction was threatened a few years ago. Through the efforts of concerned citizens it has been kept. Although now used as office space (annex) and for storage (ballroom), its restoration is anticipated.



9.	MAJOR	BIBLIOG	RAPHIC	ALRE	FERENCE	5										
	Committee for the Preservation of the Heber Tabernacle, Save the Tabernacle, Heber City, Utah.								nacle,							
	Goeld	lner, P	aul, U	Itah	Catalog						ildings	Survey	, Sal	t Lake		
		, ,			Heritago vey # U				_	•						
					es, How					he Mou	ntain,	Salt La	ke Ci	ty,		
	Ut	ah, Wa	satch	Coun	ty Chap	ter,	Daug	ιħ	ters of	Utah	Pioneer	s, 1963				
					t A796	at l	Jtah S	t	ate His	torica	1 Socie	ety.				
		ch Wave			0, June	15.	and	S	ept. 15	. 1928						
10.	And the second of the second o	RAPHICA	The second second		<b>0, 04.110</b>					,			77 A.S. 200			
		LATITUDE	AND LO	NGITU	DE COORDI			C				SITUDE CO				
-		1		E LOCA	TING THE	PROF	ERTY	F	_			POINT OF		ERTY		
ŀ	CORNER	Degrees M	TITUDE		LONG Degrees Mir					ATITUDE			NGITUD			
- 1	NW	o o	,	econds n	o o	iutes	seconas "		40°	Minutes '	Seconds 32 "	Degrees	Minutes 24 ·	Seconds 50"		
	NE	0	•	"	0	•	,			-						
	S E SW	٥	,		0	,										
}-		L STATES	AND COL	JNTIES	FOR PROP	ERTI	ES OVER	į L	APPING ST	ATE OR C	OUNTY BO	DUNDARIES				
	STATE:			***************************************			CODE	I	COUNTY		, <b>v</b> 2:			CODE		
-	STATE:			<del></del>			CODE	4	COUNTY:			, , , , , , , , , , , , , , , , , , ,				
							COBE	$\dashv$	COONTY.			- Tal		CODE		
1	STATE:	<del></del>					CODE	1	COUNTY:		C 127	-49/	:	CODE		
-								7								
	STATE:						CODE	$\dashv$	COUNTY				CODE			
	11. FORM PREPARED BY															
1	NAME AND TITLE:  Melvin T. Smith															
ORGANIZATION DATE																
	Utah State Historical								ociety			Sept.	10,	1970		
S	TREET	AND NUME		)3 E2	st Sout	h Ta	amn la									
	CITY OR	TOWN:	- 00	) La	St Jour	11 16	siip i e	7:	STATE					CODE		
	Salt Lake City									Utah				43		
12.	STATE	LIAISON	OFFIC	ER CE	RTIFICAT	ION		1	N/	ATIONAL	REGIST	ER VERIF	CATIO	1 49		
	As the designated State Liaison Officer for the National Historic Preservation Act of 1966 (Public Law								I hereby certify that this property is included in the							
	89-665), I hereby nominate this property for inclusion								National Register.							
1	in the National Register and certify that it has been															
	evaluated according to the criteria and procedures set forth by the National Park Service. The recommended							Lawst alle Commalle								
		-			mination is		mended	Chief, Office of Archeology and Historic Preservation								
{	National State 💢 Local 💢								DEC 2 1970							
	11								Date	520 524 4						
	Name	Mist	451	Mi	Main	il					<del></del>	<del></del>				
1	•	Milto	n L. V	dei le	nmann				ATTEST	:						
	Title	114-55			son Off	ice	r	1 1 1 40								
	_ 1010				The different Wellings are neglected and			Keeper of The National Register								
		C		10 1	070											
- 1	Date September 10, 1970							Date								

MAIN ST	TABLE CONT.  ST. SEAST.  ST. SEAST.
DE T	SATCH STAKE TABERNACLE \$  AUSE/AENT HALL  WEEN AAIN AND 100 WEST AT 100 HORTH STREET  BEZ CITY, UTAH  ITUDE: 40°-30'-32"  BATE: MAY 1970  IGITUDE: 111°-24'-50"  NO SCALE

100 WEST STREET and the series we delined for a series of a series EOUNDA LIME ASPHALT PAVING -STREET 100 NORTH -16'-0" 60'-0" HABS DRAWING SURVEY # U-27 U.S. GEOL. SURVEY 0 MARKER ORIGINAL RED WALK MAIN STREET EST AT 100 HORTH STREET DATE: MAY 1970 SCALE: 1"= 50"