FHR-8-250 (10/78)

UNITED STATES DEPARTMENT OF THE INTERIOR HERITAGE CONSERVATION AND RECREATION SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY-NOMINATION FORM

FOR HCRS USE ONLY RECEIVED DATE ENTERED

SEE INSTRUCTIONS IN HOW TO COMPLETE NATIONAL REGISTER FORMS **TYPE ALL ENTRIES -- COMPLETE APPLICABLE SECTIONS** NAME HISTORIC Pompeys Pillar AND/OR COMMON Pompeys Pillar/Pompy's Tower 2 LOCATION STREET & NUMBER about 2 miles east of Nibbe, Montana NOT FOR PUBLICATION CONGRESSIONAL DISTRICT CITY, TOWN Nibbe, Montana 2nd XX VICINITY OF STATE CODE COUNTY CODE 30 Yellowstone 111 Montana 2 CLASSIFICATION CATEGORY **OWNERSHIP STATUS PRESENT USE** _DISTRICT ___PUBLIC XXOCCUPIED ___AGRICULTURE ___MUSEUM __BUILDING(S) X_PRIVATE _UNOCCUPIED __COMMERCIAL XXARK __STRUCTURE _BOTH __WORK IN PROGRESS __EDUCATIONAL **___PRIVATE RESIDENCE** XXSITE PUBLIC ACQUISITION ACCESSIBLE ENTERTAINMENT ___RELIGIOUS __OBJECT ___IN PROCESS XYES: RESTRICTED ___GOVERNMENT __SCIENTIFIC __BEING CONSIDERED ___YES: UNRESTRICTED _INDUSTRIAL __TRANSPORTATION __NO MILITARY _OTHER: **4 OWNER OF PROPERTY** NAME Stella Foote **STREET & NUMBER** 1207 Hillhayen Way CITY, TOWN STATE Billings, Montana VICINITY OF LOCATION OF LEGAL DESCRIPTION COURTHOUSE. **REGISTRY OF DEEDS, ETC** Yellowstone County Courthouse STREET & NUMBER CITY, TOWN STATE Montana Billings **REPRESENTATION IN EXISTING SURVEYS** TITLE none known DATE __FEDERAL __STATE __COUNTY __LOCAL DEPOSITORY FOR SURVEY RECORDS CITY, TOWN STATE

7' DESCRIPTION

. (CONDITION *	CHECK ONE	CHECK O	NE
EXCELLENT	DETERIORATED	UNALTERED	ORIGINAL S	SITE
XXGOOD	RUINS	XALTERED	MOVED	DATE
FAIR	UNEXPOSED			

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

Pompeys Pillar is located on the south bank of the Yellowstone River, in Yellowstone County, Montana, about one mile north of U.S. 10, one mile east of Nibbe in south central Montana. As viewed from the west and south, the vertical stone face of the pillar juts abruptly above the level floor of the valley, which measures more than a mile across at this point. From its top both the Beartooth and Big Horn Mountains can be seen. Contrary to most written descriptions, the overall height of the pillar, including a thick cap of earth, is probably not more than 120 feet above its base.

The northeast side of the rock gradually slopes downward to ground level. Diameter of the long axis running east and west is about 350 feet. A strip of land, 300 feet wide, separates the pillar from the river bank. The elevation of the adjacent valley floor is about 2800 feet above sea level.

Pompeys Pillar is composed of thick beds of fine-grained sandstone separated by narrower layers of sandstone breccia. The material probably corresponds to the Parkman sandstone formation laid down as marine sediment during the upper Cretaceous period more than 60 million years ago. At one time in the far distant geological past the pillar obviously was part of the same formation now exposed in the bluff only a few hundred yards north across the river. The action of the river probably eroded through a protruding headland and effectively isolated the tip which is seen today as the pillar.

Evidence of Indian occupation was obvious both to Clark and later travelers who reported the presence of pictographs inscribed on the rock. Although the ; Indian carvings are barely noticeable today, and in only one place, a number of traditional stories about the pillar still circulate in the Crow tribe. The Crow were the principal occupants of the area during the 1800's, with occasional visits by Gros Ventres, Blackfeet, and Assiniboine, and later the Sioux.

Stuart W. Conner, a Billings archeologist, studied and copied the petroglyphs recently (ca. 1970). They are located just southeast of the Clark signature and can only be faintly distinguished as red markings on the rock as the area is also covered with hundreds of more recent carved signatures. One pictograph is the figure of an animal with an arrow in its back, and there is also a series of stick figures, apparently scratched into the rock through a coating of red stain (believed to be Shoshone, A.D. 1200-1800).

Clark's signature is on the face of an overhanging wall of rock, just below the top and on the east end and riverside of the pillar, about seven feet above a short path running along the base of the wall. The signature can be plainly seen through the glass-fronted bronze case, and all around it, for at NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

Pompeys Pillar

FOR NPS USE ONLY RECEIVED	140. (************************************
RECEIVED	
RECEIVED	
DATE ENTERED	

CONTINUATION SHEET

ITEM NUMBER 7 PAGE 1

least 15 feet, are hundreds of initials, names and dates carved into the flat stone area. Most of the older inscriptions date around the turn of the century, although one 1875 date is still prominent.

The Northern Pacific Railway Company acquired a 400 foot right-of-way through this area in 1882, located about a half mile south of Pompeys Pillar, which would be plainly seen from passing trains. The railroad seemed to take a protective interest in the landmark and had a heavy iron grate made and sunk firmly into the rock to protect Clark's signature. Although this grate provided partial protection against vandals, the eroding action of the wind and weather continued to dim the signature.

In 1926, at the instigation of the local DAR group, the railroad authorized the Billings Marble and Granite Works to cut the letter deeper into the stone. There is a possibility that the inscription may have been cut more deeply by a member of the Josephine crew in 1875 also. In 1928 the Billings chapter of the DAR erected a bronze plaque commemorating Lewis and Clark, in 1938 the Masons placed another plaque honoring both explorers as Masons, and in 1968 a plaque commemorating the efforts of Don Foote in the preservation of Pompeys Pillar, was placed there. All three of these bronze plaques are affixed to the face of the cliff within a few feet and east of the Clark inscriptions; and on the same flat surface as other carvings and the petroglyphs. The national historic landmark plaque is mounted on a large rock at the base of the pillar.

Pompeys Pillar and 105 surrounding acres were purchased in 1956 by the Foote family of Billings, who presently own it, and extensive plans were made to develop the site as a privately operated historical area then called "Pompeys Pillar Monument Park." Trails up the north side of the pillar were graded, steps and railings were installed to assist the climber. Interpretive markers were erected and a road was built from the highway to the river bank and then around the base of the pillar itself. The Clark signature was encased in a bronze casement sunk into the rock, with inch-thick shatterproof glass protecting the carving.

The Footes planned a rather large-scale development of the site including a Western frontier town and possibly a museum to house the family's extensive collection of western Americana. They moved three old buildings to the area including a turn-of-the century country store from Nibbe, Montana, a log structure from the Billings suburb of Lockwood, and a homesteader's cabin from Livingston. These buildings, plus a fourth structure intended for a livery stable and now used for a ticket booth, and a mobile home used by

1995 - Frank and State Mary States

Form No. 10-300a (Rev. 10-74) UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

Pompeys	Pillar
---------	--------

ΗΕ.	IN I	V P >		SP 1.	INL			05. S. A. A. A.	6. SA 2. P		2 - A 1998, 1669
100						50265a2.53		841234	1.000	2.2024	
	21643	N (99)	46363		1. (1	a takir	7636922	90 (A. A. A	20.08.00	1.100	
		2020	09.2 V S	14 6	0.1394	92020	2012024				7000.000 an 1899.
20		9. a. da	20 A.	a Cocción		20.000	1. A 1. A 1.	10 A M S			
n r	-	15 / 17	-	12.00		9200,000		1.400.000			2000 (Marine / Ma
		IVE	0	0.0000		2200 M &				8.2949	$(\gamma_{1}, \gamma_{2}, \gamma_{2},$
277	1977) 1977 - Series A. S.	7 G. W		83882		80. e		1.116-24			
		ಿನಿಸಿದ		8.200 V	3443 (S		12.8			6 No.	
		* 90 A	(* 14 ge)	2020	galloch.		98 C A S	18 M M			
	1.812	영상관	1.5.455	1000					10. A. A.	8.990	
		en este de la	d sloveten	1	2002			2010-0620		i tordeni.	
n,	ATC	CA	ITE	RED		20. eq. 346	0.04 N			200-1201	N / N N N N / N N N N N N N N N N N N N
- I	3 I C	- E. I.					1.16.16.24		·		89.000 (M. 8708)

2

CONTINUATION SHEET

ITEM NUMBER 7 PAGE

the owners, are all located in a wooded area just east of the pillar. They are non-historic and do not contribute to the national significance of the site. Plans for the frontier town have been curtailed, but the area has been improved for recreational use and paths have been cleared through the cottonwood trees which line the river bank. An unpaved parking area has been made just northeast of the pillar, and picnicking facilities have been installed.

A number of miscellaneous objects associated with western history, though not necessarily with Pompeys Pillar, are displayed around the base of the rock formation, including a number of old wagons which line the road south of the pillar, a display of petrified wood, a case of Indian relics and a dugout canoe built by a local group. Since the original purchase of 105 acres, the Foote family has purchased approximately 80 more acres of adjacent property, which is used for farming and cattle raising, managed by a tenant whose house and farm buildings are located to the south, nearer route 312.

Much of the data from special NPS study by Andrew M. Loveless, 1965.

8 SIGNIFICANCE

	••••••••••••••••••••••••••••••••••••••	•	let te en tet	
1900-	COMMUNICATIONS		POLITICS/GOVERNMENT	OTHER (SPECIFY)
XX 800-1899	COMMERCE	XXEXPLORATION/SETTLEME	NT ···PHILOSOPHY	TRANSPORTATION
1700-1799	ART	ENGINEERING	MUSIC	THEATER
	ARCHITECTURE	EDUCATION	MILITARY	SOCIAL/HUMANITARIAN
	AGRICULTURE	ECONOMICS	LITERATURE	SCULPTURE
1400-1499	ARCHEOLOGY-HISTORIC	CONSERVATION	LAW	SCIENCE
PREHISTORIC	XXARCHEOLOGY-PREHISTORIC	COMMUNITY PLANNING	LANDSCAPE ARCHITECTURE	RELIGION
PERIOD	AF	REAS OF SIGNIFICANCE -	- CHECK AND JUSTIFY BELOW	

STATEMENT OF SIGNIFICANCE

Pompeys Pillar is an isolated block of light-yellow sandstone that abruptly rises more than 100 feet above the level plain and south bank of the Yellowstone River, near Nibbe, Montana. On its upper east surface is carved "Wm Clark July 25, 1806", probably the only extant physical evidence of the entire Lewis and Clark expedition.

The pillar's primary historic significance is its association with the Lewis and Clark expedition of 1804-1806. However, it was evidently used by the Indians as a signal tower, and the walls bear Indian petroglyphs, which were noted by Clark in his journal. Also noted by Clark was the location of the rock tower near the intersection of the 46th parallel and the 108th meredian, which made the pillar a natural landmark for many later expeditions and surveys.

It was while on a side trip during the expedition's return east in 1806, following the Yellowstone River easterly, that explorer William Clark's party, which included Sacajawea and her child, noticed the prominent rock formation, which from that direction does resemble a tower. Clark recorded that he climbed the tower, carved his name and date on its surface, and named the rock formation for Sacajawea's infant son.

On their return from the Pacific, William Clark and Meriwether Lewis had divided the expedition, at Travellers Rest to explore various routes, and Clark and his men set out for the caches on Beaverhead. From there they proceeded down the river to Three Forks, and at that point the party again subdivided. Clark and his group crossed over Bozeman Pass to the Yellowstone and descended that stream.

Clark described the visit to the sandstone tower as follows:

...at 4PM arrived at the remarkable rock situated in an extensive bottom on the Stard. Side of the river and 250 paces from it. thick rock I ascended and from it's top had a most extensive view in every direction. This rock which I shall call Pompy's Tower is 200 feet high and 400 paces in secumpherance and only axcessible on one Side which is from the N.E. the other parts of it being a perpendicular clift of lightish coloured gritty rock...The natives have ingraved on the face

NATIONAL REGISTER OF HISTORIC PLACES **INVENTORY -- NOMINATION FORM**

Pompeys Pillar

CONTINUATION SHEET

8 ITEM NUMBER PAGE 1

of this rock the figures of animals &c. near which I marked my name and the day of the month & year....

After reviewing the countryside and noting the "emence" herds of buffalo and elk nearby, Clark took the last look he would ever have of the Rockies and returned to the canoes. Continuing downriver, the party rejoined Meriwether Lewis, and the expedition reached St. Louis September 23, 1806.

Most later expeditions and surveys through southern Montana either passed by or terminated at Pompeys Pillar. In 1860, members of an exploration party climbed to its summit in order to observe scientifically a solar eclipse. The survey for the line of the Northern Pacific Railroad was completed near the pillar in 1873 and here George A. Custer, an officer in the accompanying military escort, arrived at the point farthest west he would ever reach.

A mining party under James Stuart in Spring 1863 noticed not only Clark's inscription, but the names of two of his men as well. A number of these early reports described the large numbers of wildlife, particularly buffalo also noted by Clark near the site. On June 3, 1875 an exploratory expedition along the Yellowstone river with several Smithsonian professors and a military escort reached Pompeys Pillar on board the Josephine, and the captain carved the name of the ship and the date on the pillar and flew the Stars and Stripes from the top of the rock tower. The next year a force of about 450 men under Colonel John Gibbon camped near the site and inscribed their names in the rock, and several noted Clark's signature in their journals.

No writer has ever seriously challenged the authenticity of the Clark signature; and on the basis of the known records and present condition of the carving, it appears most probable that the inscription is Clark's. It would be most unlikely that an early nineteenth century visitor could perpetrate such a hoax.

The name "Pomp" was the nickname Clark gave to Sacajawea's infant son, Baptiste Charboneau, according to a 1806 letter of Clark's. Nicholas Biddle, one of the later editors of the Lewis and Clark journals has been accused of substituting the name of a Roman column for Clark's simple name "Pompy's Tower".

DATE ENTERED

FOR NPS USE ONLY RECEIVED

NATIONAL RE	GISTER	OF HIS	CORIC PLACES)
INVENTO	RY NO	MINATI	ON FORM	

Pompeys Pillar

CONTINUATION SHEET

ITEM NUMBER 9 PAGE 1

Reuben G. Thwaites, <u>The Original Journals of Lewis and Clark (New York,</u> 1905).

James Stuart, "The Yellowstone Expedition of 1863," Contributions to the Historical Society of Montana (Helena, 1902).

Joseph M. Hanson, The Conquest of the Missouri (New York, 1946).

Lt. James H. Bradley, The March of the Montana Column (Norman, 1961).

- Andrew M. Loveless, "Report on the Historical Investigation of Pompeys Pillar, Yellowstone County, Montana," National Park Service report: February 1965.
- Robert G. Ferris, editor, <u>Lewis and Clark: Historic Places Associated with</u> <u>Their Transcontinental Exploration, (1804-1806)</u> (Washington, D.C.: National Park Service, 1975).

FOR NPS USE ONLY RECEIVED DATE ENTERED

FHR-8-250A (10/78)

UNITED STATES DEPARTMENT OF THE INTERIOR HERITAGE CONSERVATION AND RECREATION SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY-NOMINATION FORM

FOR HCRS USE ONLY RECEIVED DATE ENTERED

CONTINUATION SHEET

ITEM NUMBER 10 PAGE 1

This boundary is marked by the contour line 2890 on the USGS 7.5 minute map, Nibbe, Montana, where the butte rises from the nearly level surrounding terrace. This boundary is marked by a dirt road on the southeast and extends to the dirt road on the west at one spot. The boundary does not include the roads. No more area is included because there have been certain developments (discussed earlier) in the tree grove around the pillar. These tourist trade improvements, while they do not detract from Pompeys Pillar, are not associated with the significance of the National Landmark, and therefore have been excluded from the Landmark boundaries.

11

1

Andrew M. Loveless 1965.

Ray H. Mattison 1958

Ann M. Johnson 1982

Rocky Mountain Regional Office National Park Service P.O.Box 25287 Denver, Co. 80225

GPO 936-009

111.1

9 MAJOR BIBLIOGRAPHICAL REFERENCES

see continuation sheet

CECOGR APHICAL DATA ACREAGE OF NOMINISTED PROPERTY 6 acres UTM NEFFRENCES A [12] P [13] P (13) A [12] P [13] P (13) P (13) A [12] P (13) P (13) P (13) ZONE EASTING NORTHING DL (13) P (13	·	· · · · · · · · · · · · · · · · · · ·		8 m			· .
UTM REFERENCES A [12] Y [13] 2 0, 4, 9 6 0, 19, 7, 12, 9 B[1, 2] Y [13] 19, 2, 8 15, 0, 19, 7, 16, 4, 0 ZONE EASTING NORTHING D1, 2 Z 1, 19, 2, 9 5, 0, 19, 7, 16, 4, 0 VERBAL BOUNDARY DESCRIPTION See continuation sheet D1, 2 Z 13, 19, 2, 9 5, 0, 19, 7, 17, 6, 10 UST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES STATE CODE COUNTY CODE STATE CODE COUNTY CODE STATE CODE COUNTY CODE STATE CODE COUNTY CODE STATE CODE COUNTY CODE STATE CODE COUNTY CODE STATE CODE COUNTY CODE STATE CODE COUNTY CODE STATE		6	res				
ZONE EASTING NORTHING CL2 [1]3]19,2,3 BD772,2,0 DL2 [7]3,19,2,0 [5,0]9,777,6,0 VERBAL BOUNDARY DESCRIPTION See continuation sheet LIST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES STATE CODE COUNTY CODE STATE CODE COUNTY CODE FORM PREPARED BY NAME / TITLE STATE COLNTY CODE FORM PREPARED BY NAME / TITLE BIL2 COLNTY CODE FORM PREPARED BY NAME / TITLE STATE COLE STATE Historic States Survey, National Park Service STATE COLS STATE HISTORIC PRESERVATION OFFICER CERTIFICATION THE EVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS: NATIONAL					н. Н	and and a second se	ана стала стал Стала стала стал Стала стала стал
see continuation sheet LIST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES STATE CODE COUNTY CODE STATE CODE COUNTY CODE STATE CODE COUNTY CODE PORM PREPARED BY NAME / TITLE 6/15/76 Blanche Higgins, Landmark Review Project 6/15/76 ORGANIZATION DATE Historic Sites Survey, National Park Service TELEPHONE STREETS NUMBER DATE CITY OR TOWN STATE STATE HISTORIC PRESERVATION OFFICER CERTIFICATION CITY OR TOWN STATE STATE HISTORIC PRESERVATION OFFICER CERTIFICATION INATIONAL STATE LOCAL	ZONE EASTING	NORTHING	720	ZONE	7 <u>31</u> 9 EASTING 7 3 1 9	NORT	HING
LIST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES STATE CODE COUNTY CODE STATE CODE COUNTY CODE STATE CODE COUNTY CODE FORM PREPARED BY MME / ITLE 6/15/76 Blanche, Higgins, Landmark Review Project 6/15/76 ORGANIZATION DATE Historic Stres Survey, National Park Service TELEPHONE CITY OR TOWN STATE Washington D. C STATE HISTORIC PRESERVATION OFFICER CERTIFICATION THE EVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS: NATIONAL STATE Vash the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665).Thereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service. STATE HISTORIC PRESERVATION OFFICER SIGNATURE TILE TITLE DATE NATIONIC PRESERVATION OFFICER SIGNATURE DATE TITLE DATE THE VISUE ONLY MATE MATE DATE	VERBAL BOUNDARY DE	SCRIPTION		·			
STATE CODE COUNTY CODE STATE CODE COUNTY CODE STATE CODE COUNTY CODE FORM PREPARED BY MAME / TITLE Blanche Higgins, Landmark Review Project ONGANIZATION FIGHTY STREET & NUMBER FILEPHONE STREET & NUMBER FILEPHONE CITY OR TOWN STATE Bashington D.C STATE HISTORIC PRESERVATION OFFICER CERTIFICATION INTERVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS NATIONAL STATE STATE HISTORIC PRESERVATION OFFICER OF THIS PROPERTY WITHIN THE STATE IS NATIONAL STATE LOCAL As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665).1 hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the oriteria and procedures set forth by the National Park Service. STATE HISTORIC PRESERVATION OFFICER SIGNATURE TITLE DATE RNPS USE ONLY I HEREBY CERTARY THAT THIS PROFERENTS INCLUDED IN THE NATIONAL REGISTER DATE	see continuat:	ion sheet			• •		
STATE CODE COUNTY CODE STATE CODE COUNTY CODE FORM PREPARED BY NAME / MILE 6/15/76 COMORANIZATION Blanche Higgins, Landmark Review Project 6/15/76 CODE ONGANIZATION DATE DATE Higtoric Sites Survey, National Park Service TELEPHONE STREET & NUMBER TELEPHONE CITY OR TOWN STATE Washington D.C STATE HISTORIC PRESERVATION OFFICER CERTIFICATION STATE HISTORIC PRESERVATION OFFICER CERTIFICATION Autional	a an Taona ao Frantsa Taona ao Frantsa ao Frantsa					n na serie n Na serie na s Na serie na s	
STATE CODE COUNTY CODE STATE CODE COUNTY CODE STATE CODE COUNTY CODE FORM PREPARED BY MAME / ITLE 6/15/76 COMONIAN Blanche Higgins, Landmark Review Project 6/15/76 DATE Blanche Higgins, Landmark Review Project 6/15/76 DATE MGRANIZATION DATE ELEPHONE STREET & NUMBER TELEPHONE TELEPHONE CITY OR TOWN STATE DATE Washington D.C COLA STATE HISTORIC PRESERVATION OFFICER CERTIFICATION THE EVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS: NATIONAL STATE LOCAL	· ·			· •			
STATE CODE COUNTY CODE FORM PREPARED BY NAME / TITLE 6/15/76 Blanche Higgins, Landmark Review Project 6/15/76 ORGANIZATION DATE Historic Sites Survey, National Park Service TELEPHONE STREET & NUMBER TELEPHONE CITY OR TOWN STATE Washington D.C STATE HISTORIC PRESERVATION OFFICER CERTIFICATION THE EVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS: NATIONAL STATE LOCAL As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665).1 hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the priteria and procedures set forth by the National Park Service. STATE HISTORIC PRESERVATION OFFICER SIGNATURE TITLE DATE TITLE DATE THE SUSE ONLY THAT THIS PROFERTY IS INCLUDED IN THE NATIONAL REGISTER THEREY CERTORY THAT THIS PROFERTY IS INCLUDED IN THE NATIONAL REGISTER DATE DATE	LIST ALL STATES A	ND COUNTIES FO	R PROPERTIE	S OVERLAPP	ING STATE	DR COUNTY BOI	JNDARIES
FORM PREPARED BY NAME / TITLE Blanche Higgins, Landmark Review Project 6/15/76 ORGANIZATION DATE Historic Sites Survey, National Park Service TELEPHONE CITY OR TOWN STATE Washington D. c STATE HISTORIC PRESERVATION OFFICER CERTIFICATION MATIONAL STATE LOCAL	STATE		CODE			e Service Service Service Service Service Service Service	CODE
NAME / TITLE Blanche Higgins, Landmark Review Project 6/15/76 ORGANIZATION DATE Historic Sites Survey, National Park Service TELEPHONE STREET & NUMBER TELEPHONE CITY OR TOWN STATE Washington D. C. STATE HISTORIC PRESERVATION OFFICER CERTIFICATION THE EVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS: NATIONAL STATE LOCAL As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-865).1 Pereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the priteria and procedures set forth by the National Park Service. STATE HISTORIC PRESERVATION OFFICER SIGNATURE DATE TITLE DATE R NPS USE ONLY THAT THIS PROFERTIVIA INCLUDED IN THE NATIONAL REGISTER DATE DATE R THE ENTY THAT THIS PROFERTIVIA INCLUDED IN THE NATIONAL REGISTER DATE TEST DATE	STATE	<u></u>	CODE	COUNTY		na n	CODE
Washington D.C. STATE HISTORIC PRESERVATION OFFICER CERTIFICATION Intervaluated Significance of this property within the state is: NATIONAL		rvey, Nation	al Park Se	ervice			en e
	CITY OR TOWN					STATE	
THE EVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS: NATIONAL							
NATIONAL	الأحوار بالمستحد المستح			,			N
As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665), 1 hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service. STATE HISTORIC PRESERVATION OFFICER SIGNATURE TITLE DATE TITLE DATE TIPS USE ONLY I HEREBY CERTIFY THAT THIS PROFERED IN THE NATIONAL REGISTER DATE DATE DATE DATE DATE DATE		ALUATED SIGNIF			Y WITHIN TH	and the second second	,
TITLE DATE I HEREBY CERTIFY THAT THIS PROFER VISION OFFICER SIGNATURE DATE TEST: DATE DATE DATE DATE DATE DATE DATE DATE	NATIONAL	-	STATE				
TITLE DATE R NPS USE ONLY I HEREBY CERTIFY THAT THIS PROFERRY IS INCLUDED IN THE NATIONAL REGISTER DATE DATE TEST: DATE	nereby nominate this property criteria and procedures set for	/ for inclusion in th th by the National F	e National Rep Park Service.				
I HEREBY CERTIFY THAT THIS PROPERTY IS INCLUDED IN THE NATIONAL REGISTER DATE 7/27/8-3 DATE DATE	e distante de la companya de la comp	N OFFICER SIGNATUR	E	· · ·	- , , , , , , , , , , , , , , , , , , ,		
TEST:							
TEST: DATE		HIS PROPERTY IS	INCLUDED IN	THE NATION	IAL REGISTE		· ,
	Jun 1		<u>67</u>			DATE 1/2	2/83
			/			DATE	
				· · · · · · · · · · · · · · · · · · ·			