Form 10-300 (Rev. 6-72)

S

2

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES

COUNTY:

FOR NPS	LISE	ONI	v

INVENTORY - NOMINATION FORM		FOR NPS USE ONLY			
(Type all entries - complete applicable section	1	TRY DATE	APR 1 1 1973	_	
1. NAME					
COMMON:					
Old Post Office Clock and Tower					
AND/OR HISTORIC: (Within the Boundaries of the	Pennsy1va	nia Avenue Na	tional		
Historic Site) 2. LOCATION					
STREET AND NUMBER:					
Pennsylvania Avenue and 12th Street, N.W.					
CITY OR TOWN:	CONGRESSION	AL DISTRICT: Congi	ressman		
Washington STATE CODE	Walter E.	Fauntroy, D.	C.	_	
District of Columbia 11		of Columbia	001		
3. CLASSIFICATION		00-0	1 003		
CATEGORY OWNERSHIP		STATUS	ACCESSIBLE	1	
(Check One)			TO THE PUBLI	<u> </u>	
☐ District ☑ Building ☑ Public Public Acquisiti		▼ Occupied	Yes:		
	Considered	☐ Unoccupied ☐ Preservation work	Unrestricted		
		in progress	□ No		
PRESENT USE (Check One or More as Appropriate)		1	<u> </u>	-	
☐ Agricultural ☐ Park		Transportation	Comments		
Commercial Industrial Private Residen	nce _	Other (Specify)		_	
☐ Educational ☐ Military ☐ Religious ☐ Entertainment ☐ Museum ☐ Scientific			-	-	
Entertainment Museum Scientific		-	-		
OWNER'S NAME:					σ
United States of America - General Ser	rvices A	dministrati	non		STAT
STREET AND NUMBER:		DE OF	(3)		ú
CITY OR TOWN:	STATE:	APP	ED F		-
on round		2 4 2	1973		
5. LOCATION OF LEGAL DESCRIPTION	1	MATION	01		
COURTHOUSE, REGISTRY OF DEEDS, ETC:		MEGISTE			CO
Recorder of Deeds		6			CZTY
Sixth and D Streets, N.W.	•	811			:
CITY OR TOWN:	STATE		CODE		ŀ
Washington	Distri	ct of Columbia	11		
6. REPRESENTATION IN EXISTING SURVEYS					
TITLE OF SURVEY: Proposed District of Columbia	Δddition	s to the Netic	al D : -		m l
ter of Historic Places recommended by the	Joint Com	mittee on Land	marke	ַן פ	m Z I
DATE OF SURVEY: March 7, 1968 DEPOSITORY FOR SURVEY RECORDS:	State	County] Local	-	FOR NPS US
				15 ,	NPS
National Capital Planning Commission STREET AND NUMBER:		· · · · · · · · · · · · · · · · · · ·		3	USE
1325 G Street, N.W.					ONLY
CITY OR TOWN:					
Washington	STATE:	ict of Columbi	a 11		

7000000					JEOGNIE II	477
7.	DESCRIPTION			/20/	/CPCIAFD ,	ΓJ
•				(Check One)	DD 2 1973	E
	CONDITION	☐ Excellent ☐ Go	od 🔀 Fair	☐ Deteriorate	Ruins	Unexposed
	CONDITION	(Chec	k One)	17	VATIONALICA	eck One)
		Altered	▼ Unaltered		REGISMFE-BR	Original Site

The Old Post Office, designed in the tradition of the Romanesque Revival architecture of H.H. Richardson, occupies the entire city block bounded by 11th, 12th, C and D Streets at the juncture of Pennsylvania Avenue. A massive, rectangular structure, it measures approximately 200 feet from east to west and 300 feet from north to south. The 9-story building rises 135 feet to the flat portion of the roof. The tower, located in the center of the north facade, rises to a height of 315 feet above grade.

The massive structure is faced with Vinalhaven, Maine, granite, has solid masonry walls over five feet thick, and is apparently a solid masonry wall-bearing structure. The plans indicate that the exterior walls of the building are self-supporting, not supported by steel girders at each floor, as was customary for tall buildings. The steel columns embedded in the walls seem only to support the interior floor beams. (The above structural information from the paper by Watterson).

The heavy masonry, massing and detailing of the building are typical of the Romanesque Revival. The main Pennsylvania Avenue entrance is defined by three massive arches with smooth faced voussoirs, ornamented archivolts and the ciphers US and PO in richly foliated spandrels. On the second story, with its contrasting surface of smooth, rusticated masonry, are found three rectangular windows above each arch. Above the windows is an ornamented parapet. The entrances on the east and west sides contain one large arch flanked by two smaller arched openings. The south facade contains a loading dock.

The exterior of the first, mezzanine, and second floors flanking the entrance, and on the other sides of the building, is of rock-faced masonry. The second story is separated from the upper stories by a molded string course which continues around the building. Twin arched windows flank the main entrance. On the second floor are found narrow, rectangular, two-light windows.

In contrast to the rock-faced masonry of the lower floors, the upper walls are of smooth, rusticated masonry. Above the main entrance, on the 3rd story a terrace is cut into the building, allowing the east and west ends to project, forming wings. Each wing is terminated on both ends by round towers, with conical roofs topped by stone finials. The windows in the tower are narrow and rectangular. The fenestration for the 3rd, 4th and 5th floors is conceived as a unit: rectangular windows on the 3rd and 4th floors and round-headed windows on the 5th with each bay separated by a pilaster terminating in a cornice from which springs an arch forming, on the front wings, 2 arcades, and on the sides, 6 arcades. The cornice and the archivolts are of contrasting trim. The ordering of the windows and the placement of the terraces above the entrances is similar for all sides of the building.

The 6th and 7th floors are separated from the lower floors by a string course. The fenestration is conceived as a two-story unit terminating in round-headed windows below the arches which are supported by twin-columned mullions forming 4 arcades on the east and west wings and 12 arcades on the (Continued on Form 10-300a)

SIGNIFICANCE					
PERIOD (Check One of More as	Appropriate)				
Pre-Columbian	☐ 16th Ce	entury	18th Century	20th Century	
· 🗍 15th Century	□ 17th Ce	entury	🗓 19th Century		
SPECIFIC DATE(S) (If Applicabl	e and Known) 189	91 - 99 c	construction		_
AREAS OF SIGNIFICANCE (Che	ck One or More as	Appropriat	9 21		
Abor iginal	Education		The dilia	Urban Planning	
☐ Prehistoric	Engineering		eligion Phi	▼ Other (Specify)	
Historic	Industry	(N)	RECEIVE Liphy	F <u>lag Day Initiate</u> d	
☐ Agriculture	Invention		Science		
⊠ Architecture	Landscape		PR 25culprure 07		
☐ Art	Architectu		NAT FON A Human		
Commerce	Literature	H	REGISTER O		
☐ Communications	☐ Military	19	Theater		
Conservation	☐ Music	· · · · ·	647 Fransportation		

STATEMENT OF SIGNIFICANCE

The Joint Committee on Landmarks has designated the Old Post Office and Clock Tower a Category II Landmark of importance which contributes significantly to the cultural heritage and visual beauty of the District of Columbia. The Old Post Office is one of Washington's few significant Romanesque Revival buildings on a monumental scale. It was the first Federal building erected on Pennsylvania Avenue in the area now known as the Federal Triangle. Plans for the building were prepared in 1891 in the office of the Supervising Architect of the Treasury, W.J. Edbrooke. Many similarly-styled Richardson-inspired Federal buildings erected throughout the country in the 1890's were designed in Edbrooke's office. At the time of its completion in 1899 (cost \$2,585,835.00), the building with its 315-foot high clock tower was the third highest in Washington, exceeded only by the Capitol and the Washington Monument. Its central enclosed court was one of the largest in the world.

Designed to house the Post Office Department as well as the City Post Office, the building served as the headquarters of every Postmaster General from 1899 to 1934. It was there in 1908 that the observance of Flag Day was initiated by some employees who met on the second floor balcony overlooking the court and sang homage to "The Star Spangled Banner." Every Flag Day a complete collection of State flags was displayed from the walls of the central court. Normally on display was the largest (70'4" x 37") correctly proportioned U.S. Flag in existence. This flag, which hung down nearly 7 stories from the skylighted room, was furled on Flag Day to avoid dwarfing the smaller State flags.

In 1914 the City Post Office moved to a new building adjacent to Union Station. The Department remained in its headquarters until 1934 when the new Post Office Building across 12th Street was ready for their use. The Old Post Office has since been shared by a number of Federal Executive Departments and agencies.

For over 30 years, the Old Post Office has prevented completion of the final quadrant of the Great Circle on 12th Street, an important element in the Federal Triangle Plan of 1928-38. Despite adverse architectural criticism during the early years of the 20th century, this monumental Romanesque structure, with its heavy stone arches, turrets, dormers, high chateau roof

(Continued on Form 10-300a)

9. MAJOR BIBLIOGRAPHICAL REFERENCES

Watterson, Joseph, "Section 106 Report, Verification of Significance and Evaluation of Effect, The Old Post Office Building in Washington," Feb. 4-5, 1970, typescript.

Research materials from Donald Lehman, Historian, General Services Administration.

Washington Board of Trade, The Book of Washington, Washington, D.C.: Cleve-land C. McDevitt, 1930.

1								
10. GEOGRAPHICAL DATA								
LATITUDE AND LONGITUDE COORDIN DEFINING A RECTANGLE LOCATING THE P		0		NING THE	AND LONG CENTER LESS THA	POINT OF	A PHOP	
CORNER LATITUDE LONGI	TUDE	R	L	ATITUDE	<u> </u>	L	ONGITUE	E
Degrees Minutes Seconds Degrees Minu	ites Seconds			Minutes	Seconds	Degrees	Minutes	Seconds
NW ° ' " O			38 °	53	39	77°	01	40
NE ° ' " °	, ,		,		3,5	,,,	01	40
SE ° ' " O	. "				112	17:00		
SW 2 7 9 0 APPROXIMATE ACREAGE OF NOMINATED PRO	DEDTY. 61	,	133 Squ	oro E6	3111	110	\	
LIST ALL STATES AND COUNTIES FOR PROPE					XIIVE CHE	WEAT DIE		
STATE:	CODE		COUNTY	737	TO NELT	141.0	- 	CODE
	- 0002	┥`	200111	H	APR	2 1973	total.	- 0052
STATE:	CODE	+,	COUNTY:					CODE
		7			NATI	ONAL		
STATE:	CODE	+,	COUNTY:	10	X KEGI	SIER	<>/	CODE
		1		\(\chi\)	1	-11	Υ .	
STATE:	CODE	†	COUNTY:		10	8/		CODE
·		٦			,			
II. FORM PREPARED BY	I							
NAME AND TITLE: Suzanne Ganschinie	tz, Arch	it	ectura	1 Hist	orian			
Nancy C. Taylor, 1								
ORGANIZATION						DATE		
National Capital Planning Co	mmission					Mar	ch 23,	1973
STREET AND NUMBER:								
1325 G Street, N.W.								· · · · · · · · · · · · · · · · · · ·
CITY OR TOWN:		s	TATE					CODE
Washington					<u>Columbi</u>			1 11
2. STATE LIAISON OFFICER CERTIFICATI	ON		. N	ATIONAL	REGIST	ER VERI	FICATIO	N
As the designated State Liaison Officer fo	r the Na-							
tional Historic Preservation Act of 1966 (F	Public Law		I hereby certify that this property is included in the					
89-665), I hereby nominate this property fo	r inclusion		Nationa	1 Registe	r.			•
in the National Register and certify that it	in the National Register and certify that it has been		$(\mathcal{O} \setminus \mathcal{O} \setminus \mathcal{O})$					
evaluated according to the criteria and pro	cedures set		()	(mhe)	1///	140		
forth by the National Park Service. The re-	ecommended		Distance of Asphalasy and Historia Preservation					
level of significance of this nomination is:	level of significance of this nomination is:		41.0	/				
National State X Local Date 4/11/73 Name ATTEST:								
			1 Puts 4/11/73					
1/					71			_
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			7					
Title Assistant to the Mayor for		<u> </u>						
Housing Programs				Keepe	or of The l	Vational F	Regisfer	
~_			Tinto	1		4	77	
Date MAR 3 0 1973			Date		7		<u></u>	
			-				G	PO 931-89

Form 10-300a (July 1969)

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

FOR NPS USE ONL	Υ
ENTRY NUMBER	DATE
₽ R 1 1 1973	

STATE

COUNTY

(Continuation Sheet)

(Number all entries)

The cover is of construction, a sluxes pleased

design sres

7. Description - Old Post Office Building

sides. Above the machicolated cornice rises the steep slate Chateau roof containing large stone dormers terminating in stone finials

The tower rises 315 feet above grade from the center of the main facade. Below the cornice line, its massing is accentuated by a projection of several feet from the central facade. Above the arched 5th story window is the inscription: ANNO DOMINI MDCCCXCVII (reflecting the architect's optimism that the building would be finished by 1897.) From the cornice line the tower rises as a solid mass with only narrow slits for openings and decorative arches above the clock face on each of the four sides. Above the clocks are found three bay arcades capped by a machicolated cornice from which rise four turrets, one on each corner, separated by five narrow arched windows. Above rises the steeply slanting roof.

The interior of the building opens onto a grand court or cortile which is 99 ft. by 184 ft. by 157 ft. high to the cornice line, plus the open trusses above. The court is ringed by offices that open onto corridors overlooking the court. The court was originally roofed in glass and flooded with light, but at present has been covered over with insulation material resulting in a very dark open space. After the building was completed, it was discovered that it did not furnish enough floor space for the needs of the Post Office Department, and the first floor of the cortile was roofed over with a steel and glass roof so that it could be heated and used. The interior corridors on the first floor are lined with marble wainscoting. The open cage elevators are also of interest.

The Office of Buildings Management, Public Buildings Service, described the building in 1962 as obsolete and recommended the limitation of improvements to those required for seven to ten years occupancy. The report warned that an extension of the life expectancy to an indefinite period would require complete and very expensive modernization.

8. Significance

and huge clock tower, has long been one of Washington's favorite landmarks. In recent years, the clock tower, which is visible from a distance of several miles, has received particular acclaim as an element of great vitality in the otherwise sterile skyline of the Federal Triangle.

GPO 921-724

RECEIVED

NATIONAL REGISTER