United States Department of the Interior National Park Service

National Register of Historic Places Inventory—Nomination Form

For NPS use only received MAY 3 0 1985 date entered

See instructions in *How to Complete National Register Forms*Type all entries—complete applicable sections

Type all entries—complete applicable 1. Name) sections		
historic Esch's Spur Bridge	Sugar Mach Boidsen	of Kanno	STR
		of rancings	
and/or common . Esch's Spur B 2. Location	riage		
	south and three miles west	of Dexter <u>n</u>	a not for publication
city, town Dexter	_X_ vicinity of		
	ode 20 county Cowley		code 35
3. Classification			
Category district building(s) structure site object in process being considered	X occupied	ent Use agriculture commercial educational entertainment government ndustrial military	museum park private residence religious scientific x transportation other:
4. Owner of Prope	erty		
name Cowley County street & number Cowley County	Courthouse		
	vicinity of	state	Kansas
5. Location of Leg		State	Kansas
	ister of Deeds		
street & number Cowley County	Courthouse		
city, town Winfield		state p	Kansas
6. Representation	in Existing Surv	eys	
Inventory of Historic Bri Kansas Dept. of Transport		n determined eliç	gible?yes <u>x</u> no
date 1980-83		ederal <u>X</u> state	e county loca
depository for survey records Kansas	State Historical Society		
city, town Topeka		state	Kansas

			1 4 . A.			
Condition excellent	deteriorated	Check one X unaltered	Check one X original			
X_good	ruins	altered	moved	date		
fair	unexposed		e e formation de la company de la company La company de la company d		SA TELL La track	

Describe the present and original (if known) physical appearance

7. Description

The Esch's Spur bridge crosses Grouse Creek three miles south and three miles west of Dexter, Kansas. The triple span stone arch bridge has a total length of 182 feet and is 13 feet wide curb to curb. The deck lies 17 feet above the water level.

The stone arches spring from and are disposed between two abutments and stone piers. Stone spandrel walls retain the earthen fill and are capped with concrete. This concrete cap forms the roadway curbing. The spandrel walls do not extend above the crown of the elliptical arches and the roadway rests directly on the arch ring.

akari jūrelik izdieli ina kapatoji kolaski aki ka il vilopito ja kielike kojistituse. Li jenerakan jokaji, ogrojo olig ontak kotoji in il jos osličini ili jos osličini.

8. Significance

Period prehistoric	Areas of Significance—C	heck-and justify below community planning	_ landscape architecture	religion
1400–1499 1500–1599	archeology-premistoric archeology-historic agriculture	conservation economics	landscape architecture law literature	rengion science sculpture
1600–1699	architecture	education	military	social/
1700–1799 1800–1899	art commerce	engineering exploration/settlement	_ music _ philosophy	humanitarian theater
_x1900 <u></u>	communications	industry invention	_ politics/government	transportation other (specify)
Specific dates	[1910-1920]	Builder/Architect Unknown	1	

Statement of Significance (in one paragraph)

The Esch's Spur bridge retains its integrity of location, design, setting, materials, feeling and association. It embodies the distinctive characteristics of a type and method of construction no longer being used namely the construction of a roadway supported by a stone arch which is loaded by an earthen fill, which, in turn, is retained by stone spandrel walls. This bridge may yield information important to the history of engineering.

The stone arch bridge was popular in Kansas because the stone and construction expertise was locally available. Although somewhat more expensive, initially, to construct they were very strong and long lived. Cowley county was blessed with exceptionally good building stone. The county commission, at the turn of the century, created a special bridge fund and began a concerted effort to bridge the numerous streams they had. This bridge is a result of that effort. The use of local stone and labor makes this bridge unique and particularly suited to its environment.

THIS STATEMENT REFLECTS CURRENT KNOWLEDGE AND IS SUBJECT TO CHANGE.

9. Major Bibliographical References

"To Bid on Stone Bridges," Kansas City Star, March 25, 1906

"Our Building Stone," Dexter Advocate, November 17, 1904.

10.	Geograp	hical Data			
Acreage	of nominated proper	rty Less than one	acre		
· ·	gle name <u>Eaton</u> ,			Quadrangle	scale 1:24,000
UTM Refe	erences .				
A 14 Zone	6 9 7 1 1 0 1 0 Easting	4 ₁ 1 1 ₁ 1 9 ₁ 9 ₁ 0 Northing	B Zone	Easting	Northing
сЩ	Ццц	لسلبلنا	DLI		
E					
G L	HA-	1 di 3 est 1 de 16 m	ուր <u>. H: հե</u> ւ	उस्ति व स्वार्थ ५०	
Verbal b	That property	ion and justification y over which the b SE4, NW4, S33 T33S			ge structure and
List all s	states and counti	es for properties over	lapping state or	county boundaries	
state	h∤a	code	county		code
state		code	county		code
1.1.	Eaus De	epared By			
organizat street & n	100	State Historical S st Tenth	ociety	date 2/20/85 telephone (913)	296–2973
city or to	wn Topeka			state Kansas	
12.	State His	storic Pres	ervation	Officer Co	ertification
The evalu	uated significance of	this property within the	state is:		
665), I hei according	reby nominate this p g to the criteria and	oric Preservation Officer to property for inclusion in to procedures set forth by t	he National Regist	er and certify that it ha	
State Hist	toric Preservation O	fficer signature			
itle Exe	cutive Directo	r, Kansas State Hi	storical Soci	ety date	3/4/85
l he		s property is included in t			
Keépe	er of the National Re	linuition sh	0	, y water	
Attest		计标识性 说一句		斯里 的第三人称	
7 Sept. 1	of Registration	u Parthire de l'Article de l'Ar		date	