

538

### National Register of Historic Places Registration Form

DIVISION OF NATIONAL REGISTER PROGRAMS NATIONAL PARK SERVICE

This form is for use in nominating or requesting determinations of eligibility for individual properties or districts. See instructions in *Guidelines* for Completing National Register Forms (National Register Bulletin 16). Complete each item by marking "x" in the appropriate box or by entering the requested information. If an item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, styles, materials, and areas of significance, enter only the categories and subcategories listed in the instructions. For additional space use continuation sheets (Form 10-900a). Type all entries.

Form 10-900a). Type all entries.			
1. Name of Property	toos		
nistoric name Little Cossatot River			
other names/site number HAER No. AR-35			
2. Location		anneracense Indiaud	a alkatelik haz kazana adisa-
street & number County Road #139H,	spanning the Little	Cossatot River	not for publication N/A
city, town Lockesburg	9		X vicinity
state Arkansas code 05	county Sevier	code 133	zip code 71846
III WAIDAD			
3. Classification			
Ownership of Property Categ	ory of Property	Number of Reso	urces within Property
	uilding(s)	Contributing	Noncontributing
X public-local dis	strict		buildings
public-State sit	te		sites
	ructure	1	structures
	pject		objects
	,,	1	Total
Name of related multiple property listing:		Number of contri	buting resources previously
Historic Bridges of Arkansas			onal Register N/A
HISLOITE BITUGES OF AFRANSAS		iisted iii tile ivati	onal riegister <u>11711</u>
4. State/Federal Agency Certification			
Signature of certifying official  Arkansas Historic Preservation  State or Federal agency and bureau	Program		2-/3-90 Date
In my opinion, the property meets de	oes not meet the National Re	egister criteria. See	continuation sheet.
Signature of commenting or other official			Date
State or Federal agency and bureau			
5. National Park Service Certification			
, hereby, certify that this property is:	2		,
	//		
entered in the National Register.	Ixa Jeli	100 0	11/6/90
See continuation sheet.	They Frank	1000	7/1/00
determined eligible for the National	/		
Register. See continuation sheet.	,		
determined not eligible for the			
National Register.			
removed from the National Register.			
other, (explain:)			
		the Keener	Date of Action
	Signature of	THE REPORT	Date of Action

i. Function or Use distoric Functions (enter categories from instructions)	Current Functions (enter categ	nories from instructions)
Transportation/Road-Related	Transportation/Road-	
		entirie Christoff de sextra
1000 t 5 637 1111		TERMINATE A 15 TO 15 TO 11 (12)
** Menaner	elG anatzia in rets	unaa leanikel
多級人特立COM等 # 3 T 2 CO 7 18		The action was a first a first
7. Description		A SHOULD BE A SHOP
Architectural Classification	Materials (enter categories fro	m instructions)
enter categories from instructions)		ols torm is fer coe in nomerality is Completing Markets Hughnac
	Touridation	tens n. / (//samble) pelses fra s
Other: Warren pony-truss	walls steel	retrier apresidingly to essue by
		Lengths has edge through the
	roof	Manne of Property
	other	agus de la la eman amais. All de manuel en la eman de la eman
	-	
Describe present and historic physical appearance.		
04-61-12		
	utonu	

8. Statement of Significance						ferences.	sfi Indidens	olidië tojeW .
Certifying official has considered the	-							
e, Terrior H.	na na	ationall	y Σ	<b>States</b>	wide	locally	agent helf of	Sec Histori
Applicable National Register Criteria	XA	B	XC	D				
Criteria Canaldarationa (Evanationa)								
Criteria Considerations (Exceptions)	A	B	Шс	∐ D	E	∐F ∐G		
Areas of Significance (enter categorie	es from in	struction	ons)		Period (	of Significance		Significant Dates
Transportation						-1922		1908
Engineering								
						Affiliation		
					N/A			
ion sheet	teunitron	992	-					
Significant Person					Architec	ct/Builder		
N/A setab ladolitoba to						er: Morava Con		
preservation office					30220	2, 21020,000	betzei	nes been real
gendy						net Bodister	ed in the Natio	tall ylegolystu!
State significance of property, and just			eria con	sideration	ons, and		The second secon	

	operty Nomination, Section H.
	Areas of Significance (enter caregories from instructions)
Previous documentation on file (NPS):	See continuation sheet
preliminary determination of individual listing (36 CFR 67)	Primary location of additional data:
has been requested previously listed in the National Register	X State historic preservation office Other State agency
previously listed in the National Register  previously determined eligible by the National Register	
designated a National Historic Landmark	Local government
recorded by Historic American Buildings	University
Survey #	Other
recorded by Historic American Engineering  Record # HAER No. AR-35	Specify repository: U.S. Library of Congress
Hecord #_IMME No. IN 35	0.5. Library of Congress
10. Geographical Data	
Acreage of property Less than one acre	
acleage of property <u>news than one dere</u>	
UTM References	
	PI III III III III III III III III III
A [1 <sub>1</sub> 5] [3 8 <sub>1</sub> 8 6 <sub>1</sub> 8 <sub>1</sub> 5] [3 <sub>1</sub> 7 5 <sub>1</sub> 9 8 <sub>1</sub> 2 <sub>1</sub> 5]	Zone Easting Northing
A 1 5 3 8 8 6 8 5 3 7 5 9 8 2 5 Northing	Zone Easting Northing
A 1 5 3 8 8 6 8 5 3 7 5 9 8 2 5 Northing	
A 1 5 3 8 8 6 8 5 3 7 5 9 8 2 5 Northing	Zone Easting Northing
A 1 5 3 8 8 6 8 5 3 7 5 9 8 2 5  Zone Easting Northing	Zone Easting Northing D
Zone Easting Northing  Verbal Boundary Description  Beginning at a point approximately 4,050 feet County Road # 139H, the boundary of the Little abutment, where it continues west across the L	Zone Easting Northing  D
Zone Easting Northing  Verbal Boundary Description Beginning at a point approximately 4,050 feet County Road # 139H, the boundary of the Little abutment, where it continues west across the L	Zone Easting Northing  D See continuation sheet  east of the Lockesburg City limit boundary Cossatot River Bridge starts here at the e
Zone Easting Northing  Verbal Boundary Description  Beginning at a point approximately 4,050 feet  County Road # 139H, the boundary of the Little abutment, where it continues west across the L where it terminates at the west abutment.	Zone Easting Northing  D See continuation sheet  east of the Lockesburg City limit boundary Cossatot River Bridge starts here at the e ittle Cossatot River for approximately 104
Zone Easting Northing  Verbal Boundary Description  Beginning at a point approximately 4,050 feet County Road # 139H, the boundary of the Little abutment, where it continues west across the L where it terminates at the west abutment.  Boundary Justification	Zone Easting Northing  D
Zone Easting Northing  Verbal Boundary Description  Beginning at a point approximately 4,050 feet County Road # 139H, the boundary of the Little abutment, where it continues west across the L where it terminates at the west abutment.  Boundary Justification  The boundary includes the main span, approach	Zone Easting Northing  D See continuation sheet  east of the Lockesburg City limit boundary Cossatot River Bridge starts here at the eittle Cossatot River for approximately 104
Zone Easting Northing  Verbal Boundary Description  Beginning at a point approximately 4,050 feet County Road # 139H, the boundary of the Little abutment, where it continues west across the L where it terminates at the west abutment.  Boundary Justification  The boundary includes the main span, approach	Zone Easting Northing  D See continuation sheet  east of the Lockesburg City limit boundary Cossatot River Bridge starts here at the e ittle Cossatot River for approximately 104
Zone Easting Northing  Verbal Boundary Description  Beginning at a point approximately 4,050 feet County Road # 139H, the boundary of the Little abutment, where it continues west across the L where it terminates at the west abutment.  Boundary Justification  The boundary includes the main span, approach	Zone Easting Northing  D See continuation sheet  east of the Lockesburg City limit boundary Cossatot River Bridge starts here at the e ittle Cossatot River for approximately 104
Zone Easting Northing  Verbal Boundary Description  Beginning at a point approximately 4,050 feet  County Road # 139H, the boundary of the Little abutment, where it continues west across the L where it terminates at the west abutment.  Boundary Justification  The boundary includes the main span, approach historically associated with this property.	Zone Easting Northing  D See continuation sheet  east of the Lockesburg City limit boundary Cossatot River Bridge starts here at the e ittle Cossatot River for approximately 104  See continuation sheet  spans, piers and abutments that are
Zone Easting Northing  Werbal Boundary Description Beginning at a point approximately 4,050 feet County Road # 139H, the boundary of the Little abutment, where it continues west across the L where it terminates at the west abutment.  Boundary Justification The boundary includes the main span, approach historically associated with this property.	Zone Easting Northing  D See continuation sheet  east of the Lockesburg City limit boundary Cossatot River Bridge starts here at the e ittle Cossatot River for approximately 104  See continuation sheet  spans, piers and abutments that are
Zone Easting Northing  C Northing  Werbal Boundary Description  Beginning at a point approximately 4,050 feet  County Road # 139H, the boundary of the Little abutment, where it continues west across the L where it terminates at the west abutment.  Boundary Justification  The boundary includes the main span, approach historically associated with this property.  11. Form Prepared By  name/title Michael Swanda, Survey Coordinator	Zone Easting Northing  D See continuation sheet  east of the Lockesburg City limit boundary Cossatot River Bridge starts here at the e ittle Cossatot River for approximately 104  See continuation sheet  spans, piers and abutments that are
A 1 15 3 8 8 6 8 5 3 7 5 9 8 2 5	Zone Easting Northing  D See continuation sheet  east of the Lockesburg City limit boundary Cossatot River Bridge starts here at the e ittle Cossatot River for approximately 104.  See continuation sheet  spans, piers and abutments that are

### National Register of Historic Places Continuation Sheet

Section number rage	Section	number	7	Page .	1	
---------------------	---------	--------	---	--------	---	--

The Little Cossatot River Bridge is a 70 foot long, steel, Warren pony-truss bridge. Two timber stringer approach spans measure 17 feet each and give the bridge a total length of 104 feet. The top chord of the Warren truss is a solid I-beam connected to the bottom chord by riveted plates. This connection rests directly on top of a cylindrical steel ring pier filled with concrete. Bearing blocks are not used. The bottom chord is the only built-up member in the truss and contains angles bolted together with batten plates. The diagonal and verticals are channels. I-beam floor girders at each vertical support timber stringers under the wood planked road deck. Channel outriggers extend out from the end of the floor girders at the first vertical on each end of the bridge.

This bridge is in fair condition and is being maintained by the county.

### National Register of Historic Places Continuation Sheet

Section number	8	Page 1	
----------------	---	--------	--

The Little Cossatot River Bridge is a unique Arkansas example of a steel, Warren pony-truss bridge with verticals. Designed by the relatively obscure Morava Construction Company of Chicago, Illinois, in 1908, this bridge exhibits unique design features not seen in other bridges of it type in the state. These features include a solid I-beam top chord and angle outriggers. Built during the Early Transportation Era: 1803-1922, it is an early example of a bolt connected (rather than rivet connected) bridge. It survives as the only documented Morava Construction Company bridge in Arkansas and is a significant example of early 20th-century bridge construction, reflecting a time when county officials relied heavily upon competing bridge companies to supply a relatively inexpensive and reliable product not manufactured in the state. As such, it is nominated under Criteria A and C with statewide significance.

# National Register of Historic Places Continuation Sheet

Section number \_\_\_\_\_ Page \_\_\_\_

	Powton County, et al	Date Listed
Historic Bridges of Arkansas M	PS Baxter County, et al.	Date Listed
23. Lakeshore Drive Bridge	National Register	4/9/90
24. Lincoln Avenue Viaduct		4/9/86
25. Second Street Bridge		4/9/90
26. Black River Bridge		4/9/80
27. St. Francis River Bridge	AR 18	4/9/90
28. Saline River Bridge		: 4/1/90
29. Jenny Lind Bridge Constant	va Review	4/6/9
30. Milltown Bridge Constantive	Review	4/6/9
31. Little Cossatot River Brid		4/6/9
32. Quachita River Bridge	Entered in the National Register	1/9/90
33. Wyman Bridge		4/9/
34. Judsonia Bridge	Entered in the Rational Register	4/9/90
35. Augusta Bridge	Entered in the National Register	4/9/91
36. Achmun Creek Bridge	antive Review	4/9/90
37. Spring Lake Bridge	ntiva Revies	Ret
38. St. Francis River Bridge	110 70 AR 20	4/9/90
39. Galla Creek Bridge		


## UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

#### NATIONAL REGISTER OF HISTORIC PLACES EVALUATION/RETURN SHEET

REQUESTED ACTION: NOMINATIO	N	
PROPERTY Little Cossatot F		
NAME:	anegano	
MULTIPLE Historic Bridges NAME:	of Arkansas MPS	
CHARL C COUNTY. ADVANCAC C	e classification	
STATE & COUNTY: ARKANSAS, S		
DATE RECEIVED: 2/23/90 DATE OF 16TH DAY: 3/22/90 DATE OF WEEKLY LIST:	DATE OF PENDING LIST:	3/06/90
REFERENCE NUMBER: 90000538		
NOMINATOR: STATE	Builder/Archit	specific dates
REASONS FOR REVIEW:		optes vil men
APPEAL: N DATA PROBLEM: N OTHER: Y PDIL: N REQUEST: N SAMPLE: N	LANDSCAPE: N LESS THAN 50 PERIOD: N PROGRAM UNAPP SLR DRAFT: N NATIONAL:	YEARS: N N ROVED: N
COMMENT WAIVER: NACCEPTRETURN		
ABSTRACT/SUMMARY COMMENTS:		
		BIBLIOGRAPHY
		sketch ma
A r1		
RECOM./CRITERIA/(Cept 1) REVIEWER / Federal		
DISCIPLINE, any that	and a secondary of the constant	
DATE 4/6/90		

DOCUMENTATION see attached comments Y/N see attached SLR Y/N

CLASSIFICATION		ATES DEPARTMENT NATIONS FAR			
CLASSIFICATION					
count _	resource type	d ha kara 1789 d Nasaran		1-1-1	
STATE/FEDERAL A	GENCY CERTIFICAT:				
FUNCTION					
historic	current				PEOPERTY VAME:
DESCRIPTION	Mes	ss of Arkansas	ric Bridge	Misto	
materials	al classification		AKKANSAS		
descriptive	text   FENDING LIST				
SIGNIFICANCE			THE TREE	EFRLL T.	
Period Ar	reas of Significan	nceCheck and	justify be	elow	
Specific dates Statement of Si	Bu gnificance (in or	uilder/Architec ne paragraph)	t		
applicable ofjustificationrelating sigcontext	criteria MARAGORA  on of areas checke  gnificance to the  o of integrity to  on of exception	ed resource		: AdVIA	
BIBLIOGRAPHY					
GEOGRAPHICAL DA	ATA				
acreage UTMs	verbal boundary just				
UTMs		tification			
ACCOMPANYING DO	boundary just	ENTATION		ntation	
ACCOMPANYING DO	boundary just	ENTATION		ntation	
UTMs  ACCOMPANYING DO sketch maps  OTHER COMMENTS	boundary just	ENTATIONphotographs	preser	Alori	



LITTLE COSSISTOT RIVER BRIDGE
LOCKESBURG VIC., ARKAWSAS
SEVIER COUNTY
PHOTOGRAPHEN, JOE DEROSE
FEBRUARY, 1989
NECATIVE OF FILE AT AHPP

VIEW LOOKING WEST



LITTLE COSSATOT RIVER BRIDGE
LOCKESBURG VIC., ARKANISAS
SEVIED COUNTY
PHOTOGRAPHER, JOE DEROSE
FEBRUARY, 1989
NEGATIVE ON FICE AT AHPP
VIEW LOOMING NORTHWEST

