

National Wild and Scenic Rivers Signage Specifications

For

**National Park Service
Partnership Wild and Scenic Rivers**

Provisional


May 2017

National Wild and Scenic River Signs



WSR-L

Dimensions (inches)							
Sign number	L	H	Black border A	White inset B	Text (upper case)	*Road speed (mph)	Road Type
WSR-L1	10 ¼	12	⅛	½	⅜B	10-25	Low-volume
WSR-L2	12 ¾	15	⅜	⅝	½B	30-45	Conventional
WSR-L3	25 ¾	30	½	1 ¼	1B	50+	Expressway or Freeway



WSRa [MUTCD General Information sign, 2H.04]

Dimensions (<i>inches</i>)				
Sign number	L	H	MUTCD Section	Road Type
WSRa-1	Varies	18	2H.04	Low-volume
WSRa-2	Varies	18	2H.04	Conventional
WSRa-3	Varies	36	2H.04	Expressway or Freeway

**Notes**

Text—ASA series as noted.

WSRa length and height may be adjusted to accommodate longer names.

WSRa length must be at least twice the length of the accompanying WSR-L sign

*Road speed for stand alone WSR logo signs only.

Colors

WSR-L—Fully retroreflective colors are Federal Standard 595B.

WSRa—Fully retroreflective white text and border on brown background.

Blank Standard WSR-L

Dimensions (inches)								
Sign number	L	H	H1	M	M2	R	A	Mount hole diameter
WSR-L1	10 ¼	12	4 ¾	5	5	11 ½	1 ¼	¼
WSR-L2	12 ¾	15	5 ¾	6 ¼	6 ¼	14 ½	1 ¾	¼
WSR-L3	25 ¾	30	11 ½	12 ½	12 ½	29	3 ½	½

