JUN 1 6 1989

OMB No. 1024-0018

United States Department of the InteriorNational Park Service

NATIONAL REGISTER

National Register of Historic Places Registration Form

This form is for use in nominating or requesting determinations of eligibility for individual properties or districts. See instructions in *Guidelines* for Completing National Register Forms (National Register Bulletin 16). Complete each item by marking "x" in the appropriate box or by entering the requested information. If an item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, styles, materials, and areas of significance, enter only the categories and subcategories listed in the instructions. For additional space use continuation sheets (Form 10-900a). Type all entries.

1 Name of Branastu			
I. Name of Property istoric name Souther	n Railroad Bridge		
	n Railroad Bridge (BL-	1012)	
Miles Hames/site Hamber 300 CHET	II Kaiiioau Biioge (BL-	1712)	
2. Location			
	-way of the Southern R	ailroad at NKA	ot for publication
city, town the Little River near R		XV	icinity
state Tennessee code TN	county Blount	code 009	zip code 3785
3. Classification	. 0	•	
Ownership of Property Cate	egory of Property	Number of Resources	within Property
X private	building(s)	Contributing No	encontributing
	district		buildings
public-State	site		sites
	structure	1 -	structures
—·	object	_ 	objects
		1.	Objects Total
slame of related multiple property listing:	. • 1	Number of contribution	g resources previously
Name of related multiple property listing: list. & Arch. Resources of Blou	int Co.	listed in the National	
	•	iisteu iii tile National	negistei
State/Federal Agency Certification			
Signature of certifying official Deputy SHPO, Tennessee Hi State or Federal agency and bureau	storical Commission		Date / /
In my opinion, the property meets	does not meet the National Regis	ster criteria. 🔲 See contin	uation sheet.
Signature of commenting or other official			Date
State or Federal agency and bureau			
. National Park Service Certification			
, he/eby, certify that this property is:			
entered in the National Register.	1.0 2		Entered in th
See continuation sheet.	Alone Byu	~ 7/25/49	National Regi
determined eligible for the National			1991
Register. See continuation sheet.			
determined not eligible for the			
National Register.		**	
redicital negister.		·· · · · · · · · · · · · · · · · · · ·	
removed from the National Register.		•	
other, (explain:)			
	Signature of the	e Keeper	Date of Action

6. Function or Use			
Historic Functions (enter categories from instructions) TRANSPORTATION/Rail Related	Current Functions (enter categories from instructions) TRANSPORTATION/Rail Related		
7. Description			
Architectural Classification (enter categories from instructions)	Materials (enter categories from instructions)		
	foundation _	Limestone	
N/A	walls	N/A	
		N/A	
	other	Steel	

Describe present and historic physical appearance.

The Southern Railroad Bridge is a double span Pratt truss bridge of steel construction erected in 1900. The bridge is typical of Pratt Truss designs with both vertical and diagonal posts and riveted construction. The stringers along the deck have wooden cross ties and iron tracks. The bridge is supported by limestone block piers on both the south and north banks of the river and by a central pier which has its footing midway in the river. The bridge spans approximately 225' across the Little River in a rural area north of Rockford.

8. Statement of Significance Certifying official has considered the significance of this proportion nationally	erty in relation to other properties:	
Applicable National Register Criteria A B XC	□ D	•
Criteria Considerations (Exceptions) A B C	D DE DF DG N/A	
Areas of Significance (enter categories from instructions) Engineering	Period of Significance 1900	Significant Dates 1900
	Cultural Affiliation N/A	
Significant Person N/A	Architect/Builder Edgemoor Bridge Works -	Builder

State significance of property, and justify criteria, criteria considerations, and areas and periods of significance noted above.

The Southern Railroad Bridge is significant under criterion C as the only representative example of an early 20th century Pratt steel truss bridge remaining in the county. The bridge was erected in 1900 at the Little River crossing by the Edgemoor Bridge Works of Wilmington, Delaware. This bridge replaced an earlier bridge at this location on the railroad line connecting Maryville and Knoxville. The bridge is the only example of a steel truss bridge in Blount County and no other significant rail or vehicular bridge of this type of construction survives.

During the late 19th and early 20th century many of the original vehicular and rail wood bridges in the county were replaced with steel truss bridges. Steel truss bridges signified advances in bridge technology and provided more stable and load resistant construction. Steel construction was used for many bridges in the county during the early 20th century but all of these have been replaced with modern bridges over the past several decades. The Southern Railroad Bridge is the only representative example of this type of bridge form and construction in the county.

See	cont	inu	ation	ehe	at

9. Major Bibliographical References	
Blount County Deed Records. 1800 - Tennessee.	1989. Blount County Courthouse, Maryville,
Burns, Inez E. <u>History of Blount Cou</u> <u>Strip.</u> Tennessee Historical Com	unty, Tennessee: From War Trail to Landing mission, Mary Blount Chapter DAR, 1957.
Morgan, John. Blount County Cultu Commission, Nashville, Tennesse	ural Resource Survey. Tennessee Historical
Previous documentation on file (NPS): N/A	See continuation sheet
preliminary determination of individual listing (36 CFR 67)	Primary location of additional data:
has been requested	X State historic preservation office
previously listed in the National Register previously determined eligible by the National Register	Other State agency Federal agency
designated a National Historic Landmark	Local government
recorded by Historic American Buildings Survey #	University Other
recorded by Historic American Engineering Record #	Specify repository:
necord #	
10. Geographical Data	
Acreage of property <u>Approximately 1 acre.</u>	<u> </u>
UTM References	
A 1 17 2 3 13 9 14 0	B
Zone Easting Northing	Zone Easting Northing
	D L L L L L L L L L L L L L L L L L L L
Maryville Quad	See continuation sheet
Verbal Boundary Description	
The boundary for the Southern Railros accompanying Blount County map 9, who	ad Bridge is illustrated on ich is drawn at a scale of 1" = 400'.
	See continuation sheet
Boundary Justification	
The boundary for the Southern Railrospiers, steel truss span, and approach	ad Bridge includes the limestone support hes to the bridge.
	See continuation sheet
11. Form Prepared By	
name/title Philip Thomason	7/70/00
organization Thomason and Associates street & number P.O. Box 121225	date3/30/89 telephone _615-383-0227
SUPPLICA HUMBER 1.0. DUA TATAA	relebuting OTA-202-0771

state TN zip code 37212

city or town ____

Nashville

United States Department of the InteriorNational Park Service

National Register of Historic Places Continuation Sheet

Photographs	
Section number Page1	Hist. and Arch. Resources of Blount Co.

Southern Railroad Bridge Off Highway 33, Rockford vic., Blount County, TN Photographs By: Thomason and Assoc. Date: Fall, 1988 Location of Neg: THC

View: South. Photo # 1

View: Southwest. Photo # 2

