NPS Form 10-900	ÓMB No. 10024-0018
(Oct. 1990) United States Department of the Interior National Park Service	RECEIVED 413
National Register of Historic Places Registration Form	APR 1 9 1994
This form is for use in nominating or requesting determinations for indi National Register of Historic Places Registration Form (National Register by entering the information requested. If an item does not apply to the architectural classification, materials, and areas of significance, enter or entries and narrative items on continuation sheets (NPS Form 10-900a)	idual properties and districts. See instructions in <i>How to Complete the</i> Bullemi 1007. Complete each term by marking "x" in the appropriate box or property NATIONA GATA Complete PARTIES for "not applicable." For functions, <u>ally categories and subcategories from the</u> instructions. Place additional . Use a typewriter, word processor, or computer, to complete all items.
1. Name of Property	
historic name Shubuta Methodist Episco	opal Church, South
other names/site number	
2. Location	
street & numberHigh Street	N A not for publication
city or town Shubuta	N/A vicinity
state <u>Mississippi</u> code <u>MS</u> county	Clarke code 023 zip code 39360
3. State/Federal Agency Certification	
□ request for determination of eligibility meets the documentation Historic Places and meets the procedural and professional require □ meets □ does not meet the National Register criteria. I reco □ nationally □ statewide □ locally. (□ See continuation shee □ horally □ statewide □ locally. (□ See continuation shee □ horally □ ficial/Title □ horally □ state Historic Preservation Off State of Federal agency and bureau	rements set forth in 36 CFR Part 60. In my opinion, the property performed that this property be considered significant et for additional comments.)
In my opinion, the property meets does not meet the Nat comments.)	ional Register criteria. (
Signature of certifying official/Title	Date
State or Federal agency and bureau	
4. National Park Service Certification	ν1
I hereby certify that the property is: I entered in the National Register. See continuation sheet. I determined eligible for the National Register See continuation sheet. I See continuation sheet. I determined not eligible for the National Register. I determined not eligible for the National Register. I removed from the National Register. I other, (explain:)	A H Beal Entered in the Date of Action M H Beal National Register 5.20-94

Shubuta Methodist Episcopal Church, South Name of Property

Clarke County, MS County and State

5. Classification		·····			
Ownership of Property (Check as many boxes as apply)	Category of Property (Check only one box)	Number of Resources within Property (Do not include previously listed resources in the count.)			
🖾 private	XX building(s)	Contributing	Noncontributing		
D public-local	XX building(s)	1	0	buildings	
public-State public-Federal	.□ site □ structure				
				structures	
				objects	
		1	0	Total	
Name of related multiple property listing (Enter "N/A" if property is not part of a multiple property listing.)		Number of contributing resources previously listed in the National Register			
Historic Resources	in Clarke County, MS	0			
6. Function or Use		<u></u>			
Historic Functions		Current Functions			
(Enter categories from instructions) Religion: religiou	s facility	(Enter categories from instructions) Religion: religious facility			
7. Description					
Architectural Classification (Enter categories from instructions) Other: Carpenter Gothic		Materials (Enter categories from instructions) foundation <u>Brick & Concrete</u>			
		walls Weatherboard			
		roof Asphalt: shingles			
		other <u>N/A</u>			
Narrative Description (Describe the historic and current c	condition of the property on one or more o	ontinuation sheets.)			

PLEASE SEE CONTINUATION SHEETS

Shubuta Methodist Episcopal Church, South Name of Property

8. Statement of Significance

Clarke County, MS

Applicable National Register Criteria (Mark ''x'' in one or more boxes for the criteria qualifying the property	Areas of Significance (Enter categories from instructions)
for National Register listing.)	Architecture
A Property is associated with events that have made a significant contribution to the broad patterns of	
our history.	
our motory.	
B Property is associated with the lives of persons	
significant in our past.	
C Property embodies the distinctive characteristics	
of a type, period, or method of construction or represents the work of a master, or possesses	
high artistic values, or represents a significant and	
distinguishable entity whose components lack	Period of Significance
individual distinction.	1891
D. Droparty has violated, or is likely to violat	
D Property has yielded, or is likely to yield, information important in prehistory or history.	
mornation important in premistory of mistory.	
Criteria Considerations	Significant Dates
(Mark "x" in all the boxes that apply.)	1891
Property is:	
Flopenty is.	
A owned by a religious institution or used for	
religious purposes.	
	Significant Person (Complete if Criterion B is marked above)
B removed from its original location.	N/A
\Box C a birthplace or grave.	N/A
	Cultural Affiliation
D a cemetery.	N/A
	N/A
E a reconstructed building, object, or structure.	
F a commemorative property.	
a commemorative property.	
□ G less than 50 years of age or achieved significance	Architect/Builder
within the past 50 years.	unknown
Narrative Statement of Significance (Explain the significance of the property on one or more continuation sheets.)
9. Major Bibliographical References	
Bibilography	
(Cite the books, articles, and other sources used in preparing this form on o	ne or more continuation sheets.)
Previous documentation on file (NPS):	Primary location of additional data:
preliminary determination of individual listing (36	X State Historic Preservation Office
CFR 67) has been requested	Other State agency
previously listed in the National Register	E Federal agency
previously determined eligible by the National	Local government
Register	 University Other
designated a National Historic Landmark recorded by Historic American Buildings Survey	Name of repository:
#	
recorded by Historic American Engineering	
Record #	

Name of Property

10. Geographical Data

Acreage of Property Less than one acre

UTM References

(Place additional UTM references on a continuation sheet.)



Verbal Boundary Description

(Describe the boundaries of the property on a continuation sheet.)

Boundary Justification

(Explain why the boundaries were selected on a continuation sheet.)

3			
	Zone	Easting	Northing
4			

\Box	See	continuation	sheet
--------	-----	--------------	-------

11. Form Prepared By Susan M. Enzweiler/Private Consultant name/title _ _____ date ____15 August 1993 N/A organization ____ telephone (504) 523-0558 448 Julia St., Apt. 308 street & number _ 70130 zip code _-_ state __LA New Orleans city or town Additional Documentation Submit the following items with the completed form:

Continuation Sheets

Maps

A USGS map (7.5 or 15 minute series) indicating the property's location.

A Sketch map for historic districts and properties having large acreage or numerous resources.

Photographs

Representative black and white photographs of the property.

Additional items

(Check with the SHPO or FPO for any additional items)

Property Owner				
(Complete this item at the request of SHPO or FPO.)				
nameShub	ita United Methodist Church			
street & number	High Street	telephone	unknown	
city or town	Shubuta	stateMS	zip code _	39360

Paperwork Reduction Act Statement: This information is being collected for applications to the National Register of Historic Places to nominate properties for listing or determine eligibility for listing, to list properties, and to amend existing listings. Response to this request is required to obtain a benefit in accordance with the National Historic Preservation Act, as amended (16 U.S.C. 470 et seg.).

Estimated Burden Statement: Public reporting burden for this form is estimated to average 18.1 hours per response including time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding this burden estimate or any aspect of this form to the Chief, Administrative Services Division, National Park Service, P.O. Box 37127, Washington, DC 20013-7127; and the Office of Management and Budget, Paperwork Reductions Projects (1024-0018), Washington, DC 20503.

Clarke County, MS

County and State



The Shubuta Methodist Episcopal Church, South was built in 1891 of wood frame construction in an eclectic form of popularized Gothic architecture termed Late Victorian Carpenter Gothic. This gable-oriented church building is now 4 bays wide because of a 1931 addition and 10 bays long. It rests on brick piers with concrete block infill. The windows are generally stained glass. The Shubuta Methodist Episcopal Church, South is located on High Street (State Highway 45), the main north-south artery through town. The church lies on the eastern edge of a residential area and is south/southwest of the business district. It is sited on a large lot with woods behind it. The landscaping of the property is very casual with shrubs planted in front of the church.

The front facade has towers on both front corners, flush with the exterior walls. The north tower is slightly taller and more ornate than the south tower. The north tower is comprised of three distinct tiers. The lowest tier contains a doubleleaf, panelled door with a Gothic arched fanlight above it. A guatrefoil window appears above the fanlight. The narrow middle tier is delineated by heavy. molded beltcourses. The upper tier is clad with diagonal clapboard. It features a peaked attic vent on each of its four sides. The cornice is supported by long. slender brackets and its design repeats the pointed arches of the attic vents. Finally, the tower is crowned by a steep, pyramidal roof with gablets. The south tower's lowest tier has the same treatment as the north tower's. A pent roof visually divides the lowest tier from the second tier. The second tier features round arched attic vents on three sides and a pyramidal roof. Between the two towers, the gabled section of the front facade features a quatrefoil window above a pair of long, narrow lancet windows. All three windows are contained within a panel of diagonal clapboard laid in a chevron pattern. Above, the main gable is clad in board-and-batten and its peak is accented by a jigsawn gable ornament.

The north (side) elevation features pointed arch windows. At the rear of this elevation is a tower that is similar in design to the south front tower. A handicap access ramp leads to the tower's double-leafed, five-panelled doors which are crowned by a stained glass fanlight. The access ramp is well designed and does not have a dramatic negative impact on the church's architecture. The main roof on the north elevation is punctuated by a small gable with a triangular attic vent.

On the south (side) elevation a 1931 frame addition extends almost the entire length of the building. The front elevation of this addition has a clapboard United States Department of the Interior National Park Service

National Register of Historic Places Continuation Sheet

Section number 7 Page 2

Clarke County, Mississippi Multiple Property Submission Shubuta Methodist Episcopal Church, South

parapet wall. Its double-leaf doors are shaded by an overdoor that is supported by struts. Along the side of this addition are five 3/3 double hung sash windows. A small, shed-roofed wing is located on the rear elevation of this addition.

Originally, the rear elevation had a semi-hexagonal apse which is still clearly discernible on the interior of the church today. In 1913 a large rear addition was put on the church, encasing the apse. The roof ridge of this gabled addition is set perpendicular to the main roof ridge. Pointed arch windows and triangular attic vents accent the gable ends. The side tower on the north elevation was probably added at the same time as the rear addition (Dr. Gaddy interview, 25 June 1993 & Sanborn Fire Insurance Maps 1912, 1926).

The interior of the Shubuta Methodist Episcopal Church, South features beaded board walls and ceilings. The pews and communion rail appear to be original. The windows on the south elevation of the church have been remodelled into doorways leading into the 1931 addition but retain their pointed arches with stained glass.

National Register of Historic Places Continuation Sheet

Section number <u>8</u> Page <u>1</u>

Clarke County, Mississippi Multiple Property Submission Shubuta Methodist Episcopal Church, South

The Shubuta Methodist Episcopal Church, South (1891) is a locally important work in the Late Victorian Carpenter Gothic style of architecture. Despite some additions and a wheelchair ramp, the church retains a high degree of architectural integrity and is one of only two Late Victorian Carpenter Gothic style building that were identified in Clarke County, the other being the Shubuta Baptist Church. The Shubuta Methodist Church is eligible for the National Register of Historic Places under Criterion C.

The twin-towered church was built in 1891. Its windows were imported from Belgium. Consecrated by Bishop Charles Betts Galloway, this was the second church building for Shubuta's Methodist congregation which had been organized in 1840. A rear addition and a tower on the north elevation were added in 1913. In 1931 a frame addition, the fellowship hall, was added to the south elevation (Dr. Gaddy interview, 25 June 1993).

The Shubuta Methodist Church is one of the more sophisticated of Mississippi's Late Victorian Carpenter Gothic style churches, of which relatively few are still extant. The building's exterior wall treatment displays a refined and creative use of wood frame construction. The wall treatment consists of clapboard laid horizontally and diagonally plus board-and-batten. The church's other Late Victorian Carpenter Gothic design features include Gothic arched windows and doors and quatrefoil windows. Overall, the Shubuta Methodist Church is a well-preserved and notable expression of the Late Victorian Carpenter Gothic as interpreted by Clarke County carpenters.

This Late Victorian Carpenter Gothic style church retains a high degree of architectural integrity and its congregation is committed to preserving the building.

United States Department of the Interior National Park Service

National Register of Historic Places Continuation Sheet

Section number ____9 Page ____1

Clarke County, Mississippi Multiple Property Submission Shubuta Methodist Episcopal Church, South

BIBLIOGRAPHY

Gaddy, Dr. Current Minister of the Church, Shubuta, Clarke County, Mississippi. Interview, 16 April 1993.

Sanborn Fire Insurance Maps: 1912, 1926.

United States Department of the Interior National Park Service

National Register of Historic Places Continuation Sheet

Clarke County, Mississippi Multiple Property Submission Shubuta Methodist Episcopal Church, South

Section number _____ Page ____

VERBAL BOUNDARY DESCRIPTION: Parcel No. 193-043-008-06; Lot 38 of G. M. & O. Railroad Survey

BOUNDARY JUSTIFICATION: These are the boundaries presently associated with the property. It is believed that these are also the historic boundaries for the church.