
ип No 10 300 10 10 141

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NH	
FOR NES USE ONLY	
RECEIVED	
DATE ENTERED	

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

SE	E INSTRUCTIONS IN HOW TYPE ALL ENTRIES			S	
NAME		<u> </u>			
IN VIATE					
HISTORIC	•				
	Smithfiel	d Street Bridge	1 K with		
AND/DR COMMON		d Street Bridge	37 Mg W	*	
		d befeet biidge			
LOCATIO				d /	
STREET & NUMBER	ield Street at the Mono	ngahela River	Not charge and a second		
CITY, TOWN		194-01	NDT FOR PUBLICATION CONGRESSIONAL DISTR	ICT /	
Pittsbu	ırgh	_ VICINITY OF	14th		
STATE		COOE	COUNTY	CODE	
Pennsyl	lvania	42	Alleghenv	003	
CLASSIFI	CATION				
CATEGORY	/ OW/MEDOUID	STATUS	DDEC	ENT HOD	
***************************************	011111111111111111111111111111111111111	STATUS		ENT USE	
DISTRICT	X PUBLIC	X_OCCUPIEO	AGRICULTURE	MUSEUM	
BUILDINGIS)	PRIVATE	_UNOCCUPIEO	COMMERCIAL	PARK	
XSTRUCTURE.	BOTH	WORK IN PROGRESS	EDUCATIONAL	PRIVATE RESIDENC	
SITE	PUBLIC ACQUISITION	ACCESSIBLE	ENTERTAINMENT	RELIGIOUS	
OBJECT	_IN PROCESS	YES: RESTRICTED	GOVERNMENT	SCIENTIFIC	
	BEING CONSIDERED	YES: UNRESTRICTED	INDUSTRIAL	X.TRANSPORTATION	
		_NO	MILITARY	OTHER.	
NAME	OF PROPERTY State of Pennsylvani	. "2	Transportation		
STREET & NUMBER	State Capitol	••	(st)		
CITY, TOWN			STATE		
	Harrisburg	VICINITY OF	Pennsylvani	a	
LOCATIO	N OF LEGAL DESCR	RIPTION			
COURTHOUSE. REGISTRY OF DEEC	os,etc Allegheny Cou	mty Courthouse			
STREET & NUMBER					
	414 Grant Sta	reet			
CITY, TOWN			STATE		
Pittsburgh			Pennsylvania	Pennsylvania	
REPRESE	NTATION IN EXIST	ING SURVEYS			
TITLE					
, , , , , , , , , , , , , , , , , , , ,	Historic American Engi	noering Possed Su	1793 F.O. 1.		
DAIE	MISCOILE AMETICAN ENGI	meering kecord 30	irvey		
-	1973	X FEDERAL	_STATECOUNTYLOCAL		
DEPOSITORY FOR					
SURVEY RECORDS	Division of Prints &	Photographs, Libr	rary of Congress		
CHY, IOWN	Washington, D. C.		STATE		



CONDITION

CHECK ONE

CHECK ONE

__EXCELLENT

_ DETERIORATED

__RUINS

_UNALTERED

X ORIGINAL SITE

X FAIRUNEXPOSED

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

Designed by Gustav Lindenthal and built between 1881 and 1883, the Smithfield Street Bridge is a Pauli (or lenticular) truss with two main channel spans of 360 feet. In 1890-91, the addition of a third, 2-span truss, 20 feet upstream from the original structure, doubled the bridge's width to 40 feet and allowed the separation of vehicular traffic from the street car lines. This was a modification anticipated in the original plans. In 1911, this third truss was moved another 4.5 feet to provide wider access.

The chords of the truss, the diagonal ties, the pins, and the pier-posts are all made of steel. The six plate girders in each span are wrought iron, as are the vertical web members of the truss. The original roadway consisted of preserved wood bolted to the iron floor girders. In 1934, the loading on the structure was lightened by removing the iron girders and installing an aluminum deck on the vehicular half of the bridge. In 1967, this was replaced by another new aluminum deck.

The steel trusses are supported by rusticated stone piers of a rock-faced masonry. Situated upon the two end piers are the portal archways. The original one-lane entrance was polychrome, with a bracketed cornice and a mansard roof. The towers were cast iron and the roofs were wrought iron. They encased the steel end posts of the truss but were not in any way connected to them. When the bridge was widened in 1890-1891, a set of archways similar to the originals were placed at the ends of the new roadway. However, these portals were built without mansard roofs. Soon after this, the roofs of the original portals were removed.

Between 1911 and 1915, the original wrought iron portals were removed and replaced with new ones made of cast steel. These are the portals in place today. Their architectural character is Norman Romanesque with elliptical basket-handle arches, sculptural corbeled imposts on the intradoes, and a crenelated cornice. A trifoil arch band runs under the cornice and caps a series of heraldic plaques. This heraldry is echoed in larger plaques positioned at the crown of the arches. Torch-like ornaments protrude from the columns at the height even with the corbeled imposts. The columns are capped with skeletal spires supporting spiked spheres. Like many of its architectural counterparts, the portals display complex roof line silhouettes. The contrast of large and small ornamental features creates a variety of textural effects.

SIGNIFICANCE

SPECIFIC DAT	ES 1883-1889	BUILDER/ARCH	HITECT	
		иотизи		·
 1900-	COMMUNICATIONS	INDUSTRY	POLITICS/GOVERNMENT	_OTHER (SPECIFY)
. X 1800-1899	COMMERCE	EXPLORATION/SETTLEMENT	PHILOSOPHY	TRANSPORTATION
1700·1799	ART	X_ENGINEERING	MUSIC	THEATER
1600-1699	ARCHITECTURE	EDUCATION	MILITARY	_SOCIAL/HUMANITARIAN
1500-1599	AGRICULTURE	ECONOMICS	LITERATURE	SCULPTURE
_:1400-1499	ARCHEOLOGY-HISTORIC	CONSERVATION .	LAW	SCIENCE
PREHISTORIC	ARCHEULUGY-PREHISTORIC	COMMUNITY PLANNING	LANOSCAPE ARCHITECTURE	RELIGION
PERIOD	AF	REAS OF SIGNIFICANCE CH	IECK AND JUSTIFY BELOW	

STATEMENT OF SIGNIFICANCE

The Smithfield Street Bridge is an important structure in the history of American engineering. One of the first steel trusses in the United States, it became a symbolic landmark for the entire American steel industry. Its relation to the surrounding environment sets a standard of urban design rarely surpassed in the 20th century. Built on a site with a great tradition of bridge building, it is a structural and aesthetic monument of national significance.

The designer of the bridge, Gustav Lindenthal, was to become one of America's foremost civil engineers of the early 20th century. Responsible for such masterpieces as the spectacular Hell Gate Bridge (1914) in New York City and the mighty Sciotoville Bridge (1917) over the Ohio, Lindenthal completed his first great work with the 1883 Smithfield Street Bridge, spanning the Monongahela. A young engineer from Germany, his genius demonstrated itself from the very beginning of his career. Following Louis Wernwag's 1818 Burr Arch Truss and John Roebling's 1846 suspension bridge (a precursor to his world famous Brooklyn Bridge), Lindenthal built a structure worthy of continuing their great tradition.

In an article written for the September 1883 Transactions of the American Society of Civil Engineers, Lindenthal emphasized that the use of Steel in the main structural members was an important feature of the bridge design. The first steel bridge in America was the 1874 Eads Bridge in St. Louis (National Historic Landmark 1964), built by James B. Eads. The first steel truss bridge was built in 1879 in Glasgow, Missouri, by W. S. Smith. Shortly after this, Lindenthal introduced the steel truss bridge to the eastern United States. Utilizing steel made in Pittsburgh, a city of international stature in the steel industry, he was able to reduce construction costs by over \$20,000. Though initially chosen for economic reasons, the steel structural members have also proven to be the most enduring aspect of the design, allowing the bridge to function safely for over 93 years under the weight of ever-increasing loads. In his 1883 report, Lindenthal presented a detailed analysis of structural tests made on a variety of steel specimens. This analysis, in conjunction with a full description of the construction methods used in erecting the bridge, gave the next generation of American civil engineers a practical reference to steel truss design and construction.

It should not be thought, however, that the sole importance of the Smithfield Street Bridge is its innovative use of material. Lindenthal understood the important position the bridge would occupy in the urban landscape and, accordingly, he wanted a structure which would be pleasing to the eye. Though he had strong structural motives

Forn, No. 10, 200a (Rev. 10, 74)

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

FOR NPS USE ONLY
RECEIVED
DATE ENTERED

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

CONTINUATION SHEET

ITEM NUMBER 8

PAGE 2

in selecting the Pauli lenticular truss for the main channel spans, he was equally attracted to the graceful, flowing quality of their design. When built, the Smithfield Street Bridge was the largest lenticular truss in America, and it retains this status today. There are approximately fifteen lenticular trusses still existing in the United States, and Lindenthal's two 360' spans remain the longest in the Nation. The distinctive portals of the bridge accentuate the aesthetic nature of the structure and distinguish it from any other American bridge.

Now the oldest steel truss in the United States, the Smithfield Street Bridge has been a source of inspiration to over three generations of Americans. In designating it a national historic civil engineering landmark, the American Society of Civil Engineers have recognized it as an invaluable part of our engineering heritage. It has attained even greater importance as a cultural symbol of technology's ability to relate to society on a vibrant, human level. Gustav Lindenthal's design is more than an exercise in the innovative use of materials; it is a powerful display of the beauty inherent within our Nation's technological capabilities.

Lindenthal, Gus Transactions	tay, "Rehuilding of the American S	of the Mor ociety of	nongahela Brida Civil Engineer	ge at Pittsbors. vol. 12	urgh, Pa," no. 263 (Sept., 1883
					Press, 1968, p. 105.
	American, vol. 49				
				pp. 1	1/3-100.
TEGEOGRAP	HICAL DATA				
	MINATED PROPERTY		· 		
UTM REFERENCES	5				
ZONE EAS	8,4 6,3,0 4,4 7 TING NORTHI LLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLL		B ZONE EA	ASTING	NORTHING
•	crosses the Mono	~		mile upstrea	m from its junction
, "i			:		
LIST ALL	STATES AND COUNTIES	FOR PROPER	TIES OVERLAPPING	STATE OR COUN	TY BOUNDARIES
STATE		CODE	CDUNTY		CDDE
STATE		CDDE	CDUNTY		CODE
FORM PRI	Donald C. Jack	son, Engin	eer		
DRGANIZATION	Historic Ameri	can Engine	ering Record	March,	
STREET & NUMBER	National Park	Service	tania sa sa kacamatan ka	TELEPHE 523-	
CITY OR TOWN	Washington, D.			STATE	
STATE HIS	STORIC PRESE		N OFFICER	CERTIFICA	ATION
,	THE EVALUATED SIG				
NATIO	ONAL X	STAT	ΓΕ	LOCAL_	
hereby nominate thi criteria and procedur		the National F al Park Service.	Register and certify the		86 (Public Law 89-665), I valuated according to the
TITLE				DATE	
FUR NPS USE ONLY		···			······································
I HEREBY CERTIF	Y THAT THIS PROPERTY	IS INCLUDED	IN THE NATIONAL F	REGISTER	at a t
				DATE	
DIRECTOR, OFFIC	E OF ARCHEOLOGY AN	D HISTORIC PI	RESERVATION	DATE	
KEEPER OF THE N	ATIONAL REGISTER	· · · · · · · · · · · · · · · · · · ·			

MAJOR BIBLIOGRAPH AL REFERENCES

