							STATE: Wisconsin County:					
	NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM						Dane FOR NPS USE ONLY ENTRY DATE					
	(Type all entries	s - complete app	licabl	e sectio	ns)	-		EC 3	1974			
1. N	IAME						B					
2.	AND/OR HISTORIC: Collins, William OCATION STREET AND NUMBER: 704 East Gorham CITY OR TOWN:				CONGRE	SSION	AL DISTRICT:					
	Madison											
5	STATE E2702			CODE	COUNTY:				COD	E		
	Wisconsin 53703			55	Dan	<u>ie</u>			025			
3. C		1					Г	1		4		
	CATEGORY (Check One)		OWNERSHIP				STATUS		ESSIBLE	c		
1	District 🕅 Building	Public Public Acquisition:					🕅 Occupied	Yes K Res				
	Site Structure	Private Both] In Prod	cess Considered		Unoccupied					
	Dbject			in progress					Tim			
-	PRESENT USE (Check One or More as Appropriate)											
-			Pork				T	- AL	Elurn	4		
1							□ Transportation □ Comments			Y		
] Relig					0017	1974			
1	📋 Entertainment 🗌 Mu	JSeum] Scier	ntific				NATIC	DALAT	_ /		
	WNER OF PROPERTY						13	<u>, 160/2</u>	TER	ZĬ		
1	OWNER'S NAME:		_					The		¥.		
	City of Madison,	Wisconsin (()ccu _l	pied by	Parks	Dep	artment)	211	2	ĺsc		
	City-County Buil	ding, 210 Mor	Iona	Avenue						Wiscons		
c	CITY OR TOWN:	<u>urng, 210 mor</u>		niv chuc	STA1	re:			CODE	_ اسر		
	Madison					Wis	consin 53709		55	p		
	OCATION OF LEGAL DESC											
	City Assessor's									Dane		
	STREET AND NUMBER: 210 Monona Avenue											
c	Madison				STAT		consin	ļ	CODE			
	nauison					MTR	constn		55			
6. R	EPRESENTATION IN EXIST	ING SURVEYS						1_				
Т	Madison Architec	tural Survey										
	DATE OF SURVEY: 1973			Federal	St.	ate	County [X Local		-1		
6	DEPOSITORY FOR SURVEY RE											
	City Planning De	partment			•							
s	210 Monona Avenue	2										
-	210 MODONA AVENU	E			STAT	E:		1	CODE			
1~					1			1		1		
	Madison					Wis	consin		55			

offer a design form not unlike Sullivan's delicate carved woodwork on the cantilevered brackets of the Harold C. Bradley house in Madison. The brick of the walls changes only on the dormer and high on the gable end walls where stucco panels are used. The soffit of the roof's generous overhang is finished in stucco with wood trim set in to emphasize horizontal lines. Trim, where it does appear, is painted a cream color. This may be an original color as it does contrast nicely with the rest of the building, and some of Claude and Starcks' buildings do have painted trim as opposed to the preference for deep earth tone stains used by many other architects of this period. The glazing of the windows, and in the door, is enriched with leaded	7. DESCRIPTION						
CONDITION (Check Gon) (Check Gon) Image: Construct the PRESENT AND ONGUNAL (If Mowed) PRIVICAL APPEARANCE Moved X Original Site The William Collins house is a superb example of Prairie architecture as practiced by the Madisson architecturel firm of Claude and Starck. The concept of the building is a simple rectiplinear mass capped by an imposing gable roof. The pitched roof is covered with asphalt shingles today, and while sensitively selected for matching the other colors of the building, it does not reflect what must have been the original design. The original roof may have been either wood shingles or clay tile roofing. A strong gabled dormer window faces the street, much in the manner of Frank Lloyd Wright's design of 1900 published in the Ladies Home Journal or as seen in Purcell and Elmslie's Einfeldt house in River Forest. The walls are of a dark red brick with deeply raked horizontal joints. The plane of the wall is divided at the level of the second floor window sills with a stone belt course, and powerful bracketed balconies, somewhat in an Arts and Crafts style, are on the edwalls. The decorative brackets offer a design form not unlike Sullivan's delicate carved woodwork on the cantilevered brackets of the Harold C. Bradley house in Madison. The brick of the walls changes only on the dormer and high on the gable end walls where stucco panels are used. The soffit of the roof's generous overhang is finished in stucco with wood trim set in to emphasize horizontal lines. Trim, where it does appear, is painted a cream color. This may be an original color as it does contrast nicely with the rest of the building, and some of Claude and Starcks' buildings of have painted trim as opposed to the preference for deep earth tone stains used by many other ar					·		1
I Mored X Unality of Network of the product of t	CONDITION	K Excellent					-
The William Collins house is a superb example of Prairie architecture as practiced by the Madison architectural firm of Claude and Starck. The concept of the building is a simple rectalinear mass capped by an imposing gable roof. The pitched roof is covered with asphalt shingles today, and while sensitively selected for matching the other colors of the building, it does not reflect what must have been the original design. The original roof may have been either wood shingles or clay tile roofing. A strong gabled dormer window faces the street, much in the manner of Frank Lloyd Wright's design of 1900 published in the Ladies Home Journal or as seen in Purcell and Elmslie's Einfeldt house in River Forest. The walls are of a dark red brick with deeply raked horizontal joints. The plane of the wall is divided at the level of the second floor window sills with a stome belt course, and powerful bracktede balconies, somewhat in an Arts and Crafts style, are on the end walls. The decorative brackets offer a design form not milke Sullivan's delicate carved woodwork on the cantilevered brackets of the Biarold C. Bradley house in Madison. The brick of the walls changes only on the dormer and high on the gable end walls where stucco panels are used. The soff of the root's generous overhang is finished in stucco with wood trim set in to emphasize horizontal lines. Trim, where it does appear, is painted a cream color. This may be an original color as it does contrast nicely with the rest of the building, and some of Claude and Starcks' buildings do have painted trim as opposed to the preference for deep earth tone stains used by many other architects of this period. The glazing of the windows, and in the door, is enriched with leaded glass borders and small geometric patterns in the corners. This detailing is very characteristic of other buildings of this style and a similar window decoration in leaded glass exists in Frank Lloyd Wright's Hardy house in Racine, or the E. A. Gilmore house in Madison. Excellent oak woodwork det		Alter		ered	•	-	
 as practiced by the Madison architectural firm of Claude and Starck. The concept of the building is a simple rectilinear mass capped by an imposing gable roof. The pitched roof is covered with asphalt shingles today, and while sensitively selected for matching the other colors of the building, it does not reflect what must have been the original design. The original roof may have been either wood shingles or clay tile roofing. A strong gabled dormer window faces the street, much in the manner of Frank Lloyd wright's design of 1900 published in the Ladies Home Journal or as seen in Purcell and Elmsile's Einfeldt house in River Forest. The walls are of a dark red brick with deeply raked horizontal joints. The plane of the wall is divided at the level of the second floor window sills with a stone belt course, and powerful bracketed balconies, somewhat in an Arts and Crafts style, are on the end walls. The decorative brackets offer a design form not unlike Sullivan's delicate carved woodwork on the cantilevered brackets of the Harold C. Bradley house in Madison. The brick of the valls changes only on the dormer and high on the gable end walls where stucco panels are used. The soffit of the roof's generous overhang is finished in stucce with wood trim set in to emphasize horizontal lines. Trim, where it does appear, is painted a cream color. This may be an original color as it does contrast nicely with the rest of the building, and some of Claude and Starcks' buildings do have painted trim as opposed to the preference for deep earth tone stains used by many other architects of this period. The glazing of the windows, and in the door, is enriched with leaded glass borders and small geometric patterns in the corners. This detailing is very characteristic of other buildings of this style and a similar window decoration in leaded glass exists in Frank Lloyd Wright's Hardy house in Racine, or the E. A. Cilmore house in Madison. Excellent oak woodwork detailing remains	DESCRIBE THE PE	RESENT AND OR	IGINAL (if known) PHY	ICAL APPEARANC	E		1
 sensitively selected for matching the other colors of the building, it does not reflect what must have been the original design. The original roof may have been either wood shingles or clay tile roofing. A strong gabled dormer window faces the street, much in the manner of Frank Lloyd Wright's design of 1900 published in the <u>Ladies Home Journal</u> or as seen in Purcell and Elmslie's Einfeldt house in River Forest. The walls are of a dark red brick with deeply raked horizontal joints. The plane of the wall is divided at the level of the second floor window sills with a stone belt course, and powerful bracketed balconies, somewhat in an Arts and Crafts style, are on the end walls. The decorative brackets offer a design form not unlike Sullivan's delicate carved woodwork on the cantilevered brackets of the Harold C. Bradley house in Madison. The brick of the walls changes only on the dormer and high on the gable end walls where stucco panels are used. The soffit of the roof's generous overhang is finished in stucco with wood trim set in to emphasize horizontal lines. Trim, where it does appear, is painted a cream color. This may be an original color as it does contrast nicely with the rest of the building, and some of Claude and Starcks' buildings do have painted trim as opposed to the preference for deep earth tone stains used by many other architects of this period. The glazing of the windows, and in the door, is enriched with leaded glass borders and small geometric patterns in the corners. This detailing is very characteristic of other buildings of this style and a similar window decoration in leaded glass exists in Frank Lloyd Wright's Hardy house in Racine, or the E. A. Gilmore house in Madison. Excellent oak woodwork detailing remains in the stair hall and several of the rooms. The house, while no longer in private ownership, is in a good state of repair. 	as practice The concept	d by the Ma of the bui	adison archited	tural firm o	f Claude and	d Starck.	
 Frank Lloyd Wright's design of 1900 published in the Ladies Home Journal or as seen in Purcell and Elmslie's Einfeldt house in River Forest. The walls are of a dark red brick with deeply raked horizontal joints. The plane of the wall is divided at the level of the second floor window sills with a stone belt course, and powerful bracketed balconies, somewhat in an Arts and Crafts style, are on the end walls. The decorative brackets offer a design form not unlike Sullivan's delicate carved woodwork on the cantilevered brackets of the Harold C. Bradley house in Madison. The brick of the walls changes only on the dormer and high on the gable end walls where stucco panels are used. The soffit of the roof's generous overhang is finished in stucco with wood trim set in to emphasize horizontal lines. Trim, where it does appear, is painted a cream color. This may be an original color as it does contrast nicely with the rest of the building, and some of Claude and Starcks' buildings do have painted trim as opposed to the preference for deep earth tone stains used by many other architects of this period. The glazing of the windows, and in the door, is enriched with leaded glass borders and small geometric patterns in the corners. This detailing is very characteristic of other buildings of this style and a similar window decoration in leaded glass exists in Frank Lloyd Wright's Hardy house in Racine, or the E. A. Gilmore house in Madison. Excellent oak woodwork detailing remains in the stair hall and several of the rooms. The house, while no longer in private ownership, is in a good state of repair. 	sensitively it does not	selected f reflect wh	for matching the nat must have h	e other cold een the orig	ors of the b inal design	uilding, . The	
 Init, where it does uppear, it particles of the building original color as it does contrast nicely with the rest of the building, and some of Claude and Starcks' buildings do have painted trim as opposed to the preference for deep earth tone stains used by many other architects of this period. The glazing of the windows, and in the door, is enriched with leaded glass borders and small geometric patterns in the corners. This detailing is very characteristic of other buildings of this style and a similar window decoration in leaded glass exists in Frank Lloyd Wright's Hardy house in Racine, or the E. A. Gilmore house in Madison. Excellent oak woodwork detailing remains in the stair hall and several of the rooms. The house, while no longer in private ownership, is in a good state of repair. 	Frank Lloyd or as seen walls are o plane of th sills with in an Arts offer a des cantilevere brick of th walls where overhang is	Wright's of in Purcell of a dark re- a stone be- and Crafts ign form no d brackets e walls cha	design of 1900 and Elmslie's ed brick with of divided at the lt course, and style, are on of unlike Sull: of the Harold anges only on the nels are used.	published in Einfeldt hou eeply raked e level of th powerful bra the end wall yan's delica C. Bradley h he dormer an The soffit	the <u>Ladies</u> ise in River horizontal is second flucketed balco is. The deco is carved we house in Mad id high on the roof	Home Journal Forest. The joints. The oor window onies, somewhat orative brackets oodwork on the ison. The he gable end 's generous	SEEINSTR
<pre>ine glazing of the windows, and in the door, is enriched with leaded glass borders and small geometric patterns in the corners. This detailing is very characteristic of other buildings of this style and a similar window decoration in leaded glass exists in Frank Lloyd Wright's Hardy house in Racine, or the E. A. Gilmore house in Madison. Excellent oak woodwork detailing remains in the stair hall and several of the rooms. The house, while no longer in private ownership, is in a good state of repair. </pre>	original co and some of to the pref	lor as it of Claude and erence for	does contrast i d Starcks' bui	icely with t dings do hav	the rest of ve painted t	the building, rim as opposed	UCTIO
of the rooms. The house, while no longer in private ownership, is in a good state of repair.	glass borde is very cha window deco	ers and small racteristic ration in 1	ll geometric pa c of other bui leaded glass e	tterns in th dings of th tists in Fran	ne corners. is style and nk Lloyd Wri	This detailing a similar	S
repair.			k detailing re	nains in the	stair hall	and several	
		while no lo	DEPE	VED	, is in a go	od state of	

ERIOD (Check One or More as	Appropriate)		
Pre-Columbian	16th Century	18th Century	X 20th Century
15th Century	17th Century	19th Century	
PECIFIC DATE(S) (If Applicab	le and Known) 🖉 abo	ut 1911	
REAS OF SIGNIFICANCE (Che	eck One or More as Appropri	ate)	
Abor iginal	Education	Political	🔲 Urban Planning
Prehistoric	Engineering	Religion/Phi-	Other (Specify)
🔲 Historic	Industry	losophy	
Agriculture	🗋 Învențion	Science	
K Architecture	Landscape	Sculpture	
🗋 Art	Architectúre	Social/Human-	
	Literature	itarian	
Communications	Military	Theater	
Conservation	Music	Transportation	,,_,_,_,_,_,_,_,_,_,_,_,_,_,_,

STATEMENT OF SIGNIFICANCE

The William Collins house is a fine example of Claude and Starck's residential work in the Prairie style and possess architectural merit at a local level. Many of the homes designed by this firm still exist, and this building so well shows their full grasp of the compact-cubical form executed in the Chicago area by George W. Maher, and widely published in the journals of the region (Western Architect and Inland Architect and News Record). Yet, this building has features strongly its own.

The bracketed porches and railings of the building lessen the severity of the very pure geometric forms and indicate a sympathy for a feeling of the Arts and Crafts movement.

The firm of Claude (Louis W.) and Starck (Edward F.) is an important one in the history of Madison's architectural development during the first three decades of the twentieth century. Both men obtained some of their experience in offices of architects assocated with the Prairie School; Claude with Louis H. Sullivan and Starck with Handy and Cady. This experience, undoubtedly contributed to the very high level of design that was seen in their buildings reflecting their interest in Prairie architecture. Claude and Starck's practice was a broad one encompassing all types of structures and extended beyond Madison to a large part of Wisconsin. Their popular libraries were also found in some neighboring states.

The Collins house is pretentious enough that a feeling for the owner's prosperity is present. It is not a small house, and it posseses fine details, such as wood trim set in the plaster, finely leaded glass designs in the windows, a quality of masonry for the entire exterior and a carefully studied amount of wood detailing in the brackets, balconies and railings, all lending a certain amount of grace to an otherwise simple form.

Mr. William Collins was a lumber company executive. The house was built about 1911 and has undergone a succession of owners. It is now used by the City of Madison as the offices for the Parks Department, a use which should be encouraged.

SEE INSTRUCTIONS

9. MAJOR	BIBLIOGRAPHIC	AL RE	FERENCES								
0 0 19. GEOGI	m Claude and <u>Ma</u> <u>Wi</u> 19 Lo <u>Ti</u> n Prairie Ar <u>Pr</u> Fo Un RAPHICAL DATA LATITUDE AND LO UNING A RECTANGLI	Stan dison scons 51 in uis M mes chito airio rms a publ	rck: <u>n Past an</u> <u>sin State</u> <u>n the Cap</u> W. Claude for Edwar <u>ecture in</u> <u>e Archite</u> <u>and Form</u> - <u>ished Mas</u> DE COORDINA	Journa ital Tin , and o d F. St. Madisor cture in Givers ter's T	1. me f ar n n by	And obd s and <u>Wis</u> October 2 ck. and Claud Madison, Gordon I sis, Unix	consin Sta 8, 1947 in e and Star Wisconsin; 0. Orr, Jr. croity of	August 11, <u>te Journal</u> for the <u>Capital</u> ck's Work <u>Influences</u> , 1971	TES VERTY		
	Degrees Minutes Se	conds			1		nutes Seconds			UTW	
NW	ο,	•	٥	· »		0	•	• •	•	UK	
NE	0		0	, ,			dinates:	Zone 16,		CD	
S E SW			0				530 N. 220 E.				
	IMATE ACREAGE O	FNOM	INATED PROP	PERTY:	1	ess than		<u>.</u>		S	
LIST ALL	STATES AND COU	INTIES	FOR PROPER	TIES OVER	RL A	PPING STATI	OR COUNTY	NUNDARIES		m	
STATE:				CODE		COUNTY			CODE		
STATE:				CODE	-	COUNTY:	RECE	IVED	CODE	т. —	
STATE:		<u></u>		CODE	+,	COUNTY:	OCT	7 107	CODE	Z	
STATE:				CODE	+		REGIO	NAL 3	CODE		
STATE:				CODE	٦.	COUNTY.	Ta - Clis	IER X	CODE	20	
I. FORM	PREPARED BY			1	-		-Vien	FOIL V		~	
	ID TITLE:									_	
	ordon D. Orr	, Jr	., Archit	ect						<u>с</u>	
ORGANIZ			1111 A					DATE	0 107/		
	isconsin Cha	pter	, ine Ame	rican I	nsı	citute oi	Architect	s August 1	9, 1974	0	
	729 Mason St	reet							1	_	
CITY OR					s	TATE			CODE	Z	
	adison					Wiscons	in 53705		55	0.	
12. STATE	LIAISON OFFIC	ER CE	RTIFICATIO	N		NAT	IONAL REGIST	ER VERIFICATIO	N		
tional 89-665 in the evalua forth b level o N	As the designated State Liaison Officer for the Na- tional Historic Preservation Act of 1966 (Public Law 89-665), I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the c-iteria and procedures set forth by the National Park Service. The recommended level of significance of this nomination is: National I State Local X Name Monton Smith Title Director, State Historical Society of Wisconsin						I hereby certify that this property is included in the National Register. Director, Office of Archeology and Historic Preservation Date 17/3/94 ATTEST: ATTEST: Attemption of The National Participant				
Date _	Ach / 1604										

1 (N