RECEIVED 2280	570
NPS Form 10-900 (Oct. 1990) United States Department of the Interior National Park Service NATIONAL REGISTER OF NHISTORIC PLACE REGISTRATION FORM	
1. Name of Property	:========
historic name: <u>Harrisville Grade School</u> other name/site number: <u>Harrisville High School</u> <u>Harrisville Public School</u>	
2. Location	: 22 22 23 23 23 23 23
street & number: 217 West Main Street not for publicatio city/town: Harrisville vicinity: state: WV code: WV county: Ritchie code: 085 zip code: 2636	<u> </u>
3. State/Federal Agency Certification	
As the designated authority under the National Historic Preservatio of 1986, as amended, I hereby certify that this $\underline{\times}$ nomination request for determination of eligibility meets the documentatio standards for registering properties in the National Register of Hi Places and meets the procedural and professional requirements set f in 36 CFR Part 60. In my opinion, the property $\underline{\times}$ meets does meet the National Register Criteria. I recommend that this propert considered significant nationally statewide $\underline{\times}$ locally.	on Act on storic orth not
(Gee continuation sheet.) ////////////////////////////////////	
State or Federal agency and bureau Date	
In my opinion, the property meets does not meet the Natio Register criteria. (See continuation sheet for additional comme	nal nts.)
Signature of Certifying Official/Title Date	
State or Federal agency and bureau	

Harrisville Grade School Name of Property Ritchie County, WV County and State

4. National Park Service Certificatio	
<pre>I, hereby certify that this property entered in the National Register See continuation sheet determined eligible for the National Register See continuation sheet determined not eligible for the National Register removed from the National Register</pre>	Signature of Keeper of Action
other (explain):	
	· · · · · · · · · · · · · · · · ·
5. Classification	
Ownership of Property: (Check as many boxes as apply)	Category of Property (Check only one box)
private X_ public-local public-State public-Federal	<pre>X building(s) object district site structure</pre>
Number of Resources within Property (Do not include previously listed res	sources in the count.)
Contributing Noncontributing	buildings sites structures
1 0	objects TOTAL
Name of related multiple property lis (Enter "N/A" if property is not part <u>N/A</u> Number of contributing resources prev Register0	of a multiple property listing.)
6. Function or Use	
Historic Functions (Enter categories from instructions)	Current Functions (Enter categories from instructions)
Education - School	Meeting Site (Historical Society)

<u>Harrisville Grade School</u> Name of Property

<u>Ritchie County, WV</u> County and State

7. Description			
Architectural Classification: Materials (Enter categories from instructions) (Enter categories from instructions) Late Victorian: Foundation_Stone Vernacular Italianate and Greek Revival Walls Brick Roof Asphalt Shingles Other			
8. Statement of Significance			
Applicable National Register Criteria (Mark "X" in one or more boxes for the criteria qualifying the property for National Register listing.)			
X A Property is associated with events that have made a significant contribution to the broad patterns of our history.			
B Property is associated with the lives of persons significant in our past.			
X C Property embodies the distinctive characteristics of a type, period, or method of construction or represents the work of a master, or possesses high artistic values, or represents a significant and distinguishable entity whose components lack individual distinction.			
D Property has yielded, or is likely to yield, information important in prehistory or history.			
Criteria Considerations (Mark "X" in all the boxes that apply.)			
Property is: A owned by a religious institution or used for religious purposes.			
B removed from its original location.			
C a birthplace or grave.			
D a cemetery.			
E a reconstructed building, object, or structure.			
F a commemorative property.			
G less than 50 years of age or achieved significance within the past 50 years.			

<u>Harrisville Grade School</u> Name of Property

Areas of Significance (Enter categories from instructions) Education Architecture

Period of Significance 1878-1946

Significant Dates <u>1878 - Built</u> <u>1904 - Addition</u>

Significant Person (Complete if Criterion B is marked above) N/A

Cultural Affiliation <u>N/A</u>

Architect/Builder

<u>N/A</u>

Narrative Statement of Significance

(Explain the significance of the property on one or more continuation sheets.)

9. Major Bibliographical References

Bibliography

(Cite the books, articles, and other sources used in preparing this form on one or more continuation sheets.)

Previous documentation on file (NPS):

- _ preliminary determination of individual listing (36 CFR 67) has been requested.
- _ previously listed in the National Register
- _ previously determined eligible by the National Register
- _ designated a National Historic Landmark
- _ recorded by Historic American Buildings Survey # _____
- _ recorded by Historic American Engineering Record # _____

Primary location of additional data:

- X State Historic Preservation Office
- _ Other State agency
- _ Federal agency
- _ Local government
- _ University
- X Other

Name of Repository: <u>Ritchie County Historical Museum</u>

Harrisville Grade School Name of Property

<u>Ritchie County, WV</u> County and State

10. Geo	graphical Dat		- 24 45 75 75 75 75 75 75 75 75 75 75 75 75 75		
Acreage	of Property	Less than one a	lcre		
UTM Ref	erences (Plac	e additional UTM	references on	a continua	ation sheet.)
1 <u>17</u> Zone 3	<u>495330</u> Easting	<u>4339800</u> Northing	Λ	-	Northing
Zone	Easting	Northing		Easting Intinuation	Northing n sheet
	Boundary Desc be the bounda	ription ries of the prope	erty on a conti	nuation sl	neet.)
	y Justificat i n why the bou	on Indaries were sele	ected on a cont	inuation s	sheet.)
11. For	m Prepared By	- <u> </u>			
Name/Ti	tle: <u>Erin Be</u> t	h Dower, State Su	rvey Coordinat	or	
Organiz	ation: <u>WV SHI</u>	Date: <u>Se</u>	ptember 19, 19	96	
Street	& Number: <u>19(</u>	0 Kanawha Blvd.,	East Teleph	one: <u>(304</u>)	558-0220
City or	Town: <u>Cha</u> ı	leston	State: W	ZIP: <u>253(</u>	05-0300
====== Additio	nal Documenta	tion	:		
submit	the following	items with the c	completed form:		

Continuation Sheets

Maps

- A USGS map (7.5 or 15 minute series) indicating the property's location.
- A Sketch map for historic districts and properties having large acreage or numerous resources.

Photographs

Representative black and white photographs of the property.

Additional Items (Check with the SHPO or FPO for any additional items)

Harrisville Grade School Name of Property Ritchie County, WV County and State

Property Owner
Complete this item at the request of SHPO or FPO.)
Comprete tints item at the request of sinto of 110.)
Jone, Mhe Ditabie Cousty Historias] Nuseum
Name: The Ritchie County Historical Museum
Street & Number: 217 West Main Street Telephone: (304) 643-2986
Lity or Town: <u>Harrisville</u> State: <u>WV</u> Zip: <u>26362-0342</u> _

Paperwork Reduction Act Statement: This information is being collected for applications to the National Register of Historic Places to nominate properties for listing or determine eligibility for listing, to list properties, and to amend existing listings. Response to this request is required to obtain a benefit in accordance with the National Historic Preservation Act, as amended (16 U.S.C. 470 et seq.).

Estimated Burden Statement: Public reporting burden for this form is estimated to average 18.1 hours per response including time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding this burden estimate or any aspect of this form to the Chief Administrative Services Division, National Park Service, P.O. Box 37127, Washington, DC 20013-7127; and the Office of Management and Budget, Paperwork Reductions Projects (1024-0018), Washington, DC 20503.

United States Department of the Interior National Park Service

NATIONAL REGISTER OF HISTORIC PLACES CONTINUATION SHEET

Harrisville Grade School	Ritchie County, WV
Section number <u>7</u>	Page1

The Harrisville Grade School is located in Ritchie County, West Virginia in the town of Harrisville. It is situated on the south side of West Main Street (also Secondary Route 5) and at the north end of School Street. A small 16.5 feet alley continues from School Street along the south side of the property to the east. The total dimensions of the property are: 164.20 feet (east) by 174.25 feet (south) by 227 feet (west) by 100 feet (north) which forms a rectangle with an obtuse triangle on the far northwest corner. The original 1877 lot was square measuring 100 feet by 164.20 feet, and was expanded in 1903 to include the lot on its west side, angling along the northwest curve of West Main Street as a natural boundary. The nominated property includes one contributing resource, the Harrisville Grade School. The school faces Main Street and is located in the eastern side of the property. The land has several mature trees with a concentration on the school's east side. The ground on the west side slopes slightly away from the school.

The Harrisville Grade School is a large Vernacular Victorian building featuring a blend of Italianate and Greek Revival details. Sited along West Main Street, the building is a two-story plan of more than three bays. Rough-cut stone and rubble laid in an irregular course is the building's foundation. Walls are of brick laid in the English Common Bond with a variant of seven stretcher rows per header row. The hipped roof has a low slope and is covered with plain, coursed asphalt shingles. The north facade's projecting wing contains a three-ranked opening, and has a central, triangular pediment supported by brick pilasters. A semi-circular, eight-light pediment window is located in the upper center of the gable end. Classical dentil cornice returns proceed to the pilasters and continue around the building.

The pediment marks the main entrance comprised of a pair of single panel, wood doors with two-light glazing and an arched, two-light transom with hooded, brick lintel. The entrance is covered from the elements by a small, single-story wood covering or stoop with a single, arched 2/2 double-hung window also with hooded, brick lintels and stone sills on each side of the entrance. These lintels over the north facade's windows are the only painted brick on the building's exterior. The recessed sides of the main rectangle each have two arched, 2/2 double-hung windows on each level and are of the same Italianate design. Brick pilasters wrap around the corners creating a quoin-like element.

The east and west facades (left and right, respectively) each have two brick end chimneys, modified for furnace stacks and capped during the 1970s. While the west facade has five bays. The central entrance is comprised of paired doors, a four-light transom and a hooded, brick lintel all covered by a shed roof constructed of metal pipe and wood and covered with asphalt

United States Department of the Interior National Park Service

NATIONAL REGISTER OF HISTORIC PLACES CONTINUATION SHEET

Harrisville Grade School	Ritchie County, WV
Section number <u>7</u>	Page2

shingles. On either side of this entrance are two arched, 2/2 double-hung windows with hooded, brick lintels and stone sills. Each window is visually divided from one another by a brick chimney or brick pilaster. The upper level matches these five bays with the central bay having paired, half-arched, 2/2 double-hung windows sharing the same hooded, brick lintels and stone sill. The foundation is marked with four bays. The original north section of the building has two metal ventilation grates in the foundation while the 1904 addition (south section) has two 1/1 double-hung windows with opaque glass resting between stone sills and lintels. The east facade also has five bays with the upper and lower floors identical in design. These match the west facade but in place of the secondary entrance are paired, half-arched, 2/2 double-hung windows sharing the same hooded, brick lintels and stone sill as the upper central windows on the both the west and east facades.

The south (rear) facade has a central brick pilaster visually dividing the six bays into two sets. Each set of bays consists of three arched, 2/2 double-hung windows with hooded brick lintels and stone sills. On the upper story, the third window from the right was modified to allow for an emergency exit. The upper portion of the window is undisturbed while the lower portion and stone sill were replaced with a wood door with wood surround. The basement is more exposed on this facade and reveals six 1/1 double-hung windows with opaque glass. Each has a narrow stone lintel and the stone sills are at ground level.

The main entrance leads to a small foyer which projects slightly from the remainder of the building. The foyer opens into a large hallway with two classrooms on each side. The walls are plaster with a narrow tongueand-groove wainscoting. On each side of this original hallway is a narrow staircase leading to the second floor. At the landing the original, narrower stairs lead to the central administration offices flanked on each side by a classroom, while the west side's wider stairs lead to other classrooms, the restrooms and the central auditorium. The two sets of stair connect at a landing located between the original school building and the rear (south) addition.

Access to the basement is reached from the first floor's west entrance. A door to the original building's partial basement is located under the landing of the ascending stairs while a second set of stairs located in the south wall descends to the addition's basement. The original basement was used as a janitorial office and storage while the newer addition had three rooms. The larger of these was designed specifically for the newly developed Domestic Science course and had a fully-operational kitchen. Later this room served as the school cafeteria while the other two rooms were used for storage.

United States Department of the Interior National Park Service

NATIONAL REGISTER OF HISTORIC PLACES CONTINUATION SHEET

Harrisville Grade School	Ritchie County, WV
Section number7	Page3

Originally built in 1878, the Harrisville Grade School had four classrooms, two on each of the two floors. The building was expanded in 1904 adding two more classrooms, an auditorium and restroom facilities. Each classroom is a square room characterized by 10-foot ceilings and two arched 2/2 double-hung windows per outside wall allowing for crossventilation and more natural light. When the addition was made in 1904, the front entrance was also changed to its present appearance. While still having a front projecting bay, the roof was hipped with a small front center dormer. The original cupola was square with a mansard roof. The new entrance was changed to have a front end gable with returns, and a fan light window in the peak. The cupola was modified to its well-known octagonal shape. During the 1970s, the cupola was removed and the chimneys capped to allow for roof repairs. The original gray slate was patched in sections with asphalt shingles.

The Harrisville Grade School was recently purchased by the Ritchie County Historical Museum, Inc. from the Ritchie County Board of Education. It is currently vacant with plans for a local museum underway. The museum will be named the General Thomas M. Harris School Museum in honor of the Civil War veteran who donated the original property for the purpose of community education. At this time, the Ritchie County Historical Museum, Inc. is removing the modern partitions and drop ceilings from most of the classrooms.

United States Department of the Interior National Park Service

NATIONAL REGISTER OF HISTORIC PLACES CONTINUATION SHEET

Harrisville Grade School	Ritchie County, WV
Section number <u>8</u>	Page1

The Harrisville Grade School is significant under Criterion A for its contribution to the development of the education system in Ritchie County and West Virginia, and Criterion C for architecture.

The Harrisville Grade School is significant for the role it played in the development of the free school system in Ritchie County and West Virginia. The Commonwealth of Virginia passed legislation in 1846 allowing for counties to establish free schools but public education was not readily available. The first school in Ritchie County (then Wood County, Virginia) was established in 1818 but was private with courses taught in an extra building on the Lawrence Maley farm outside Harrisville. When the new state of West Virginia was formed, the first constitutional convention established a free school system supported by interest from and investment fund and personal property taxes. In 1864 there were fifty counties in the new state and twenty-two had school systems with eleven in progress. Harrisville, the Ritchie County seat, had its first public school built that same year. The two-room frame building continued to provide free education for the community until 1872. During that time, Ritchie County created school districts based on the magisterial districts with Harrisville in Union Magisterial District.

Five years later, General Thomas M. Harris donated land from his homestead to build a four-room brick school, replacing the wood two-room school. The building was completed, and open to students the following year, becoming the second public school in the town. Harrisville then established a school district separate from the county system in 1883, and the Harrisville Independent District was supported financially by the town's citizens rather than county taxpayers.

Built in 1878, the school is a very well preserved example of late 19th-century brick, educational buildings of vernacular architecture in Ritchie County and West Virginia. Single and two-room schools were the norm throughout the county and the new four-room, two-story Harrisville Grade School demonstrated the progress of its citizens. The school is one of the few remaining examples of early multiple-room, two-story schools in West Virginia. The school retains a great deal of its architectural integrity, including the arched, Italianate windows, the wide entablature with dentil detailing, and the original tongue-and-groove wainscotting on its walls.

During the late 19th and early 20th centuries, Ritchie County had an economic boom created by an abundance in natural gas and oil. In 1894, the Harrisville School altered its curriculum to also serve as a high school. Students came from local communities such as Auburn, Smithville and Washburn, to attend the high school, staying with family or in boarding houses. It was one of four high schools in the county, possibly the first constructed.

United States Department of the Interior National Park Service

NATIONAL REGISTER OF HISTORIC PLACES CONTINUATION SHEET

Harrisville Grade School	Ritchie County, WV
Section number <u>8</u>	Page2

In 1904, the property located on the lot to the west was deeded to the school for use by the expanding student body. A compatible addition was placed on the rear of the school, doubling its size and adding more space for administration, assemblies and modern conveniences such as indoor plumbing. The original exterior was also modernized at this time. The mansard roof was replaced by a low-pitched hipped roof; the small, dormer above the main entrance was removed and the roofline extended to form a classical gable-end; and the mansard belfry, in the center of the original building near the north facade entrance, was modified to an updated, classical octagonal-shaped cupola.

At the turn of the century, Harrisville School served as the local "normal school," teaching and training future teachers for the growing county. The county's population continued to grow and in 1924 a separate high school was completed to meet those needs. At this time, the older school was distinguished from the new high school by the name change to Harrisville Grade School. The local population continued to grow and a small frame shed located in the southeast corner of the property was used as a classroom. It was torn down when the school took possession of the Harrisville Methodist Protestant Church located opposite the school on West Main Street during the late 1950s and early 1960s. The school remained in operation until 1965 when a new elementary school was built on East Main Street to replace it. From that time until 1994, the Board of Education used the building for administrative purposes.

Over the years, the ceilings were dropped and the rooms divided to create additional space. During the 1970s, the 1904 cupola was removed and the chimneys capped to allow for roof repairs. The original gray slate was patched in sections with asphalt shingles and eventually the entire roof was replaced with asphalt shingles. These wood partitions and ceiling tiles are currently being removed to restore the rooms to their original size.

The Harrisville Grade School is significant for its association with the development of the free school educational system in Ritchie County, serving as the town's first high school and providing training for teachers as the local "normal school." The school is an excellent example of a late 19th century educational building. It retains many of the original features and details, especially its many windows with brick hoods and dentil trim.

United States Department of the Interior National Park Service

NATIONAL REGISTER OF HISTORIC PLACES CONTINUATION SHEET

Harrisvi	ille	Grade	School	
Section		9)	

Ritchie County, WV Page _____1

Bibliographic References Cited:

- Harrisville High School Yearbook. Harrisville, WV: Harrisville High School, 1923; 1986.
- Lowther, Minnie Kendall. <u>History of Ritchie County, 1911</u>. Parsons, WV: McClain Printers for WVU Libraries, 1990.
- Moats, Sandra, Chair of the Ritchie County Historical Museum, Inc. Personal interviews and correspondence: February 15, 1996, June 10 and 12, 1996, July 23, 1996, and September 19, 1996.
- Powell, M. M. "A Report of Harrisville Public Schools," <u>Education</u> <u>Report: Ritchie County Schools</u>. Harrisville, WV: the Sigler Printery, 1918.
- <u>Ritchie County Deed Book</u>. Deed Book #19, page 603. Harrisville, WV: Ritchie County Courthouse.
- <u>Ritchie County Deed Book</u>. Deed Book #51, page 317. Harrisville, WV: Ritchie County Courthouse.
- Ritchie County Historical Society. <u>The History of Ritchie County, West</u> <u>Virginia to 1980</u>. Paoli, PA: Taylor Publishing Co., 1980.

United States Department of the Interior National Park Service

NATIONAL REGISTER OF HISTORIC PLACES CONTINUATION SHEET

Harrisville Grade School	Ritchie County, WV
Section number <u>10</u>	Page1

Verbal Boundary Description:

The boundary of the Harrisville Grade School National Register nomination is shown on the accompanying map titled "Plat Survey Map" dated March 8, 1983.

Boundary Justification:

The Harrisville Grade School reflects the legal and historical boundaries associated with the property. On the north, West Main Street forms the boundary; on the east, the lot line for the school forms the boundary; on the south, School Street and the attached alley form the boundary; and on the west, the lot line for the school forms the boundary.

Maps:

- Fowler print: Birds-eye-view Harrisville, Ritchie County, WVa., 1899. On record with the Library of Congress since November 30, 1943.
- Harrisville, Ritchie County, West Virginia Tax Map number 5, plot number 123.
- Plat map of survey for Joan Powell, Harrisville Corporation, Ritchie County, West Virginia. March 8, 1983. Property owner listed as Board of Education.
- U.S.G.S. 7.5 Minute Topographic Map: Harrisville Quadrangle, West Virginia-Ritchie County.

United States Department of the Interior National Park Service

NATIONAL REGISTER OF HISTORIC PLACES CONTINUATION SHEET

Harrisville Gr	ade School	Ritchie County, WV
Section number	Photographs	Page1

Photographs by:	Alan Harway October 1995
Negatives:	Ritchie County Historical Museum, Inc.
Photo 1 of 4:	Front or North Facade Camera facing south
Photo 2 of 4:	Rear or South Facade Camera facing north
Photo 3 of 4:	West or Right Facade Camera facing east
Photo 4 of 4:	East or Left Facade Camera facing west





Harrisville Grade School







Harrisville Grade School 217 West Main Street Harisville, West Virginia Ritchie County



old Harrisville Grade School bldg.