


| CONSTRUCTION DATE/SOURCE:<br>18th century/Architectural evidence                                                                                                                                                                                                                                                                                 | NUMBER OF STORIES: 1½ orig, 2 now CELLAR: Yes                                                                                                                                                                                                             |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BUILDER: Unknown.  FORM/PLAN TYPE: "A", two door, 2 room plan with one fireplace on each gable end (35'0" x 21'2") and 20th century additions to the rear (north).                                                                                                                                                                               | CHIMNEY FOUNDATION:  Stone Arch Brick Arch, Stone Foundation Other  FLOOR JOISTS: 8"x8"w @ 32-33" apart in east half; 9"x10" w @ 26-27" apart in west.                                                                                                    |
| FRAMING SYSTEM:  Intermediate Summer Beam Intermediate Bearing Wall Clear Span Other  EXTERIOR WALL FABRIC: Front, coursed sandstone. Sides, mixed rubble sandstone and fieldstone. Bad Portland cement patching jobs.  FENESTRATION: Front: 3'6" x 5'2" M.O. (6/6) with stone trapezoidal lintels and original framing. Sides: 3'6" x 5'6" M.O. | FIRST FLOOR CEILING HEIGHT: 7'3"  FIRST FLOOR WALL THICKNESS: 18-20"  GARRET FLOOR JOISTS: 6½-7" x 9"d @ 36" apart and chamfered.  GARRET: Unfinished Space Finished Space (a frame section has been added  ROOF: up)  Gable (altered) Gambrel Curb Other |
| (6/6) with wood.sill and lintel.  ENTRANCE LOCATION/TYPE:  Two front doors - modern. 3'0" x 6'8" doors in original 4'0" x 7'5"  masonry openings.                                                                                                                                                                                                | EAVE TREATMENT:  Sweeping Overhang Supported Overhang No Overhang Boxed Gutter (altered) Other                                                                                                                                                            |

This house, while having been altered through the years, still retains a sufficient amount of its original fabric that it should be recognized and retained. We are therefore including it for its architectural significance, for its association with the exploration and settlement of the Bergen County area, and for its remaining historic fabric. As such, it is included in the Thematic Nomination to the National Register of Historic Places for the Early Stone Houses of Bergen County, New Jersey.

-

FLOOR PLANS





Richard J. Berdan 1"=12'-0" C.K.T.

## VERBAL BOUNDARY DESCRIPTION:

Block 3722, Lot 1C - Fair Lawn Tax Map

Less than 1 acre

U.T.M.

18 574 100 4532 220 Hackensack, NJ