National Register of Historic Places Inventory—Nomination Form

For NPS use only 4 1986 received APR

date entered

Type all entries—comple	ete applicable se	ections		
1. Name				
historic William H. M	Martin House			
and or common	93.			
2. Location				
street & number 815 Ou	Japaw Avenue			N/A not for publication
city, town Hot Springs		N/A vicinity of		
state Arkansas	code	05 county	Garland	code 051
3. Classific	ation		day rand	001
object in p	lic ate	Status	Present Use agriculture commercial educational entertainment government industrial military	museum park private residence religious scientific transportation other:
4. Owner of	Proper	ty		
name Dr. and Mrs.	Cecil Cupp,	III		
	apaw Avenue			
city, town Hot Spring		N/Avicinity of	stat	te Arkansas
5. Location				
courthouse, registry of dee		it Clerk's Office		
street & number	011 04			
		nd County Courtho		
6. Represei		n Existing		Arkansas
o. nepresei	Itation			
title Garland Cou	unty Survey	has this p	roperty been determined	eligible? yes _X no
date March 197	73		federal s	state county loca
depository for survey recor	rds Arkansa	s Historic Pre	servation Progr	ram
city, town Little Ro	ck		stat	e Arkansas

7. Description Condition X excellent good fair unexposed Check one unaltered altered moved Check one X original site moved date

Describe the present and original (if known) physical appearance

SUMMARY

Located on one of Hot Springs' most prominent residential thoroughfares, the William H. Martin House, designed and constructed in 1904, illustrates the influence of both the Classical and Colonial Revival styles on its architect, Frank Gibb. This imposing two-story frame residence possesses a monumental presence achieved by a projecting two-story Corinthian-columned front portico featuring a full entablature. Gibb's talented utilization of classical detailing is combined with typical Colonial Revival characteristics and plan to create a simultaneously imposing and liveable result.

ELABORATION

The Martin House occupies a large lot surrounded by an iron fence with an impressive stone gateway. A photograph taken between 1910-1920 indicates that at first a wood picket fence surrounded the lot. The exterior of the house displays a wealth of classical detailing, playfully yet judiciously coupled with characteristics typical of the Colonial Revival, such as oversized dormers and double-hung windows, and an elaborate entrance frontispiece. The dominant colossal portico clearly indicates the equally significant influence of the Classical Revival. Two stories in height, the symmetrical structure has a hip roof, each slope of which is penetrated by a central dormer. The flat center deck of the roof is railed with a balustrade. Narrow lap siding clads the exterior.

The front (northwest) three-bay elevation is perfectly symmetrical. The slightly less than full front portico is supported by four fluted Corinthian columns which carry a full entablature consisting of a plain architrave and frieze and a cornice embellished with dentils and scroll-like modillions. A pair of fluted Corinthian pilasters echo the corners of the portico. A distinctive feature of the facade is its cantons at each corner, detailed as square paneled pilasters with capitals consisting of an abacus, a band of egg and dart and a band of vertical fluting. These cantons support a section of entablature detailed identically to that of the portico.

The single-door pedimented entrance is flanked on either side by a one-over-one double-hung window with dentiled cornice window heads and architrave surrounds. The paneled wood door of the entrance is flanked by leaded sidelights and is surmounted by a leaded fanlight. The keystoned-arch of the fanlight projects above the horizontal cornice of the pediment, which is supported by a pair of fluted Ionic pilasters. Dentils detail the raking cornice of the pediment and cap the architrave separating the capitals and the pediment. The second floor has three regularly spaced windows slightly smaller than those on the first floor and lacking the corniced window heads. Instead, the second floor windows are surrounded by architrave trim that flares at the bottom corners. The gable-roofed dormer, which is centered in the roof, has a Palladian window, the three sections of which are flanked by Ionic pilasters.

The side elevations are similiarly detailed to the front, with pilaster cantons marking the corners of the primary rectangular mass. Both sides have a continuous

National Register of Historic Places Inventory—Nomination Form

For NPS use only
received
date entered

Continuation sheet 1

Item number 7

Page 1

cornice with scroll modillions, a single brick chimney, double-hung one-over-one windows and a single central dormer, which unlike the front, has a pair of eight-over-one double-hung windows. A small projection of slightly lesser width than the main mass extends from the rear (southeast) elevation. This rear portion has two-over-two double-hung windows on each floor of both its sides. Attached to the rear is a porch, enclosed on the first floor and railed and screened on the second floor. Two brick chimneys pierce the rear roof slope. The northeast side elevation has two first floor and three second floor windows that are irregularly arranged. The southwest side elevation has three second floor windows and four first floor windows, three of which are grouped together.

The interior of the house was damaged by fire in 1958, necessitating a renovation. A portion of the interior burned and there was extensive smoke and water damage. Mr. MacRae of Hot Springs was hired to do the renovation. The plan remains intact, with a central stair hall with pocket doors leading to the principal first floor rooms.

Located at the rear of the property is a small one-story gable-roofed frame house that pre-dates the 1904 structure. Originally occupying the site of the later house, this late nineteenth century dwelling was moved to make room for the new building. The Martin family continued to live in the small house while their new residence was under construction. This earlier structure has an L-plan, consisting of a double-pen section with a cross-gable projection at one end. Windows are two-over-two double-hung and the wood paneled doors have transoms above. Corner pilasters with simple caps and chamfered porch posts embellish this otherwise simple structure. Currently the house contains two small one-room apartments, a storage room and garage.

8. Significance

Period prehistoric 1400-1499 1500-1599 1600-1699 1700-1799 1800-1899X 1900-	archeology-historic	community planning	law literature military music	re religion science sculpture social/ humanitarian theater transportation other (specify)
Specific dates	1904	Builder/Architect Fra	nk Gibb, architect	

Statement of Significance (in one paragraph)

SUMMARY

The Martin House in Hot Springs, Garland County, was designed by the accomplished Little Rock architect Frank Gibb (1861-1932) in 1904, and completed in the same year. Constructed on Quapaw Avenue in an area then considered the outskirts of town, this imposing residence was constructed by William H. Martin, a prominent Arkansas attorney, as a home for his family. Possessing features of the concurrently popular Colonial and Classical Revival styles, this structure possesses an impressive facade dominated by a two-story portico supported by four Corinthian columns which, in turn, support a full entablature.

ELABORATION

Designed at the height of Frank Gibb's career, the Martin House is an illustrative example of his accomplished use of the classical idiom. Embodying characteristics of the Classical and Colonial Revival styles, this building and its neighbor, the Greaves House, remain two significant examples of Gibb's residential work. Constructed at approximately the same time as the Martin House, the Greaves House was owned by Mr. Martin's law partner.

Gibb, who graduated from the University of Missouri in 1882 with a degree in Civil and Mining Engineering, enjoyed a successful architecture practice, receiving commissions for a number of public buildings, churches, office buildings and residences. The Arkansas Building for the St. Louis Exposition was designed the year prior to the Martin House and also illustrated the architect's familiarity and dexterity with classical vocabulary. Other notable commissions include the First Methodist Church, 1899-1900, Little Rock; the Arkansas State Confederate Home; the Foster-Robinson House, 1905, Little Rock, (NR listed 8/75); the Ada Thompson Home, 1909, Little Rock, (NR listed 8/77); and the YMCA/Arkansas Democrat Building, 1905, Little Rock.

William H. Martin was a prominent attorney in Hot Springs and along with his neighbor, founded the law practice of Greaves and Martin. Mr. Martin was later a partner in the firm of Martin, Wooten and Martin, presently Wooten and Land in Hot Springs, and during his active career served as U.S. Attorney for the Eastern District of Arkansas; National Democratic Committeeman; President of the Arkansas Bar Association; and Prosecuting Attorney for the Hot Springs region.

William Martin had three children who, upon his death, inherited the house. Martin's daughter Mary and her husband Garnett Eisele, a respected Hot Springs pharmacist, purchased the shares of her brother and sister and lived in the house until their deaths in 1978 and 1983, respectively. In 1984 the house was purchased by Cecil Cupp, III, a radiologist.

9. Major Bibliographical References

10. Geographica	l Data			
Acreage of nominated property 1es: Quadrangle name Hot Springs UTM References	s than 1	_	Quadrang	le scale 1:24000
A 115 4 9 4 2 1 1 0 3 8 1 Zone Easting Northin	17 8 15 10 g	B Zone	Easting	Northing
		D		
(see Continuation				
ist all states and counties for pro	operties overla	pping state or o	county boundaries	
tate N/A	code	county		code
ate	code	county		code
1. Form Prepare		(Edited by	AHPP Staff)	
ganization Baxter and Eisele	or is necorney		date May 14, 198	4.
reet & number P.O. Box 1038			telephone 501-778	-2660
ty or town Benton			state Arkansas	72015
2. State Histori	c Prese	rvation	Officer C	ertification
ne evaluated significance of this prop	erty within the sta	ate is:		
national	stateX	local		
s the designated State Historic Prese 65), I hereby nominate this property for coording to the criteria and procedure tate Historic Preservation Officer sign	or inclusion in the es set forth by the	National Registe	er and certify that it ha	t of 1966 (Public Law 89- as been evaluated
Me Arkansas Historic	Preservatio	n Officer	date	3-21-8
For NPS use only I hereby certify that this property	is included in the	National Registe	ır	
Vacancy of the Mational Posister			date	
Keeper of the National Register				
Attest:			date	
Chief of Registration				

National Register of Historic Places Inventory—Nomination Form

For NPS use only
received
date entered

Continuation sheet

Item number 10

Page 1

Beginning at the Northeast corner of Lot 8 and the Northwest corner of Lot 9 of Block 115 of the Hot Springs Reservation , thence Southwesterly along the Northerly line of Lot 8 a distance of 28 feet, thence Southeasterly through Lot 8 for a distance of 236 feet to the Southerly line of Lot 8 to a point 28 feet Southeasterly from the Southwesterly corner of Lot 9, thence 28 feet Northeasterly to the corner of Lots 8 and 9, thence Northwesterly along the Northeasterly line of Lot 8, 245 feet to the place of beginning.

Also, the West half of Lot 9 in Block 115 of the Hot Springs Reservation in Arkansas, as surveyed, mapped and platted by the United States Hot Springs Commissioners, and more particularly described as follows: Beginning at a point on the North line of said Lot on Quapaw Avenue, 100 feet Westerly from the point where said Lot corners at the intersection of Quapaw Avenue and Violet Street; thence Southerly in a straight line to a point on the rear line of said lot $98\frac{1}{2}$ feet Westerly from Violet Street, thence Westerly along said rear line of said Lot to the Southwest corner thereof; thence Northerly along the Western line of said Lot to Quapaw Avenue; thence Easterly to the point of beginning.

Also, A Deed of Right Away being a part of Lot nine (9), Block One Hundred Fifteen (115) of the Hot Springs Reservation, as surveyed, mapped and platted by the U.S. Hot Springs Commissioners, described as follows: Commencing at a point on the North line of Quapaw Avenue eighty-nine (89) feet Westerly from the point where said Lot corners at the intersection of Quapaw Avenue and Violet Street; thence Westerly along the North line of said Lot and Quapaw Avenue eleven (11) feet and to the West line of the grantor's property; thence in a Southerly direction along the line between property belonging to grantor and grantee, a distance of one hundred sixty (160) feet; thence Easterly parallel with Quapaw Avenue eleven (11) feet; thence Northerly one hundred sixty (160) feet to Quapaw Avenue and the point of beginning.

Also, beginning at a point on the East line of said Lot Nine (9), one hundred sixty (160) feet from the point where said lot corners at the intersection of Quapaw Avenue and Violet Street; thence northerly along Violet Street fifteen (15) feet; thence Westerly parallel with Quapaw Avenue a distance of one hundred (100) feet, more or less, to the East line of the right-of-way above described; thence Southerly along said East line fifteen (15) feet; thence Easterly one hundred (100) feet, more or less, to Violet Street and the point of beginning.

WASO Form - 177 ("R" June 1984)

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES EVALUATION/RETURN SHEET

Martin, William H., House	/ /
Garland County	Wasting No. 4-4-51
ARKANSAS	Working No. 4-4-86
	Fed. Reg. Date:
	Date Due: 5/1/86 - 5/19/86
	Action:ACCEPT
resubmission	
nomination by person or local government	REJECT
owner objection	Federal Agency:
appeal	
Substantive Review: sample request ap	ppeal NR decision
Reviewer's comments:	
	Recom./Criteria
	Reviewer
	Discipline
	Date
	see continuation sheet
	saa continuation shock
Nomination returned for:technical corrections cited below	ATTRICE IS DOMESTIC TO PROJECT A
substantive reasons discussed below	
substantive reasons allocated policy	meneral at a full
1. Name	
2. Location	
3. Classification	
1.5	-11 Paint Resident Resident Co.
Category Ownership Let Status	Present Use
"Public Acquisition fleasefler Accessible	12. State Husbins Entercolor Officer Certification
4. Owner of Property	
5. Location of Legal Description	laced arere landsace
6. Representation in Existing Surveys	Sorte Historia Recentación Otton signatura
Has this property been determined eligible?	
7. Description	
Condition Check one	30.00
	Check one
excellent deteriorated unaltered	original site
good ruins altered	moved date
fair unexposed	
Describe the present and original (if known) physical appearance	
summary paragraph	
□ completeness	
clarity	
alterations/integrity	
dates	
boundary selection	

8. Significance	treat sect or o
Period Areas of Significance—Check and justify below	
MALUATION/RETURNSHEET	
Specific dates Builder/Architect Statement of Significance (in one paragraph)	
Statement of Significance (in one paragraph)	
summary paragraph	
completeness	
Clarity	ARKANSAS
☐ applicable criteria ☐ justification of areas checked	
relating significance to the resource	
□ context	
relationship of integrity to significance	
justification of exception	
other	
10 44: 5111 1: 151	111- 01
9. Major Bibliographical References Please Flowide /	Debleographeal References
10. Geographical Data	
Acreage of nominated property	
Ouadrangle name UTM References	
O TW neterences	
Verbal boundary description and justification	
11. Farm Daniel Da	
11. Form Prepared By	
12. State Historic Preservation Officer Certification	
The evaluated significance of this property within the state is:	
and and the state of the state	
nationalstatelocal	
State Historic Preservation Officer signature	
title date	
13. Other	2. Description
13. Other	
Maps	
Photographs	
Other	
Questions concerning this nomination may be directed to	lacity (fig. (macro) ii) italigas, bos masang pili satar so
0112	Windows Visit Day (C.)
Signed Selous/ Figure Date 5/8/8	6 Phanes



ARKANSAS HISTORIC PRESERVATION PROGRAM

March 21, 1986

Carol D. Shull
Chief of Registration
United States Department of the Interior
National Register of Historic Places
National Park Service
1100 "L" Street, N. W.
Washington, D. C. 20240

Re: William H. Martin House Hot Springs - Garland County

Dear Carol:

We are enclosing for your review the nomination for the William H. Martin House. The Arkansas Historic Preservation Program has complied with all applicable nominating procedures and notification requirements in the nomination process.

Thank you for your consideration in this matter.

Sincerely,

Wilson Stiles

State Historic Preservation Officer

WS/JW/do

Enclosure/s



city, town Little Rock

United States Department of the Interior National Park Service

National Register of Historic Places Inventory—Nomination Form

For NPS use only

state Arkansas

received APR 4 1986 date entered

77	lete applicable se	Clions		
1. Name				
nistoric William H.	Martin House	Linda de la companya		1997 (148)
and or common			, Vagata, Gara, Le rena	e characteria
2. Location	n and a col	raj da belandar		
street & number 815 (Quapaw Avenue		alder to a spirit	N/A not for publication
city, town Hot Spring	gs	N/A vicinity of		1,177,000,00
state Arkansas	code	05 county	Garland	code 051
3. Classific	cation			of a construction of the second
object N/A in	blic ivate	Status occupied unoccupied work in progress Accessible yes: restricted yes: unrestricted no	Present Use agriculture commercial educational entertainment government industrial military	museum park X private residence religious scientific transportation other:
4. Owner o	f Propert	ty	ស្រាស្ត្រ ភក្តុំ ១១វិវៈស្រាយ រា	mar film calif a.e.s
name Dr. and Mrs.	. Cecil Cupp, I	11		
street & number 815 (Quapaw Avenue	nned Statt Sales		is fais call thus all
city, town Hot Sprin	ngs	N/Avicinity of	state	Arkansas
	n of Lega	I Description	on	70 mm - 1801 - Alli
courthouse, registry of de	eds, etc. Circui	t Clerk's Office		
street & number	Officat		and Street Line Description	Service and Service and
Al Cot a Hambo.		d County Courthou		
ite town	II-T C-	rings	state	Arkansas
city, town	Hot Sp		CHEVAVE	
		n Existing	Surveys	
6. Represe		n Existing	di sebuah dan kacamatan	eligible? yes <u>X</u> _ n

7. Description Condition Check one Check one Xexcellent deteriorated unaltered original site X altered

date

Describe the present and original (if known) physical appearance

ruins

unexposed

SUMMARY

good

Located on one of Hot Springs' most prominent residential thoroughfares, the William H. Martin House, designed and constructed in 1904, illustrates the influence of both the Classical and Colonial Revival styles on its architect, Frank Gibb. This imposing two-story frame residence possesses a monumental presence achieved by a projecting two-story Corinthian-columned front portico featuring a full entablature. Gibb's talented utilization of classical detailing is combined with typical Colonial Revival characteristics and plan to create a simultaneously imposing and liveable result.

ELABORATION

The Martin House occupies a large lot surrounded by an iron fence with an impressive stone gateway. A photograph taken between 1910-1920 indicates that at first a wood picket fence surrounded the lot. The exterior of the house displays a wealth of classical detailing, playfully yet judiciously coupled with characteristics typical of the Colonial Revival, such as oversized dormers and double-hung windows, and an elaborate entrance frontispiece. The dominant colossal portico clearly indicates the equally significant influence of the Classical Revival. Two stories in height, the symmetrical structure has a hip roof, each slope of which is penetrated by a central dormer. The flat center deck of the roof is railed with a balustrade. Narrow lap siding clads the exterior.

The front (northwest) three-bay elevation is perfectly symmetrical. The slightly less than full front portico is supported by four fluted Corinthian columns which carry a full entablature consisting of a plain architrave and frieze and a cornice embellished with dentils and scroll-like modillions. A pair of fluted Corinthian pilasters echo the corners of the portico. A distinctive feature of the facade is its cantons at each corner, detailed as square paneled pilasters with capitals consisting of an abacus, a band of egg and dart and a band of vertical fluting. These cantons support a section of entablature detailed identically to that of the portico.

The single-door pedimented entrance is flanked on either side by a one-over-one double-hung window with dentiled cornice window heads and architrave surrounds. The paneled wood door of the entrance is flanked by leaded sidelights and is surmounted by a leaded fanlight. The keystoned-arch of the fanlight projects above the horizontal cornice of the pediment, which is supported by a pair of fluted Ionic pilasters. Dentils detail the raking cornice of the pediment and cap the architrave separating the capitals and the pediment. The second floor has three regularly spaced windows slightly smaller than those on the first floor and lacking the corniced window heads. Instead, the second floor windows are surrounded by architrave trim that flares at the bottom corners. The gable-roofed dormer, which is centered in the roof, has a Palladian window, the three sections of which are flanked by Ionic pilasters.

The side elevations are similiarly detailed to the front, with pilaster cantons marking the corners of the primary rectangular mass. Both sides have a continuous

National Register of Historic Places Inventory—Nomination Form

For NPS use only
received APR 4 1986
date entered

Continuation sheet 1

Item number 7

Page 1

cornice with scroll modillions, a single brick chimney, double-hung one-over-one windows and a single central dormer, which unlike the front, has a pair of eight-over-one double-hung windows. A small projection of slightly lesser width than the main mass extends from the rear (southeast) elevation. This rear portion has two-over-two double-hung windows on each floor of both its sides. Attached to the rear is a porch, enclosed on the first floor and railed and screened on the second floor. Two brick chimneys pierce the rear roof slope. The northeast side elevation has two first floor and three second floor windows that are irregularly arranged. The southwest side elevation has three second floor windows and four first floor windows, three of which are grouped together.

The interior of the house was damaged by fire in 1958, necessitating a renovation. A portion of the interior burned and there was extensive smoke and water damage. Mr. MacRae of Hot Springs was hired to do the renovation. The plan remains intact, with a central stair hall with pocket doors leading to the principal first floor rooms.

Located at the rear of the property is a small one-story gable-roofed frame house that pre-dates the 1904 structure. Originally occupying the site of the later house, this late nineteenth century dwelling was moved to make room for the new building. The Martin family continued to live in the small house while their new residence was under construction. This earlier structure has an L-plan, consisting of a double-pen section with a cross-gable projection at one end. Windows are two-over-two double-hung and the wood paneled doors have transoms above. Corner pilasters with simple caps and chamfered porch posts embellish this otherwise simple structure. Currently the house contains two small one-room apartments, a storage room and garage.

8. Significance

Period prehistoric 1400–1499 1500–1599 1600–1699 1700–1799 1800–1899 X 1900–	archeology-historic	community planning conservation economics education engineering exploration/settlement	music philosophy politics/government	religion science sculpture social/ humanitarian theater transportation other (specify)
Specific dates	1904	Builder/Architect Fran	k Gibb, architect	—

Statement of Significance (in one paragraph)

SUMMARY

The Martin House in Hot Springs, Garland County, was designed by the accomplished Little Rock architect Frank Gibb (1861-1932) in 1904, and completed in the same year. Constructed on Quapaw Avenue in an area then considered the outskirts of town, this imposing residence was constructed by William H. Martin, a prominent Arkansas attorney, as a home for his family. Possessing features of the concurrently popular Colonial and Classical Revival styles, this structure possesses an impressive facade dominated by a two-story portico supported by four Corinthian columns which, in turn, support a full entablature.

ELABORATION

Designed at the height of Frank Gibb's career, the Martin House is an illustrative example of his accomplished use of the classical idiom. Embodying characteristics of the Classical and Colonial Revival styles, this building and its neighbor, the Greaves House, remain two significant examples of Gibb's residential work. Constructed at approximately the same time as the Martin House, the Greaves House was owned by Mr. Martin's law partner.

Gibb, who graduated from the University of Missouri in 1882 with a degree in Civil and Mining Engineering, enjoyed a successful architecture practice, receiving commissions for a number of public buildings, churches, office buildings and residences. The Arkansas Building for the St. Louis Exposition was designed the year prior to the Martin House and also illustrated the architect's familiarity and dexterity with classical vocabulary. Other notable commissions include the First Methodist Church, 1899-1900, Little Rock; the Arkansas State Confederate Home; the Foster-Robinson House, 1905, Little Rock, (NR listed 8/75); the Ada Thompson Home, 1909, Little Rock, (NR listed 8/77); and the YMCA/Arkansas Democrat Building, 1905, Little Rock.

William H. Martin was a prominent attorney in Hot Springs and along with his neighbor, founded the law practice of Greaves and Martin. Mr. Martin was later a partner in the firm of Martin, Wooten and Martin, presently Wooten and Land in Hot Springs, and during his active career served as U.S. Attorney for the Eastern District of Arkansas; National Democratic Committeeman; President of the Arkansas Bar Association; and Prosecuting Attorney for the Hot Springs region.

William Martin had three children who, upon his death, inherited the house. Martin's daughter Mary and her husband Garnett Eisele, a respected Hot Springs pharmacist, purchased the shares of her brother and sister and lived in the house until their deaths in 1978 and 1983, respectively. In 1984 the house was purchased by Cecil Cupp, III, a radiologist.

9. Major Bibliographical References

GPO 911-399

Interview with William Martin Eisele and G. Thomas Eisele, January, 1984.

	V/E)			
10. Geographi	cal Data	no de Subs	architeature architeature	77 - 2071 = 100 1 9071 - 1075
Acreage of nominated property _ Quadrangle name Hot Spri UTM References		exploration settles invention	Quadrangle sca	le 1:24000
	18 1 17 8 15 10 orthing	B L Zone E	asting Nort	hing
		F		
Verbal boundary description (see Continuat		verse per ome sin State of institution of The selection in the institution Throsphassons and selection	respective entre de la companya de l	gst and .med fielde and fally field gar avicesen
List all states and counties f	or properties ove	rlapping state or coun	nty boundaries	code
state	code	county	intent 1	code
name/title M. Martin Eise organization Baxter and Eis		ney (Edited by AHF	PP Staff) May 14, 1984.	
street & number P.O. Box 10		or complete the 18 Kin	phone 501-778-266	0
SA AND ENGINEER OF		state	7.0	015
,, c. to	oric Pres	ervation 0		
The evaluated significance of this	property within the	e state is: _X local		age a gran control angolf innangana sampananan
As the designated State Historic 665), I hereby nominate this propaccording to the criteria and procestate Historic Preservation Office	erty for inclusion in edures set forth by	the National Register an	d certify that it has been	966 (Public Law 89– en evaluated
itte Arkansas Histor	ic Preservat	tion Officer	date	3-21-82
For NPS use only I hereby certify that this pro	Syen	the National Register	date	6-11-86
Keeper of the National Regis	ter O	13W15 6-1001		
Attest:			date	

National Register of Historic Places Inventory—Nomination Form

For NPS use only received APR 4 986 date entered

Continuation sheet

Item number 10

Page 1

Beginning at the Northeast corner of Lot 8 and the Northwest corner of Lot 9 of Block 115 of the Hot Springs Reservation , thence Southwesterly along the Northerly line of Lot 8 a distance of 28 feet, thence Southeasterly through Lot 8 for a distance of 236 feet to the Southerly line of Lot 8 to a point 28 feet Southeasterly from the Southwesterly corner of Lot 9, thence 28 feet Northeasterly to the corner of Lots 8 and 9, thence Northwesterly along the Northeasterly line of Lot 8, 245 feet to the place of beginning.

Also, the West half of Lot 9 in Block 115 of the Hot Springs Reservation in Arkansas, as surveyed, mapped and platted by the United States Hot Springs Commissioners, and more particularly described as follows: Beginning at a point on the North line of said Lot on Quapaw Avenue, 100 feet Westerly from the point where said Lot corners at the intersection of Quapaw Avenue and Violet Street; thence Southerly in a straight line to a point on the rear line of said lot $98\frac{1}{2}$ feet Westerly from Violet Street, thence Westerly along said rear line of said Lot to the Southwest corner thereof; thence Northerly along the Western line of said Lot to Quapaw Avenue; thence Easterly to the point of beginning.

Also, A Deed of Right Away being a part of Lot nine (9), Block One Hundred Fifteen (115) of the Hot Springs Reservation, as surveyed, mapped and platted by the U.S. Hot Springs Commissioners, described as follows: Commencing at a point on the North line of Quapaw Avenue eighty-nine (89) feet Westerly from the point where said Lot corners at the intersection of Quapaw Avenue and Violet Street; thence Westerly along the North line of said Lot and Quapaw Avenue eleven (11) feet and to the West line of the grantor's property; thence in a Southerly direction along the line between property belonging to grantor and grantee, a distance of one hundred sixty (160) feet; thence Easterly parallel with Quapaw Avenue eleven (11) feet; thence Northerly one hundred sixty (160) feet to Quapaw Avenue and the point of beginning.

Also, beginning at a point on the East line of said Lot Nine (9), one hundred sixty (160) feet from the point where said lot corners at the intersection of Quapaw Avenue and Violet Street; thence northerly along Violet Street fifteen (15) feet; thence Westerly parallel with Quapaw Avenue a distance of one hundred (100) feet, more or less, to the East line of the right-of-way above described; thence Southerly along said East line fifteen (15) feet; thence Easterly one hundred (100) feet, more or less, to Violet Street and the point of beginning.

RESUBMISSION 86001320

WASO Form - 177 ("R" June 1984)

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES **EVALUATION/RETURN SHEET**

Martin, William H. Garland County ARKANSAS	, House				Working N	0. 4/4/86	Cargotika y teramia (27)
			Post		Fed. Reg. I Date Due:		14/86
resubmission nomination by person of owner objection appeal	or local government		Nati.	red in t	ister	RETURN REJECT	
<u> </u>	sample	request	Па	ppeal		NR decision	
Reviewer's comments:							
					Reviewer _ Discipline _ Date		et Playana and Ot
Nomination returned for:	technical correc					Whedow	Option to some of
1. Name					rooms	incul bas aprole	Verbal countries desa
2. Location							
3. Classification							
Category	Ownership Public Acquisition	n	Status Accessib	le	F	Present Use	
4. Owner of Property				za state w	t sprawy e	ento elettifo sone	ortropic horizonia i i i
5. Location of Legal Descri	ption			- love)		nri fe	notion
6. Representation in Existing	ng Surveys				P Stude	nois result@moine	Constitutions (Prestry
Has this property been dete	rmined eligible?	☐ yes	□ no				
7. Description							
Condition excellent good fair	deteriorated ruins unexposed		Check one unaltered altered		[Check one original site moved date	attangen to a
Describe the present and or	ginal (if known) phy	sical appea	rance				
summary paragraph completeness clarity alterations/integrity dates boundary selection							

8. Significance	
Period Areas of Significance—Check and justify below	
Specific dates Builder/Architect	
Statement of Significance (in one paragraph)	
Commons paragraph	
summary paragraph completeness	
□ clarity	
☐ applicable criteria ☐ justification of areas checked	
context relationship of integrity to significance iustification of exception	
☐ justification of exception ☐ other	
9. Major Bibliographical References	
10. Geographical Data	
Acreage of nominated property	
Quadrangle name	
UTM References	
Verbal boundary description and justification	99997
11. Form Prepared By	girinary-Ö
12. State Historic Preservation Officer Certification	
The evaluated significance of this property within the state is:	
nationalstatelocal	
State Historic Preservation Officer signature	
title date	
	Application Co. Co.
13. Other	
Maps	
Photographs	
Other	
Ougstions concerning this paraires in a second of	
Questions concerning this nomination may be directed to	
Signed Date	Di
Signed Date	Phone:



ARKANSAS HISTORIC PRESERVATION PROGRAM

May 27, 1986

Ms. Carol Shull Chief of Registration United States Department of the Interior National Register of Historic Places National Park Service 1100 "L" Street, N.W. Washington, DC 20240

> RE: William H. Martin House Hot Springs, Garland County

Dear Ms. Shull:

Enclosed please find the nomination form for the above referenced property, which was returned for technical corrections. I have included the evaluation/ return sheet and the corrected nomination.

Should you require additional information, please do not hesitate to contact me.

Suite 200 • Heritage Center • 225 East Markham • Little Rock, Arkansas 72201 • Phone (501) 371-2763

Sincerely,

Julie Wiedower

National Register Constituent Coordinator

Tulie Wiedower

JW/do

Enclosures



MAY 3 0 1986



William Martin House

Hot Springs, Garland Co.

Northwest elevation

Photographed January 1984

Negatives on file at AHPP



William Martin House
Hot Springs, Garland Co.
Front Entrance
Photographed January 1984
Negatives on file at AHPP



William Martin House
Hot Springs, Garland Co.
Viewed from northwest
Photographed January 1984
Negative on file at AHPP



William Martin House
Hot Springs, Garland Co.
Viewed from southwest
Photographed January 1984
Negative on file at AHPP



William Martin House
Hot Springs, Garland Co.
Outbuilding
Photographed January 1984
Negatives on file at AHPP