\checkmark			PHO	015	784						
	Form 10-300 UNITED (Rev. 6-72)	STATES DEPARTME NATIONAL PARK	NT OF THE IN			Maryland]		
		L REGISTER OF NTORY - NOMI			CES	Washington For NPS US					
	(Trues all	antrica complete				ENTRY DATE			1		
Ē		entries complete	e applicable	section	ns)	JUL 3 0 1974					
	1. NAME								8		
	Brightwood										
	AND/OR HISTORIC:								1		
[2. LOCATION								đ		
	STREET AND NUMBER	in il off MD 60	and N	of	Hagers	town) Hag	erstow	m	1		
	<u>Md. Rt. 6,</u>	2 miles nor	th of P	aram	ont, 6	Miles north	of /				
	Hagerstown	Vic.			Sixth	IONAL DISTRICT:					
	STATE	• • • · · · · · · · · · · · · · · · · ·		CODE	COUNTY:		T	CODE	-		
	Maryland			24		ington	-	043	гl		
	3. CLASSIFICATION					<u> </u>	I				
າ -	CATEGORY (Check One)		OWNERS	HIP		STATUS	ACCESS TO THE F]		
	🗌 District 🛛 🛣 Bui		Public A	Acquisiti	on:	🛛 Occupied	Yes:				
2	🗋 Site 📋 Structure 🎽 Private				ess						
	🔲 Object	🔲 Both		Being	Considered	Preservation work	∐ Unresi I∰ No	ricted			
ر						ín progress			_		
_	PRESENT USE (Check							•	-		
2	Agricultural	Government	Park			Transportation	Commen	its			
Ľ	Commercial Educational	Industrial Military	🔀 Private		nce	Other (Specify)					
_	Entertainment	Museum	Scienti		-						
r z	4. OWNER OF PROPERT	<u>Y</u>									
		and Grace Ye	aaar					211	Marv		
Ц	STREET AND NUMBER		ager					ⁱ	7		
L	2328 Royal	Roađ						- I F	പ്		
n	CITY OR TOWN:				STATE		20	DF	Бd		
r	Hagerstown				N	Maryland		24			
	5. LOCATION OF LEGA								5		
		County Cour	thouse					ם מ	ລີ ຊີ		
	STREET AND NUMBER	:	·····				······································		Washing		
		ngton Street	:			·			л о		
	CITY OR TOWN:				STATE		co		r t		
	Hagerstown				Ma	ryland		24	ž,		
ſ	6. REPRESENTATION IN	FYISTING SURVE	<u>/s</u>		1 110			24			
E	TITLE OF SURVEY:					<u>/::/</u>	<u> </u>		ШZ		
						A RECEIVE			EN TR		
	DATE OF SURVEY:		□ F	ederal	State	County 2 2 19	74 ocal 0	<u>}</u>	Z		
	DEPOSITORY FOR SUR	VEY RECORDS:					E		NUMBE		
	STREET AND NUMBER					NATION	AL O	/ 3	: 7		
						REGIST		64			
	CITY OR TOWN:		<u></u>		STATE	C	1 200				
						<u> </u>		1974	D		
	······································										

.

7.	DESCRIPTION							
					(Chec	k One)		
		(Check One) Excellent St Good Fair Deteriorated Ruins Unexposed (Check One) (Check One)						
	CONDITION		(Check Or	ne)		(Che	eck One)	
	🗌 🗌 Alter	red	🛛 Unaltered			Moved	XX Original Site	
- 1	· · · · · · · · · · · · · · · · · · ·							

DESCRIBE THE PRESENT AND ORIGINAL (if known) PHYSICAL APPEARANCE

Brightwood is situated at the end of a private road, one-half mile east of Marsh Pike. The entrance to the farm is two miles north of the town of Paramont and six miles north of the city of Hagerstown.

On the property are three standing buildings: the log and stone main house, a stone spring house, and a stone smoke house; a fourth building, a log "quarter", was demolished several years ago.

The main house is of unusually large dimensions for a log building, measuring fifty-seven feet wide, by twenty-five feet deep, by twenty-seven feet high. In addition to its generous proportions the house is further distinguished by elaborately carved embellishments in the Adams manner of the American Federal period.

S

ETT.

ш

z S

-

刀

C

0

Ο

z

ഗ

The principal facade faces south and is two and one half stories in height. The house has a large, two story, galleried portico that is centrally positioned on the principal (south) facade. It covers a main entrance door decorated with fluted pilasters, an entablature with rope swags and reeded sunbursts on the frieze and a dentiled cornice. This entrance door, as well as a simplified version of it directly above, has flanking nine over six sidelights that are positioned flush to the sides of the pilasters. Flanking the entrance portico at each floor level are four twelve over eight sash windows. In a line with the principal windows of the facade are four pedimented dormer windows. The elaborate carvings of the eave cornice of the facade is carried over onto the cornice and pediment of the portico; the pediments of the dormers are similarly treated, though on a scale appropriate to their size. Within the pediment of the portico is a traceried half-round window. At each end of the roof ridge is a single chimney stack. Although the exterior of this part of the house is completely sheathed with brick patterned asphalt shingles, the quality of design and craftsmanship of this fine Federal exterior is readily The present owners are preparing to remove the later apparent. exterior covering and restore the exterior of Brightwood to its earlier clapboarded appearance.

One of the more interesting features of this house in regard to its plan is the use of a one room two story tower centrally positioned on the rear (north) facade. This small wing contains the main stair of the house and is a characteristic of a much earlier architectural style. (Another nineteenth century Maryland house, Sandy Point Farmhouse in Anne Arundel County (ca. 1820), possesses this same unusual feature.) From the east side of the stair tower, extending to the northeast corner

PERIOD (Check One or More as	Appropriate)		
🔲 Pre-Columbian	16th Century	延 子 18th Century	20th Century
15th Century	17th Century	XX 19th Century	
SPECIFIC DATE(S) (If Applica	ble and Known)		
AREAS OF SIGNIFICANCE (Ch	eck One or More as Appropri	ate)	
Abor iginal	🔲 Educati on	Political	🔲 Urban Planning
Prehistoric	Engineering	Religion/Phi-	XX Other (Specify)
🔲 Historic	🔲 Industry	losophy	frontier
Agriculture	Invention	Science	settlement
🞽 Architecture	Landscape	Sculpture	
Art	Architecture	Social/Human-	·····
Commerce	Literature	itarian	
Communications	Military	Theater	
Conservation	Music	Transportation	- <u></u>

Brightwood is situated on a tract of land that was once a part of Long Meadow Enlarged, acquired by a Colonel Henry Bocqueath in 1763. At that time the property was made up of several smaller tracts that were formerly owned, from 1738 to 1746, by Thomas Cresap and from 1746 to 1763 by Daniel Dulany.

According to a history of Washington County, Thomas Cresap, born in Yorkshire, England, arrived in Maryland and settled on "a tract which he called 'Long Meadows' not far from Hagerstown." The large stone spring house adjacent to the Brightwood House is locally referred to as "the fort" but the same reference above states that a house and stockade built by Thomas Cresap was demolished many years ago and the stones reused in constructing this domestic dependency. Cressap, a noted figure in Western Maryland history and folklore, is noted for his participation in the Ohio Company enterprise and his distinguished leadership during the French and Indian war.

Henry Bocqueath immigrated to this country as a commissioned officer in the British Royal Service and, with Thomas Cresap conducted various expeditions against the Indians, opening up Western Maryland and Pennsylvania, Ohio, and West Virginia for settlement.

In 1781 the property was acquired by Thomas B. Hart. One of his daughters, Lucretia, later became the wife of Henry Clay. From 1802 to 1829 the property was owned by Otho Holland Williams, to whom the building of the principal part of Brightwood has been tentatively attributed.

Throughout the nineteenth century Brightwood was apparently well known throughout Washington County as a scene of gracious hospitality and entertainment.

(See continuation sheet #2)

9.	MAJOR	BIBLIO	GRAPHI	CAL RE	FERENC	ES								
	Scha Wil:	arff, 188: Liams, Rep: 1968	J. 1 2 ed. , Thc cint 3).	homa (Ba omas of 1	agers s. <u>H</u> ltimo J. C. 906 e	town isto re: d. <u>Hi</u>	Mai ry o Reg story Balt	L E io: Z Lm	and H Weste nal P of Wa ore:	erald rn Ma ublis shing Regio	; 1898 ryland hing C ton Co hal Pu	. Repr o., 196 unty, M blishin	int 8). aryl g Co	of
	Wash	RAPHIC/	on Co	unty	Land	Rec	ords	<u> </u>	Hall	of Red	<u>cords,</u>	Annapo	<u>lis,</u>	Mđ.
		LATITUD	EANDL	ONGITU				0 R		INING TH	E CENTER	POINT OF A	PROPE	
ļ	CORNER	<u> </u>	ATITUD			NGITUD		ĸ		LATITUDE	2	LON	GITUDE	×
	NW NE SE SW	Degrees / 39 ° 39 ° 39 °	42' 42' 41'	6econds 04" 04" 49" 49"	Degrees / 77 ° 77 ° 77 ° 77 °	40 40 40 40 40 40	Seconds 54 30 30 54		Degrees o	Minutes ,	Seconds P	Degrees Mi o	nutes ,	Seconds "
Ĺ	APPROX	IMATE AC	REAGE	OF NOM	INATED P	PROPER	TY:		63 a	cres /	1161			` u
-	LIST AL	L STATES	AND CO	DUNTIES	FOR PRO	PERTI	CODE		PPING ST	ATEORY	PLOP	UNDARIES		
								- `		N.	APD 00	VEU EX		n
	STATE:						CODE	- '	COUNTY:	60	MATIO	1914 (O		CODE
Ī	STATE:						CODE	- (COUNTY:	12	REGIST	TER S		CODE
Ī	STATE:						CODE	-	COUNTY:	$-\infty$	Quar.	<u>Dir</u>		CODE
- CONTRACTOR		PREPAR												
		Richa	-	ivoir	o Fi	~1 <i>4</i>	C11.000							sdh c
ŀ	ORGANI	yland					Surv	ey	or			Sept.	6,	-
ŀ		AND NUM 5 Riv		ad		<u>,</u>								
	Ann	тоwм: apoli	S					s	тате Mary	land				CODE 24
12	STAT	E LIAISO	N OFFI	CER C	RTIFIC	NIION)	IATIONA	L REGIST	ER VERIFIC	ATION	
	tional 89-66 in the evalu forth level	e designa Historic 5), I here National ated acco by the Na of signifi fational Orlar State Offic	Preserv by nomi I Regist ording to tional F icance of D D D D D D F E His	vation A nate this er and c the c-in Park Ser of this n State	ct of 1960 s property ertify tha teria and vice. The omination	5 (Publi y for ind t it has procedu e recom is: Local	ic Law clusion been ares set mended	-	Nətiona	1 Registe	r. Archeology 30/79	teuse and Historic	Preserve	
	Date	Gy	•	15	<u> 1974</u>				Date	Keep		<u>i.</u> 74	ister	

GPO 931-894

う Π Π z ~

Form 10-300a (July 1969)	UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE	Maryland	
RECÊIVED	ATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM	COUNTY Washington	
APP		FOR NPS USE ONL	Y
······································		ENTRY NUMBER	DATE
NATIONAL&		JUL 3 0 1974	
Winder 31 entries 3 #7 Descy 1p	BRIGHTWOOD		

of this elevation, stands a one story stone wing that is believed to predate the main part of the house in its date of construction. One third of the roof of this wing, that part towards the main house, was raised early in this century to provide for a full second story bedroom in that area. The remainder of the roof remains basically unaltered except for what is believed to be a later chimney which interrupts the roof ridge about twelve feet from the north end. The wing is built of rough, uncoursed fieldstone and the five bay east facade is covered by a later shed roofed porch.

On the interior the main part of Brightwood consists of a center hall flanked by a single large room to the west side and two rooms at the east side. The west room is traditionally referred to as "the ballroom" but there is no known documentation to substantiate that as being a previous or intended use. It certainly is the more elaborate of all the rooms in the house and is of an unusually large size (21 by 23 feet). Flanking the projecting chimney and fireplace on the west end wall are two large alcoves with reeded pilasters and reeded arches with fluted keystones and imposts. In the inside walls of each alcove are built-in cupboards with paneled doors. Alterations to these areas, said to have been "musicians alcoves", include a window cut through the back wall of one and a door through the other. Separating these alcoves is a mantel with reeded pilasters, a frieze decorated with reeded panels in a sumburst design and a cornice above with fretwork in a fluted "H" pattern. The outside and inside moldings of the pilaster and frieze and the outside edge of the cornice shelf are decorated with carved ropes and beads. This latter motif is repeated on the baseboards and chairrail as well as on the inside edges of the alcove surrounds.

The central hallway has baseboards and chairrails decorated in the same manner as those of the west, first floor room; the two rooms at the east side of the hall appear to have been completely renovated in the late nineteenth century. The rather plain main stair in the tower off the end of the hall has turned posts, a molded rail and square balusters, contrasting sharply to the delicate carvings of the central hall and west parlor. However, the stair appears to be contemporary in date to the interior of these other rooms, although the possibility remains that it may be a slightly later introduction.

(See continuation sheet #2)

STATE Maryland				
COUNTY Washington				
FOR NPS USE ONLY				
ENTRY NUMBER	DATE			
HII 3 0 1974				
	COUNTY Washington FOR NPS USE ONLY			

The southeast bed chamber with two smaller chambers behind them. has a very simple, early nineteenth century mantel framing the fireplace and to one side is a cupboard with a square headed paneled door and shaped shelves. In the southwest bed chamber is a fireplace mantel similar to the one in the west parlor below but lacking any sort of carved decoration. On either side of the mantel are arched alcoves that are similarly treated. In the main hall is a stair which rises on the west partition wall from the northwest corner. It is completely enclosed with beaded vertical boards. Beneath the stair is a small closet that is unusual in that all of the framing of the stair, including the treads, is beaded where exposed. A door beneath the stair affords access to this closet as does a small doorway in the northwest chamber.

An examination of the roof framing of this part of the house revealed that, except for the end rafters, the whole of the roof framing was replaced early in this century. Fortunately, the dormer windows which provide light and ventilation to the attic from the south elevation were returned to their original locations. It is not known whether or not there were originally finished rooms in the attic; the present arrangement, although commodious, is completely unfinished.

In the wing the three first floor rooms were completely renovated in the mid-nineteenth century. A large chimney with expansive fireplace opening in the present kitchen was removed several years ago. A second chimney on the partition wall between the middle and north room is either a total replacement or introduction. It has a large fireplace opening facing into the north room. The roof framing has also been largely replaced with reused materials from another source. Despite the late date of these interior features, the construction of the walls, the plan, and other details indicate that this wing is probably somewhat older in date than the main house.

#8 Significance (Continued)

The stone wing of Brightwood is believed to be one of the oldest surviving houses in Washington County, although there is little physical or material documentation to substantiate this attribution. The log construction of the main block is unusual for a house of this size and relative degree refinement. Of further significance is the plan, incorporating a stair tower and portico, and the decorative treatments applied to both the interior and exterior.