#### **United States Department of the Interior National Park Service**

## National Register of Historic Places Inventory—Nomination Form

For NPS use only received MAY 1.2 1987 date entered

See instructions in *How to Complete National Register Forms*Type all entries—complete applicable sections

1. Name			
historic Lincoln Carnegie Lib	orary		
and or common Same			
2. Location			
street & number 203 S. Third			not for publication
city, town Lincoln	vicinity of		
state Kansas	code <sup>20</sup> county	Lincoln	code 105
3. Classification			in the second se
Category  districtX publicX building(s) structure site object N/A in process N/A being considered	Status  X occupied unoccupied work in progress Accessible X yes: restricted yes: unrestricted no	Present Use agriculture commercial X educational entertainment government industrial military	museum park private residence religious scientific transportation other:
4. Owner of Prop	erty		
name City of Lincoln			
street & number Lincoln City Ha	11		
city, town Lincoln	vicinity of	state	Kansas 67455
5. Location of Le		on .	
	incoln County Appraise		
1 0		-4-	
	Courthouse		Vanaga 67/55
city, town Lincoln	n in Eviating (	state	Kansas 67455
6. Representatio	n in Existing a	surveys	
title N/A	has this pro	perty been determined el	igible? yes _X no
date N/A		federal sta	te county local
depository for survey records N/	<u>A</u>	****	
city, town N/A		state	N/A

# Condition Check one Check one X excellent \_\_\_ deteriorated \_\_\_ unaltered \_\_\_ X original site \_\_\_ good \_\_\_ ruins \_\_\_ altered \_\_\_ moved date \_\_\_ fair \_\_\_ unexposed

Describe the present and original (if known) physical appearance

7. Description

The Lincoln Carnegie Library (c. 1914) is located at 203 S. Third in Lincoln, Lincoln County, Kansas (pop. 1,599). The one-story, rusticated limestone block, eclectic Neo-Classical building stands on a corner lot one block east of Lincoln's central business district. Its facade orientation is west. The building measures approximately forty-six feet from north to south and thirty-one feet from east to west. The building retains its original function as a library.

The one-story, yellow limestone building sits on a rusticated limestone block foundation. It is a rectangular structure with a ridge hipped roof. Three bays comprise the building's facade and rear, it is one bay deep. A ridge hipped roofed, entryway pavilion projects from the facade's center bay. A limestone and brick chimney rises from the building's rear. The original roof pantiles have been replaced with asphalt shingles.

The projecting entryway pavilion contains a recessed, slightly arched, double wooden door surmounted by a wooden transom. The half glass and half wood door replaces and earlier double door which was narrower and was flanked by narrow sidelights. The tripartite transom appears to be the original, its small side panes indicating the width of the original sidelights. The doorway arch itself is delineated by a projecting, narrow limestone arch which concludes in the limestone course that delineates all wall space between windows and doors in the building. A day keystone crests the arch, "1913" is carved vertically into the stone. The keystone rises above the arch to intersect with a limestone tablet bearing the carved name of the building, "Carnegie Library". Stone steps lead up to doorway, flanked by rusticated limestone abutments. A small stained glass window pierces each side elevation in the pavilion. A limestone sill underscores each window. A basement door stands beneath each window.

A continuous, ashlar cut, limestone course wraps around the building, outlining most of the windows and the front doorway. This treatment connects the window and door architrave surrounds with a beltcourse places just above the upper sash of the building's 1/1 double hung, first level windows. Distinctive design treatment also includes the ashlar cut, limestone water table, the ashlar cut, limestone base, and the wooden eave brackets that "support" the overhanging roof at each corner.

Pairs of 1/1 double hung windows with wooden frames comprise the building's first level fenestration. The afore described limestone course delineates the windows, an ashlar cut limestone sill underscores the windows. Two such pairs form the facade fenestration, two pairs fenestrate the north and south elevations, three pairs fenestrate the north and south elevations, three pairs fenestrate the rear elevation. Smaller and single 1/1 double hung windows with wooden frames and sashes pierce the foundation wall below each first level grouping.

The interior of the building maintains its original floor plan and its vestibule entrance with basement stairs. The first floor ceiling was covered with dropped acoustic tiles in 1970. The interior woodwork, such as the door and window surrounds and the staircase, are retained.

#### 8. Significance

Period prehistoric 1400–1499 1500–1599 1600–1699 1700–1799 1800–1899	Areas of Significance—C archeology-prehistoric agricultureX_ architecture art commerce	community plann conservation conservation conomics X education engineering		e religion science sculptureX social/ humanitarian theater
_X_ 1900–	communications	industry invention	politics/government	transportation other (specify)
Specific dates	c.1914	Builder/Architect	C.A. Smith - Architect	
			Wilson & Gilbert - Build	ier

Statement of Significance (in one paragraph)

The Lincoln Carnegie Library (c. 1914) is being nominated to the National Register as part of the Carnegie Libraries of Kansas thematic resources nomination (c. 1902-1921) at the local level of significance under criteria A and C for its historical association with the Carnegie Corporation Library Building Program and for its architectural significance as a new building type. A library association was organized in Lincoln in The community received their \$6,000.00 Carnegie Library grant in 1913, library construction was completed in 1914. The Lincoln Carnegie Library is an example of the Eclectic Neo-Classical style.

Sixty-three Carnegie funded libraries were built in Kansas during the first three decades of the Twentieth Century; four of these libraries were built on college campuses. In most cases, the Carnegie funded library represented the community's first library building although many Kansas communities had book clubs and library organizations well before the Carnegie Corporation Library Building Program was founded. In the case of the four college libraries, the building represented the first structure which was solely devoted to housing the institution's books and providing study space. Carnegie did not solicit interest in the program, with the exception of the Anderson (Carnegie) Memorial Library which was built by Carnegie as a memorial to his friend John Anderson and was the first college library nationally to receive Carnegie funding. Communities initiated contact with the corporation by letter, indicating their desire for a Carnegie funded library. If the Corporation responded favorably to the request, a firm local commitment to the program's requirements, which generally resulted in a public election in support of the library, followed. Obviously these actions represented a perceived need within the community for a library building and the Carnegie Corporation Library Building Program represented an excellent way to secure the funds to build one. Many of the Carnegie Libraries built in Kansas reflect the high space utilization design guidelines promoted by the Carnegie Corporation after 1910, underscoring the point that before the Carnegie Corporation Library Building Program, few architects and/or builders had experience designing this building type.

Twenty-eight Carnegie Libraries are included in this nomination (see inventory). Twelve Carnegie Libraries have been listed individually on the National Register: Argentine, Case Library (Baker University, Baldwin City), Caldwell, Dodge City, Emporia, Goodland, Lawrence, Leavenworth, Newton, Ottawa, Parsons, and Pittsburg. The Carnegie Library at Arkansas City is included in a downtown historic district. Thirteen Carnegie Libraries have been demolished: Great Bend, Halstead, Hays, Iola, Kansas City, McPherson, Morrison Library (Fairmont College, Wichita), Olathe, Osawatomie, Plainville, Russell, Salina, and Washington. Five Carnegie Libraries have been altered enough to make them ineligible for the National Register: Abilene, Garden City, Hiawatha, Lyons, and Stockton. (The nominations for the Concordia, Eureka, Independence, and Winfield libraries were deferred.) Twenty-two of the nominated libraries retain their original function. All of the buildings are in use or have an active use planned for them.

### 9. Major Bibliographical References

See attached sheet.

10. Geographical Data	
Acreage of nominated property Less than 1 acre  Quadrangle name Lincoln	Quadrangle scale 1:24,000
UT M References	
A 1 4 5 7 4 0 2 10 4 3 2 1 2 6 0  Zone Easting Northing	Zone Easting Northing
c  ,       ,   , ,     ,   ,   ,   ,	
-	
<sup>=</sup>	
G	*
Verbal boundary description and justification The name in Lincoln, Kansas. It is a rectangulation the north by E. Court, and to the south	ar tract bounded to the west by S. Third, to
List all states and counties for properties overlapping	state or county boundaries
state N/A cou	nnty N/A code N/A
state N/A cou	enty N/A code N/A
	N/A
11. Form Prepared By	
organization Kansas State Historical Society  Street & number 120 West 10th Street	datepril 13, 1987
	telephone 913-296-5264
city or town Topeka	state Kansas 66612
<b>12. State Historic Preserva</b>	ation Officer Certification
The evaluated significance of this property within the state is:	
national stateX loc	al
As the designated State Historic Preservation Officer for the N 665), I hereby nominate this property for inclusion in the Natio according to the criteria and procedures set forth by the Natio	nal Register and certify that it has been evaluated
State Historic Preservation Officer signature	M. Sall
itle Executive Director, Kansas State Historic	cal Society date April 13, 1987
For NPS use only	
I hereby certify that this property is included in the Natio	nal Register
Beth Groveno	date 6/25/87
Keeper of the National Register	7 /
Attest:	date
Chief of Registration	

NPS Form 10-900-a (3-82) OMB No. 1024-0018 Exp. 10-31-84

#### **United States Department of the Interior National Park Service**

### National Register of Historic Places Inventory—Nomination Form

Far	NPS us	e certy	
reci	ived		
date	enter	ed	

Continuation sheet 1 Item number 8 Page

nominated libraries maintain a high to moderate degree of architectural and structural integrity.

Industrialist Andrew Carnegie (1835-1919) and the Carnegie Corporation significantly influenced the development and expansion of public library systems worldwide. Between 1886 and 1921 Carnegie funds assisted in the construction of 1,681 city and 108 college libraries in the United States. As a region, the Mid-West, Kansas included, did not have a well established public library system until the Carnegie Program and ranks highest in the number of communities which obtained Carnegie Libraries nationwide. Out of the forty-six states to participate in the library building program, Kansas ranks approximately eleventh in the number of Carnegie Libraries built. For many Kansas communities, the Carnegie Library represented its first library building, providing an environment that all members of the community could share for the purposes of reading, learning, and education.

Eligibility for Carnegie Library funds rested on several factors. Firstly, the population of the community had to exceed 1,000; in Kansas this indicated at least a second class city status. This population requirement generally resulted in county seat communities applying for and receiving Carnegie Libraries. Some communities with populations less than 1,000 banded together with neighboring communities to achieve the 1,000 mark and applied for township libraries, as in the case of the Peabody and Canton Township libraries. In the case of college libraries this constraint may not have applied, although the four Kansas colleges to receive Carnegie libraries were located in cities which had populations in excess of 1,000 by 1900. Secondly, the applicant had to provide a site for the library. The sites tended to be one or two blocks outside of the community's main business district. Thirdly, the applicant had to provide an annual endowment for the maintenance and improvement of the library which amounted to at least ten percent of the initial grant from the Carnegie Corporation.

This last factor contributed to the ending of the Carnegie Library Building Program in 1917, although grants for books and other improvements continued for several more decades. An inherent problem for second class cities in Kansas was the .4 mill levy restriction for libraries, making it difficult for some communities to meet the annual ten percent maintenance appropriation solely through public dollars. In 1917 the Kansas State legislature increased the library levy to .5 mill for second and third class cities, an amendment which affected most of the communities in the State that had Carnegie Libraries. In 1916, large communities such as Topeka, Wichita, Hutchinson, and Leavenworth had library mill levies of 1.06, 1.2, 1.8, and 3.5 respectively. In Kansas, the average public library grant was \$12,000 and the average college library grant was \$37,000. These monies covered the cost of the building, the necessary furniture and fixtures, and the architects' fees.

Prior to 1910, the Carnegie Corporation did not provide design guidelines for the libraries that it funded and because the library was a relatively new building type, few architects and/or builders had experience with its design. Many of the early libraries

NPS Form 10-900-a (3-82) OMB No. 1024-0018 (2-82) Exp. 10-31-84

#### **United States Department of the Interior National Park Service**

### National Register of Historic Places Inventory—Nomination Form

Far NP	S use on	¥	
receiv	ed		
date e	ntered		

Continuation sheet 2 Item number 8 Page 2

were expensive examples of the Beaux Arts style with little focus on floor plan and space efficiency. In 1910, Carnegie's personal secretary James Bertram developed model specifications and floorplans for proposed libraries, entitling his work Notes on Library Buildings. The Notes on Library Buildings provided the first widely circulated guidelines for library design in this country.

#### Bertram wrote:

Small libraries should be pland (sic) so that one librarian can oversee the entire library from a central position.... bilding (sic) should be devoted exclusively to: (main floor) housing of books and their issue for home use; comfortable accomodations for reading them by adults and children; (basement) lecture room; necessary accommodation for heating plant; also all conveniences for the library patrons and staff. Experience seems to sho (sic) that the best results for a small general library are obtained by adopting the one-story and basement rectangular type of bilding (sic), with a small vestibule entering into one large room sub-divided as required by means of bookcases.... The rear and side windows may be kept about six feet from the floor, to giv (sic) continuous wall space for shelving. A rear wing can be added for stack-room (when future need demands it) at a minimum expense, and without seriously interfering with the library servis (sic) during its construction. The site chosen should be such as to admit lite (sic) on all sides, and be large enuf (sic) to allow extension, if ever such should become necessary.

The thirty-six Carnegie Libraries built in Kansas after 1910 reflect Bertram's precedents, exhibiting high space utilization, and often including full basements, although the raised basement is a design element employed in the earlier libraries as well. Most of these one-story libraries exhibit a three bay, Neo-Classical facade with a projecting central pedimented entry pavilion and are one bay deep. The use of native limestone is evident in some of the libraries but the most common material combination is brick with a limestone foundation. While there is some tendency toward a vernacular interpretation to the design ornamentation of these libraries, the general approach verges on high style.

Correspondence between the Carnegie Corporation and the library boards from the Kansas communities that received Carnegie Libraries indicates that the designs for these libraries were carefully scrutinized by Bertram and in many cases, were resubmitted several times before meeting his requirements. Upon the completion of a library, the library board was instructed to send a full set of blueprints and elevations of the building to the Corporation. However, recent correspondence between the Kansas State Historical Society and the Carnegie Corporation reveals that the Corporation does not have blueprints of the Kansas libraries. The Corporation does have some library photographs but the collection is not inclusive.

#### **United States Department of the Interior National Park Service**

### National Register of Historic Places Inventory—Nomination Form

For NPS use only
received
date entered

Continuation sheet 3

Item number

8


Page (

Three architects were particularly active in the design of Kansas Carnegie Libraries: George P. Washburn of Ottawa, Kansas designed nine, A. T. Simmons of Bloomington, Illinois designed six, and William Warren Rose of Kansas City, Kansas designed four. Washburn's libraries are primarily of the standard three-bay, Neo-Classical variety. His firm is credited with the Carnegie libraries in Burlington, Canton, Cherryvale, Columbus, Eureka, Halstead, Osawatomie, Ottawa, and Sterling. Simmons engaged in a more eclectic approach, designing libraries in Abilene, Chanute, Council Grove, Downs, Hays and Yates Center. Rose is credited with the classically inspired libraries in Argentine, Kansas City, Manhattan, and Newton. In Kansas, many Kansas based architects were commissioned to design Carnegie Libraries as well as architects from Illinois, Missouri, Nebraska, and Texas.

Today, many of the state's Carnegie Libraries are facing serious space shortages. The alternatives of adding on or vacating both present preservation problems. Additions to these libraries must be such that the building's original character is not altered. Vacating the library for a larger facility leaves the problem of an empty building, in some communities county historical societies have inherited the empty Carnegie Library. In any event, when these buildings are no longer recognized from a design standpoint as Carnegie Libraries, their architectural significance ceases.

#### United States Department of the Interior National Park Service

### National Register of Historic Places Inventory—Nomination Form



Continuation sheet

1

Item number

9

Page

1

Carnegie Library Bibliography:

- Anderson, Florence. <u>Carnegie Corporation Library Program, 1911-1961</u>. (New York: Carnegie Corporation, 1963).
- Bertram, James. Notes on Library Building. (New York: Carnegie Corporation, 1910).
- Bobinski, George S. <u>Carnegie Libraries: Their History and Impact on American Public Library Development</u>. (Chicago: American Library Association, 1969).
- Carnegie Corporation. Micro-film reels of correspondence between the Corporation and Kansas Carnegie Library Communities, 1902-1921. Carnegie Corporation of New York.
- Gardiner, Allen. The Carnegie Legacy in Kansas: A Retrospective View of the 59 Public Libraries Built by Andrew Carnegie; A Souvenir Publication to Commemorate the Sequicentennial of Carnegie's Birth. (Topeka: Kansas State Library, 1985).
- . <u>Kansas Public Libraries from Abilene to Zenda</u>. (Topeka: Kansas State Library, 1982).
- Koch, T. W. A Book of Carnegie Libraries. (New York: H. W. Wilson, 1917).
- State of Kansas. Session Laws, 1917. Chapter 113. "Limiting Tax Levies in Cities of the Second and Third Class."
- Topeka Capital Journal, 20 December 1916; 26 December 1916.