Fo (Re		S DEPARTMENT OF THE FIONAL PARK SERVICE	INTERIOR	STATE: Vorm	ont				
	T 4 1974ATIONAL REG NATIONAL INVENTOR REGISTEP (Type all entries	Vermont county: Franklin FOR NPS USE ONLY ENTRY DATE							
Y WE	Fuller Covered				2 3 1974				
2.	2. LOCATION STREET AND NUMBER: Town road across Black Falls Brook at Montgomery village								
	Montgomery State Vermont			ESSIONAL DISTRICT: <u> <u> It. District</u> Franklin</u>	<u>соре</u> 011				
10000000	CLASSIFICATION CATEGORY (Check One)	OWNE	•	STATUS	ACCESSIBLE TO THE PUBLIC				
•	☐ District ☐ Building ☐ Site ☐ Structure ☐ Object	Private	c Acquisition: In Process Being Consider	Image: Constraint of the second se	Yes: Restricted Vorrestricted No				
) - -	PRESENT USE (Check One or More as Appropriate) Agricultural Government Park Transportation Comments Commercial Industrial Private Residence Other (Specify) Educational Military Religious								
	OWNER OF PROPERTY OWNER'S NAME: Town of Montgome: STREET AND NUMBER: (no street number CITY OR TOWN: Montgomery	r)	ST.	ATE: Vermont	coor 50				
5.	LOCATION OF LEGAL DESC COURTHOUSE, REGISTRY OF D Office of Town C. STREET AND NUMBER: (no street number CITY OF TOWN:	DEEDS, ETC: lerk	ST	ATE					
6.	Montgomery REPRESENTATION IN EXIST TITLE OF SURVEY: Vermont Historic		ructures	Vermont	50				
	Vermont AIStoric DATE OF SURVEY: 19 DEPOSITORY FOR SURVEY RE Vermont Division STREET AND NUMBER: Pavilion Buildin	74 🗆 ECORDS: h of Historic	Federal 🙀						
	Montpelier	<u>16</u>	ST.	Vermont	50				

7. DESCRIPTION	
	(Check One)
CONDITION	Excellent Good Fair Deteriorated Ruins Unexposed
	(Check One) (Check One) X Altered Unaltered Moved
DESCRIBE THE PR	RESENT AND ORIGINAL (II known) PHYSICAL APPEARANCE
two flank mented st beams for	r Covered Bridge consists of a single span supported by ing timber Town lattice trusses. Two longitudinal seg- ringers have been added to the underside of the deck reinforcement; each stringer comprises a number of imbers tie-bolted together.
laid on e on abutme	r Bridge is 49.5 feet long overall and 19.5 feet wide; 16-foot roadway. The wood floor consists of planks dge and parallel to the trusses. The structure rests nts built of irregular stone slabs mortared together; abutment has been mostly faced with concrete.
form the with unpa protects The sidin along the	terior, the heavy planks pegged together diagonally to trusses (and side walls) of the bridge are sheathed inted flush boards hung vertically. Similar siding the ends of the trusses immediately inside the portals. g stops short of the eaves to leave strip openings tops of the walls. There are two large rectangular paced asymmetrically in the east wall.
and paint for short	ends are sheathed with flush boards hung vertically ed white. The portal openings are rectangular except diagonal upper corners. The shallow-pitch gable roof d with standing seam metal sheeting.
	OCT 4 NATIONAL BUILDEN OCT 4 NATIONAL REGISTEN DITIONAL

PERIOD (Check One or More as A		[7] 19+6 C+	20th Century						
Pre-Columbian	16th Century	 18th Century 19th Century 							
15th Century	17th Century								
SPECIFIC DATE(S) (If Applicable and Known) 1890									
AREAS OF SIGNIFICANCE (Che			🗍 Urban Planning						
Abor iginal	Education	Political	Other (Specify)						
Prehistoric	X Engineering	Religion/Phi-							
Historic	Industry	losophy							
Agriculture	Invention	Science							
X Architecture	Landscape	🗋 Sculpture 🥅 Social/Human-							
Commerce	Literature	itarian							
Communications	Military	Theater							
Conservation	Music	X Transportation							
	MUSIC								
covered bridges by town in Vermont. Two brothers, Sheldon and Savannah Jewett of Montgomery, built all six of the bridges; they completed the Fuller Bridge in 1890, probably the last of their bridge projects. The Jewetts used Town lattice trusses in all of the bridges, which also share common architectural design and similar dimensions (except for length).									
	nother bridge c	constructed by	the Jewett brothe omery bridges con						
in the adjoining stitute the most individual cover Vermont. The co is unknown; Rich bridges "for mor the timber for t	other bridge c g town of Enosb c extensive sur red bridge buil omplete invento hard Sanders Al re than thirty cheir bridges a	constructed by ourg, the Montg viving record ders who pract ory of bridges len writes tha years."1 The t their own mi	the Jewett brothe omery bridges con of the work of an iced their trade built by the Jewe						
<pre>in the adjoining stitute the most individual cover Vermont. The co is unknown; Rich bridges "for mor the timber for t the West Hill di bridges. The covered bridges have been altere structures and v ment. Recently, changes in the s to increasingly The Vermont Divi tend the recogni </pre>	other bridge c s town of Enosb c extensive sur- red bridge buil omplete invento hard Sanders Al- re than thirty their bridges a strict of Mont less of Vermont c resources. The state, the in the United only slight villagescapes t however, vari- state. The cov- intense and de ision of Histor	constructed by burg, the Montg viving record ders who pract ory of bridges len writes tha years." The t their own mi gomery near on c are among its About one hund highest concen States. Many y, and many re to form a uniqu ous forces hav vered bridges h etrimental effe pic Sites, ther ection of the N	the Jewett brothe omery bridges con of the work of an iced their trade built by the Jewe t they built brothers prepared 11, which stood i e of the remainin most cherished a red of the bridge tration by area c of these bridges late to other e historic enviro e caused drastic ave become subjec cts of those chan efore, wishes to ational Register						
<pre>in the adjoining stitute the most individual cover Vermont. The co is unknown; Rich bridges "for mor the timber for t the West Hill di bridges. The covered bridges have been altere structures and w ment. Recently, changes in the s to increasingly The Vermont Divi tend the recogni Historic Places</pre>	nother bridge c g town of Enosb c extensive sur- red bridge buil omplete invento hard Sanders Al- re than thirty their bridges a strict of Mont dges of Vermont c resources. The state, the in the United ed only slight villagescapes t however, vari- state. The cov- intense and de ision of Histor to a majority	constructed by burg, the Montg viving record ders who pract ory of bridges len writes tha years." The t their own mi gomery near on t are among its About one hund highest concen States. Many y, and many re to form a uniqu ous forces hav vered bridges h etrimental effe ic Sites, ther ection of the N of the remaini	the Jewett brothe omery bridges con of the work of an iced their trade built by the Jewe t they built brothers prepared 11, which stood i e of the remainin most cherished a red of the bridge tration by area o of these bridges late to other e historic enviro e caused drastic ave become subjec cts of those chan efore, wishes to ational Register ng covered bridge						

•

9. MAJOR BIBLIOGRAPHICAL REFERENCES														
	Allen, Richard Sanders, <u>Covered Bridges of the Northeast</u> , The Stephen Greene Press, Brattleboro, Vt., 1974 (rev. ed.).													
	10. GEOGRAPHICAL DATA													
10.				JDE COO	ORDINA	ſEs	1_		TITUDE	ANE LONG	SIT'IDE C	OORDINA		
	LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY O D D D D D D D D D D											18/686350 197470		
ŀ	CORNER						1	·	ATITUDE			ONGITUE	е С ,	i alado
	NW	Degrees Minut o	res Seconds	1	s Minute o	s Seconds		Uegrees 44	Minutes 54	Seconds 14	Degrees 72	Minutes 38	Seconds	4974 740
	NE	0 0	· •		0	, ,,		1	74	<u>т</u> н	14	30	22	Co
	SE SW	Q	, ,		۔ م									
APPROXIMATE ACREAGE OF NOMINATED PROPERTY:												s		
	STATE:		DCOUNTE	S FOR P	ROPER	CODI		COUNTY /		ECEIVEII			CODE	m
			• · ·						7 ogi					m
	STATE:					CODI		COUNTY		- 207			CODE	1 -
1	STATE:					CODI	Ì	COUNTY	\overline{n} RE	TIONAL GISTER	A		CODE	z v
-	STATE:	·····				CODI		COUNTY:	$\overline{\langle o \rangle}$		\sim		CODE	-
											<u>}/</u>			ਸ
- Andrewski - A		PREPARED	<u>BY</u>		•									C
		n H. Her	nry, H	lstor	ic S	ites	Re	search	ner		DATE			
	ORGANIZATION Vermont Division of Historic S							es		•		/13/7	4	
s	TREET	AND NUMBER	:											0
	<u>Pav:</u>	<u>ilion Bι</u> τοwn:	uilding	y 3			5	TATE					CODE	Z
	_Mon1	tpelier							Ver				50	S
12.	STATE	LIAISON OF	FICER C	ERTIFIC	CATION	l	4	<u>N</u>	TIONAL	REGIST	ERVERI	FICATIO	<u>N</u>	1
	As the	dogignated	Stata Tiais	on Offic	or for t	ho No				•				
	As the designated State Liaison Officer for the Na- tional Historic Preservation Act of 1966 (Public Law							I hereby						
	89-665), I hereby nominate this property for inclusion							National Register.						
	in the National Register and certify that it has been evaluated according to the c-iteria and procedures set forth by the National Park Service. The recommended							Director, Office of Archeology and Historic Preservation						
	level of significance of this nomination is: Director, Office of Archeology and Historic Preservation National State Image: Construction of the second secon													
								Date 12/73/74						
İ	Name Villand Timey								ATTEST: ()					
		·			/	ļ:		ATTEST	N		. (′	A	,	
	Title Director of Historic Sites State Historic Preservation OfficerUmMut Mut Keeper of The/National RegisterDate9/30/74Date $\mathcal{U} \cdot \mathcal{U} \cdot \mathcal{U} \cdot \mathcal{U}$													
ļ														
L														L

☆ U.S. GOVERNMENT PRINTING OFFICE : 1973-729-147/1442 3-1