Form 10-300 (Rev. 6-72)

z o

 $\alpha$ 

N S

SEE

## UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

#### NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

STATE:
New Jersey
COUNTY:
Hunterdon
FOR NPS USE ONLY
ENTRY DATE

(Type all entries	s - complete appli	anhla	anatina	1	TRY DATE	# N #E:		
	s - complete appli	capie	section	is)	HUY	1 9 197	74	
1. NAME								
Green Sergeant's	Covered Bride	, <u>a</u>						İ
AND/OR HISTORIC:	OUVGI GG DI LGE				<del></del>			-
AND ON HISTORICE								
2. LOCATION								<b>=</b>
STREET AND NUMBER:	N of St	n- Ki	ton	off				
Rosemont - Serge	antsville Road	i	, ,	, ,				
	cton vicinit			CONGRESSION	AL DISTRICT:			7
Delaware Townshi	<b>P</b>	7	i	13th	- Joseph Mara	ziti		
STATE		'   '	CODE	COUNTY:			CODE	
New Jersey			34	Hunte	rdon		019	
3. CLASSIFICATION								
CATEGORY		WNEDCL	JID		STATUS	ACCE	SSIBLE	٦
(Check One)	Ŏ,	WNERSH	1117		31A103	TO THE	EPUBLIC	-
District Building	Public F	Public A	cquisiti	on:	X Occupied	Yes	:	
Site Structure	Private		In Proc	ess	Unoccupied	Res		
☐ Object	☐ Both		Being (	Considered	Preservation work	-	estricted	
					in progress	☐ No		
PRESENT USE (Check One or I	More as Appropriate)					<u> </u>		1
		Park	······································		Transportation	Comm		$\dashv$
1 -	dustrial		Resider		Other (Specify)	C		
	ilitary	Religio			Officer (Specify)	71011	17/	-
	useum	Scientif		-		Do A	~\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	<u> </u>
	<u> </u>					TECETY	HI X	4
4. OWNER OF PROPERTY						<del>/g</del>		<u>\</u>
Board of Chosen	Freeholders of	· Unind	t and a	o Countre	3	,		Z A
STREET AND NUMBER:	Licelloldera of	nun	06140.	.r councy	13 N	ATION	AI	
					Tal RI	EGISTE	ER A	3/
CITY OR TOWN:	<del></del>			STATE:	-		COCA	<b>§</b>
Flemington				New	Jersey	गिता	721	3
5. LOCATION OF LEGAL DESCRIPTION								
COURTHOUSE, REGISTRY OF DEEDS, ETC:								
Hunterdon County	Courthouse						1 Tunt	OUN T
STREET AND NUMBER:							7.0	
Main Street							CODE O	,
CITY OR TOWN:				STATE		Ľ	CODE O	<u>.</u>
Flemington				New	Jersey	1	34	
S. REPRESENTATION IN EXIST	ING SURVEYS							
TITLE OF SURVEY:								m Z
H. A.B.S New Je					c Sites Inven		(2764.	1) 🛱
DATE OF SURVEY: 193		X Fe	deral	∑ State	County	] Local		Z
DATE OF SURVEY: 1937, 1901								
Library of Congre	SS.		Hist	<u>coric Site</u>	s Section, DE	P		<u>ہ ا</u> ا
STREET AND NUMBER:	Box 1420, Trenton, NJ				1 .			
CITY OR TOWN:				D.C	_	Ľ	11	D
Washington					•			×

7.	DESCRIPTION								
					(Chec	k One)			
	CONDITION	☐ Excellent	<b>▼</b> Good	☐ Fair	☐ Dete	eriorated	Ruins	Unexposed	
	CONDITION		(Check Or	1e)*			(Che	ck One)	
		Alter	red	☐ Unaltered	l		☐ Moved	Toriginal Site	
			***						

DESCRIBE THE PRESENT AND ORIGINAL (if known) PHYSICAL APPEARANCE

Descriptive statement taken nearly verbatum from "Dedication of the Reconstructed Green Sergeant's Bridge", prepared by the Green Sergeant's Covered Bridge Association.

The restored Green Sergeant's Covered Bridge spans Wickecheoke Creek in Delawere Township, Hunterdon County, and carries westbound traffic on the Sergeantsville - Rosemont Road (County Road #32).

The clear span, face to face of stone abutments, is 73'8". The length of the 12 foot wide timber deck roadway is 82 feet.

The overhead clearance is 12 feet.

The old abutments, which probably predate the Revolution, were rebuilt and reinforced in 1961 with concrete keyed into the rock footings and steel dowelled to the old stone masonry walls in order to support modern-day traffic. The north and south faces of the abutments are surfaced with 12 inch thick stone masonry veneer anchored to the concrete. The stones were taken from the stream below.

The old timber trusses, 84 feet long by 12 feet 9 inches high and 1 foot 9 inches thick, have been reconditioned and erected in their former position now resting on steel brackets which project from a new steel under-carriage.

This under-carriage consists of two 36 inch wide flange steel girders spaced 11 feet on centers separated by floor beams at each panel point of the old timber trusses.

The timber deck consists of new and salvaged 3 inch by 10 inch planking laid on 4 inch by 12 inch new treated timber floor stringers spaced about one foot on centers and spanning 10 feet between floor beams. Timber wheel guards and a 22 foot high timber rail on each side of the deck provide for vehicle sefety.

The timber trusses are enclosed by 1 inch by 12 inch white pine vertical tongue and groove boards which are nailed to 3 inch by 5 inch horizontal nailers spaced 3 feet on centers. The vertical joints between the siding boards are covered by 3/4 inch by 3 inch batten strips. Approximately 60% of the original pine siding is contained in the restored structure. It is painted white.

The pitched roof has 2 inch by 6 inch pine rafters, spaced two feet on centers overlaid by one inch tongue and groove sheathing. About 90% of the old rafters were reused. The balance of the roofing, including the cedar shingles and lathing, however, is new.

When the bridge was reassembled in 1961 ventilation was provided for the wooden structure by inserting four 3 feet by 3 feet louvers on the sides (Two per side).

To the south, and immediately adjacent, of the covered bridge a new single lane steel beam - concrete deck bridge has been built to carrry eastbound traffic. The random native stone masonry parapet and wing walls were designed to soften contrast between the modern bridge and the covered bridge.

v	
2	_
C	)
-	-
۲	-
C	)
=	)
Ω	_
۲	-
v	,
2	_
-	-
u	J
LL.	j
~	,

ERIOD (Check One or More as	Appropriate)		
Pre-Columbian	16th Century	18th Century	20th Century
☐ 15th Century	17th Century	19th Century	÷
PECIFIC DATE(S) (If Applicab	le and Known)	1872: Reconstructed	1961.
REAS OF SIGNIFICANCE (Che	eck One or More as Appropria	ite)	
Abor iginal	Education	Political	` Urban Planning
Prehistoric	Engineering	Religion/Phi-	Other (Specify)
☐ Historic	☐ Industry	losophy	and the second s
Agriculture	Invention	Science	
Architecture	`'□ Landscape '`	Sculpture	
☐ Art	Architecture	Social/Human-	
☐ Commerce	Literature	itarian	
Communications	Military	Theater	
Conservation		Transportation	

Engineering/Transportation.

The last remaining covered bridge in New Jersey, Sergeant's Bridge was constructed in 1872 across the Wickecheoke Creek due to actions of the Hunterdon County Board of Chosen Freeholders.

Charles Ogden Holcombe of Lambertville, responsible for most of this regions covered bridges, was the designer and chief carpenter of the bridge, which was built on the site of a pre-Revolutionary stone bridge, using the original stone abutments. Another builder involved was Peter Sibley, a nearby ship-carpenter. The masons were Ely and Charles Everitt, but being constructed on old abutments their work was confined mainly to repairs to the wingwalk.

During their period of popularity in New Jersey, roughly from 1825 to the last quarter of the 19th century, there were perhaps 75 such bridges constructed in the state. The bridges covered to provide protection to the wooden structural members from the elements. The roof prevented falling rain from rotting the timbers and the side walls minimized the amount of rain wind would spray into the support beams. (Although many covered bridges eliminated side walls.) Later, the bridges were commonly used for shelter from a quick thunderstorm and a romanic, if not totally seeluded, spot for young lovers.

Before this covered bridge was built the property surrounding was sold to Charles Sergeant in 1805. On his death in 1833, his son, Richard Green Sergeant, inherited the estate. It appears that since the nearest resident was Richard Green Sergeant that the bridge was popularly titled Green Sergeant's bridge and the name has stuck ever since even though the covered bridge is different than the earlier stone bridge which had at least two piers.

As late as 1955 there were three such covered bridges in New Jersey, the other two spanning the Delaware River at Raven Rock and Columbia. The hurricane and flood of 1955, however, washed away the two bridges on the Delaware leaving the remaining Green Sergeant's Bridge the only 19th century covered bridge in New Jersey.

(cont.)

Keeper of The National Register

GPO 931-894

Historic American Buildings Survey - New Jersey - 442.

Library of Congress, Washington, D.C., 1937.

Rural Hunterdon. Hubert G. Schmidt. New Brunswick, 1945 (p. 169)

The Story of the Saving of the Green Sergeant's Covered Bridge.

MAJOR BIBLIOGRAPHICAL REFERENCES

July 1, 1974

Date

Form 10-300a (July 1969)

### UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

# NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

TATE	
New Jersey	
OUNTY	
Hunterdon	
FOR NPS USE ONL	Y
ENTRY NUMBER	DATE
NOV 1 9 197	4

(Continuation Sheet)

(Number all entries)

Green Sergeant's Covered Bridge Delaware Township Hunterdon County, 019 New Jersey, 34

#### 8. Significance (cont.)

Interestingly, this bridge nearly met its demise shortly after, when, in 1959, an inspection revealed that the bridge was no longer safe due, in part, to the same 1955 flood. The New Jersey State Highway Department at this time would probably have torn down the bridge, but public sentiment prevented them from taking any action.

In the meantime, while the state sought a compromise solution, the bridge collapsed. The Board of Chosen Freeholders of Hunterdon County then carefully dismenteled and removed all the sections of the covered bridge.

Soon the problem was solved. The highway department agreed to restore the bridge using "as many of the members and pieces of the present dismantled bridge as shall be practicable" (Assembly, Number 522) and constructing a new bridge parallel and adjacent to the the covered bridge.

The restoration was completed in the fall of 1961 and soonafter dedicated.

There is a New Jersey State Roadmarker at the site which reads:

Green Sergeant's

Last of New Jersey's 75 Covered Bridges. Built in 1872, on the site of a 1750 Bridge. Restored in 1961. Named for a Local Farmer.



Form 10-300a (July 1969)

#### UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

#### NATIONAL REGISTER OF HISTORIC PLACES **INVENTORY - NOMINATION FORM**

New Jersey	
Hunterdon	
FOR NPS USE ONL	Y
ENTRY NUMBER	DATE
NOV 1 9 19	Z);

(Continuation Sheet)

(Number all entries)

Green Sergeant's Covered Bridge Delaware Township Hunterdon County, 019 New Jersey, 34

#### 9. Biblibgraphy (cont.)

Hunterdon County, 1961. Brochure on the restoration of the bridge.

"Assembly, No. 522, State of New Jersey." Trenton, 1961. An act to permit the restoration of the covered bridge.

"Green Sergeent's Bridge", New Jersey Business. New Jersey

Manufacturers Insurance Company, July, 1963.
"Last Covered Bridge Narrowly Escaped Demolition", Hunterdon County Free Press. Richard Harpster and Alastair Frazer. March 1, 1972 (p. 12)

#### Additional articles in newspapers:

#### Hunterdon County Democrat:

"Covered Bridge to Mark Its 100th Year." September 7,

"A White Christmas." 1930's block print of the bridge. December 21, 1972.

#### Trenton Evening Times:

\*100 Year Old Covered Bridge Span Takes a Break. \* September 18, 1972.
"Long Span" Photograph. December 21, 1972.

