NPS Form 10-900 (Rev. 8-86)

United States Department of the Interior National Park Service

NATIONAL REGISTER OF HISTORIC PLACES REGISTRATION FORM



REGISTRATION FORM	NATIONAL PARK SERVICE
1. Name of Property	
historic name: <u>Cove Lake Spillway Dam/Bridge;</u> <u>Forest</u>	
other name/site number: LO0057	
2. Location	
street & number: State Highway 309, 9 miles s	
	not for publication: N/A
city/town: Corley	vicinity: X
state: AR county: Logan code: AR (2ip code: 72855
3. Classification	
Ownership of Property: <u>Public-Federal</u>	
Category of Property: <u>Structure</u>	
Number of Resources within Property:	
Contributing Noncontributing	
buildings sites structures objects Total	
Number of contributing resources previously list Register: N/A	ted in the National
Name of related multiple property listing: N/A	

United States Department of the Interior National Park Service

National Register of Historic Places Continuation Sheet

Cove Lake Spillway Dam/Bridge Ozark-St. Francis National Forest Logan County, Arkansas

3. State/Federal Agency Certification	
I hereby certify that this X nommets the documentation standards for Historic Places and meets the procedure	National Historic Preservation Act of 1966, as amende ination request for determination of eligibility registering properties in the National Register of ral and professional requirements set forth in 36 CFR meets does not meet the National tional comments.)
Evan J. DiBlowis	4-16-25
Signature of certifying official	<u>4-16-95</u> Date
Forest Service	Federal Preservation Officer
4 N. d 1 D. 1 C i - C. d. C. d.	
4. National Park Service Certification	
4. National Park Service Certification I, hereby certify that this property is:	
	AR. fyr 9/11/95 ster
I, hereby certify that this property is: entered in the National Register See continuation sheet. determined eligible for the National Register See continuation sheet. determined not eligible for the National Register	AR fyr 9/11/95 ster

		National	Register of
4. State/Federal Agency Certification		======================================	Places
As the designated authority under the of 1986, as amended, I hereby certiforequest for determination of eligibins standards for registering properties Historic Places and meets the proceds set forth in 36 CFR Part 60. In my does not meet the National Register	y that the lity med in the ural and opinion,	this <u>X</u> nomination the documentation National Register of professional request, the property <u>X</u>	n on of irements meets
Signature of certifying official Porest Sewice		4-17-	95
Signature of certifying official		4-17- Date	, ,
Frest Service			
State or Federal agency and bureau			
In my opinion, the property X mee Register criteria See continua Lachur J. Slatu Signature of commenting or other off	tion she	9-20-93 Date	
Arkansas Historic Preservation Progr	am		
State or Federal agency and bureau			
5. National Park Service Certificati			
I, hereby certify that this property	is:		
entered in the National Register			
See continuation sheet determined eligible for the			
National Register			
See continuation sheet determined not eligible for the National Register			
removed from the National Regis	ter		
other (explain):			
concr (captain).			
		ignature of Keeper	of Action
6. Function or Use			
Historic: RECREATION AND CULTURE		Outdoor recreation	
TRANSPORTATION		Road-related (vehi	
Current : RECREATION AND CULTURE	Sub:	Outdoor recreation	
TRANSPORTATION		Road-related (vehi	cular)

National	Register	of
Historic	Pipage	==

7. Description	
Architectural Classific	
Other	
Other Description: Rust	tic
	Stone/Concrete roof N/A other Earthen dam
sheet.	istoric physical appearance. X See continuation
8. Statement of Signif:	icance
Certifying official has	s considered the significance of this property in erties: <u>Locally</u> .
Applicable National Rec	gister Criteria: <u>A, C</u>
Criteria Consideration	s (Exceptions): N/A
Areas of Significance:	SOCIAL HISTORY ARCHITECTURE
Period(s) of Significat	nce: <u>1937-1942</u>
Significant Dates: 193	7
Significant Person(s):	N/A
	N/A N/A

State significance of property, and justify criteria, criteria considerations, and areas and periods of significance noted above. \underline{X} See continuation sheet.

National Register of
9. Major Bibliographical References
Interview with Olin Payne (former area resident), 09/15/93.
Workers of the Writers' Program. <i>The WPA Guide to 1930's Arkansas,</i> with a new introduction by Elliot West. Lawrence, Kansas: University Press of Kansas, 1987 (original copyright 1941).
See continuation sheet.
Previous documentation on file (NPS):
preliminary determination of individual listing (36 CFR 67) has been requested. previously listed in the National Register previously determined eligible by the National Register designated a National Historic Landmark recorded by Historic American Buildings Survey # recorded by Historic American Engineering Record #
Primary Location of Additional Data:
X State historic preservation office Other state agency X Federal agency Local government University Other Specify Repository:
10. Geographical Data
Acreage of Property: <u>Approximately 4</u>

UTM References: Zone Easting Northing Zone Easting Northing

A 15 442760 3898850

___ See continuation sheet.

Verbal Boundary Description: ___ See continuation sheet.

Beginning at a point on the western edge of State Highway 309 located approximately 300 feet north of its intersection with the northern edge of Service Road #2601, proceed westerly along a line perpendicular to the roadway for a distance of approximately 85 feet to its intersection with a perpendicular line running parallel with the roadway; thence proceed northerly along said line for a distance of approximately 800 feet to its intersection with a line running perpendicular with the roadway; thence proceed easterly along said line for a distance of 200 feet to its intersection with a line running parallel to the roadway; thence proceed southerly along said line for a distance of approximately 800 feet to its intersection with a line running perpendicular with the roadway; thence proceed westerly along said line for a distance of approximately 115 feet to the point of beginning.

National Register of Historic Places

Boundary Justification: ___ See continuation sheet. This boundary includes all the property historically-associated with the spillway dam/bridge. ______ 11. Form Prepared By ______ Name/Title: Kenneth Story, Architectural Historian Organization: Arkansas Historic Preservation Program Date: 09/17/93 Street & Number: 323 Center Street, Suite 1500 Telephone: (501) 324-9880

City or Town: Little Rock State: AR ZIP: 72201

United States Department of the Interior National Park Service

National Register of Historic Places
Continuation Sheet

Section number _______ Page ______

RECEIVED 413

RECEIVED 413

S

AUG 4 1995

INTERAGENCY RESOURCES DIVISION
NATIONAL PACK SERVICE

Summary

Located on Arkansas Highway 309 nine miles south of Paris in Logan county is Arkansas Highway and Transportation Department (AHTD) bridge #18115, also known as the Cove Lake Spillway Dam/Bridge. The total length of the structure is 850 feet and approximately 50 yards in width at the widest point. The dam is constructed of earth and stone and is oriented in a general north to south direction.

Elaboration

Located on Arkansas Highway 309 nine miles south of Paris in Logan county is Arkansas Highway and Transportation Department (AHTD) bridge #18115, also known as the Cove Lake Spillway Dam/Bridge. The total length of the structure is 850 feet and approximately 50 yards in width at the widest point. The dam is constructed of earth and stone and is oriented in a general north to south direction. The only feature of the dam other than the road across the top is the gate opening which controls the level of the lake. The controlling feature is located in the lake on the eastern side of the dam and the exit opening is located at the base of the dam on the western side. The bridge itself is 116 feet in length and is constructed of stone and concrete. The bridge is simply designed with Rustic style influences and consists of five arches. These arches are supported by stone piers which form the upper portion of the spillway. The bridge is 25 feet in width and has a deck material of asphalt and concrete. Each side of the bridge has a concrete guardrail which is 31 inches in height above the deck surface. The maximum span of the arches is 25 feet and the maximum height of the bridge above the spillway is 10 feet 5 inches. The spillway is constructed of concrete and is a total length of 580 feet and is 116 feet in width. The spillway begins at the lake's edge approximately 90 feet east of the bridge. The height of the spillway varies from 82 inches to 118 inches. Near the middle of the spillway is a 9 foot drop in elevation which begins the final descent of the water to a pool that feeds into Cove Creek.

NPS Form 10-900-a

United States Department of the Interior National Park Service

National Register of Historic Places

National Register of Historic Places Continuation Sheet

Section number8	Page 1	
Section number	_ rayo	

Summary

The Cove Lake Spillway Dam/Bridge (Ozark-St. Francis National Forest) is eligible under Criteria A and C with local significance. It is considered significant under Criterion A by virtue of its direct associations with the Works Progress Administration (WPA), the Depression-era public works agency that actually supervised the construction and provided the labor to build it. Under Criterion C its bridge is significant as a particularly good example of an ashlar-faced stone masonry arch bridge designed with clear Rustic-style influences.

Elaboration

The Cove Lake Spillway Dam/Bridge (Ozark-St. Francis National Forest) was constructed in 1937 by the Works Progress Administration as part of its effort to create the small recreation area at the western end of the man-made Cove Lake. As was typical of most such Depression-era recreational lakes projects in Arkansas, the shallow basin that would become Cove Lake was nothing more than an eroded water channel formed by the confluence of four small streams descending from the surrounding hills; however, it provided a good natural basin for a small shallow recreational lake, and thus its selection for this WPA project.

These resources were constructed within this relatively remote area for the purpose of providing developed recreational facilities for both local residents and tourists. The abundance of natural drainage channels that converge here in this shallow basin created a site well-suited to the creation of a recreational lake.

The onset of the Great Depression in 1929 and the subsequent advent of such federal public works programs as the Works Progress Administration (WPA) brought a new recreational area to this rural section of Logan County in 1937. The WPA -- an organization that hired unemployed adult men and women to work on a variety of public projects throughout the nation -- was established by President Franklin Delano Roosevelt and his administration as part of the federal response to the dire economic circumstances brought upon the American people by the Great Depression. The WPA was but one of many such public works organizations instituted by the Roosevelt Administration and managed under the aegis of the umbrella agency in charge of all such public works efforts, the Federal Emergency Relief Administration (FERA); other agencies under its direction included the Civilian Conservation Corps (CCC), the short-lived Public Works and Civilian Works Administrations (PWA and CWA), and such regional projects as the Tennessee Valley Authority (TVA) and the Rural Colonization Projects in Arkansas established by the Resettlement Administration at such places as Dyess, Clover Bend and Plum

NPS Form 10-900-a (8-86)

United States Department of the Interior National Park Service

National Register of Historic Places

National Register of Historic Places Continuation Sheet

Section number8	Page	2
-----------------	------	---

Bayou. Among its various other projects, the WPA constructed a small number of rural recreation areas throughout the state -- though this was not their principal emphasis -- and the Cove Lake Recreation Area was constructed as part of this effort.

The source of the heavy, Rustic-influenced style employed in the construction of the Cove Lake Bridge is unclear. While virtually all of the public works agencies in Arkansas during the Depression carried out their construction projects with locally-available materials whenever possible, the design of the bridge at Cove Lake is reminiscent not only of the materials favored by the CCC, but also of the low, stone masonry Rustic style that became their trademark. Other known WPA-constructed projects around the state -- including school buildings, courthouses, dams, etc. -- do not uniformly or reflect the influence of any particular stylistic tradition, apparently relying instead on both materials and construction expertise that were available locally. It is certainly possible that the men working for the WPA were directed by construction supervisors and architects already familiar with typical Civilian Conservation Corps construction, of which there was an abundance in the immediate vicinity by the time this project began (e.g., Mt. Nebo State Park, located approximately twenty-two miles to the northeast, and the various recreational facilities in the Ouachita National Forest located immediately to the south). However, no documentation survives directly connecting any other public agencies to this WPA project.

Nevertheless, the design of the Cove Lake Bridge remains one of the better examples of masonry arch bridge that, though it presents a fairly clean and finished aspect, was nevertheless designed with the clear influence of the Rustic style. The use of the five shallow arches to support the roadway above and to provide a spillway for the 170-acre Cove Lake to the east, combined with the rough texture of the ashlar-faced stone used to face the bridge's sides and arches combine to create a bridge structure that is both functional and handsome (the solid concrete balustrade above is certainly a later addition, though its exact date is not known; yet it does not sufficiently detract from the bridge's original aspect to render it ineligible).

The Cove Lake Spillway Dam/Bridge remains locally significant under Criterion A through its associations with the contributions to American social history made by the Works Progress Administration and its associations with the emphasis upon putting the nation's unemployed to work on a variety of projects for the public good. It is also significant under Criterion C by virtue of the its bridge being the best local example of such a structure designed in the Rustic style of architecture.

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

	L REGISTER OF			
	EVALUATION/RE	TURN SHEE	TOENA	ED 413
REQUESTED ACTION: NOMINA	TION	In	CCEIV	ED 413
PROPERTY Cove Lake Spill	lway DamBri	dge	AUG	4 1996
MULTIPLE NAME: STATE & COUNTY: ARKANSAS	, Logan	INT	ERAGENCY RES	OURCES DIVISION
DATE RECEIVED: 12/28 DATE OF 16TH DAY: 1/27 DATE OF WEEKLY LIST:			ING LIST:	1/11/95 2/11/95
REFERENCE NUMBER: 940016	18 00 do 1-6 das			
NOMINATOR: STATE				
REASONS FOR REVIEW:				
APPEAL: N DATA PROBLEM: OTHER: N PDIL: REQUEST: N SAMPLE:	N LANDSCAPE N PERIOD: N SLR DRAFT	N PROG	THAN 50 YERAM UNAPPE ONAL:	
COMMENT WAIVER:			sidnifics	
ACCEPTVRETURN	REJECT	1.19.90	DATE	
ABSTRACT/SUMMARY COMMENTS				

The nomination is being returned at this time for the reason(s) cited below:

Federal Agency Certification. The nomination requires the signature of the Federal Preservation Officer (FPO).

ERIA	+	ETURN
Paul	R.	LUSIGNAN
HIST	TORIAL	4
1/10	195	-
	AUI HIST	ERIA A. R. HISTORIA

DOCUMENTATION see attached comments YN see attached SLR Y/N

CLASSIFICATION
countresource type
STATE/FEDERAL AGENCY CERTIFICATION
FUNCTION
historic current ephtad-msd vswillaz exist evan vivi
DESCRIPTION
architectural classification materials accommodescriptive text
RECEIVED: 12/28/94 DAME OF PENDANC LIST: 1/11/45
SIGNIFICANCE
Period Areas of SignificanceCheck and justify below
Specific dates Statement of Significance (in one paragraph) Builder/Architect
clarityapplicable criteriajustification of areas checkedrelating significance to the resourcecontextrelationship of integrity to significancejustification of exceptionother
BIBLIOGRAPHY MAN AND AND AND AND AND AND AND AND AND A
GEOGRAPHICAL DATA
acreageverbal boundary descriptionboundary justification
ACCOMPANYING DOCUMENTATION/PRESENTATION
sketch mapsUSGS mapsphotographspresentation
OTHER COMMENTS
Questions concerning this nomination may be directed to
Paul Lusignan Phone 202. 343.1628
Signed Of 1. Lane Date 1/19/5

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES EVALUATION/RETURN SHEET

REQUESTED ACTION: RESUBMISSION		
PROPERTY Cove Lake Spillway DamB: NAME:	ridge	
MULTIPLE NAME:		
STATE & COUNTY: ARKANSAS, Logan		
	OF PENDING LIST: OF 45TH DAY:	9/18/95
REFERENCE NUMBER: 94001618		
NOMINATOR: STATE		
DETAILED EVALUATION: Y	11/	
	9/11/95 DATE	
ABSTRACT/SUMMARY COMMENTS:		
The Cove Lake Spillway DamBridge is significated, in the areas of Social History and Architecture.		
example of Rustic-style stone masonry construction Works Progress Administration in western Arkan	tion and reflects the importa	ant work of the
Works Progress Administration in Western Arkar	isas during the period 1955	-1542.
RECOM./CRITERIA Aucyt A.C		
REVIEWER PAUL A. LOUIGNAND DE	SCIPLINE HISTORIAN	
TELEPHONE 202.343./623 DA	ATE 9/11/9T	
DOCUMENTATION see attached comments	Y Nsee attached SLR	40.)



Cove Lake Spillway Dam/Bridge COZark-St. Francis N.F)

AHTO Bridge # 18115

Corley Vic., Logan Co., Arkansas

Photographed by T. Ferguson

February 1993

Negative on file at AHPP

View from East

200057

Blue Mountain

2360 Reply to: INTERAGENCY RESOURCES DIVISION NATIONAL PARK SERVICE

Keeper of the National Register C/O Guy Lapsley Department of Interior National Park Service P.O. Box 3712 Washington D.C. 20013-7127 Mail Stop 413

Dear Keeper;

Enclosed are six (6) National Register of Historic Places Nomination forms for sites on the Ozark-St. Francis National Forests in Arkansas. These forms were completed as a part of a Challenge Cost Share Partnership with the Arkansas State Historic Preservation Program. The AHPP staff completed the inventory and nomination forms as part of this partnership. The sites include:

Lake Wedington Historic District Spring Lake Recreation Area Historic District Gray Spring Recreation Area/Forest Service Road #1003 Historic District Sugarloaf Fire Tower Historic District Mirror Lake Historic District Cove Lake Bathhouse

All of these sites are CCC or WPA built structures under the management of the Ozark-St. Francis National Forest. If you have any questions regarding these sites or forms please contact me at (501) 964-7229.

Sincerely;

GARY D. KNUDSEN Forest Archeologist

enc



Reply To: 2360



Carol Shull, Chief of Registration National Register of Historic Places National Park Service P.O. Box 37127 Washington, D.C. 20013-7127

Dear Ms. Shull:

Enclosed are the nomination forms for a series of properties located on National Forest System lands that we have found to meet the criteria for inclusion in the National Register of Historic Places. We are submitting them for your review and final decision as to whether or not to include them in the National Register. The properties are:

Name	Forest	County	State
Lake Weldington	Ozark-St. Francis NF	Wash.	AR
Spring Lake Recreation Area	Ozark-St. Francis NI	Yell	AR
Mirror Lake	Ozark-St. Francis NI	Stone	AR
Sugarloaf Fire Tower	Ozark-St. Francis NI	Stone	AR
Gray Spring Recreation Area	Ozark-St. Francis NI	Franklin	AR
Cove Lake Bathhouse	Ozark-St. Francis NI	Logan	AR
Cove Lake Spillway Dam/Bridge	Ozark-St. Francis NI	Logan	AR

We would appreciate your consideration of these properties for addition to the National Register and look forward to your response. If there are any questions pertaining to these nominations, please contact me at 202-205-1427 or FAX 202-205-1145.

Sincerely,

EVAN I. DEBLOOIS

Preservation Officer, Recreation, Heritage and Wilderness Resources

Enclosures w/49 photos



Printed on Recycled Paper FS-6200-28b (12/93)