UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

FOR FEDERAL PROPERTIES

FOR NPS	TICEC	NIV				
	, vor o					
	n,	PR 5	40*	77		
RECEIVE	A	rnv	IJ.	11		* * * *
HELEIVE	:U					
	*					
DATE EN			VO.	T 9 1	1977	
UAILER	HERED	į.	u.	1 6 1	10//	

FOR FEDERAL					
		<i>O COMPLETE NATION</i> COMPLETE APPLICAB		5	
NAME					
_					
HISTORIC	Nices Tidesby 11.				
AND/OR COMMON	liver Light '	, , ,			
LOCATION					
STREET & NUMBER		A.			
Sw of	Wincheste		NOT FOR PUBLICATION		
CITY, TOWN		,	CONGRESSIONAL DISTR	ICT	
Winchester	Bay	VICINITY OF	4th		
STATE		CODE 41	COUNTY	CODE	
Oregon	\ T	41	Douglas	019	
CLASSIFICATION	N				
CATEGORY OWN	IERSHIP	STATUS	PRESENT USE		
DISTRICT XXPUBLIC	2	OCCUPIED	AGRICULTURE	MUSEUM	
XBUILDING(S)PRIVAT		XUNOCCUPIED	COMMERCIAL	PARK	
STRUCTUREBOTH	-	WORK IN PROGRESS	EDUCATIONAL	PRIVATE RESIDEN	
	LIC ACQUISITION	ACCESSIBLE	ENTERTAINMENT		
		-		RELIGIOUS	
		XYES: RESTRICTED	XX GOVERNMENT	SCIENTIFIC	
BEING	CONSIDERED	YES: UNRESTRICTED	_INDUSTRIAL	**TRANSPORTATION	
<u> </u>		NO	XXMILITARY	OTHER:	
AGENCY					
REGIONAL HEADQUARTERS: (If ap	prication	oast Guard			
	Command	der, Thirteenth Co	ast Guard Distric	t (flp)	
STREET & NUMBER					
	ond Avenue		STATE		
CITY, TOWN Seat t le		VICINITY OF	Washington	98174	
LOCATION OF LE	CAL DESCR				
LOCATION OF L	EGAL DESCR	ir mon			
COURTHOUSE.					
REGISTRY OF DEEDS, ETC.	Douglas Co	unty Courthouse			
STREET & NUMBER	Douglag Co	mtiz-Countiz Counth	,		
CITY, TOWN	Dougras Co	unty-County Courth	STATE		
CITY, TOWN	Dogobuses				
DEDDECENTE A TEL	Roseburg	INC CUDVEVC	Oregon		
REPRESENTATIO	JN IN EXIST.	ING SUKVE 15			
TITLE					
	Inventory of	<u> Historic Sites an</u>	d Buildings		
DATE		CEDEDAL Y	CTATE COUNTY LOCAL		
1970		revenal _A	STATECOUNTYLOCAL		
DEPOSITORY FOR SURVEY RECORDS Devolution		_ ,			
Parks	and Recreation	on Branch			
CITY. TOWN Sale	em		Oregon STATE		
Sale	em		Oregon		

CONDITION

CHECK ONE

CHECK ONE

__EXCELLENT

__DETERIORATED

__UNALTERED

XXORIGINAL SITE

__FAIR

__RUINS
__UNEXPOSED

_XALTERED

__MOVED DATE____

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

The light structure consists of a brick masonry conical tower, with a rectangular engine room extension connected by a short passage way. The stuccoed tower, 22 feet i diameter at the base, rises 67 feet to a metal framed lantern which has sixteen sides (marked A-P for erection purposes). The lantern is glazed with three tiers of rectangular panes and is capped with a ball finial ventilator.

The base of the tower is distinguished by an elaborate watertable formed of cut stone mouldings. The two windows in the stairway of the tower have fully developed stone enframements. The tower work room below the lantern has four windows which alto nate with recessed panels in the masonry. There is a moulded stone band below the windows and an elaborate modillioned cornice just below the railing.

The lantern is fitted with a first order lens manufactured by F. BARBIER & CIE in Paris, dated 1890, and is designated BF/91. The lens and carraige are supported on four metal columns connected by open spandrel arches.

The attached engine room, 16.1 ft X 12.1 ft, has a gable roof with masonry paragets. Access is gained through a door on the west side before which is a flight of stone steps. The one inside room has been refinished with resilent flooring, fiber-board ceiling and new door and window trim. This building is now covered with asphalshingles rather than the original wood. The parapets have been capped in metal and a modern flush door installed.

Color Scheme:

Grey: Base

Grey Green: Lantern, window sash, frames and reveals

White: Masonry walls

Red: Roof

Light Characteristics: Gr. Fl. W., Alt. R. Fl., 15 Seconds

Light List: 1278 and 90

Source of illumination: electricity

Height of focal plane: 165 feet

Range of light: 21 miles white, 20 red

Fog signal: NONE

Radio Beacon: 324 khz 25 ft @ 270 degrees from light

Light Signal: 0.1 sec white flash, 4.9 ecclopse

0.1 sec white flash, 4.9 ecclipse

0.1 sec red flash, 4.9 ecclipse

Light Specs: 210,000 candlepower electric

There are no associated structures of significance remaining.

8 SIGNIFICANCE

PERIOD	AREAS OF SIGNIFICANCE CHECK AND JUSTIFY BELOW							
PREHISTORIC 1400-1499 1500-1599 1600-1699 1700-1799 1800-1899 1900-	—ARCHEOLOGY-PREHISTORIC —ARCHEOLOGY-HISTORIC —AGRICULTURE —ARCHITECTURE —ART —XCOMMERCE —COMMUNICATIONS	COMMUNITY PLANNING CONSERVATION ECONOMICS EDUCATION ENGINEERING EXPLORATION/SETTLEMENT INDUSTRY	LANDSCAPE ARCHITECTURE LAW LITERATURE XMILITARY MUSIC PHILOSOPHY POLITICS/GOVERNMENT	RELIGION SCIENCE SCULPTURE SOCIAL/HUMANITARIAN THEATER XTRANSPORTATION OTHER (SPECIEV)				
SPECIFIC DAT	ES	BUILDER/ARCI	HITECT					

C. W. LEICK

STATEMENT OF SIGNIFICANCE

Original specs for first order lens (1898), light tower (Jan 1891) keepers dwelling, barn, oil house, etc (Jan 1891) are still on file at CG District 13 Headquarters.

The mouth of the Umpqua River was among the first four sites selected for light-houses in the Oregon Territory. Other designated sites, as stated in a letter dated 01 October 1851 from the Secretary of the Treasury to the Secretary of the Interior, were Cape Disappointment, New Dungeness and Cape Flattery. All three of these sites now fall within the borders of the State of Washington. Construction of the first light-house, which was built near the river's entrance, was commenced in 1856 and the light exhibition in the fall of the following year. In 1863, river freshets undermined the foundations of this structure and it collapsed, a total loss.

It was not until 1888 that Congress appropriated money for a replacement. A site of higher elevation was purchased and construction commenced in 1891. Completion of the facility was delayed by default of one of the contractors and it was not finished and lighted until near the end of 1894.

The tower and workroom bear a striking resemblance to Heceta Head Light, which was built about thirty miles to the north in 1892-93. Another similar light of the northwest coast is North Head Lighthouse (c. 1898) in the State of Washington near the mouth of the Columbia River.

Jim Gibbs, in West Coast Lighthouses, reports a thrilling story of piracy which took place off the Umpqua River Light in 1909. Two men of unsavory character, suspecting the presence of a large gold shipment, plotted to sieze the Alaska Pacific Navagation Co., liner BUCKMAN, run her aground and make off with the treasure. The plans were Warted, but not before the captain of the ship and the leading thug were dead.

1889

9 MAJOR BIBLIOGRAPHICAL REFERENCES

Coast Guard Property Records

JIM GIBBS West Coast Lighthouses

J. A. GIBBS Jr.

(Seattle: Superior Publishing Co., 1974) America's Lighthouses (Brattleboro, Vt: Stephen Greene, 1972) F. ROSS HOLLAND Jr. **10 GEOGRAPHICAL DATA** ACREAGE OF NOMINATED PROPERTY live than one acre LSF **UTM REFERENCES** A 1 1 0 | 4 0 3 5 0 0 NORTHING ZONE EASTING VERBAL BOUNDARY DESCRIPTION LIST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES STATE CODE COUNTY CODE CODE STATE CODE COUNTY **11FORM PREPARED BY** NAME / TITLE R.J. WILLIAMSON, Lt. USCG Chief, Logistics & Property Branch ORGANIZATION Thirteenth Coast Guard District, 915-2nd FTS: 399-5620 or 5723 STREET & NUMBER Seattle Washington 98174 CITY OR TOWN STATE **CERTIFICATION OF NOMINATION** STATE HISTORIC PRESERVATION OFFICE RECOMMENDATION NO ATE HISTORIC PRESERVATION OFFICER SIGNATURE In compliance with Executive Order 11593, I hereby nominate this property to the National Register, certifying that the State Historic Preservation Officer has been allowed 90 days in which to present the nomination to the State Review Board and to evaluate its significance. The evaluated level of signifigance FEDERAL REPRESENTATIVE SIGNATURE TITLE FOR NPS USE ONLY I HEREBY CERTIFY THAT THIS PROPER IN THE NATIONAL REGISTER DATE KEERER OF THE

Sentinels of the North Pacific (Portland: Binfords & Mort, 1955)