United States Department of the Interior National Park Service

National Register of Historic Places Registration Form

RECEIVED 2280

FOR 1 7 1998

STOPPER CIT HAVES

This form is for use in nominating or requesting determinations for individual properties and the structions in How to Complete the National Register of Historic Places Registration Form (National Register Bulletin 16A). Complete the National Register of Historic Places Registration Form (National Register Bulletin 16A). Complete ach item by marking "x" in the appropriate box or by entering the information requested. If an item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, architectural classification, materials, and areas of significance, enter only categories and subcategories from the instructions. Place additional entries and narrative items on continuation sheets (NPS Form 10-900a). Use a typewriter, word processor, or computer, to complete all items.

	Name of Property	piete an items	•
histo	oric name Indian Creek Bridge		_
othe	er names/site number		
2.	Location		
stre	et & number Artesian Road over Indian Creek	not for pu	ublication
city	or town 1.5 miles east of Cedar Rapids	vicinity	
state	e Iowa code IA county Linn code 113	zip code	52406
3.	State/Federal Agency Certification		
	As the designated authority under the National Historic Preservation Act, as amended, I hereby certify that this request for determination of eligibility meets the documentation standards for registering properties in the National Historic Places and meets the procedural and professional requirements set forth in 36 CFR Part 60. In my property meets does not meet the National Register criteria. I recommend that this property be considered in a fine property by a statewise locally. (See continuation sheet for additional comments.)	onal Register opinion, the ed significant	
	National Park Service Certification		
	entered in the National Register See continuation sheet	5.15	5-98
	determined eligible for the National Register See continuation sheet		
_	determined not eligible for the National Register		
	other, (explain):		

5. Classification				
Ownership of Property (Check as many boxes as apply) Category of Property (Check only one box)		Number of Resources within Property (Do not include previously listed resources in the count)		
□ private	☐ building(s)	Contributing	Noncontributing	
public-local	☐ district	0	0	buildings
☐ public-State	□ site	0	0	
□ public-Federal	■ structure □ object	1	0	structures
		0		objects
		1	0	Total
Name of related multiple pr (Enter 'N/A' if property is not part or	operty listing f a multiple property listing)	Number of contributing resources previously listed in the National Register		
Highway Bridges of Iowa		_ 0		
6. Function or Use			-	
Historic Functions (Enter categories from instructions)		Current Functi (Enter categories fr		
TRANSPORTATION/re	oad-related	TRANSPORTATION/road-related		
7. Description				
Architectural Classification (Enter categories from instructions)		Materials (Enter categories fr	om instructions)	
other: pinned Pratt through truss		foundation	Stone	
		walls		
		roof		
		other	Wrought Iro	nn .

Narrative Description

(Describe the historic and current condition of the property on one or more continuation sheets)

Located east of Cedar Rapids, the Indian Creek Bridge spans unnamed stream in a rural Linn County setting that has changed little since the structure's period of significance. A description of the structure follows:

construction date: c1880 span number: 1 span length: 115.0' construction cost: unknown 191.0' current condition: good total length:

roadway wdt.: 15.7' approach spans replaced, 1987 alterations:

superstructure: wrought iron, 8-panel, pin-connected Pratt through truss, with four timber stringer ap-

proach spans on north end

main span: stone pier and stone abutment with wingwalls; approach spans: timber pile substructure:

piers and timber pile bent abutment with timber back and wingwalls

floor/decking: timber deck over timber stringers

other features: upper chord and inclined end post: 2 channels with cover and batten plates; lower

chord: 2 punched rectangular eyebars; hip vertical: 2 star irons; vertical: built-up Ibeam; diagonal: 2 square eyebars; single-intersection counter: 2 looped square eyebars; double-intersection counter: 1 round eyerod with turnbuckle; timber railing; floor beam: I-beam, U-bolted and bolted to superstructure; top and bottom lateral: round rod; sway bracing: 4 angles with lacing; iron hip blocks and portal cresting; portal builder's plate: Wrought Iron Bridge Co. Canton, O./Builders/Patented Nov. 21st, 1876

With the above-noted alterations, the Indian Creek Bridge functions in place. It retains a high degree of integrity of location, design, setting, materials, workmanship, feeling and association.

8. Statement of Significance						
Applicable National Register Criteria (Mark 'x' in one or more boxes for the criteria qualifying the property for National Register listing)	Areas of Significance (Enter categories from instructions)					
□ A Property is associated with events that have made a significant contribution to the broad patterns of our history.	ENGINEERING					
□ B Property is associated with the lives of persons significant in our past.						
■ C Property embodies the distinctive characteristics of a type, period, or method of construction or represents the work of a master, or possesses high artistic values, or represents a significant and distinguishable entity whose components lack individual distinction.	Period of Significance					
□ D Property has yielded, or is likely to yield,	(The period of significance is derived					
information important in prehistory or history.	from the original construction date.)					
Criteria Considerations (Mark "x" in all the boxes that apply)	Significant Dates					
Property is:	c1880 (construction date)					
☐ A owned by a religious institution or used for religious purposes.						
☐ B removed from its original location.	Significant Person (Complete if Criterion B is marked above)					
☐ C a birthplace or grave.	N/A					
□ D a cemetery.	Cultural Affiliation					
\square E a reconstructed building, object, or structure.	N/A					
☐ F a commemorative property.						
C loss than 50 years of age or achieved significance	Architect/Builder					
☐ G less than 50 years of age or achieved significance within the past 50 years.	designer: Wrought Iron Bridge Company, Canton OH					
	Wrought Iron Bridge Company, Canton OH					
Narrative Statement of Significance (Explain the significance of the property on continuation sheets.)	Wrought Iron Bridge Company, Canton OH					
9. Major Bibliographicai References						
Bibliography (Cite the books, articles, and other sources used in preparing this form on one or more continuation sheets.)						
Previous documentation on file (NPS): Primary location of additional data:						
□ preliminary determination of individual listing (36 CFR 67) has been requested □ previously listed in the National Register □ previously determined eligible by the National Register □ designated a National Historic Landmark □ recorded by Historic American Buildings Survey □ recorded by Historic American Engineering □ Record	■ State Historic Preservation Office other State agency Federal agency Local government University other name of repository:					

Indian Cros	k Daidan	Linn County I				
Indian Cree		Linn County; I	owa 			
10. Geographic	ai Data	- · · · · · · · · · · · · · · · · · · ·				
Acreage of Prop	erty less than one acre					
UTM References (Place additional UTM	; I references on a continuation sheet)					
1 15 6175	80 4646900	2				
zone easting	northing	zone easting	northing			
Verbal Boundary (Describe the bounda	Description ries of the property)					
The nominated property is a rectangular-shaped parcel measuring 18 feet by 191 feet, which is centered on the UTM point(s) listed above. Included within this rectangular parcel are the bridge's superstructure, substructure, approach spans and floor system.						
Boundary Justification (Explain why the boundaries were selected) The nominated structure includes the bridge's superstructure, substructure, floor system, any approach spans and the property on which they rest. These boundaries encompass, but do not exceed all of the property that has been historically associated with the bridge. 11. Form Prepared By						
name/title	Charlene Roise, Demian Hess and C	Clayton Fraser				
organization	Fraserdesign	date	31 August	1994	· · · · · · · · · · · · · · · · · · ·	
street & number	1269 Cleveland Avenue	telephone	303-669-7	969		
city or town	Loveland	state	Colorado	_ zip code .	80537	
Additional Docur	nentation					
Submit the following i	tems with the completed form:					
Continuation She	eets					
Maps A USGS map (7½ or 15 minute series) indicating the property's location A Sketch map for historic districts and properties having large acreage or numerous resources						

Photographs

Representative black and white photographs of the property

Additional Items

(Check with the SHPO or FPO for any additional items)

Property Owner							
(Complete this item at	t the request of SHPO or FPO)						
name/title	Linn County						
street & number	1888 County Home Road	telephone	319-398	-3445			
city or town	Marion	state	Iowa	zip code _	52302		

Paperwork Reduction Act Statement: This information is being collected for applications to the National Register of Historic Places to nominate properties for listing or determine eligibility for listing, to list properties, and to amend existing listings. Response to this request is required to obtain a benefit in accordance with the National Historic Preservation Act, as amended (16 U.S.C. 470 et seq.).

Estimated Burden Statement: Public reporting burden for this form is estimated to average 18.1 hours per response including time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding this burden estimate or any aspect of this form to the Chief, Administrative Services Division, National Park Service, P.O. Box 37127, Washington, DC 20013-7127; and the Office of Management and Budget, Paperwork Reductions Projects (1024-0018), Washington, DC 20503.

United States Department of the Interior National Park Service

National Register of Historic Places Continuation Sheet

Section Number	8	Page 1	Indian Creek Bridge	Linn County; Iowa

This short-span through truss extends northwest-southeast across a stream in southern Linn County, about a mile east of Cedar Rapids. A plate located on the bridge's south portal notes that the Wrought Iron Bridge Company (WIBCo) erected the structure, using a design that it had patented in 1876. The Indian Creek Bridge was presumably constructed shortly after the patent had been issued. WIBCO's patented design was a variation of a standard Pratt truss configuration, employing double-intersecting counter members which radiated outward from the center of the span. The Wrought Iron Bridge Company was established in 1864 and was ultimately absorbed into the American Bridge Company in 1900. It was one of several Ohio companies that provided many of Iowa's early metal bridges. This early wrought-iron truss features four timber stringer spans at its north approach and is supported by a combination stone/timber substructure. With no alterations of note, the bridge continues to carry intermittent vehicular traffic.

In its extensive dealings with the Wrought Iron Bridge Company in the 1870s, Linn County was simply following a regional trend. As this county and hundreds of others in the Midwest contracted with the Ohio-based bridge company in the 1870s, Wrought Iron quickly became one of the largest fabricators in America. In addition, its president, David Hammond, distinguished himself as one of the country's most prolific bridge innovators. The counties and municipalities of Iowa were among WIBCo's best customers. The period of extensive rural road and bridge construction in the state during the 1870s coincided with the firm's ascendence in the industry, combining to create a booming market for WIBCo's regional sales representatives. The Ohio giant was extremely active in the region at this time. By 1885 WIBCo had installed 21,600 feet of bridges in Iowa: almost equaling the total output of WIBCo across America in its first nine years of business. Only New York, Ohio, Indiana and Illinois had purchased more structures from Hammond. That year WIBCo's bridges could be found in 41 of the state's 99 counties. Although these were distributed in all areas of Iowa except the northwest corner, WIBCo's strength clearly lay in the eastern part of the state. The Indian Creek Bridge typifies WIBCo's penchant for the esoteric. Although the company marketed bowstrings and single-intersection Pratt trusses extensively, it also experimented with other forms, such as this double-intersection Pratt. This bridge is significant as a well-preserved example of an uncommon early wagon truss configuration, built by what was perhaps the most influential bridge building in Iowa in the 1870s.

United States Department of the Interior National Park Service

National Register of Historic Places Continuation Sheet

Section Number 9 Page 2 Indian Creek Bridge Linn County; Iowa

Iowa Department of Transportation, Structure Inventory and Appraisal: Structure No. 220850.

Victor C. Darnell, Directory of American Bridge-Building Companies, 1840-1900 (Washington, D.C.: Society for Industrial Archaeology, 1984), page 48.

James L. Cooper, Iron Monuments to Distant Posterity; Indiana's Metal Bridges, 1870-1930 (n.p., 1987), pages 63-4.

Field inspection by Charlene K. Roise, 28 September 1991.