NPS Form 10-900

United States Department of the Interior National Park Service

National Register of Historic Places Registration Form

OMB No. 1024-0018

RECEIVED 2280

NOV 1 3 2015

Nat. Register of Historic Places National Park Service

1

historic name Saugatuck Pump House	
other names/site number	
2. Location	
street & number 735 Park Street	not for publication
city or town Saugatuck	vicinity
state Michigan code MI county AI	legan code 005 zip code 49453
3. State/Federal Agency Certification	
for registering properties in the National Register of Historequirements set forth in 36 CFR Part 60.	et the National Register Criteria. I recommend that this property ficance:
Signature of commenting official	Date
Title State	or Federal agency/bureau or Tribal Government
4. National Park Service Certification	
I hereby certify that this property is:	determined eligible for the National Register removed from the National Register
other (explain:)	

Saugatuck Pump House

Ownership of Property (Check as many boxes as apply.) Category of Property (Check only one box.)		Number of Resources within Property (Do not include previously listed resources in the count.)				
		Contributing	Noncontributing			
Private	x building(s)	1	buildings			
X public - Local	district		sites			
public - State	site		1 structure			
public - Federal	structure		objects			
	object	1	1 Total			
Name of related multiple pr Enter "N/A" if property is not part of		Number of con listed in the Na	tributing resources previously tional Register			
N/A			None			
the second s						
6. Function or Use						
Historic Functions		Current Function (Enter categories from				
Historic Functions (Enter categories from instructions.)		the second se				
Historic Functions (Enter categories from instructions.) Industry/Processing/Ext		(Enter categories fro	om instructions.)			
Historic Functions (Enter categories from instructions.) Industry/Processing/Extr waterworks		(Enter categories fro				
Historic Functions (Enter categories from instructions.) Industry/Processing/Extr waterworks		(Enter categories fro	om instructions.)			
6. Function or Use Historic Functions (Enter categories from instructions.) Industry/Processing/Extr waterworks energy facility		(Enter categories fro	om instructions.)			
Historic Functions (Enter categories from instructions.) Industry/Processing/Extr waterworks		(Enter categories fro	om instructions.)			
Historic Functions (Enter categories from instructions.) Industry/Processing/Extr waterworks		(Enter categories fro	om instructions.)			
Historic Functions (Enter categories from instructions.) Industry/Processing/Extr waterworks		(Enter categories fro	om instructions.)			
Historic Functions (Enter categories from instructions.) Industry/Processing/Extr waterworks		(Enter categories fro	om instructions.)			
Historic Functions (Enter categories from instructions.) Industry/Processing/Extr waterworks energy facility 7. Description		(Enter categories fro	om instructions.)			
Historic Functions Enter categories from instructions.) Industry/Processing/Extr waterworks energy facility 7. Description Architectural Classification		(Enter categories fro	om instructions.)			
Historic Functions (Enter categories from instructions.) Industry/Processing/Extr waterworks energy facility 7. Description Architectural Classification (Enter categories from instructions.)	raction:	(Enter categories from an Recreation and Materials (Enter categories from (Enter categories from (Enter categories from)	om instructions.)			
Historic Functions Enter categories from instructions.) Industry/Processing/Extr waterworks energy facility 7. Description Architectural Classification (Enter categories from instructions.)	raction:	(Enter categories from an Recreation and Materials (Enter categories from foundation: N	om instructions.)			
Historic Functions Enter categories from instructions.) Industry/Processing/Extr waterworks energy facility 7. Description Architectural Classification (Enter categories from instructions.)	raction:	(Enter categories from an Recreation and Materials (Enter categories from (Enter categories from (Enter categories from)	om instructions.)			
Historic Functions (Enter categories from instructions.) Industry/Processing/Extr waterworks energy facility 7. Description Architectural Classification (Enter categories from instructions.)	raction:	(Enter categories from an Recreation and Materials (Enter categories from foundation: N	om instructions.) om instructions.) Iot visible			
Historic Functions (Enter categories from instructions.) Industry/Processing/Extr waterworks	raction:	(Enter categories from an Recreation and Materials (Enter categories from foundation: <u>N</u> walls: <u>Brick</u>	om instructions.) om instructions.) Iot visible			

(Describe the historic and current physical appearance of the property. Explain contributing and noncontributing resources if necessary. Begin with a summary paragraph that briefly describes the general characteristics of the property, such as its location, setting, size, and significant features.)

Summary Paragraph

The Saugatuck Pump House is a simple one-story red brick structure with an approximately 1400 square foot footprint. It stands on the west bank of the Kalamazoo River across from downtown Saugatuck. Constructed in two sections, the Pump House measures fifty-eight feet in length on the river (east) and street (west) sides, twenty-seven feet wide in the 1912 north section, and twenty-two feet wide in the 1904 south section. Its dominant features are its red brick walls, hipped roofs with flaring eaves and wide overhangs with exposed rafter ends, and four sets of triple windows on the front (river) side topped by white-painted colonial caps. The low west elevation displays two triple windows in the south section and the north end two double windows. The foundation is of concrete and block. The roof is timber-framed and now clad in asphalt shingling. The interior retains some of the original exposed brick walls and wood-finished ceilings, while other areas now have sheetrocked wall finishes.

Narrative Description

The Pump House is located at the foot of a large, wooded sand dune known as Mount Baldhead, which is a city park. The area is today wooded with homes and cottages, docks on the river, and a magnificent view up and down the river. The Pump House stands with its back (west side) to Park Street and front (east) facing the river. There are six parking spaces to the west, along the street, and a large parking lot across the street to the west. The lot on which the building sits measures 115 feet on the east and west sides, seventy feet on the north boundary and forty-three feet on the south. The Saugatuck-Douglas Historical Society (SDHS) has leased the property from the City of Saugatuck since 1992. A concrete switchback walkway was added to the north of the building around 1995 to facilitate access for the disabled. Between 1999 and 2001 new gardens were designed and planted along the walkway; they are maintained by the SDHS. Entrance to the site is through a hip-roof brick and wood pavilion (visible at right edge of Photo 1) that was constructed in 2001.

8. Statement of Significance	
Applicable National Register Criteria Mark "x" in one or more boxes for the criteria qualifying the property or National Register listing.)	Areas of Significance (Enter categories from instructions.)
A Property is associated with events that have made a significant contribution to the broad patterns of our	Engineering
history.	Social History
B Property is associated with the lives of persons significant in our past.	
C Property embodies the distinctive characteristics of a type, period, or method of construction or	Period of Significance
represents the work of a master, or possesses high artistic values, or represents a significant and distinguishable entity whose components lack individual distinction.	1904-c. 1930
D Property has yielded, or is likely to yield, information	Significant Dates
important in prehistory or history.	1904
	1912
Criteria Considerations (Mark "x" in all the boxes that apply.)	Significant Person
Property is:	(Complete only if Criterion B is marked above.)
A Owned by a religious institution or used for religious purposes.	Alvord, John W.
B removed from its original location.	Cultural Affiliation
	N/A
C a birthplace or grave.	
D a cemetery.	and the second second
E a reconstructed building, object, or structure.	Architect/Builder
F a commemorative property.	Alvord, John W.
G less than 50 years old or achieving significance within the past 50 years.	

Period of Significance (justification):

Construction of first part of plant to time when it was last used for its original purposes (according to best estimate with available information).

Criteria Considerations (explanation, if necessary)

N/A

Statement of Significance Summary Paragraph (Provide a summary paragraph that includes level of significance and applicable criteria.)

The Saugatuck Pump House meets national register criterion A in the Saugatuck context for housing Saugatuck's first public water supply pumping station and electric system generating plant. The water pumping station went into operation in 1904, the electric plant, operated by the Lake Shore Electric Company, in 1912. The pump house also meets national register criterion B for its direct association with John W. Alvord, a nationally prominent hydraulic and sanitary engineer of the time from the Chicago area. Alvord, who planned the village public water system of which the pump house was a component, was a summer resident in Saugatuck at the time he was tapped to plan Saugatuck's water system and for over forty years in all.

Narrative Statement of Significance (Provide at least one paragraph for each area of significance.)

Criterion A – Historic Events

The Pump House is historically significant at the local Saugatuck level in that it marks two major events in the history of the Village of Saugatuck: the introduction of its first public water system and its first electrical system. Around 1900 many cities and towns around America were installing their first municipal water and electrical systems.

The direct impetus for the establishment of the municipal water system in 1903-04 was several fires that destroyed a hotel and other buildings. According to the August 1900 Sanborn fire maps, the village's water supply facilities were rated "not good," with the sources of water being the Kalamazoo River and six public wells. There was no organized fire department and only one hand-pulled fire vehicle, with cisterns located around the village. As Saugatuck (population then approximately 800) became more popular as a resort town with direct steamship traffic from Chicago and interurban service that connected it to nearby cities including Grand Rapids, it became apparent that the village needed to replace the cisterns that, along with private wells, provided the water supply with a system that provided a more adequate water supply for all purposes, including fighting fires in this town of mostly wooden buildings. As in other small towns and villages of the time, the installation of a powered municipal water system greatly improved health and safety, setting the stage for further growth.

On November 23, 1903, the day after yet another fire severely damaged a downtown residence ("Wiped Out by Fire," *Commercial Record*, Nov. 27, 1903), the common council met in special session and voted to call a special election on December 7 on the question of the issuance of \$8500 in bonds to pay for design and construction of a system of water works ("The Water Works Question," *Commercial Record*, December 4, 1903). Council had previously received a design and estimate for an elevated tank system similar to ones that had been installed in other villages in Michigan. The measure passed by a vote of 100 to 9 ("100 to 9," *Commercial Record*, Dec. 11, 1903). The story noted that, "our recent great fire had opened the eyes of our people to the necessity of better fire protection."

Next a committee was appointed to study what kind of system should be installed, and where. It met with several engineers and visited water plants in the Chicago area ("Committee Saugatuck Pump House

Reports," *Commercial Record*, Jan. 1, 1904). Concluding that a tank system would be more expensive, it recommended instead a 100,000-gallon reservoir be built at a high point west of the river with a main running under the river, with pumps powered by gas engines to push the water up into the reservoir. A few days later, the village agreed to retain John W. Alvord to prepare the plans and superintend the work, for a fee of \$400 ("More About Water Works," *Commercial Record*, Jan. 15, 1904). Alvord submitted proposed specifications for the water system to the village board on or about March 5, 1904 ("Specifications of the Water Works System," *Commercial Record*, March 11, 1904). A list of specifications of the water system submitted by Alvord to the village board on or about March 5, 1904, states that the "pumping station" building was estimated to cost \$720.00 to construct ("Specifications of the Water Works System," *Commercial Record*, March 11, 1904). Bids were approved in May along with the awarding of the bond issue ("Council Accepts Bids," *Commercial Record*, May 6, 1904).

Work soon commenced and it was reported in mid-August that the "power house [is] finished and the machinery is now in it...." ("Water Works Almost Complete," *Commercial Record*, Aug. 19, 1904). On October 14, 1904, the local paper reported that the system had been completed and had recently been turned on, with three miles of pipes and a number of hydrants ("Water Turned On," *Commercial Record*, October 14, 1904). "We now have one of the best water systems in the country," the article crowed. A J. F. Metzgar was the first citizen to have water in his house, and the pressure was so great that a step-down valve had to be installed to reduce it (Id.).

The 1904 Pump House is the most visible manifestation of Saugatuck's first municipal water system. It is situated at the bottom of Mount Baldhead, a sand dune over 200 feet high that in the 1800s had little vegetation at the top, hence the name. The pumps, wells and reservoir of the original water system were sited away from the town for health reasons, to keep the drinking water away from cesspools and contamination in the village ("Specifications of the Water Works System," *Commercial Record*, March 11, 1904). Water was drawn from seven wells, then pumped – by two 25-horsepower gasoline-powered pumps in the Pump House – to a 100,000-gallon reservoir at the top of what is now Lone Pine Dune, just north of Mt. Baldhead ("Water Turned On," *Commercial Record*, Oct. 14, 1904). Water then flowed by gravity down the hill and through pipes under the river into mains that served buildings and hydrants in the village.

The original 1904 building was the southern section (slightly under half the overall length) of the current one, measuring twenty-two by twenty-five feet. A c. 1906 post card view shows the building as originally constructed, with the east side's two triple windows and to their north/right the slightly projecting brick stack, part of what was then a chimney stack that rose above the roofline, in place. The building had a hip roof, and the entry was in a broad square-head, transomed opening near the south end of the narrow north facade.

In 1912 the building was more than doubled in size to also house the village's first electric power generating station. In early March of that year the village board approved an electric light ordinance and a franchise to W. T. McCaskey to provide electrical service to the village for street lights and private homes and other buildings. McCaskey also "made the village a proposition to pump the city water" as well. If this was approved, according to the article, the electric light plant would be built as an expansion of the pump house ("Electric Light Ordinance Is Passed," *Commercial Record*,

3/9/1912). This is apparently what happened. The new plant also used water power from the reservoir atop the nearby dune to generate the electricity.

An April 5, 1912, article reports that E. A. Armstrong, from Lansing, was in town to arrange for building the new power house for the newly established Lake Shore Electric Co. The story stated, "the new building will be practically an addition to the water works building and will be of the same style of architecture." Armstrong's visit to Saugatuck was also "to ascertain the number of lights that will be used by private parties and arrange for wiring houses, which will be well to have done before the spring house cleaning." A two candle power light will cost "about three eighths of a cent per hour for the time it is in use" ("Lake Shore Electrical Co.," *Commercial Record*, April 5, 1912).

Construction of the power house addition to the pump house must have gotten under way soon after, and the electric light plant went into operation by mid-July 1912. A July 19 story, "Opening a Success," in the *Commercial Record* reported on an open house at the Lake Shore Electric Co.'s showroom on Hoffman Street in Saugatuck two days earlier. Termed a "decided success," the open house presented a display of "all kinds of light fixtures, electric fans, irons, bread toasters and vacuum cleaners, which were thoroughly demonstrated. The show rooms will be open afternoon and evening and the public is invited to call and inspect their line of fixtures at any time. The street lights were turned on the same evening and are a decided improvement over the old gasoline lamps."

The addition on the pump house's north side measured thirty-two feet in length by twenty-seven feet in width (five feet wider than the original). A much broader entry, though in similar transomed style to the original, was installed in the center of the eastern (river-facing) side. The windows' smooth slab sills and molded wood colonial caps appear to be the originals installed when the building's two sections were constructed. The floor of the addition is eighteen inches higher than that of the original portion of the building, presumably to protect the generating equipment in case of a water leak.

Later History

By the 1930s, if not before, the pumping and generating functions were no longer adequate to the village's growing population and needs and had been moved to larger facilities. The Pump House was abandoned and gradually fell into disrepair. By 1970 its heavy slate roof had pushed out portions of the walls. Part of the west wall had fallen in, exposing the interior.

In 1972 Dr. and Mrs. William Shorey of Chicago contracted with the village to lease the property for twenty years to serve as their cottage in exchange for restoring the building. The work included removal of the remaining pumping and generation equipment, and replacement of the roof and certain footings, as well as repairs to the windows, doors and brickwork. A new pine floor was installed over the original maple. A fireplace was also added. The floor plan was a large living area on the north side, where the addition had been made, while the original space on the south side was used as the kitchen (see photos submitted herewith). A loft was installed on that side to contain sleeping quarters (Interview with Jay Shorey, July 22, 2015).

When that lease expired and Dr. Shorey passed away, in 1992 the city leased the property to the SDHS, which opened the community's first historical museum in the space. The walls were partially sheetrocked, and a new pine floor was added over the old one. In 2001 an entrance pavilion, with red brick piers and bracketed hip-roof wood canopy, was added out by the street at the property's northwest end, and a concrete switchback walk replaced railroad tie stairs from the street level down to the entrance. Gardens on the north side of the building, created by

7

the Shoreys, have been restored and improved over the last twenty years. A riverfront retaining wall and black iron fencing were added to define the garden area, while the waterfront below the wall was left in its natural state.

Today the Pump House Museum consists of two connected rooms and a small bathroom. The large north room has interior dimensions of thirty by twenty-five feet while the south room is twenty by twenty-five feet; the loft space, located on the west side of the smaller south room, measures approximately eight by twenty-five feet. The interior walls are of sheetrock, and the floor is pine. The museum welcomes over 8,000 visitors a year to its interior exhibition space and an estimated additional 20,000 to the site itself.

Criterion B - John W. Alvord

The 1904 Pump House, and reportedly the 1912 addition, were designed by John W. Alvord, a summer resident of the area, who was one of the leading water/sanitary engineers of his time. While working in nearby Holland, Michigan, in 1899, Alvord viewed the Lake Michigan shore in the Saugatuck-Douglas area from a passing steamer and fell in love with the area. Alvord and his wife bought a waterfront lot later that year and in 1900 built a summer cottage there. Alvord was one of the founders of Shorewood, a ninety-seven-acre cottage community on the lakeshore established in 1902, and personally laid out the grounds into seventy-four lots, with streets and park areas. Alvord served as the president of the Shorewood Association, the association of stockholders that owned and managed the property, for its first twenty-three years and summered in Saugatuck until his death, actually passing away at his cottage there.

Alvord (1861-1943) was born in Massachusetts but settled in the Chicago area in the 1880s. He learned his trade with his brother-in-law's civil engineering firm, and soon was made a partner in the firm. He served as assistant engineer in the Chicago suburbs of Lake View and Hyde Park and then as city engineer for Lake View in the 1880-88 period, involved extensively in sewer, water works, and street pavement construction. He spent much of 1888 in England, France, Germany, Italy and Austria studying municipal and sanitary engineering works. In 1889-90 he served as city engineer in Cicero, Illinois. Later in 1890 Alvord was appointed by Daniel H. Burnham, the Director of Works of the World's Columbian Exhibition in Chicago (a/k/a the Chicago World's Fair), to head his Bureau of Roads & Waterways charged with laying out and developing the fair's grounds, collaborating with Frederick Law Olmsted and others. Alvord was put in charge of the dredging, grading and filling of the 630 acre fair grounds, the construction of roads, and the installation of a drinking water supply from springs in Wisconsin (including 150 "drinking booths"). Serving 1890-93, he was the recipient of one of the seventy medals later awarded to the designers of the Fair. In 1893, following his work for the exposition, Alvord entered into his own practice as a consulting engineer, specializing in municipal and sanitary, water works, and flood control engineering and valuations.

In 1902 Charles B. Burdick joined the firm, which became Alvord & Burdick, and in 1921 it became Alvord, Burdick & Howson when Louis Richard Howson, brought on board in 1908, was admitted as a partner. Like Alvord, Burdick and Howson also lived in the Chicago area and, like him, both came to have summer cottages in the Saugatuck area, Alvord's just outside of Shorewood and Burdick and Howson's within Shorewood.

Alvord's firm of consulting engineers designed water and sewage systems for many municipalities,

including Chicago, Columbus, Ohio, Grand Rapids, Michigan, Omaha, the new steel town of Gary, Indiana, and St. Louis. He authored a number of technical papers in his field. He received an honorary degree in civil engineering from the University of Wisconsin in 1913. Alvord was elected President of the Western Society of Engineers, the Illinois Society of Engineers, and the American Water Works Association. He was a director of the American Society of Civil Engineers. He was also a member of the Chicago Real Estate Board and the Illinois State Board of Natural Resources and Conservation.

Developmental history/additional historic context information (if appropriate)

9. Major Bibliographical References Bibliography (Cite the books, articles, and other sources used in preparing this form.)

Alvord, John Watson. The Condensed Record of Twenty Five Years of Engineering Works by John Watson Alvord, consulting engineer for Sanitary and Hydraulic Work. Hartford Building, Chicago (undated).

Budd, Nancy, ed. 100 Years at Shorewood. 3rd ed. 2003.

Burdick, Charles B., and Louis R. Howson. 44 Years at Shorewood. Saugatuck, MI: Shorewood Associatio 1946.

Downs, Winfield Scott, ed. Who's Who in Engineering. A Biographical Dictionary of the Engineering Profession 1931. 3rd ed. NY: Lewis Historical Publishing Co., 1931.

Engineering & Contracting 51 (Jan. 19, 1910), citing Rossiter Johnson, A History of the World's Columbian Exposition (1897), 493.

Handy, Moses. "John Alvord," Official Directory of the World's Columbian Exhibition, at 174; Program, 75th Anniversary Conference. American Water Works Association, Illinois Section (March 21- 23, 1984), cited at <u>http://www.isawwa.com/history/75%20Years%20Book.pdf</u>.

Kidorf, Kristine; Scott Grammer; and Jane Busch for the Saugatuck Dunes Coastal Alliance and Saugatuck-Douglas Historical Society. Saugatuck Historic Coastal Survey Report 65-66 (Jan. 2010).

"Memoir, John Watson Alvord." The Illinois Engineer 4-5 (Oct. 1943).

"Memoir" [Alvord]. Transactions of the American Society of Civil Engineers (1943)

National Cyclopedia of American Biography

Public Service: Electricity, Gas, Water, Telephones, Tramways, Vol. 7-9 at 171 (June 1910)

9

Sheridan, James. Saugatuck Through the Years. 1982. 282, 296-97.

Saugatuck Commercial Record, Saugatuck, MI.

- November 27, 1903: "Wiped Out by Fire."
- December 4, 1903: "The Water Works Question."
- December 11, 1903: "100 to 9."
- January 1, 1904: "Committee Reports."
- January 15, 1904: "More About Water Works."
- March 11, 1904: "Specifications of the Water Works System."
- May 6, 1904: "Council Accepts Bids."
- August 19, 1904: Water works system almost complete.
- October 14, 1904: "Water Turned On."
- March 9, 1912: "Electric Light Plant Is Passed."
- April 5, 1912: "Lake Shore Electrical Co."
- July 19, 1912: "Opening a Success."

Previous documentation on file (NPS):

- preliminary determination of individual listing (36 CFR 67 has been requested)
- previously listed in the National Register
- previously determined eligible by the National Register
- designated a National Historic Landmark
- recorded by Historic American Buildings Survey #
- recorded by Historic American Engineering Record # _____ recorded by Historic American Landscape Survey # _____

- Primary location of additional data:
- State Historic Preservation Office
- Other State agency
- X Federal agency Local government
- Local gove University
- x Other

Name of repository: Saugatuck-Douglas Historical Society

Historic Resources Survey Number (if assigned):

10. Geographical Data

Acreage of Property Less than one acre)

(Do not include previously listed resource acreage.)

Lat./Long.: 42.660675 -86.207141

UTM References

(Place additional UTM references on a continuation sheet.) see attached Google Earth screenshot

1			3				
Zone	Easting	Northing		Zone	Easting	Northing	
2			4				
Zone	Easting	Northing		Zone	Easting	Northing	-

Verbal Boundary Description (Describe the boundaries of the property.)

Beginning at a point found by commencing at NE corner of Lot 3 in Park Addition to Village of Saugatuck in Sec. 9, T3N, R16W, Saugatuck Twp., Allegan Co., MI; thence N 03 deg, 20 min, 52 sec W, 79.13 ft; th E parallel with N line of sd Park Addition 20.50 ft to Place of Beginning of this description; th N 08 deg, 33 min, 32 sec W 115.44 ft; th E 70.42 ft to a point on an intermediate traverse line along the Kalamazoo River; th S 05 deg, 07 min, 27 sec W on said traverse line 114.60 ft; th W 43.00 ft to Place of Beginning, together with all land between said intermediate traverse line and the Kalamazoo River. Subject to an easement to the City of Saugatuck over the S 18 ft thereof for storm drainage.

Boundary Justification (Explain why the boundaries were selected.) Includes entire property associated with the Pump House.

11. Form Prepared By

name/title	le James Schmiechen and Richard E. Donovan, Members (Rev. by R.O. Christensen, MI SHF				
organization	Saugatuck-Douglas Historical Society	date August 3,	2015		
street & nun	nber 130 W. Center St.	telephone 269-8	357-1256		
city or town	Douglas	state MI	49406		
e-mail	rdono61@gmail.com				

Additional Documentation

Photographs:

Submit clear and descriptive photographs. The size of each image must be 1600x1200 pixels at 300 ppi (pixels per inch) or larger. Key all photographs to the sketch map.

Name of Property: Saugatuck Pump House City: Saugatuck County: Allegan State: Michigan Photographer: Richard E. Donovan or Elliot Sturm Date Photographed: October 23, 2014 (indicated by A) and July 16, 2015 (indicated by B) Description of Photograph(s) and number: East facade, camera facing west (A) Photo 1 of 12: MI Allegan SaugatuckPumpHouse 0001 Photo 2 of 12: East facade, camera facing northwest (A) MI Allegan SaugatuckPumpHouse 0002 Photo 3 of 12: North facade, camera facing southwest (A) MI Allegan SaugatuckPumpHouse 0003 North and west facades, camera facing northeast (A) Photo 4 of 12: MI Allegan SaugatuckPumpHouse 0004 West façade, camera facing east (A) Photo 5 of 12: MI_Allegan_SaugatuckPumpHouse_0005 Photo 6 of 12: North room looking northeast (B) MI Allegan SaugatuckPumpHouse 0006 Photo 7 of 12: Entry pavilion and gardens, pumphouse center right, camera facing south (B) MI Allegan SaugatuckPumpHouse 0007


- Photo 8 of 12: Entry pavilion, pumphouse at far right, camera facing southeast (B) MI_Allegan_SaugatuckPumpHouse_0008
- Photo 9 of 12: Entry pavilion, looking northeast across river to downtown area (B) MI_Allegan_SaugatuckPumpHouse_0009

Photo 10 of 12: Pump House from northeast c. 1904 (right-hand, north end not built yet) MI_Allegan_SaugatuckPumpHouse_0010

- Photo 11 of 12: Pump House with electric plant added, looking west-southwest c. 1914 MI_Allegan_SaugatuckPumpHouse_0011
- Photo 12 of 12: Interior views during Shorey years c. 1970s MI_Allegan_SaugatuckPumpHouse_0012

Property Owner:	
(Complete this item at the request of the SHPO or FPO.)	
name City of Saugatuck	
street & number 102 Butler St.	telephone 269-857-2603
city or town Saugatuck	state Michigan zip code 49453

Paperwork Reduction Act Statement: This information is being collected for applications to the National Register of Historic Places to nominate properties for listing or determine eligibility for listing, to list properties, and to amend existing listings. Response to this request is required to obtain a benefit in accordance with the National Historic Preservation Act, as amended (16 U.S.C.460 et seq.). Estimated Burden Statement: Public reporting burden for this form is estimated to average 18 hours per response including time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding this burden estimate or any aspect of this form to the Office of Planning and Performance Management. U.S. Dept. of the Interior, 1849 C. Street, NW, Washington, DC.



Saugatuck Pump House 735 Park Street, Saugatuck, Allegan County, Michigan

Lat./Long.: 42.660675, -86.207141

one inch = 500 feet

0 250 ft 500 ft





















SAUGATUCK, MICH.





UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES EVALUATION/RETURN SHEET

REQUESTED ACTION: NOMINATION

PROPERTY Saugatuck Pump House NAME :

MULTIPLE NAME :

STATE & COUNTY: MICHIGAN, Allegan

11/13/15 DATE OF PENDING LIST: 12/16/15 DATE RECEIVED: DATE OF 16TH DAY: 12/31/15 DATE OF 45TH DAY: 12/29/15 DATE OF WEEKLY LIST:

REFERENCE NUMBER: 15000943

REASONS FOR REVIEW:

APPEAL:	N	DATA PROBLEM:	N	LANDSCAPE:	N	LESS THAN 50 YEARS:	Ν
OTHER:	N	PDIL:	N	PERIOD:	N	PROGRAM UNAPPROVED:	N
REQUEST:	N	SAMPLE:	N	SLR DRAFT:	N	NATIONAL:	N
COMMENT I	WAI	VER: N				1	

RETURN

CCEPT

7- 19.15 DATE REJECT

ABSTRACT/SUMMARY COMMENTS:

Entered in The National Register of Historic Places

RECOM./CRITERIA		
REVIEWER	DISCIPLINE	-
TELEPHONE	DATE	_

DOCUMENTATION see attached comments Y/N see attached SLR Y/N

If a nomination is returned to the nominating authority, the nomination is no longer under consideration by the NPS.



GOVERNOR

STATE OF MICHIGAN MICHIGAN STATE HOUSING DEVELOPMENT AUTHORITY STATE HISTORIC PRESERVATION OFFICE

KEVIN ELSENHEIMER EXECUTIVE DIRECTOR

RECEIVED 2280

NOV 1 3 2015

Nat. Register of Historic Places National Park Service

November 4, 2015

Mr. J. Paul Loether, Chief National Register of Historic Places National Park Service 1201 Eye Street, NW, 8th Floor Washington, DC 20005

Dear Mr. Loether:

Enclosed is a national register nomination form for the Saugatuck Pump House in Allegan County, Michigan. This property is being submitted for listing in the national register. No written comments concerning this nomination were submitted to us prior to the submission of this nomination to you.

Questions concerning this nomination should be addressed to Robert O. Christensen, national register coordinator, at 517/335-2719 or email at christensenr@michigan.gov.

Sincerely yours

Brian D. Conway State Historic Preservation Officer