United States Department of the Interior National Park Service

National Register of Historic Places Inventory—Nomination Form

For NPS use	only			_
received	oct	9	19	86
date entere	MOV	I	2	1986

See instructions in *How to Complete National Register Forms* Type all entries—complete applicable sections

1. Name

historic	Starke County	Court	nouse					
and or common	Same							
2. Loca	ation							
street & number	Courthouse Sq	uare				<u>N/</u>	A not for pu	blication
city, town	Knox		N <u>/A</u> vie	cinity of				
state	Indiana	code	018	county	Starke		cod	e 149
3. Clas	sificatio	n						
Category district _Xbuilding(s) structure site object	Ownership X public private both Public Acquisitie in process being conside N/A		Status X occupi unocci work in Accessibl X yes: re yes: un no	upied n progress e estricted	Present Use agriculture commercial educational entertainmen X government industrial military	it	religio scient	e residence us ific portation
4. Own	er of Pro	pert	у					
name	Starke County	Commis	sioners					
street & number	Starke County	Court	nouse					
city, town	Knox		N/A_ via	cinity of	sta	ate	Indiana	46534
5. Loca	ntion of L	ega	Des	criptio	'n			
courthouse, regis	stry of deeds, etc.	Starl	ke County	Courthous	se, Recorder's	0ffi	се	
street & number		Wash	ington St	reet				-
city, town		Knox			sta	ate	Indiana	46534
6. Repr	esentati	on iı	n Exis	sting S	burveys			· · · · · · · · · · · · · · · · · · ·
title	N/A			has this prop	erty been determine	d elig	ible?	yes X no
date					federal	state	count	y local
depository for su	rvey records	/A						
city, town					sta	ıte		

7. Description

Condition

	excellent	 deteri
<u> X </u>	good	 ruins
	fair	 unexp

	Check one
eteriorated	unaltered
uins	<u>_X</u> altered
nexposed	

Check one _X_ original site ____ moved date _

Describe the present and original (if known) physical appearance

The Starke County Courthouse was erected in 1897, designed by Fort Wayne architects Wing and Mahurin, and built by Caldwell and Drake, of Columbus, Indiana. It is located in the courthouse square, which is bounded by Washington, Main, Mound and Pearl Streets.

The three-story Richardsonian Romanesque courthouse is constructed of Indiana Oolitic limestone and terra cotta, and has a tiled, hipped roof. The building's height, including the clock tower, is 138 feet. The layout follows a Greek cross plan, with the massive clock tower located at the roof's center.

The courthouse's main facade, the south elevation, is three bays wide, with a central pavilion that terminates in a wall dormer. (Photo 1.) The one-story entryway projects, and is constructed with massive rock-faced stone block that is used exclusively on the ground level of the building. The entrance is set within a finely engraved, broad segmental arch that appears to spring from ornamental visage medallions. The original paired wood doors have yielded to modern replacements which are flanked by single windows framed by stone mullions. Three lights are contained in the entrance's arched transom. A balustraded balcony, underscored by a corbel table, spans the one-story entry and features pedestal-mounted gargoyle light fixtures which are located at each corner. Above the balcony is a two and one-half story round-arched window, divided vertically into three bays by stone mullions. Doublehung windows are located on the second and third stories, with ornamented spandrel panels between floors. Above the third story windows is a row of square lights, followed by another row of square lights, and topped by lights that fit within the round arch. The arch itself is compound, with dressed stone piers that have carved capitals, which act as springers for the rock-faced stone arch. The archivolt has a pointed peak, which reaches up to a decorated, louvered opening in the wall dormer. The dormer has a fractable gable. The surface of the wall dormer is rock-faced stone, laid in alternating wide and narrow courses.

Flanking the central pavilion on this facade are single bays, each with a pair of windows below a broad, round arch at the ground level. The rock-faced stone at the ground floor level slopes inward to meet the dressed stone water table between the first and second floors. Above the water table the walls are of rock-faced stone, with alternating courses of wider and narrower stones. The second story has single rectangular, double-hung windows, with ornamented spandrel panels separating them from the windows on the third floor. Although the third floor double-hung windows are round-arched, their heads are Gothic-arched, with rock-faced voussoirs and ornate springers. Four pilasters are located on the facade, at each corner and flanking the central pavilion. Corbelled stone and plain molding form the cornice, above which are two more courses of stone. The roofline is decorated with square stone pinnacles above each pilaster.

Also facing south on either side of the main facade are recessed single bays, which are treated similarly to the bays flanking the central pavilion, except that the ground floor windows are single, rectangular, double-hung sash, rather than the arched configuration found on the main facade.

From the center of the red, clay-tiled roof rises the square clock tower, which is best described as having two distinct parts that are separated by a cornice and balustrade resembling the balcony over the main entrance. The lower section continues the building's upper story stonework. Each of the lower section's faces contains paired, deepset, compound, round-arched windows, divided horizontally into four lights. The springers are decorated, and from the lower corners of the cornice spring gargoyle-like sculptures.

8. Significance

1400–1499 1500–1599 1600–1699 1700–1799 X 1800–1899	X_architecture	community planning conservation economics	music	science sculpture social/ humanitarian
Specific dates	1897	Builder/Architect Cald	well and Drake/Wing	and Mahurin

Statement of Significance (in one paragraph)

The Starke County Courthouse is significant for its Richardsonian Romanesque architecture, designed by the firm of John F. Wing and Marshall S. Mahurin, of Fort Wayne, and for its role as the seat of county government for the past 89 years.

The partnership of Wing and Mahurin dates from 1881 with the firm designing a number of prominent; buildings, including the Hancock and Monroe County Courthouses, the City Halls of Fort Wayne and Kokomo, and the Riley school in Greenfield, and St. Paul's Evangelical Lutheran Church in Fort Wayne.

The building was constructed in 1897 by contractors George W. Caldwell and Lester Drake, of Columbus, Indiana. Caldwell and Drake are best known for the West Baden Springs Hotel which, at that time, had the largest dome in the world, and for the Palace of Agriculture at the St. Louis World's Fair, which was the largest building ever constructed under one roof at the time of its execution. The building is a fine example of the Richardsonian Romanesque style, one of many Wing and Mahurin buildings in this style. Characteristic features include the rock-faced stone, heavy massing, broad arches, and steeply pitched, hipped roof.

The building is the third county courthouse and is significant for its being the seat of county government for nearly 90 years. A wooden structure was utilized when Knox became the county seat in 1850, being replaced with a larger, brick building in 1858. The present structure was finished in 1898 at a cost of \$130,000, and is the oldest civic building in the county.

The building continues to serve the Starke County community. The courthouse presently contains the offices for zoning, health, the Council on Aging, the Court Clerk, the law library, the Jury room, Probation, and Judges' Chambers, and the courtrooms.

9. Major Bibliographical References

Please see continuation sheet

10. Geographical Data

					· · · · · · · · · · · · · · · · · · ·
Acreage of nomi	inated property <u>1.</u> ne Knox East, In	<u>6 acres</u>			1.24000
				Qu	adrangle scale <u>1:24000</u>
UT M References	5				
A 1 6 5 3 Zone Easti		0 <u> </u> 8 7 1 19	BZo	ne Easting	Northing
c L L			D		
ELL			F [
GLI			н		
Verbal bounda	ry description and	justification			
The Starke Co	ounty Courthouse	is bounded	by Washingto	on, Main, Mou	und, and Pearl Streets
List all states	and counties for pr	operties over	rlapping state	or county bound	daries
state N/	Α	code	county		code
state		code	county		code
11. Fo	rm Prepar	ed By			
name/title	Ronald Merriam,	Past Pres	ident		
organization	Starke County H	istorical S	Society	date	April, 1986
street & number	207 East State	Street		telephone	219/896-2629
city or town	North Judson			state	Indiana 46366
12. Sta	ate Histori	c Pres	ervatio	n Office	er Certification
The evaluated si	gnificance of this prop	perty within the	state is:		
	national	state	_X_ local		
665), I hereby no		or inclusion in	the National Reg	ister and certify t	tion Act of 1966 (Public Law 89– hat it has been evaluated
State Historic Pr	eservation Officer sign	nature 🥖	acht ,	Mant for	1. M. Redensin
title Indiana	State Historic	Preservatio	on Officer	<u> </u>	1. M., Peclennes date aug. 21, 1986
For NPS use	only				0
	ertify that this property	is included in	the National Regi		ulo la
	KMUUS	<u> </u>			date IIII Og
<i>W</i>	e National Register				

date

Attest:

Chief of Registration

GPO 894-788

NPS Form 10-900-a (3-82)			OMB No. l Expires	
United States Department of the Inter National Park Service	rior	Par	IPS use only	
National Register of Histo Inventory—Nomination Fo			ived entered	
Continuation sheet Starke County Courthouse	Item number	7 and 9	Page	1

The arcaded upper section, the clock tower proper, is constructed of dressed, coursed ashlar and has a high, hipped roof. The center two of the four open, round arches of the arcade are recessed and are framed by a shallow blind arch that extends up into the wall dormers and houses a clock face. The central arch has a dressed stone archivolt from which rises a decorative relief at its apex. The two open arches flanking the central arches are taller, and have archivolts, as well as projecting springers. On either side of the wall dormer, the cornice is corbelled as on the main building.

The treatment of the clock tower's roof, wall dormer coping, and ridge roll follows that found on the courthouse proper.

The courthouse interior, which has recently been partially refurbished, features both hardwood and ceramic-tiled floors, plaster and panel wall treatments, and ornate cornice and pilaster capitals. The staircase is accented by ornamental iron balusters, marble steps, and a patriotic ceiling painting of Liberty located between the first and second floors. Ionic capitals, with polychromed gilding, eagle, and shield are found on hall columns and pilasters.

The courthouse lawn is landscaped with trees and shrubs and is surrounded by a coping of limestone that also edges the entry walks. Mounted cannons flank the main, south entrance and on the southwest corner is located the granite and limestone Starke County war memorial.

Item number 9

McCormick, Chester A. McCormick's Guide to Starke County. 1902.

Richman, George J. <u>History of Hancock County, Indiana</u>. 1916. Greenfield, IN: Mitchell Publishing Company.

<u>Standard History of Starke County, Indiana, A.</u> Vol. 1. Chicago: The Lewis Publishing Company, 1915.

Starke County Centennial, 1850-1950. Published by the Starke County Democrat.

Courthouse Records

Original blueprint of building.