
UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM



1.51

COUNTY Pocahontas

SEE INSTRUCTIONS IN HOW TO COMPLETE NATIONAL REGISTER FORMS TYPE ALL ENTRIES -- COMPLETE APPLICABLE SECTIONS

HISTORIC

LOCUST CREEK COVERED BRIDGE

AND/OR COMMON

LOCATION

STREET & NUMBER CHEER COLOR COLOR COLOR COLOR

Secondary Route 31; crossing Locust Creek CONGRESSIONAL DISTRICT

CODE 54

STATE West Virginia

CLASSIFICATION

CATEGORY __DISTRICT __BUILDING(S) XSTRUCTURE __SITE

__OBJECT

OWNERSHIP X_PUBLIC __PRIVATE __BOTH PUBLIC ACQUISITION __IN PROCESS __BEING CONSIDERED

STATUS X_OCCUPIED in service __UNOCCUPIED __WORK IN PROGRESS ACCESSIBLE __YES: RESTRICTED X_YES: UNRESTRICTED __NO

527

__AGRICULTURE __MUSEUM __COMMERCIAL __PARK __EDUCATIONAL __PRIVATE RESIDENCE __ENTERTAINMENT __RELIGIOUS __GOVERNMENT __SCIENTIFIC __INDUSTRIAL X_TRANSPORTATION __MILITARY __OTHER:

PRESENT USE

075

OWNER OF PROPERTY

NAME

West Virginia Department of Highways

STREET & NUMBER 1900 Washington Street, East

CITY, TOWN				STATE	
Charleston	-	VICINITY OF		Virginia	
الا المالية المواد ويسير علي المواد بين المالية في المالية في عمال محرَّة عليه المواد المواد المالية في عن الم		<u>ى بى بەر بەر بەر بەر بەر بەر بەر بەر بەر بەر</u>			

LOCATION OF LEGAL DESCRIPTION

COURTHOUSE.

CITY, TOWN

REGISTRY OF DEEDS, ETC.

Unknown

STATE

REPRESENTATION IN EXISTING SURVEYS

 ΤΪΤΕ	None			
DATE		FEDERALSTATE	COUNTYLOCAL	
 DEPOSITORY FOR SURVEY RECORDS			an a	
 CITY, TOWN	 		STATE	an a

DESCRIPTION

Q.P.	CONDITION	(HECK ONE	CHECK ON	E
EXCELLENT	DETERIORATED		UNALTERED	CORIGINAL SI	E
X.GOOD	RUINS	8	LALTERED	MOVED	DATE
FAIR	UNEXPOSED			•	

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

The Locust Creek Covered Bridge is 113 feet-9 inches in length, and the center to center distance between the top chords is 13 feet-6 inches. It has board-and-batten siding and a standing seam metal roof. Except for a few minor modifications, which include the center vertical, the small end panel-diagonals, and the discontinuity of the distinct "W" pattern at midspan, the truss is a double Warren system consisting of a series of two-5' x 7 inch double diagonals and 7 inch square single member counter diagonals, which fit between and are bolted to the double diagonals. The single diagonal ends extend through the top and bottom chords, both consisting of four-5 x 9 inch members, while the double diagonal ends butt into the single diagonals. Cross bracing at each panel functions as the only significant lateral bracing, since there are no transverse roof beams except at the ends of the bridge. The bridge is undergirded with three steel bents on the west side and two timber ones on the east side and does not appear to have any other major modi-fications.

SPECIFIC DATES	c 1870	BUILDER/ARCH	Unknown	
1400-1499 1500-1599 1600-1699 1700-1799	ARCHEOLOGY-PREHISTORIC _ARCHEOLOGY-PREHISTORIC _ARCHEOLOGY-HISTORIC _AGRICULTURE _ARCHITECTURE _ART _COMMERCE _COMMUNICATIONS	EAS OF SIGNIFICANCE CH COMMUNITY PLANNING CONSERVATION ECONOMICS EDUCATION XENGINEERING EXPLORATION/SETTLEMENT INDUSTRY INVENTION	LANDSCAPE ARCHITECTURE LAW LITERATURE MILITARY MUSIC PHILOSOPHY POLITICS/GOVERNMENT	RELIGION SCIENCE SCULPTURE SOCIAL/HUMANITARIAN THEATER X_TRANSPORTATION OTHER (SPECIFY)

SIGNIFICANCE

Very little information is known about the history of the Locust Creek Covered Bridge. A search of the court records supplied no further information than that given in July, 1979 publication of <u>The Pocahontas Times</u>, of Marlinton, entitled "Pioneer Days." That information refered to George B. Cochran, who in 1879, was paid \$20.00 by the Pocahontas County Court for work done on the bridge. The article also mentioned that extensive repairs were made to the bridge in 1904, but no court records could be found to verify the making of repairs in 1904 or in the few years preceeding or following 1904. The date of construction of the bridge is thought to have been in the 1870s, following a petition which was made to the county court to locate a road at or near the Josiah Beard mill, which was located near the bridge.

The Locust Creek Bridge is the only covered bridge reamining in Pocahontas County, and exhibits a truly unique example of a modified Warren truss system. The late noteable two span bridge at Renick, W. Va. used the same Warren framing system. Very few Warren trusses were used for covered bridges in North America. It is significant that there were at least two in West Virginia at one time.


MAJOR BIBLIOGRAPHICAL REFERENCES


•

Bears, M. Katherine, "Locust Creek Covered Bridge," <u>Pocahontas Times</u>, 5 July 1979, p.5.

.


	ACDEACE NOT VERIFIED
ACREAGE OF NOMINATED PROPERTY Not Applic	
QUADRANGLE NAME Droop	QUADRANGLE SCALE 1:24000
A 1 7 56 5 7 6 0 4 2 1 4 6 9 ZONE EASTING NORTHING	B B ZONE EASTING D I
GLILIIIIIIIIIIII	. A the second
VERBAL BOUNDARY DESCRIPTION	eese oo totaa ahaa ahaala eese oo totaa ahaa ahaa ahaa ahaa ahaa ahaa
있는 것은 가장에 가장 가장에 가지 않는 것 같은 것을 가지 않는 것을 가지 않는 것을 가지 않는다. 같은 것은 것은 것 같은 것은 것은 것은 것을 알려요. 같은 것은 것은 것은 것은 것은 것은 것은 것을 알려요.	්ත් ද අතරේ ද මැති ද දර්ශීම දැන්න මෙදීම ප්රේන්තිවියි. අතර වින්තාවකින් වින්තාවක් මෙන් දීන් දර්ශීම මොල් ප්රේන්තාව මාන්තාව මොල්ස්ට පැහැදි මොල්සුවට මුන්තාවක් පැහැදීම මොල්ස්ට මොල්ස්ට මොල්ස්ට මොල්ස්ට මොල්ස්ට මොල්ස්ට මොල්ස්ට මොල්ස මොල්ස්ට මොල්ස්ට
	OPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES
STATE STATE CODE	
STATE CODE	COUNTY CODE
West Virginia University	
STREET & NUMBER	TELEPHONE (304) 293-3867
	(304) 293–3867 STATE
STREET & NUMBER Gl4 Woodburn Hall, Town Campus CITY OR TOWN Morgantown	(304) 293-3867 _{STATE} West Virginia 26506
STREET & NUMBER G14 Woodburn Hall, Town Campus CITY OR TOWN Morgantown STATE HISTORIC PRESERVAT THE EVALUATED SIGNIFICANO	(304) 293-3867 STATE West Virginia 26506 FION OFFICER CERTIFICATION CE OF THIS PROPERTY WITHIN THE STATE IS:
STREET & NUMBER G14 Woodburn Hall, Town Campus CITY OR TOWN Morgantown STATE HISTORIC PRESERVAT THE EVALUATED SIGNIFICANO NATIONAL	(304) 293-3867 STATE West Virginia 26506 FION OFFICER CERTIFICATION CE OF THIS PROPERTY WITHIN THE STATE IS: STATELOCAL
STREET & NUMBER G14 Woodburn Hall, Town Campus CITY OR TOWN Morgantown STATE HISTORIC PRESERVAT THE EVALUATED SIGNIFICANO NATIONAL As the designated State Historic Preservation Officer for	(304) 293-3867 STATE West Virginia 26506 TION OFFICER CERTIFICATION CE OF THIS PROPERTY WITHIN THE STATE IS: STATELOCAL The National Historic Preservation Act of 1966 (Public Law 89-665). 1 onal Register and certify that it has been evaluated according to the
STREET & NUMBER G14 Woodburn Hall, Town Campus CITY OR TOWN Morgantown STATE HISTORIC PRESERVAT THE EVALUATED SIGNIFICANO NATIONAL As the designated State Historic Preservation Officer for hereby nominate this property for inclusion in the National criteria and procedures set forth by the National Park Se STATE HISTORIC PRESERVATION OFFICER SIGNATURE	(304) 293-3867 STATE West Virginia 26506 TION OFFICER CERTIFICATION CE OF THIS PROPERTY WITHIN THE STATE IS: STATELOCAL T the National Historic Preservation Act of 1966 (Public Law 89-665). I onal Register and certify that it has been evaluated according to the ervice.
STREET & NUMBER G14 Woodburn Hall, Town Campus CITY OR TOWN Morgantown STATE HISTORIC PRESERVAT THE EVALUATED SIGNIFICANC NATIONAL As the designated State Historic Preservation Officer for hereby nominate this property for inclusion in the National Park Se	(304) 293-3867 STATE West Virginia 26506 TION OFFICER CERTIFICATION CE OF THIS PROPERTY WITHIN THE STATE IS: STATELOCAL The National Historic Preservation Act of 1966 (Public Law 89-665). 1 onal Register and certify that it has been evaluated according to the
STREET & NUMBER G14 Woodburn Hall, Town Campus CITY OR TOWN Morgantown STATE HISTORIC PRESERVAT THE EVALUATED SIGNIFICANO NATIONAL As the designated State Historic Preservation Officer for hereby nominate this property for inclusion in the National criteria and procedures set forth by the National Park Se STATE HISTORIC PRESERVATION OFFICER SIGNATURE	(304) 293-3867 STATE West Virginia 26506 TION OFFICER CERTIFICATION CE OF THIS PROPERTY WITHIN THE STATE IS: STATE LOCAL In the National Historic Preservation Act of 1966 (Public Law 89-665). I onal Register and certify that it has been evaluated according to the ervice. DATE JDED IN THE NATIONAL REGISTER
STREET & NUMBER G14 Woodburn Hall, Town Campus CITY OR TOWN Morgantown STATE HISTORIC PRESERVAT THE EVALUATED SIGNIFICANC NATIONAL As the designated State Historic Preservation Officer for hereby nominate this property for inclusion in the Nati- criteria and procedures set forth by the National Park Se STATE HISTORIC PRESERVATION OFFICER SIGNATURE TITLE FOR NPS USE ONLY I HEREBY CERTIFY THAT THIS PROPERTY IS INCLU	(304) 293-3867 STATE West Virginia 26506 TION OFFICER CERTIFICATION CE OF THIS PROPERTY WITHIN THE STATE IS: STATELOCAL T the National Historic Preservation Act of 1966 (Public Law 89-665). I onal Register and certify that it has been evaluated according to the ervice. DATE
GI4 Woodburn Hall, Town Campus CITY OR TOWN Morgantown STATE HISTORIC PRESERVAT THE EVALUATED SIGNIFICANO NATIONAL As the designated State Historic Preservation Officer for hereby nominate this property for inclusion in the National criteria and procedures set forth by the National Park Se STATE HISTORIC PRESERVATION OFFICER SIGNATURE TITLE FOR NPS USE ONLY	(304) 293-3867 STATE West Virginia 26506 TION OFFICER CERTIFICATION CE OF THIS PROPERTY WITHIN THE STATE IS: STATE LOCAL In the National Historic Preservation Act of 1966 (Public Law 89-665). I onal Register and certify that it has been evaluated according to the ervice. DATE JDED IN THE NATIONAL REGISTER





18. LOCUST CREEK COVERED BRIDGE

Juil 4 1981



18. LOCUST CREEK COVERED BRIDGE

