Form N	lo. 10	300	(Rev.	10-74)

PH0358568

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

### NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

## DATA SHEET

FOR NPS USE ONLY RECEIVED MAY 1 0 1976

# DATE ENTERED

1976

SEP 3

জ	NAME	TYPE ALL ENTRIES (			
~ 半	HISTORIC				
	AND/OR COMMON		· · · · · · · · · · · · · · · · · · ·		
	Goshen Churc	h			·
9	LOCATION	J			
<u> </u>		N + G Readford on			÷
	Goshen Road	or all the the order of the second			
	CITY. TOWN		·	NOT FOR PUBLICATION CONGRESSIONAL DISTRI	СТ
	Bradford	X	VICINITY OF	Vermont	
	STATE		CODE	COUNTY	CODE
	Vermont	·	50	Orange	17
6	CLASSIFIC	ATION			
	CATEGORY	OWNERSHIP	STATUS	PRES	ENTUSE
	DISTRICT	PUBLIC		AGRICULTURE	MUSEUM
	BUILDING(S)			COMMERCIAL	PARK
	STRUCTURE	-BOTH	WORK IN PROGRESS	EDUCATIONAL	PRIVATE RESIDENC
	SITE	PUBLIC ACQUISITION	X ACCESSIBLE	ENTERTAINMENT	
	OBJECT	IN PROCESS	YES: RESTRICTED	GOVERNMENT	SCIENTIFIC
		BEING CONSIDERED	YES: UNRESTRICTED	INDUSTRIAL	TRANSPORTATION
			NO	MILITARY	OTHER:
Z	<b>OWNER OF</b>	FPROPERTY	· · · · · · · · · · · · · · · · · · ·		
			•		
	NAME Baptist Soci	ety of Bradford			
<u></u>	STREET & NUMBER				
	Goshen Road				
	CITY, TOWN			STATE	
	Bradford		VICINITY OF	Vermont	
5	LOCATION	I OF LEGAL DESCR	IPTION		
	COURTHOUSE,	•			
	REGISTRY OF DEEDS,	ETC. Office of the Tox	wn Clerk of Bradfor	d i i i i i	
	STREET & NUMBER	······································			<b>`</b>
_	Main Street				
	CITY, TOWN			STATE	
	Bradford		·	Vermont	
6	REPRESEN	TATION IN EXIST	ING SURVEYS		
	TITLE				
	Vermont Hist	oric Sites and Structu	tres Survey		
	DATE				· · · · · · · · · · · · · · · · · · ·
	1976		FEDERAL	STATECOUNTYLOCAL	
	DEPOSITORY FOR			<u>-</u>	
	SURVEY RECORDS	Vermont Division for	Historic Preservat	ion	
	CITY, TOWN			STATE	
	Montpelier			Vermont	

### 7 DESCRIPTION

CONI	DITION	CHECK ONE	CHECK C	DNE
	DETERIORATED	UNALTERED	$\underline{X}_{ORIGINAL}$	SITE
GOOD	RUINS	ALTERED	MOVED	DATE
FAIR	UNEXPOSED			

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

The Goshen Church is located on a dirt road in a rural section of the town of Bradford. It is a  $l_{22}^{l_2}$  story, clapboarded rectangular plan structure of post and beam construction set on a pier foundation. The gable roof is sheathed with metal.

On the main (west) elevation simple wooden steps lead to twin panelled doors, flanked by sidelights, slightly recessed in rectangular surrounds. Over each doorway cornice is a triple tympanum composed of a central drop arch flanked by two smaller arches of similar shape. The arches are formed by flat pieces of wood with a capped edge, applied to the wall surface; they also serve as drip moldings.

Centered over each doorway is a 15/15 window with simple wood surround and surmounted by a single drop arch drip molding similar to the central section of the door tympanum. These windows illuminate the interior choir loft. Centered under the gable end is a louvered opening of the same size as the two windows below and surmounted by a similar drip molding.

A triple-tiered tower rises from the ridge at the front gable elevation. The lowest tier is square, clapboarded, with a cornice; the second tier is square, flushboarded, with a rectangular louvered opening on each face, and a cornice. It is crowned by a balustrade with tall, pyramidal finials capping the square corner posts of the balustrade.

There are three 20/20 windows symmetrically spaced and with drop arched drip moldings similar to those on the facade fenestration, on the south, east (rear) and north elevations.

On the interior is a narrow vestibule, approximately six feet deep which contains the closed stair to the balcony directly above and two doors opposite the entrance doors, to the meeting room. The two interior doors and their surrounds are painted to imitate wood graining.

In the meeting room are simple panelled box pews on a wooden floor slightly raked up to the back of the room. The walls above the plain wooden dado rising to window sill level and the shallow vaulted ceiling are plastered. The box pews are oriented to the front (west) of the building where a semicircular pulpit raised on posts is centered between the two entrance doors.

The panelled, convex pulpit is painted to imitate wood graining and the steps leading to the pulpit are painted green, cream and white to imitate marble. The baseboard across the front also features imitation wood graining. Above the pulpit, the balcony, which houses the organ and choir, is concave in plan. The balcony wall is panelled and is capped by a wide (12"), flat, wooden plank, marbleized in grey, cream and black.

Except for maintenance repairs, the building remains significantly unaltered.



PERIOD	AREAS OF SIGNIFICANCE CHECK AND JUSTIFY BELOW			
PREHISTORIC	ARCHEOLOGY-PREHISTORIC	COMMUNITY PLANNING	LANDSCAPE ARCHITECTURE	RELIGION
1400-1499	ARCHEOLOGY-HISTORIC	CONSERVATION	LAW	SCIENCE
1500-1599		ECONOMICS	LITERATURE	SCULPTURE
1600-1699	ĂARCHITECTURE	EDUCATION	MILITARY	SOCIAL/HUMANITARIAN
1700-1799	ART	ENGINEERING	MUSIC	THEATER
<u>X</u> 1800-1899	COMMERCE	EXPLORATION/SETTLEMENT	PHILOSOPHY	TRANSPORTATION
1900-	COMMUNICATIONS	INDUSTRY	POLITICS/GOVERNMENT	OTHER (SPECIFY)
		INVENTION		

### SPECIFIC DATES 1834

#### BUILDER/ARCHITECT

### STATEMENT OF SIGNIFICANCE

The Goshen Church is an excellent and almost completely unaltered example of second quarter nineteenth century vernacular Greek Revival architecture. It represents a style of church architecture prevalent in Vermont during a period of population and religious expansion.

In the early nineteenth century a group of residents from the adjacent towns of Bradford and Newbury founded the Goshen Church. It is presumed that the congregation, seeking a milder discipline, broke from an early Calvinistic Baptist Church in Bradford and came under the influence of Dr. Abner Jones, who in the previous year had left a Calvinistic Church to found a Christian Church in Lyndonville.

The church building was erected in 1834 in Bradford, just south of the Newbury town line, to accommodate a growing congregation from the two towns. Built in a vernacularized version of the popular Greek Revival style, the building is finely proportioned and on the interior, features such outstanding components as a bowed pulpit and balcony, and marbleized and artificially grained wood.

Today the Goshen Church remains unaltered in the same rural setting between the Newbury and Bradford Village centers in which it was built over 140 years ago. The building is only used during the summer months when interdeominational programs are conducted.

With Gothic revised details. Lebranch

5.18-76

# 9 MAJOR BIBLIOGRAPHICAL REFERENCES

The Old Goshen Church Commemorative pamphlet, July 6, 1975.

7

<b>10 GEOGRAPHICA</b>	L DATA		
ACREAGE OF NOMINATED PR		<u>l</u> acre	
UTM REFERENCES	(1,2)	× .	
A 1, 8 7 2,8 4,5	0 4 8 8 0 9 2	. 51 в	
ZONE EASTING	NORTHING	ZONE	EASTING NORTHING
VERBAL BOUNDARY DE	SCRIPTION		
			ING STATE OR COUNTY BOUNDARIES
LIST ALL STATES P	IND COUNTIES FOR PR	OPERTIES OVERLAPP	ING STATE OR COUNTY BOUNDARIES
STATE	CODE	COUNTY	CODE
		·	
STATE	CODE	COUNTY	CODE
		·····	· · · · · · · · · · · · · · · · ·
<b>11</b> FORM PREPARE	ED BY		
NAME / TITLE		•• • •	
Jane A. McLuckie	, Architectural I	Historian	Mar. 4, 1976
Vermont Division	for Historic Pro	eservation	
STREET & NUMBER			TELEPHONE
Pavilion Buildi	ពខ្ម		802-828-3226
	TY OR TOWN STATE		
	Montpelier Vermont		
<b>12</b> STATE HISTOR	IC PRESERVA'	TION OFFICE	<b>CR CERTIFICATION</b>
THEE	ALUATED SIGNIFICAN	ICE OF THIS PROPERT	Y WITHIN THE STATE IS:
NATIONAL	-	STATE <u>X</u>	LOCAL
_	y for inclusion in the Nat	tional Register and cer	Preservation Act of 1966 (Public Law 89-665), I tify that it has been evaluated according to the
STATE HISTORIC PRESERVATIO	N OFFICER SIGNATURE	William D	Jimey William B. Pinney
TITLE Director/Sta	te Historic Pres	ervation Office	r DATE April 13, 1976
FOR NPS USE ONLY			
I HEREBY CERTIFY THAT T	HIS PROPERTY IS INCL	UDED IN THE NATION	NAL REGISTER
lar lar	1 mila	L	DATE 9/3/76
DIREGTOR, OFFICE OF AR	CHEOLOGY AND HIST	RIC PRESERVATION	
ATTEST: Kolunt B. Ka	the		DATE 9 2 76
KEEPER OF THE NATIONA	L REGISTER		
k			GP0 888-445