## UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES

### STATE: Vermont COUNTY:

HI

Windsor

	INVENTOR	Y - NOMINAT	ION FORM	FOR NPS USE	ONLY		
	(Type all entries - complete applicable sections)  AUG 1 3 1974						
Fi.	NAME	-cp.e.e =pp	easte seellens)	HUU I	3 19/4		
	T.COMMON.		7 1				
	Jedediah Strong	-II House	Strang, Jede	ediah II, 🗁	2020		
	AND/OR HISTORIC:						
,							
2.	LOCATION						
	STREET AND NUMBER:	Janas Dest	9				
	CITY OR TOWN:	touse Road	and Dewey's Mi	SIONAL DISTRICT:			
	STATE CODE COUNTY:						
	Vermont		50	Windsor	027		
3.	CLASSIFICATION			9			
	CATEGORY		OWNERSHIP	STATUS	ACCESSIBLE		
	(Check One)		1		TO THE PUBLIC		
	District X Building	X Public	Public Acquisition:	Occupied	Yes:		
	Site Structure	Private	In Process	Unoccupied	Unrestricted		
	☐ Object	Both	☐ Being Considered	Preservation work	∑ No		
		L		in progress			
	PRESENT USE (Check One or M	·					
			Park	☐ Transportation	Comments		
	Commercial In	dustrial [	] Private Residence ] Religious	Other (Specify)	Taraivan (S)		
	Entertainment Mu	-	Scientific	none			
14.					\[ \frac{1}{2} \]		
[4.	OWNER'S NAME:		· · · · · · · · · · · · · · · · · · ·		GATE /		
	The state of the s						
	STREET AND NUMBER:				Vermo		
	Washington		STAT	D.C.	CODE CT		
E	LOCATION OF LEGAL DESC	PIPTION		Б.С.			
	COURTHOUSE, REGISTRY OF	DEEDS, ETC:					
	Office of Town (	Clerk			₹.		
	STREET AND NUMBER:				Winds		
	Bridge Street						
	CITY OR TOWN:		STAT	E	CODE		
	Hartford			Vermont	50		
6.		ING SURVEYS		Vermont	50		
6.	REPRESENTATION IN EXIST						
6.	REPRESENTATION IN EXIST		Structures Su				
6.	REPRESENTATION IN EXIST TITLE OF SURVEY: Vermont Historic DATE OF SURVEY:	Sites and	Structures Su	rvey	A Local		
6.	REPRESENTATION IN EXIST TITLE OF SURVEY: Vermont Historic DATE OF SURVEY: DEPOSITORY FOR SURVEY RE	Sites and	☐ Federal ☐ Sta	rvey	A Local		
6.	REPRESENTATION IN EXIST TITLE OF SURVEY: Vermont Historic DATE OF SURVEY: DEPOSITORY FOR SURVEY RE	Sites and	☐ Federal ☐ Sta	rvey			
6.	REPRESENTATION IN EXIST  TITLE OF SURVEY:  Vermont Historic  DATE OF SURVEY:  DEPOSITORY FOR SURVEY RE  Vermont Division  STREET AND NUMBER:	Sites and	☐ Federal ☐ Sta	rvey	Local AUG 1 3		
6.	REPRESENTATION IN EXIST TITLE OF SURVEY: Vermont Historic DATE OF SURVEY: DEPOSITORY FOR SURVEY RE	Sites and	☐ Federal ☐ Sta	TVEY  ate County	AUG 1		
6.	REPRESENTATION IN EXIST  TITLE OF SURVEY:  Vermont Historic  DATE OF SURVEY:  DEPOSITORY FOR SURVEY RE  Vermont Division  STREET AND NUMBER:	Sites and	□ Federal 및 St	TVEY  ate County	AUG 1 3 19/		

S Z 0  $\propto$ S Z Ш

(	•	7
ſ	T	
	_	
ľ	•	ı
-	-	-
	_	,
4	Z	
ţ	,	1
		_
•	-	İ
;	_	
C	_	-
(	_	)
-	_	1
_	_	
(	_	)
_	z	•
4	_	•
L	,	,

		(Check One)					
CONDITION	☐ Excellent	🔀 Good	☐ Fair	Deteriorated	Ruins	Unexposed	
		(Check O	ne)		(Ch	eck One)	
	☐ Alte	red	🔀 Unaltered		☐ Moved	√□ Original Site	

### Orientation:

The Jedediah Strong II House is oriented to the north and to the road, with the front eaves wall of the house facing on the road.

### General Structural Description:

The Jedediah Strong II House is a 2½ story, brick house of load bearing construction with a full cellar, a gable roof, two symmetrically placed interior chimneys on both gable end walls, and a 1½ story ell centered on the rear eaves wall. The ell has a gable roof, walls of load bearing brick and braced post-and-beam construction, and a full cellar under the brick section. wood frame section of the ell is sided both with narrow clapboards and with shiplap. The house and the ell sit on a rubblestone and cut granite block foundation. The cut granite blocks were used instead of rubblestone under the brick sections of the building where the foundation is exposed above grade. The construction of the gable roofs on both the house and the ell is rafters morticed and tenoned into a ridge pole, sheathed and covered with corrugated metal sheeting. The interior construction of the building is braced post and beam tied directly into the exterior, load bearing brick walls. A load bearing brick wall bisects the cellar between the gable end walls of the house and supports the interior frame work of the house immediately above. The brick work throughout the building is laid in common bond. The interior and exterior frame work is constructed out of reciprocally sawn, dimensioned lumber. The interior wall surfaces are covered with split lath and horsehair plaster.

#### Dimensions:

The  $2\frac{1}{2}$  story house is three bays in width and five bays in length, and measures 30 feet by 42 feet. The  $1\frac{1}{2}$  story ell measures 20 feet in width by 40 feet in length, the brick section measuring 28 feet in length and the wood frame section measuring 32 feet in length.

#### Floor Plan:

Across the front eaves wall, the first floor plan of the house has a center stair hall, 8 by 16 feet, flanked by two, large corner rooms, each 16 by 16 feet. Immediately behind the stair hall and partially projecting from the block of the house into the ell is a large center room (the kitchen) 20 by 24 feet. Immediately behind each front corner room, in the rear corners of the house and flanking the kitchen are two small rooms, each 11 by 12 feet. Behind the kitchen the ell is further divided into additional rooms and halls. An additional stair rises from

Form 10-3000/[]] (July 1969)

### UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

JUL 2 9 1978<mark>n</mark>. National

# NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

STATE		
COUNTY	Windsor	
	FOR NPS USE ONL	.Y
EN	TRY NUMBER	DATE
AU	IG 1 3 1974	

(Continuation Sheet)

Section 7 (

REGISTER

the first floor to the second floor out of the kitchen. The second floor is almost identical in plan to the first floor with the exception of the stair hall which is offset to one side, thereby reducing the size of a front corner room, to accommodate the hall landing around the stair, and with the exception of the room over the kitchen which is only half of the size of the kitchen. A stair rises from this back center room to a third floor ballroom which runs the length of the house but is only half as wide as the house.

### Architectural Characteristics:

The Jedediah Strong II House is in the high Federal style. The exterior wall surface is plain with the exception of the recessed windows with three centered brick relieving arches which punctuate the gable end walls and the first floor of the front eaves wall. A Federal style front door with lead mullioned fan light and side lights is similarly recessed beneath a three centered brick relieving arch. The roof overhangs the eaves and gable end walls and is detailed with a simple cornice and cornice return.

The interior woodwork is high style and is typically limited to cornices, chair rails, door and window architraves, recessed window panels and shutters, and fireplace mantels. The most distinguishing interior architectural detail is the partially circular hung stair in the front stair hall.

Originally, there were nine operating fireplaces, one in the kitchen and one in each corner room on the first and second floors. Three of the fireplaces in rear corner rooms have been closed up.

The house is perfectly symmetrical in almost every respect, i.e., fenestration, chimney placement, centering of the rear ell, and interior floor plan.

### Appendages:

A 1½ story wood frame shed,16 by 29 feet, butts against the south east corner of the ell. The shed is oriented perpendicularly to the ell. The shed has a gable roof covered with asphalt shingles and is sided with narrow clapboards.

### Present Physical Condition:

The Jedediah Strong II House is in excellent structural condition The house has, however, suffered some interior and exterior cosmetic damage due to neglect, lack of occupancy, and vandalism.

Pre-Columbian	(Appropriate		
	☐ 16th Century	☐ 18th Century	20th Century
15th Century	☐ 17th Century	🔀 19th Century	
SPECIFIC DATE(S) (If Applicabl	e and Known)		
REAS OF SIGNIFICANCE (Che	ck One or More as Appropria	te)	
Abor iginal	Education	Political	Urban Planning
Prehistoric	☐ Engineering	Religion/Phi-	Other (Specify)
☐ Historic	☐ Industry	losophy	
Agriculture	☐ Invention	Science	<del></del>
Architecture	Landscape	Sculpture	
☐ Art	Architecture	Social/Human-	
Commerce	Literature	itarian 	
Communications	Military	☐ Theater	
Conservation	Music	☐ Transportation	
exterior, archit culation and det and rigid symmet is characteristifinely executed  The house was proby Jedediah Stronand the owner from Centerville. The which he enjoyed The house has his Solomon, Elijah land surveyors for first permanent	h Federal stylederal period, ectural qualitations of the ry. In contracally less resarchitectural obably erected of II, a local om 1815 to 182 e house survivin those posistoric associated Benajah, Jrom Lebanon, Cesttlers in the	the house is the house is the house is the house is the surface, part to the extent trained, being details.  In 1815 or she entrepreneur, sof a saw millions.  tions with the edediah's uncleant to the entrepreneur, to the same and the edediah's uncleant to the edediah's uncleant	restrained on the restrained on the ted to subtle art proportion, scale rior, the interior highlighted by partly thereafter a wealthy farmer and grist mill of the prosperit strong family. Es, farmers and re in 1764 the
in large part re	shoustnie rot	the organization	on and establish-

	Aldrich, Lewis Cass and Holmes, Frank R., <u>History of Windsor County</u> , Vermont, D. Mason & Co.,: Syracuse, New York, 1891.											
	Beers, F. W., Atlas of Windsor Co A. D. Ellis, & G. G. Soule;					County, Vermont, F. W. Beers, New York, New York, 1869.						
	(see continuati						ion sh	•	, (	.·•.	er en en en	· ·
10	GEOG	RAPHICAL	_ DATA				-					
	DET INTO A RECTARGE EGGATING THE FROM EACH				1 _	DEFINING THE CENTER POINT OF A PROPERTY OF LESS THAN TEN ACRES						
	CORNER	LA	TITUDE	LONGI	TUDE	7,		ATITUDE		, L	ONGITUD	É
	NW	Degrees Mi o	nutes Seconds	Degrees Minu	ites Seconds		Degrees o	Minutes ,		Degrees o	Minutes	
	NE SE	0	* ***	0	, ,	,	43	38	44	72	24	0.3
}	SW	MATE ACE	EAGE OF NON	UNATED BEC	PERTY.	1	1 .			<u>.</u>		
- I-	<del></del>		ND COUNTIE		·	RL	less				s	
- 1	STATE:	. /	<del>/ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \</del>	VEI 3	CODI		COUNTY				<del></del>	CODE
-	STATE:		301 2	0 1965	CODI		COUNTY:		·	·	· . · · · · · · · · · · · · · · · · · ·	CODE
			DI NATI	73/21				·				CODE
	STATE:	1	ン、REGIS へか。	STER	CODI		COUNTY:					CODE
	STATE:		NO.	1511	CODI		COUNTY:					CODE
11.	FORM	PREPARE	D BY		1							1
	NAME AN	ID TITLE:										
-	Cour	tney I	isher,	Histori	c Site	<u>s_</u>	Survey	or	<del></del> -	DATE		·
			vision o					· : · ·	·	4/:	12/74	
-	Pavi1	ion Bu	iilding									1
- 1	CITY OR					١	STATE	Verm	ont		) j	50
		elier LIAISON	OFFICER C	ERTIFICATIO	NC		N		and the second second second	ER VERII	ICATIO	
	As the	designate	d State Liais	on Officer for	the Na-		I hereby certify that this property is included in the					
			reservation A nominate thi				National Register.					
	in the National Register and certify that it has been evaluated according to the c-iteria and procedures set forth by the National Park Service. The recommended					- 11	Muorten					
	level o	of significa	nce of this n	omination is:			Director, Office of Archeology and Historic Preservation					
.	N:	ational [	J State	Loc	ai j	-	Date Spart					
	Name	4.6.66	Historia	: Imm	ey_	-	ATTEST	<b>:</b>		.11	() ;	er tu
	Title		Preserva		ficer	-	and	Cold Keepe	r of The N	Vational R	egister	<u>5 : </u>
	Date _	July	24, 19	7.4		-	Date 5.12.79					

9. MAJOR BIBLIOGRAPHICAL REFERENCES

Form 10-300a (July 1969)

## UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

# NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

STATE	
Vermont	
COUNTY	
Windsor	
FOR NPS USE ONLY	1
ENTRY NUMBER	DATE
AUG 1 3 1974	

Section 9

(Continuation Sheet)

(Number all entries)

Child, Hamilton, <u>Gazetteer and Business Directory of Windsor</u>
County, Vermont: Syracuse, New York: 1884.

Tucker, William Howard, <u>History of Hartford</u>, <u>Vermont</u>, The Free Press Association; <u>Burlington</u>, <u>Vermont</u>: 1889.

