Form No. 10-300 REV. (9/77)

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES **INVENTORY -- NOMINATION FORM**

| P | Η | 0 | 6 | 8 | 9 | 9 | 3 | 9 | ' A s | |
|---|-----|-------|-------|-----|---|---|---|---|--------------|--|
| F | ORI | NPS U | ISE O | NLY | | | | | | |

NUV 2719/8 RECEIVED

DATE ENTERED

JAN 1 5 1979

SEE INSTRUCTIONS IN HOW TO COMPLETE NATIONAL REGISTER FORMS **TYPE ALL ENTRIES -- COMPLETE APPLICABLE SECTIONS**

1 NAME

HISTORIC

Wells County Courthouse

AND/OR COMMON

LOCATION

| | 100 W. Market | Street | NOT FOR PUBLICAT | ION |
|------------|---------------|-------------|--------------------------|-------------|
| CITY, TOWN | Bluffton | | congressional d Tenth | ISTRICT |
| STATE | Indiana | code 018 | COUNTY Wells | code 179 |

CLASSIFICATION

| CATEGORY | OWNERSHIP | STATUS | PRES | ENTUSE |
|--------------|--------------------|---------------------|---------------|-------------------|
| | | | AGRICULTURE | MUSEUM |
| ABUILDING(S) | PRIVATE | | COMMERCIAL | PARK |
| STRUCTURE | вотн | WORK IN PROGRESS | EDUCATIONAL | PRIVATE RESIDENCE |
| SITE | PUBLIC ACQUISITION | ACCESSIBLE | ENTERTAINMENT | RELIGIOUS |
| OBJECT | IN PROCESS | YES: RESTRICTED | | SCIENTIFIC |
| | BEING CONSIDERED | X YES: UNRESTRICTED | INDUSTRIAL | TRANSPORTATION |
| | | NO | MILITARY | OTHER: |

OWNER OF PROPERTY

| | NAME | Wells | County | Commissioners | | | |
|---|---------------------------------|----------------|----------|-------------------|-------------|----------------------|------------|
| | STREET & NUMB | | ^ | Countly on a | | | |
| | | Weils | Lounty | Courthouse | | · | |
| | CITY, TOWN | Blufft | ton | | OF | s Indi | ana |
| | LOCATI | ON OF | LEGA | L DESCRIPTI | ON | | |
| | COURTHOUSE, REGISTRY OF DE | EDS, ETC. | Wells | County Recorder' | s Office | | |
| | STREET & NUMBI | ER | Wells | County Courthous | ie | | |
| | CITY, TOWN | | Bluff | ton | | s [.] Ir | idiana |
| 6 | REPRES | EN T A' | TION | IN EXISTING S | SURVEYS | | |
| | TÎTLE | | Histo | ric American Buil | dings Surve | ey | |
| | DATE | | c. 19 | 35 | X_FEDERAL | STATECOUNTY | LOCAL |
| | DEPOSITORY FOR SURVEY RECORD | | Libra | ry of Congress | | District o | f Columbia |
| | CITY, TOWN | | | | | ST | ATE |

Washington

CITY, TOWN

7 DESCRIPTION

| CON | DITION | CHECK ONE | CHECK (| DNE |
|---------------------------|------------------------------------|-----------------------|----------------------------|--------------|
| EXCELLENT GOOD FAIR | DETERIORATED RUINS UNEXPOSED | UNALTERED XALTERED | <u>X</u> original moved | SITE DATE |

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE


Bluffton, the seat of Wells County, Indiana, is a town situated on a ridge above the south banks of the Wabash River. The Wells County Courthouse stands at the top of the bluff, on the southeast corner of the main street intersection. The building is a rugged sandstone mass whose sheer size makes it the dominant feature of the town, particularly when viewed from the north (photo 1).

The siting of the building on the rear (southwest) corner of its quarter-block serves well in relating the scale of the building to its surroundings. The setbacks on the north and east make less the severe transition from the adjacent two and three-story buildings to the four-story walls of the courthouse. The plaza thus provided is also the only open space in the downtown area, and is the natural locus for public events. This is especially true on the north, where the widest part of the plaza is directly adjacent to the main shopping area.

The form of the building also responds well to its surroundings. The main hip-roofed rectangular mass is aligned east and west, and is intersected on the west by a gabled This courtroom wing wing which extends slightly beyond the main block on the north. serves to terminate the form in a manner compatible with the alignment of the adjacent commercial buildings (photo 2). The relationship of the building to the street crossing is emphasized by the placement of the clock tower which projects slightly from the main wing on the northeast corner, and by the circular turret cantilevered from the northeast corner of the tower (photo 3). The recess thus formed on the north elevation defines the main entrance, which is approached by a broad flight of steps and sheltered by an arcade of Syrian arches. On the east elevation the clock tower is balanced by a slightly projecting tower at the southeast corner; the resulting three-part composition relates well to the bay dimensions of the adjacent storefronts. Ornament is used to emphasize the north and east facades; the south and west elevations are rusticated ashlar relieved only by the deep recesses of regular and well-proportioned fenestration (photo 4). The elevations thus respond to the site, and are elaborated according to how well they can be seen unobstructed by adjacent buildings. Although the overall form of the building is asymmetrical, elements are carefully balanced on each elevation. 0n the north facade this quality has symbolic overtones since the tower (whose base originally contained the sheriff's office) is matched by the gable of the courtroom: thus symbols of the executive and judiciary are held in balance by the offices which house the daily functions of government.

Material and ornament are also used in ways which articulate the form of the building. The plaza was originally an expanse of limestone paving, visually extended into the building by the use of limestone for the entrance stairways. The junction of the wall with the ground plane is further emphasized by the course of rock-faced white limestone at the base of the walls; above this the brick walls are faced entirely with a

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM



CONTINUATION SHEET ITEM NUMBER 7 PAGE 2

veneer of buff-colored Michigan Stoney Point sandstone.


The courthouse has a feature common to public buildings in that the most important functions are housed one level above grade, so that the ground level may be occupied by other areas which are more frequently visited by the public. This arrangement is articulated by the use of rusticated ashlar for the walls of the ground floor, and alternating courses of smooth and rusticated ashlar for the walls above (with the exception of the south and west elevations, which are entirely rusticated course above the ground level, and stringcourses of running floriated ornament of various designs above the first, second, and third levels of the clock tower are denoted by deep rusticated courses above the fifth floor, and stringcourses of mousetoothing above and below the level of the clock faces; both towers are crowned by deep machicolations and upturned corners.

Several features of the courthouse are characteristic of the Richardsonian Romanesque mode.

Openings are placed with rigorous regularity, and the fenestration is deeply recessed within smooth-sided wells in order to strongly juxtapose the planes of the walls and windows. Within the recesses, pairs of windows and transoms are separated by stone mullions which are also smoothly finished; horizontal mullions are sculptured where they correspond to the stringcourses. Sash feature central lights surrounded by muntins to form narrow sidelights (photo 6). For the most part openings are capped with flat lintels; however, segmental arches top openings in the bases of the towers. In addition, on the elevations of the towers, the courtroom and the central bay of the east elevation, columns of windows are terminated by large round arches whose rusticated voussoirs are topped by foliated archivolt moldings which spring from serpentine forms (photo 7). Similar arches are used to form the arcade on the north and the large central arch on the east, but these entrance openings are differentiated by their smooth voussoirs.

The five bays of the north arcade are approached across the three center bays by a staircase which has rusticated sidewalls; the flanking bays have open balustrades. The arcade is supported by four colonnettes and two pilasters whose capitals have three foliated designs used symmetrically about the center bay; the square plinths of the central bay's colonettes have chamfered corners. The columniation is expressed in the smooth dies which interrupt the running foliated patterns of the blind balustrade above, which is a continuation of the stringcourse above the second floor.

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM



CONTINUATION SHEET

ITEM NUMBER 7 PAGE 5

is interrupted by a panel of more elaborate white and pink tiles set at the crossing of the hallways, near the base of the stair. This reputedly marks the location of a shallow crypt let into the floor: an oblique reference to the religious origins of the Romanesque style (photo 9).


Originally the hallways of the main and third levels were further decorated with stencilled designs on the walls and ceilings; these must have done much to relieve the present contrast between the ornamentation of the exterior and the appearance of the interior. The light levels also would have been much lower in the hallways, since the center of each ceiling bay was mounted with a brass gasolier fixture with only two frosted round globes to provide illumination. These features were lost to repainting and electric lighting in the 1920's.

The woodwork used in the halls and throughout the building is made of wide sections of golden oak. Window and door enframements are composed of facings with a central reed flanked by shallow cyma recta curves and smooth squared edges. Upper corners are punctuated by large smooth blocks with bevelled edges; in the hallways the centers of these blocks are carved with floral designs. Doorways have additional blocks of similar design set at the lines of the base, chair-rail, and transom mullion, with a triple-fluted facing used beneath the chain-rail line in the halls. Doors have three vertical panels with a bevelled surround and reeded moldings across the top and bottom; the jambs of the doorways are similarly panelled. The tops of the doors are glazed with a muntin pattern similar to that of the windows; transoms are glazed with single lights. The building's exterior doors were of this design also, though they had heavier moldings on their outer faces; these, as well as the doors of the hallway entry into the courtroom, were replaced with fully glazed aluminum doors, c. 1960. Virtually all other doors in the courthouse are original. Windows have simple sills and aprons which are extended as chain-rails in some offices. Baseboards have a slight bevel on their top edges.

The circuit court room occupies the west wing of the third floor, and is the most elaborate of the interior spaces (see attached drawing). The west and south sides of the room are punctuated by pairs of tall windows set within recesses which also accomodate cast-iron radiators. The window enframements are capped with foliated capitals carved in deep relief. The twenty-four foot height of the walls is visually reduced, by the use of a marble wainscote identical to that found in the halls, and a plaster cornice whose location ten feet beneath the ceiling separates the windows from the semi-circular lights directly above them. Unfortunately, a CONTINUATION SHEET

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM



ITEM NUMBER 7 PAGE 6


lower ceiling was constructed at this intermediate cornice line approximately fifty years ago, and today hides from view the original painted ceiling. The drop ceiling consists of a two-way grid of panelled wooden beams with an infill of square acoustical tiles. The original ceiling has a coved cornice whose design matches that seen in the hallways. The original color scheme used grey-green for the walls, and a lighter tone of the same color for the ceiling. The wall areas were divided into panels by simple grey stencilled borders; the panels below the intermediate cornice were reputedly filled with allegorical figures and historical tableaux. The original ceiling is outlined within the cornice by a border of parallel lines in shades of grey and buff, punctuated at intervals by square panels with large rosettes (photo 10). Within this border the ceiling is divided into a central lozenge and flanking corner panels formed by a second border of bundled laurel leaves with sunburst rosettes. Today, these designs can be viewed by standing in the space between the original and drop ceilings.

At the same time that the courtroom ceiling was lowered, the northern third of the room was partitioned off to accomodate the court reporter's office and expansion of the law library.

The bench is situated at the center of the south end of the room, with the area directly before the bench separated from the rows of spectator benches by a low oak rail with stout round spindles and massive square posts which are topped by roundglobed gaslights. Within this area, the jury sits directly opposite the bench and is flanked on either side by tables for the parties. To the judge's right is a desk for the bailiff; immediately in front of the bench are the witness box and the court reporter's desk, which are both modern additions. With these last exceptions, all furniture in the courtroom is original, and is made of golden oak and upholstered in black leather.

The bench is supported by four squared colonettes with grillworks between them; the overhanging edges of the bench top are finished with large dentils beneath a deep crown mold. A pair of gaslights (later electrified) identical to those on the court rail sit atop the bench. Square fluted pilasters with foliated capitals flank a shallow alcove directly behind the bench. The wall of this alcove is adorned with a rectangular stained glass panel whose figure of seated Justice is enframed in a semi-circle of radiating lines flanked by laurel garlands and a continuous border of alternating squares of blue and bevelled clear glass. This panel was originally mounted in a corresponding location directly above at the level of the semi-circle

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM



CONTINUATION SHEET

ITEM NUMBER 7 PAGE 7

lights with whose form the stained glass design is meant to harmonize. Since the offices behind the bench have ceilings at the level of the courtroom's intermediate cornice, the stained glass was naturally illuminated from behind by the semi-circular lights in the south gable of the courtroom wing. This ingenious method of indirect lighting has been succeeded by a florescent lamp mounted behind the panel in the bailiff's office.

In either end of the wall behind the bench are doors which open into a suite of offices. The west door gives access directly into a room now used as the judge's chamber; the east door gives access to the present bailiff's office via a rear vestibule from which both a dumbwaiter and a spiral rear stair connect to the county clerk's office on the level below. The shallow alcove in the bailiff's office seems appropriate for hanging robes; this as well as the vestibule arrangement suggest that the bailiff's office was originally used as the judge's chamber.


The smoothly plastered archway in the north end of the courtroom's west wall suggests another possible difference in the court's original scheme. The arch is presently filled with a non-original door surrounded by frosted glass lights; the adjacent room is used as part of the law library. That the archway is an original feature and was unobstructed is suggested by traces of painted wall stencilling found on one jamb of the opening. Perhaps the adjacent room was used as a vestibule or waiting room for the court.

With the exception of the public areas described above, the rooms within the courthouse are adorned only by the golden oak window and door enframements set against painted plaster walls and oak floors. The ceilings in the offices add some visual interest, since they display shallow segmental barrel vaults which spring between the webs of the steel joists.

The offices on the main level also possess their original built-in cabinets and counters (photo 11). These units vary in size and shape according to their locations, but have common construction and decorative details. The cabinets are divided into bays by slender round columns with floriated capitals which support carved architrave blocks set within a course of dentils. The heavy entablature above has a convex frieze carved in a low relief of running floriated ornament; the overhanging cornice above is faced with a quirked ovolo molding. The pairs of cabinet doors are fully glazed in a muntin pattern similar to that of the windows and doors. **CONTINUATION SHEET**

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM



ITEM NUMBER 7 PAGE 8

The faces of the counter units have panels of reeded diagonal siding set between bevelled stiles with stop-chamfered corners; reeded moldings run across the tops and bottoms of the panels. The plain overhangs of the counter tops are supported by massive brackets carved with oak leaves in low relief. In some cases the tops of the counters are mounted with additional shallow drawers. All original counters are intact, with the exception of the unit in the treasurer's office, which was "modernized" and expanded with plain panelling.

For the most part, the courthouse offices have been subject to little remodeling or alteration. Only fifteen of the forty-one rooms on its four levels have been subdivided by later partitions in any way; three of these instances were for the provision of restrooms above the ground floor. In only four instances have the ceiling heights been reduced from original levels. Aside from the provision of electric power and light, modern intrusions consist of office furnishings and equipment.

One key to the building's functional longevity is the plan's generous provision of connecting doors between rooms. Apparently mindful of the quickness with which preceding quarters had been outgrown, the county commissioners erected a building more than adequate for their needs. Since county offices originally required little more than the main level, the architect provided for the combination of the unassigned space in a variety of ways.

It is only within living memory that the courthouse has become occupied completely. The ground floor was once rented as commercial space: it variously housed a barber shop (now trustee's office), restaurant (now extension service offices), and a cigar factory (present license branch office), as well as the Bluffton public library, which occupied first the southeast and later northwest corner rooms until 1905. The circuit court and county superintendent once were sole users of the third floor. At one time a barricade on the stairway secured the completely vacant fourth floor.



| SPECIFIC DAT | ES Built 1889-1891 | BUILDER/ARCI | HITECT George W. Bun | ting, Architect |
|------------------------|------------------------------|---|-------------------------------------|-----------------------------------|
| ¥1800-1899 1900- | COMMERCE COMMUNICATIONS | EXPLORATION/SETTLEMENT INDUSTRY INVENTION | philosophy X_politics/government | TRANSPORTATION OTHER (SPECIFY) |
| 1600-1699 1700-1799 | _XARCHITECTURE ART | EDUCATION ENGINEERING | MILITARY MUSIC | SOCIAL/HUMANITARIAN THEATER |
| 1400-1499 1500-1599 | ARCHEOLOGY-HISTORIC | CONSERVATION ECONOMICS | LAW LITERATURE | SCIENCE SCULPTURE |
| PERIOD | AF ARCHEOLOGY-PREHISTORIC | REAS OF SIGNIFICANCE CF COMMUNITY PLANNING | LANDSCAPE ARCHITECTURE | RELIGION |

STATEMENT OF SIGNIFICANCE

The present courthouse is the third structure to house the government of Wells County.

The site of the present courthouse was designated as a quarter-block "public square" in the 1836 plat of Bluffton. For a time after a special act forming Wells County was passed February 22, 1837, governmental functions were carried out in the residence of Robert Bennett. Using funds from the sale of cemetery lots, a two story log structure 18 by 24 feet was erected by David Whitman on a site two block directly north of the square. The building was accepted by the commissioners in 1840 at a reported cost of \$193.40. This building and a log jail of similar size, erected 20 rods to the south, later burned.

In April 1843 the commissioners contracted Almon Case to build another courthouse. Case sold the \$5,000 contract to a Marion, Indiana builder, George W. Webster. Constructed of native brick on the northwest corner of the present site, this second courthouse was a rectangular two story Greek Revival structure whose Doric tetrastyle portico faced east and was crowned by an enclosed belfry with a low, rounded roof. Over the course of the succeeding forty years, smaller, gabled brick office annexes were built along the south and west sides of the guarter-block site.

By April, 1888, lack of space and apparent dissatisfaction with hygenic conditions led Judge Henry Sayler of the 28th Judicial Circuit to issue an order condemning the courthouse. This ended efforts by the commissioners to placate the judge with plans for repair of the building.

It is interesting to note that despite its deficiency for government use, the vacated courthouse was rented in the summer of 1888 by two different merchants, John W. Tribolet and F. Mosiman, who successively used the space while they remodelled their own stores.


The Bluffton <u>Banner</u> of December 13, 1888, notes that "the county commissioners will go to Frankfort this morning to examine the courthouse at that place." Apparently the county's leaders were impressed; one week later, on December 20, the same paper reported that, "The commissioners have ordered construction of a new courthouse. An architect has been employed to prepare plans for a building, not to exceed 90 feet by 118 feet, and to cost not more than \$125,000, and to be situated on the site of the old courthouse."

| 9. MAJOR BIB | LIOGRAPHI | CAL REFER | ENCES | | • |
|---|-------------------------------------|-------------------|----------------|--|---------------------------------------|
| See Continuat | ion Sheet | | | | |
| | | | | | |
| | | | | - <u></u> | |
| OGEOGRAPH | | | | | |
| ACREAGE OF NOMIN | ATED PROPERTY <u>les</u> Bluffto | | | QUADRANGLE SCALE | 1:24000 |
| UTM REFERENCE | | 230 | в, , , | | |
| | | | "Lada La | | HING |
| ELILL | | _ <u>i_l_i_l</u> | FLL L | | |
| | | | нЦЦ | | |
| e northeast quan reets in the or | ter of the bl ginal plat of | the Town of | Bluffton, Inc | | |
| LIST ALL ST | ATES AND COUNTI | ES FOR PROPERTI | S OVERLAPPING | STATE OR COUNTY BO | UNDARIES |
| STATE | | CODE | COUNTY | 24 | CODE |
| STATE | | CODE | COUNTY | | CODE |
| 1 FORM PREF NAME / TITLE Craig Leonard ORGANIZATION | | nty Commissio | ners | DATE | |
| STREET & NUMBER 123 East Wabas | sh Street | | | TELEPHONE (219) 824-3 | 789 |
| CITY OR TOWN Bluffton | <u> </u> | | | STATE Indiana | |
| | CORIC PRES | ERVATION | OFFICER | CERTIFICATIO |)N |
| | | IGNIFICANCE OF T | HIS PROPERTY W | ITHIN THE STATE IS: | |
| NATION | AL | STATE | <u>X</u> | LOCAL | |
| - | | | | ervation Act of 1966 (Pu hat it has been evaluate | |
| criteria and procedures | set for the Mati | ong Terk Service. | | 115-78 | |
| | State Histori | c Preservatio | n Officer | DATE | · · · · · · · · · · · · · · · · · · · |
| DA NPS USE ONLY | | | | REGISTER | |
| 1 The | ul an | Jun- | | DATE 🖊 | 115-78 |
| KEEPER OF TH | E NATIONAL REGIST | ER Kun | | DATE /-/ | 0 79 |
| -CHEP OF REG | TRATION | | | | |
| | | | | | GPO 921-803 |

CONTINUATION SHEET

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM



ITEM NUMBER 8 PAGE 2

The architect chosen was George W. Bunting of Indianapolis; on March 12, 1889, Christian Boeseker was awarded a construction contract for \$119,879. Before demolition began, the courthouse bell was sold to a local church, and serves yet another church, the First Baptist, yet today. Also, canes were fashioned from the walnut woodwork, and were presented to those who had been residents of the county for 50 years or more. Construction of the new building began in July, 1889, and the cornerstone was laid in Masonic ceremonies on August 29, 1889. The completed structure was accepted by the commissioners on January 15, 1891. Dedication of the courtroom by the Wells County bar was conducted with appropriate ceremonies on the evening of March 2, 1891.


Since that time, the courthouse has served as the focus of political activity and public events, including political rallies, the annual street fair, and numerous other happenings. Perhaps the most prominent visitor was Benjamin Harrison, who spoke on the plaza during the presidential campaign of 1891.

The building's architect, George W. Bunting of Indianapolis, had already designed several couthouses, and became one of the most prolific designers of such buildings. In addition to the Clinton County Courthouse at Frankfort (1882), Bunting had done an identical design in Anderson (Madison County, 1882) as well as the Johnson County Courthouse in Franklin (1879). All of these previous examples, however, had been done in an electric classical mode which combined elements of Renaissance, Mannerist, and then-current French Empire styles of architecture. Bunting had previously used non-classical modes for educational buildings, such as the Neo-Jacobean Owen and Wylie Halls at Indiana University in Bloomington (1884). The Wells County design apparently marked his first use of both asymmetrical form and the Richardsonian mode for a courthouse design. Although Bunting also combined these features in his plans for Maxwell Hall at Indiana University (1890), he returned to the creation of symmetrical forms in the Union County Courthouse at Liberty (1890). Perhaps the studied asymmetry of the Bluffton design was purely a response to the demands of the site, since all of Bunting's other known courthouses stand on open squares. In any case, the combination of overall asymmetry with the balanced placement of elements on each elevation resulted in a dynamic architectural expression not seen in Bunting's other works.

In addition to the designs named above, George Bunting is also credited with the Montgomery County Courthouse in Crawfordsville (1877). David Hermansen notes that:

"He designed a minimum of seven Hoosier examples and others in Kansas (Sedgewick County), Michigan (Washtenaw County), West Virginia (Harrison County), and Tennessee (Montgomery County). The latter group is a testament to his ability to seek out commissions at a great distance from the geographic area of his architectural practice."


NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM



| CONTINUATION SHEET | ITEM NUMBER | 8 | PAGE | 3 |
|--------------------|-------------|---|------|---|
|--------------------|-------------|---|------|---|

Little is known of this architect's personal life. Born in Pennsylvania in 1829, he attended Girard College, and was also once apprenticed to a shipwright. After serving in the First Mississippi Cavalry in the Civil War, Bunting practiced architecture in Bloomington, Illinois, before settling in Indianapolis. About 1886 he was joined in his practice by his son, George W. Bunting (the younger). It was during this partnership that commissions in the Richardsonian idiom were executed. Bunting lived until 1901.

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM



2

CONTINUATION SHEET

ITEM NUMBER 9 PAGE

Bluffton <u>Banner</u>, December 13, 1888, p. 1 Bluffton Banner, December 20, 1888, p.3

"The New Courthouse", Bluffton Banner, January 15, 1891, p.3

The New Courchouse, Bruilton Danner, January 15, 1691, p.5

*The Dedication of the New Court Room," Bluffton Banner, March 15, 1891, p.3.

Samuel B. Harding, editor, <u>Indiana University 1820-1904</u>, Indiana University Press, 1904.


David R. Hermansen, "Indiana Courthouses of the Nineteenth Century," Faculty Lecture Series, College of Architecture and Planning, Ball State University, Muncie, Indiana, February 1968.

Fred F. Park, souvenir program for rededication of the Wells County Courthouse, Wells County Historical Society, 1976

Wilbur Peat, general note file, in Indiana Historical Society Library, Indianapolis, Indiana

Dorothy Rose and Joyce Buckner, <u>History of Wells County</u>, <u>Indiana 1776-1976</u>, Wells County Bicentennial Committee, 1976

Floor plans and drawing of courtroom restoration prepared by Craig Leonard, 1977



| Wells County Courthouse [#] Bluffton, Indiana | ψ_{χ} | 7 197 8 |
|---|---------------|----------------|
|---|---------------|----------------|


.

Perspective of courtroom, restoration drawn by Craig Leonard, 1977

JAN 1 5 1979

.

.






| | Wells County Courthouse Bluffton, Indiana | NOV | ²⁷ 197 8 |
|---|--|------|----------------------------|
| ÷ | First Floor Plan Drawn by Craig Leonard, | 1977 | ~ 197 8 |

JAN 1 : 1979

7



SECOND FLOOR




Wells County Courthouse Bluffton, Indiana

NOPERA

Second (Main) Floor Plan Drawn by Craig Leonard, 1977

JAN 1 5 1979




THIRD FLOOR

.



| Wells County Courthouse Bluffton, Indiana | JAN 1 5 1979 |
|--|--------------|
| Third Floor Plan Drawn by Craig Leonard, | |



FOURTH FLOOR



Wells County Courthouse Bluffton, Indiana

•

NOV 2 7 1978

Fourth Floor Plan Drawn by Craig Leonard, 1977

JAN 1 379

•***