Form 10-300 (July 1969) UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM (Type all entries - complete applicable sections) I. NAME COMMON. OREGON CREEK COVERED BRIDGE AND/OR HISTORIC: Freeman's Covered Bridge 2. LOCATION STREET AND NUMBER: Northeast 2 <sup>1</sup> / <sub>2</sub> miles on State Hwy. Road (SW4 NE <sup>1</sup> / <sub>4</sub> , Sec. 28, T.18N.,	Jer Oregon Creek . 49 and 4 mile NE on Cou	DATE 975
INVENTORY - NOMINATION FORM (Type all entries - complete applicable sections) I. NAME COMMON. OREGON CREEK COVERED BRIDGE AND/OR HISTORIC: Freeman's Covered Bridge 2. LOCATION 3mi NE of North San Juan ov STREET AND NUMBER: Northeast 2 <sup>1</sup> / <sub>2</sub> miles on State Hwy.	YUBA FOR NPS USE ONLY ENTRY NUMBER WAY 3 0 1 Jer Oregon Creek . 49 and 4 mile NE on Con	975
INVENTORY - NOMINATION FORM (Type all entries - complete applicable sections) I. NAME COMMON. OREGON CREEK COVERED BRIDGE AND/OR HISTORIC: Freeman's Covered Bridge 2. LOCATION 3mi NE of North San Juan ov STREET AND NUMBER: Northeast 2 <sup>1</sup> / <sub>2</sub> miles on State Hwy.	FOR NPS USE ONLY ENTRY NUMBER MAY 3 0 1 Jer Orcom Creek . 49 and 4 mile NE on Con	975
I. NAME     COMMON.     OREGON CREEK COVERED BRIDGE     AND/OR HISTORIC:     Freeman's Covered Bridge     2. LOCATION     3mi NE of North San Juan OV     STREET AND NUMBER: Northeast 2½ miles on State Hwy.	ENTRY NUMBER WAY 3 0 1 Jer Orcom Creek . 49 and 4 mile NE on Con	975
I. NAME     COMMON.     OREGON CREEK COVERED BRIDGE     AND/OR HISTORIC:     Freeman's Covered Bridge     2. LOCATION     3mi NE of North San Juan OV     STREET AND NUMBER: Northeast 2½ miles on State Hwy.	Jer Oregon Creek . 49 and 4 mile NE on Cou	
COMMON. OREGON CREEK COVERED BRIDGE AND/OR HISTORIC: Freeman's Covered Bridge 2. LOCATION STREET AND NUMBER: Northeast 2 <sup>1</sup> / <sub>2</sub> miles on State Hwy.		inty
AND/OR HISTORIC: Freeman's Covered Bridge 2. LOCATION <u>3 mi NE of North San Juan av</u> STREET AND NUMBER: Northeast 2 <sup>1</sup> / <sub>2</sub> miles on State Hwy.		inty
Freeman's Covered Bridge 2. LOCATION <u>3 mi NE of North San Juan OV</u> STREET AND NUMBER: Northeast 2 <sup>1</sup> / <sub>2</sub> miles on State Hwy.		inty
2. LOCATION <u>3mi NE of North San Juan OU</u> STREET AND NUMBER: Northeast 2 <sup>1</sup> / <sub>2</sub> miles on State Hwy.		inty
		intv
		mey
CITY OR TOWN:		
STATE North San Juan we.		,
California	Yuba	CODE 115
3. CLASSIFICATION		L
CATEGORY OWNERSHIP		
District Building X Public Public Acquisition:	X Occupied Yes:	TODEIC
Site Structure Private In Process	Unoccupied Rest	
Object Doth Being Consider		stricted
PRESENT USE (Check One or More as Appropriate)	in progress	
Agricultural Government Park	X Transportation Coming	retrie
Commercial Industrial Private Residence	Other (Specify)	$\mathbf{X}$
Educational Military Religious Entertainment Museum Scientific	RECEIVED	
4. OWNER OF PROPERTY		> Fa
OWNER'S NAME:	2 19 19 19 19 19 19 19 19 19 19 19 19 19	Ě
County of Yuba	INTERNAL INTERNAL	-47
County Courthouse, 219 - 5th S	Street	A.
CITY OR TOWN:	ATE:	ÖDE
Marysville 5. LOCATION OF LEGAL DESCRIPTION	California	06
COURTHOUSE, REGISTRY OF DEEDS. ETC:		
Yuba County Courthouse		
219 - 5th Street		
CITY OR TOWN:	ATE C	ODE.
Marysville	California	06
8. REPRESENTATION IN EXISTING SURVEYS		
USFS SITE RECONNAISSANCE - No. 05	-17-53-11	
DATE OF SURVEY: X Federal	State County Local	
DEPOSITORY FOR SURVEY RECORDS:		
Tahoe National Forest		
CITY OR TOWN:	ATE: C	ODE
Nevada City		06

•

``

This covered bridge a approximately 83 feet The bridge itself is Ponderosa Pine beams sound. The sides con had a shake roof. The construction. The ea however, the west abu Yuba County replaced one of corrugated tin The structure is owned lands administered by	GINAL ( <i>if known</i> ) PHYSIC cross Oregon Cro a Howepony truss are approximatel sist of wooden s e abutments were st abutment appe tment was faced the wooden sidir because of the d and maintained	eek, in Yu s structur ly 16 inch siding and e original ears to be with conc ng and rep snow load d by Yuba onal Fores	ba County, e. The ha es square the struct ly of unmonias origin rete at so laced the s, some 40 County and	(Check One) (Check	nol Site oden ill nally ne ructed, ate. with rs ago. d on
CONDITION ESCRIBE THE PRESENT AND ORI This covered bridge a approximately 83 feet The bridge itself is Ponderosa Pine beams sound. The sides con had a shake roof. The	(Check One) ed Unalter GINAL (If known) PHYSIC cross Oregon Cro a Howepony truss are approximatel sist of wooden s e abutments were st abutment appe tment was faced the wooden sidir because of the d and maintained the Tahoe Natio	eek, in Yu s structur ly 16 inch siding and e original ears to be with conc ng and rep snow load d by Yuba onal Fores	Moved ba County, e. The ha es square the struct ly of unmo as origin rete at so laced the s, some 40 County and	(Check One) (Check	nol Site oden ill nally ne ructed, ate. with rs ago. d on
This covered bridge a approximately 83 feet The bridge itself is Ponderosa Pine beams sound. The sides con had a shake roof. The construction. The ea however, the west abu Yuba County replaced one of corrugated tin The structure is owned lands administered by	ed Unalter GINAL ( <i>if known</i> ) PHYSIC cross Oregon Cre a Howepony truss are approximatel sist of wooden s e abutments were st abutment appe tment was faced the wooden sidir because of the d and maintained the Tahoe Natio	eek, in Yu s structur ly 16 inch siding and e original ears to be with conc ng and rep snow load d by Yuba onal Fores	ba County, e. The ha es square the struc ly of unmo as origin rete at so laced the s, some 40 County and	has a spa and hewn wo and are st cture origi ortared sto hally const ome later d shake roof to 50 yea l is locate	n of oden ill nally ne ructed, ate. with rs ago. d on
This covered bridge a approximately 83 feet The bridge itself is Ponderosa Pine beams sound. The sides con had a shake roof. The construction. The ea however, the west abu Yuba County replaced one of corrugated tin The structure is owned lands administered by	cross Oregon Cro a Howepony truss are approximately sist of wooden so the abutments were st abutment appendent the wooden siding because of the d and maintained the Tahoe Nation	eek, in Yu s structur ly 16 inch siding and e original ears to be with conc ng and rep snow load d by Yuba onal Fores	ba County, e. The ha es square the struc ly of unmo as origin rete at so laced the s, some 40 County and	, has a spa and hewn wo and are st cture origi ortared sto hally const ome later d shake roof ) to 50 yea l is locate	n of oden ill nally ne ructed, ate. with rs ago. d on
approximately 83 feet The bridge itself is Ponderosa Pine beams sound. The sides con had a shake roof. The construction. The each however, the west abur Yuba County replaced one of corrugated tin The structure is owned lands administered by	A Howepony truss are approximately sist of wooden as e abutments were st abutment apport tment was faced the wooden sidir because of the d and maintained the Tahoe Natio	s structur ly 16 inch siding and e original ears to be with conc ng and rep snow load d by Yuba onal Fores	e. The ha es square the struc ly of unmo as origin rete at so laced the s, some 40 County and	and hewn wo and are st cture origi ortared sto nally const ome later d shake roof ) to 50 yea l is locate	oden ill nally ne ructed, ate. with rs ago. d on
approximately 83 feet The bridge itself is Ponderosa Pine beams sound. The sides con had a shake roof. The construction. The eac however, the west abu Yuba County replaced one of corrugated tin The structure is owned lands administered by	A Howepony truss are approximately sist of wooden as e abutments were st abutment apport tment was faced the wooden sidir because of the d and maintained the Tahoe Natio	s structur ly 16 inch siding and e original ears to be with conc ng and rep snow load d by Yuba onal Fores	e. The ha es square the struc ly of unmo as origin rete at so laced the s, some 40 County and	and hewn wo and are st cture origi ortared sto nally const ome later d shake roof ) to 50 yea l is locate	oden ill nally ne ructed, ate. with rs ago. d on
approximately 83 feet The bridge itself is Ponderosa Pine beams sound. The sides con had a shake roof. The construction. The each however, the west abu Yuba County replaced one of corrugated tin The structure is owned lands administered by	A Howepony truss are approximately sist of wooden as e abutments were st abutment apport tment was faced the wooden sidir because of the d and maintained the Tahoe Natio	s structur ly 16 inch siding and e original ears to be with conc ng and rep snow load d by Yuba onal Fores	e. The ha es square the struc ly of unmo as origin rete at so laced the s, some 40 County and	and hewn wo and are st cture origi ortared sto nally const ome later d shake roof ) to 50 yea l is locate	oden ill nally ne ructed, ate. with rs ago. d on
Ponderosa Pine beams sound. The sides con had a shake roof. The construction. The eac however, the west abu Yuba County replaced one of corrugated tin The structure is owned lands administered by	are approximatel sist of wooden s e abutments were st abutment appe tment was faced the wooden sidir because of the d and maintained the Tahoe Natio	ly 16 inch siding and e original ears to be with conc ng and rep snow load d by Yuba onal Fores	es square the struct ly of unmo as origin rete at so laced the s, some 40 County and	and are st cture origi ortared sto hally const ome later d shake roof ) to 50 yea l is locate	ill nally ne ructed, ate. with rs ago. d on
Ponderosa Pine beams sound. The sides con had a shake roof. The construction. The each however, the west abur Yuba County replaced one of corrugated tin The structure is owner lands administered by	are approximatel sist of wooden s e abutments were st abutment appe tment was faced the wooden sidir because of the d and maintained the Tahoe Natio	ly 16 inch siding and e original ears to be with conc ng and rep snow load d by Yuba onal Fores	es square the struct ly of unmo as origin rete at so laced the s, some 40 County and	and are st cture origi ortared sto hally const ome later d shake roof ) to 50 yea l is locate	ill nally ne ructed, ate. with rs ago. d on
sound. The sides con had a shake roof. The construction. The ea however, the west abu Yuba County replaced one of corrugated tin The structure is owned lands administered by	sist of wooden s e abutments were st abutment appe tment was faced the wooden sidir because of the d and maintained the Tahoe Natio	siding and e original ears to be with conc ng and rep snow load d by Yuba onal Fores	the struct ly of unmo- as origin rete at so laced the s, some 40 County and	ture origi ortared sto hally const ome later d shake roof to 50 yea l is locate	nally ne ructed, ate. with rs ago. d on
had a shake roof. The construction. The each however, the west abu Yuba County replaced one of corrugated tin The structure is owned lands administered by	e abutments were st abutment appe tment was faced the wooden sidir because of the d and maintained the Tahoe Natio	e original ears to be with conc ng and rep snow load d by Yuba onal Fores	ly of unmo as origin rete at so laced the s, some 40 County and	ortared sto nally const ome later d shake roof ) to 50 yea l is locate	ne ructed, ate. with rs ago. d on
construction. The ea however, the west abu Yuba County replaced one of corrugated tin The structure is owned lands administered by	st abutment appe tment was faced the wooden sidir because of the d and maintained the Tahoe Natio	ears to be with conc ng and rep snow load d by Yuba onal Fores	as origin rete at so laced the s, some 40 County and	hally const ome later d shake roof ) to 50 yea l is locate	ructed, ate. with rs ago. d on
howev <b>er, the west abu</b> Yuba County replaced one of corrugated tin The structure is owne lands administered by	tment was faced the wooden sidir because of the d and maintained the Tahoe Natio	with conc ng and rep snow load d by Yuba onal Fores	rete at so laced the s, some 40 County and	ome later d shake roof ) to 50 yea l is locate	ate. with rs ago. d on
Yuba County replaced one of corrugated tin The structure is owne lands administered by	the wooden sidir because of the d and maintained the Tahoe Natio	ng and rep snow load d by Yuba onal Fores	laced the s, some 40 County and	shake roof ) to 50 yea l is locate	with rs ago. d on
one of corrugated tin The structure is owne lands administered by	because of the d and maintained the Tahoe Natio	snow load d by Yuba onal Fores	s, some 40 County and	) to 50 yea 1 is locate	rs ago. d on
The structure is owned lands administered by	d and maintained the Tahoe Natio	d by Yuba onal Fores	County and	l is locate	d on
lands administered by	the Tahoe Natio	onal Fores			
			t adjacent	to the Or	egon
Creek Campground.	RECEIVED RECEIVED				
	RECEIVED RECEIVED				
	RECEIVED				
	RECEIVED RECEIVED				
	BECEIVED BECEIVED				
	RECEIVED BELLE				
	NEW STRAN				
	the state of the second s				
		-Q /			
×	NATE	inter a state of the state of t			
	RES				
		,			

PERIOD (Check One or More as .		_	
Pre-Columbian	16th Century	18th Century	20th Century
15th Century	17th Century	🔀 19th Century	
SPECIFIC DATE(S) (If Applicabl	le and Known)		
AREAS OF SIGNIFICANCE (Che	ck One or More as Appropria	ate)	
Abor iginal	Education	Political	🔲 Urban Planning
Prehistoric	Engineering	Religion/Phi-	Other (Specify)
X Historic	📋 Industry	losophy	
X Agriculture	Invention		
Architecture		Science	·
	Landscape	Sculpture	·
Art	Architecture	Social/Human-	
	Literature	itarian	~
Communications	Military	Theater	
Conservation	Music	$[\mathbf{X}]$ Transportation	
TATEMENT OF SIGNIFICANCE			
was washed away (1879:100)	subsequent to the	e construction of	The original bridge the new bridge.
the year that th In any event, th	e bridge was cons is bridge is eith	structed. (Adams	r one of the oldest
the Middle Yuba 1 death, in 1892. operates it. Th be about 1910. The bridge is un	River nearby, as Subsequently, Yu e date of acquisi (Thompson & West ique in the annal	toll bridges, app ba County acquire tion is unverifie 1879:100) .s of American cou	d another bridge acro parently until his ed the bridge and sti ed, but is thought to vered bridge building either end. (Adams
River sent a mas surged upstream and carried it ar found some 50 ya logging contract ments. However, end and the west	s of water floodi in Oregon Creek, way. When the flo rds below its ori or, Solon Chatfie during the flood end of the bridg the west abutment	ng downstream. lifted the bridge od waters subside ginal location. ld, to return the the bridge had h se was placed on t	eam on the Middle Yub The high flood waters e from its abutments ed, the bridge was Mr. Freeman hired a e bridge to its abut- been turned end for the east abutment and hed to the present ti
	100000000000000000000000000000000000000		
Today it furnish	een free to publi es the principal	access to the nea	Freeman's death in 18 arby Oregon Creek Cam he bridge is commemor tive Daughters of th

Ţ

....

MAJOR	BIBLIOGRAPHICAL RE	FERENCES		
	DAMS, Kramer A. HOMPSON & WEST()	1	ishing Co	Bridges of the West, Howell-North Pub o. Berkeley, CA. of Yuba County"
3. M	ORLEY, Sylvanus	G.(1938)		ered Bridges of California"-Universit
4. S	MITH, Joe (3-29-		Even A R: Broke'' -	iver Flowed the Wrong Way When the Da The Sacramento Bee.
L	APHICAL DATA		14	0 LATITUDE AND LONGITUDE COORDINATES DEFINING THE CENTER POINT OF A PROPERTY
	······································	r		R OF LESS THAN TEN ACRES
CORNER		LONGI		LATITUDE LONGITUDE
NW	Degrees Minutes Seconds o , "	Degrees Minu o	res Seconds	Degrees Minutes Seconds Degrees Minutes Secon
NE	<b>0 1 11</b>	° 0	• •	39 23 48 121 04 52
SE	0 1 7	0	, ,	
	MATE ACREAGE OF NON	INATED PRO	PERTY:	2 acres
				LAPPING STATE OR COUNTY BOUNDARIES
STATE:			CODE	COUNTY
STATE:	• .		CODE	COUNTY:
STATE:	<u></u>	······	CODE	COUNTY: COL
				[
STATE:			CODE	COUNTY:
FODU	PREPARED BY		<u>.                                    </u>	
NAME AN				
	George W	. Taylor,	Land Us	se Planner
ORGANIZ				DATE
· 		tional Fo	orest	7-22-74
STREET	AND NUMBER:			
	TOWN			STATE
CITY OR		· • · · ·		
STATE	<u>Nevada</u> C		אר	California 95959 00 NATIONAL REGISTER VERIFICATION
			•••	
tional 89-665 in the evalua forth b level c	designated State Liais Historic Preservation A ), I hereby nominate this National Register and c ted according to the crit y the National Park Ser of significance of this n ational	ct of 1966 (P s property for ertify that it eria and proc vice. The re	ublic Law inclusion has been cedures set commended	I hereby certify that this property is included in the National Register.
	tate Historic P			

SNOI

SEE INSTRUCT