NPS Form 10-900 (Oct. 1990)

United States Department of the Interior National Park Service

Maria Victor

MM 31 1993

National Register of Historic Places Registration Form

This form is for use in nominating or requesting determinations for individual properties and districts. See instructions in *How to Complete the National Register of Historic Places Registration Form* (National Register Bulletin 16A). Complete each item by marking "x" in the appropriate box or by entering the information requested. If an item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, architectural classification, materials, and areas of significance, enter only categories and subcategories from the instructions. Place additional entries and narrative items on continuation sheets (NPS Form 10-900a). Use a typewriter, word processor, or computer, to complete all items.

nistoric name	Aircraft Warning Service Observation	n Tower
other names/site number	NA	
2. Location		
street & number	216 Spring Road	□ not for publication
ity or town		
washington	code county Clallam	code zip code <u>98324</u>
3. State/Federal Agency Ce	ertification	
Signature of certifying official	VITITLE Date	
In my opinion, the property	Office of Archaeology and Historic Probureau meets does not meet the National Register criteria. (S	
	☐ meets ☐ does not meet the National Register criteria. (☐ S	
In my opinion, the property Comments.)	☐ meets ☐ does not meet the National Register criteria. (☐ S	See continuation sheet for additional
In my opinion, the property Comments.) Signature of certifying official. State or Federal agency and	☐ meets ☐ does not meet the National Register criteria. (☐ S	See continuation sheet for additional
In my opinion, the property comments.) Signature of certifying official. State or Federal agency and National Park Service Centereby certify that the property is: entered in the National Reg	☐ meets ☐ does not meet the National Register criteria. (☐ S ☐ Title ☐ Date ☐ bureau ☐ Signature of the Keeper ☐ Signature Of Signature of the Keeper ☐ Signature of the Signature Of Signature of the Signature of the Signature Of Signature of the Signature of Si	See continuation sheet for additional
In my opinion, the property comments.) Signature of certifying official. State or Federal agency and National Park Service Centereby certify that the property is: entered in the National Reg	meets does not meet the National Register criteria. (Solution Signature of the Keeper prister. Signature of the Keeper prister. Signature of the Keeper prister.	See continuation sheet for additional
In my opinion, the property comments.) Signature of certifying official. State or Federal agency and National Park Service Centereby certify that the property is: entered in the National Reg See continuation sh determined eligible for the National Register	meets does not meet the National Register criteria. (Solution Solution Signature of the Keeper spister. Solution Signature Sol	See continuation sheet for additional
In my opinion, the property comments.) Signature of certifying official. State or Federal agency and National Park Service Ce hereby certify that the property is: entered in the National Reg See continuation sh determined eligible for the National Register See continuation sh determined not eligible for the	meets does not meet the National Register criteria. (Solution Solution Signature of the Keeper spister. Solution Signature Sol	See continuation sheet for additional

ATTETAL WATHING SELVICE ODSELVACION TOWER Name of Property		County and State			
5. Classification					
Ownership of Property (Check as many boxes as apply)	Category of Property (Check only one box)	Number of Resources within Property (Do not include previously listed resources in the cou		rty the count.)	
Ö private □ public-local □ public-State	□ building(s)□ district□ site△ structure□ object	Contributing	buildings		
□ public-Federal		1		sites	
		1	0	objects	
Name of related multiple p (Enter "N/A" if property is not part	roperty listing of a multiple property listing.)	Number of con in the National	tributing resources p Register	previously listed	
N/A		0		•	
6. Function or Use					
Historic Functions (Enter categories from instructions) Defense		Current Functions (Enter categories from Not in use			
7. Description					
Architectural Classification (Enter categories from instructions) N/A		Materials (Enter categories from	instructions)		
		foundation concrete			
		walls wood: planks			
		wood	l: shinales		
		roofaspha	olt		
		other			

Narrative Description (Describe the historic and current condition of the property on one or more continuation sheets.)

Aircraft Warning Service Observation Tower	Clallam County, WA
Name of Property	County and State
8. Statement of Significance	
Applicable National Register Criteria	Areas of Significance
(Mark "x" in one or more boxes for the criteria qualifying the property for National Register listing.)	(Enter categories from instructions)
Tallottal Hogistel Holling.)	Military
X A Property is associated with events that have made	
a significant contribution to the broad patterns of	
our history.	
☐ B Property is associated with the lives of persons	
significant in our past.	·
C Property embedies the distinctive characteristics	
☐ C Property embodies the distinctive characteristics of a type, period, or method of construction or	
represents the work of a master, or possesses	
high artistic values, or represents a significant and	
distinguishable entity whose components lack	Period of Significance
individual distinction.	1941-343
□ D Property has yielded, or is likely to yield,	
information important in prehistory or history.	
Outhority Connected and to use	
Criteria Considerations (Mark "x" in all the boxes that apply.)	Significant Dates
(Mark X III all the Soxes that apply.)	1941; 1943; 1992
Property is:	
☐ A owned by a religious institution or used for	
religious purposes.	
	Significant Person (Complete if Criterion B is marked above)
B removed from its original location.	
C a higheless or group	N/A
☐ C a birthplace or grave.	Outhor LACCULATION
☐ D a cemetery.	Cultural Affiliation N/A
	.,,
☐ E a reconstructed building, object, or structure.	
·	
☐ F a commemorative property.	
	Architect/Builder
G less than 50 years of age or achieved significance	
within the past 50 years.	Cook, Fred and Jean (builders)
•	See text
Narrative Statement of Significance	
(Explain the significance of the property on one or more continuation sheets.	.)
9. Major Bibliographical References	
Bibilography	
(Cite the books, articles, and other sources used in preparing this form on o	ne or more continuation sheets.)
Previous documentation on file (NPS):	Primary location of additional data:
preliminary determination of individual listing (36	☐ State Historic Preservation Office
CFR 67) has been requested	☐ Other State agency
previously listed in the National Register	☐ Federal agency
previously determined eligible by the National	☐ Local government
Register	☐ University
☐ designated a National Historic Landmark	☐ Other
☐ recorded by Historic American Buildings Survey	Name of repository:
#	,
☐ recorded by Historic American Engineering	
Record #	

ircraft Warning Service Observation Tower	Clallam County, WA
Name of Property	County and State
10. Geographical Data	
Acreage of Property less than one UTM References (Place additional UTM references on a continuation sheet.)	
1 1 0 4 8 1 4 0 0 5 3 2 7 6 2 0 Zone Easting Northing 2 Verbal Boundary Description (Describe the boundaries of the property on a continuation sheet.)	Zone Easting Northing . 4
Boundary Justification (Explain why the boundaries were selected on a continuation sheet.)	
11. Form Prepared By	
name/title Leonard Garfield and Harriet Fish	· · · · · · · · · · · · · · · · · · ·
organization Office of Archaeology and Historic Pro	
street & number 111 W. 21st Street SW	telephone (206) 586-2901
city or town Olympia	_ stateWA zip code98504
Additional Documentation	
Submit the following items with the completed form:	
Continuation Sheets	
Maps	
A USGS map (7.5 or 15 minute senes) indicating the pr	roperty's location.
A Sketch map for historic districts and properties having	g large acreage or numerous resources.
Photographs	
Representative black and white photographs of the pr	operty.
Additional items (Check with the SHPO or FPO for any additional items)	
Property Owner	
(Complete this item at the request of SHPO or FPO.)	
name Harriet U. Fish	
street & number Post Office Box 908	telephone (206) 452-9195
city or townCarlsborq	_ state <u>WA</u> zip code <u>98324</u>

Paperwork Reduction Act Statement: This information is being collected for applications to the National Register of Historic Places to nominate properties for listing or determine eligibility for listing, to list properties, and to amend existing listings. Response to this request is required to obtain a benefit in accordance with the National Historic Preservation Act, as amended (16 U.S.C. 470 et seq.).

Estimated Burden Statement: Public reporting burden for this form is estimated to average 18.1 hours per response including time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding this burden estimate or any aspect of this form to the Chief, Administrative Services Drusson, National Park Service, P.O. Box 37127, Washington, DC 20013-7127; and the Office of Management and Budget, Paperwork Reductions Projects (1024-0018), Washington, DC 20503.

National Register of Historic Places Continuation Sheet

Section	number	7	Page	1

Aircraft Warning Service Observation Tower, Sequim vicinity, Clallam County

Description: Built in December 1941, the Aircraft Warning Service Observation Tower is a 35-foot tall wood frame structure constructed by civilian volunteers living in the Dungeness area. Originally, the tower was located near the southeast corner of Old Olympic Highway and Kitchen-Dick Road just south of the Fred and Jean Dick Cook farmhouse. In December 1992, the tower was moved two miles west along the Old Olympic Highway to its current site a few feet north of the Harriet Fish residence. Located on the same prairie, the new site closely approximates the original in orientation and setting.

The tower is built on a nearly square plan that measures eight and one-half feet by eight feet, and rises three stages. The tower, which originally rested directly on the ground, was placed on a poured concrete pad at the new site. The corner posts have been reinforced at their bases with metal brackets. The structure, which was built by local farmers using whatever materials were at hand, features a frame of dimension lumber with vertical plank walls. The lower walls feature battens and the top story of the tower has been faced with a covering of coursed shingles. The tower is sheltered by a gabled roof covered with asphalt shingles.

Each stage of the tower is completely enclosed to form a small undivided room accessed through a single leaf door. The rooms are unfinished and unadorned with simple plank floors and ceilings (plywood lines the walls of the top story). The only fixture in the tower is a built-in writing shelf or observation desk in the corner of the top unit. Each level is lighted by wood-sash windows of varying sizes and configurations. Windows on the bottom level are paired; the second floor includes multi-light and fixed pane windows; the top level, where the observation desk was, is extensively glazed with banded sliding windows, paired double-hung windows, and fixed lights.

An open platform, supported by two-by-fours, surrounds the upper level and features plank flooring and a crude two-by-four wood railing with plain boards. The view from the deck today affords the same view as from its original location.

To access the upper levels of the tower, an open staircase was constructed against the side of the structure with platform landings at the second and third stories. A few steps of the staircase at the bottom level were replaced after the structure was moved because of deterioration.

National Register of Historic Places Continuation Sheet

Section	number	7, 8	Page	2
			· who	

Aircraft Warning Service Observation Tower, Sequim vicinity, Clallam County

Description continued:

When the property was moved in 1992, the top section of the tower was lifted by an 85-foot crane; the structure was then placed on flat bed trucks in two sections, moved two miles down the road, and reassembled at the new site. Three men completed the project in about five hours. In addition to placing the tower on a new concrete pad, the tower was turned slightly to avoid heavy winds, and the staircase and platforms were reinforced.

Statement of Significance:

The Dungeness area Aircraft Warning Services Observation Tower is a rare reflection of the role of civilian volunteers in protecting American security and contributing to the homefront war effort during World War II. In response to the threat of air attacks, residents of the Dungeness area joined together to build the observation tower and then manned it around the clock for two years, reporting aircraft activity to "filter centers" in Seattle and Port Angeles. Constructed shortly after the attack on Pearl Harbor in December, 1941, the tower was under the supervision of chief observer Jean Dick Cook on whose property it was built. Cook and her several hundred volunteers were mostly women (as were the civilian volunteers at the centers where the observations were plotted) and they kept the warning system in full operation around the clock until October, Although other towers have been dismantled or fallen into 1943. disrepair, the Dungeness tower remained intact and served as a Civil Defense tower in the 1950s. In December 1992, 51 years after its construction, the tower was moved to a nearby site in order to ensure its continued preservation.

Exception to the National Register/State Register criteria consideration regarding moved properties: Although National Register and State Register criteria normally exclude moved properties, exception is made when a property is the most significant example of a type of construction; when the new location is comparable to the original in terms of setting,

National Register of Historic Places Continuation Sheet

Aircraft Warning Service Observation Tower, Sequim vicinity, Clallam County

Significance continued:

orientation, and context; and when the move itself does not damage the character-defining features of the property. Survey data indicates that the Dungeness tower is the only intact observation tower in the region, that the new location (two miles due west on the same prairie on the south side of the Old Olympic Highway) provides the same views; and that the new location closely approximates the original in its setting. The move itself was conducted under careful supervision to insure that the structure was relocated with minimal alteration to the physical fabric of the tower.

Historical Background: In the aftermath of the attack on Pearl Harbor and America's entry into the war, the United State Army Air Forces established the Aircraft Warning Service to monitor air activity along both coasts of the United States. The service enlisted local resident volunteers to establish and operate observation towers, and to report any observations to various "filter centers" manned by military personnel and civilian volunteers, where the messages were deciphered and mapped.

Numerous towers were built along Washington's Pacific Coast and the Straight of Juan de Fuca. Under the command of the United States Army Air Forces IV Fighter Command, the Aircraft Warning Services tower for the Dungeness-Agnew area was built of donated materials by farm families in the area and constructed immediately behind Fred and Jean Dick Cook's farmhouse. Jean Cook assumed the position of "chief observer," but she enlisted an estimated 300 volunteers to help man the 24-hour watch.

The observation tower was connected by telephone to "filter centers" in both Seattle and Port Angeles where the information was relayed in code that gave the location and a description of the spotted aircraft. At the filter center, the information was transposed and placed on a large area map. Many of the volunteers at the filter center were women assuming the roles of "plotter," "filter," and "teller." Observing from above or aside the large map were Air Force Fighter Command officers who interpreted the information and made decisions for action. The Port Angeles filter center was located in the old Joseph Paris Garage on West First Street, while a Seattle center was located at the downtown County-City Building and staffed by officers stationed at Fort Lawton.

National Register of Historic Places Continuation Sheet

Section	number	8,	9,	10	4
29011011	ununder			rage	

Aircraft Warning Service Observation Tower, Sequim vicinity, Clallam County

Significance continued:

The observation program continued from 1941 until October 1943, at which time the filter centers were turned over to the military and the civilian workers placed on stand-by status. Eventually, the Seattle Filter Center, was closed and its operation moved to McChord Air Force Base near Tacoma. But following the war, the Dungeness tower was again pressed into service, this time as a Civil Defense observation tower operated by the volunteers of the Ground Observer Corps.

Most of the observation towers on the peninsula were dismantled after the war; others fell into ruin. Two other towers known to have existed in the region included a tower near Sequim Bay and one at the Port Angeles airport. The Port Angeles tower, which stood 75 feet high, was dismantled in the 1970s and the top of the lookout transported to the Olympic Game Farm near Sequim. The Dungeness tower was maintained throughout Mrs. Cook's life and remained on its original location until December 1992 when the present owners felt it necessary to remove the structure because of potential liability risks. In an interesting twist of fate, the tower is now located on the property of Harriet U. Fish, who served at the Seattle "filter center" where she frequently communicated with the Dungeness tower. Years later, Fish and her husband moved to the Dungeness area after they made a visit to the region to meet the volunteers with whom she had become familiar.

Bibliography:

Harriet Fish, "Tower Stands a War Monument," Port Angeles <u>Daily News</u>, February 14, 1982, p. C2.

Harriet Fish, "Wartime Filter Centers Monitored Air Reports," Port Angeles Daily News, February 21, 1982.

Dean Mosiman, "Historian Saves Tower of Power," Port Angeles <u>Peninsula</u> <u>Daily News</u>, December 12, 1992, p. 1.

<u>Verbal Boundary Description</u>: The nominated property is located on the parcel legally decsribed as S 25 ESWSW, E of Creek 4.56 acres, #330200-0000. (Continued)

National Register of Historic Places Continuation Sheet

Section number 10 Page 5

Continued:

Verbal Boundary Description: The nominated property is a rectangular parcel of land located on the legally described parcel # 330200-0000 (R4T30S7). The property is further defined within that legal parcel thusly: beginning at the intersection of Spring Road and the Fish private drive, proceed to the end of the drive, and proceed west approximately 200 feet to the point of beginning. From POB, proceed 100 feet west, 100 feet north, 100 feet east, and 100 feet south to the POB.

Boundary Justification: The nominated property includes that portion of the legal parcel which includes the observation tower and immediate setting, providing an appropriate environmental context for the relocated structure but excluding the non-related structures and fields on the legal parcel.