

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Section number _____ Page _____

SUPPLEMENTARY LISTING RECORD

NRIS Reference Number: 91000163

Date Listed: 3/6/91

Grants Pass Supervisor's Warehouse
Property Name

Josephine OR
County State

USDA Forest Service Administrative Buildings in OR and WA Built
by the CCC
Multiple Name

This property is listed in the National Register of Historic
Places in accordance with the attached nomination documentation
subject to the following exceptions, exclusions, or amendments,
notwithstanding the National Park Service certification included
in the nomination documentation.

for *Antoinette Allee*
Signature of the Keeper

3/6/91
Date of Action

=====
Amended Items in Nomination:

Classification: Under Category of Property, the check next to
"site" should be deleted.

Statement of Significance: Criteria Consideration G should be
removed. The Period of Significance should be amended to read:
1933-41.

This information was confirmed with Evan DeBlois, Preservation
Officer, Forest Service.

DISTRIBUTION:

- National Register property file
- Nominating Authority (without nomination attachment)

United States Department of the Interior
National Park Service

JAN 25 1991

RECEIVED
OCT 07 1987
STATE PARKS DIVISION

**NATIONAL REGISTER OF HISTORIC PLACES
REGISTRATION FORM**

**NATIONAL
REGISTER**

This form is for use in nominating or requesting determinations of eligibility for individual properties or districts. See instructions in How to Complete National Register Forms (revised 1986). Complete each item by marking "x" in the appropriate box or by entering the requested information. If an item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, styles, materials, and areas of significance, enter only the categories and subcategories listed in the instructions. For additional space use continuation sheets (Form) and identify the section being continued. Type all entries.

1. NAME OF PROPERTY

Grants Pass Supervisor's Warehouse

historic name

other names/site number

2. LOCATION

Siskiyou National Forest, Supervisor's Office

street & number 200 NE Greenfield Road

N/A not for publication

city, town Grants Pass

N/A vicinity

state Oregon code 41 county Josephine code 033 zipcode 9752

3. CLASSIFICATION

Ownership of Property	Category of Property	Number of Resources within Property	
<input type="checkbox"/> private	<input checked="" type="checkbox"/> building(s)	Contributing	Noncontributing
<input type="checkbox"/> public-local	<input type="checkbox"/> district	<u>7</u>	<u>1</u> buildings
<input type="checkbox"/> public-State	<input checked="" type="checkbox"/> site	_____	_____ sites
<input checked="" type="checkbox"/> public-Federal	<input type="checkbox"/> structure	_____	_____ structures
	<input type="checkbox"/> object	_____	_____ objects
		<u>7</u>	<u>1</u> Total

Name of related multiple property listing:
USDA Forest Service Administrative Buildings
in the States of Oregon and Washington
Built by the Civilian Conservation Corps

Number of contributing
resources previously listed in
the National Register 0

4. STATE/FEDERAL AGENCY CERTIFICATION

As the designated authority under the National Historic Preservation Act of 1966, as amended, I hereby certify that this nomination request for determination of eligibility meets the documentation standards for registering properties in the National Register of Historic Places and meets the procedural and professional requirements set forth in 36 CFR Part 60. In my opinion, the property meets does not meet the National Register criteria. See continuation sheet.

Evan J. DeBlouis 1-8-91
Signature of certifying official Date
USDA Forest Service
State or Federal agency and bureau

In my opinion, the property meets does not meet the National Register criteria. See continuation sheet.

[Signature] October 9, 1987
Signature of commenting or other official Date
Deputy State Historic Preservation Officer
State or Federal agency and bureau

5. NATIONAL PARK SERVICE CERTIFICATION

I, hereby, certify that this property is:

	for Signature of the Keeper	Date of Action
<input checked="" type="checkbox"/> entered in the National Register.	<u>Antoinette Ghee</u>	<u>3/6/91</u>
<input type="checkbox"/> determined eligible for the National Register.	_____	_____
<input type="checkbox"/> determined not eligible for the National Register.	_____	_____
<input type="checkbox"/> removed from the National Register.	_____	_____
<input type="checkbox"/> other, (explain): _____	_____	_____

6. FUNCTION OR USE

Historic Functions (enter categories from instructions)

Government: Government Office

Current Functions (enter categories from instructions)

Government; Government Office

7. DESCRIPTION

Architectural Classification (enter categories from instructions)

Other: Rustic architecture of the USDA Forest Service in the Pacific Northwest Region

Materials (enter categories from instructions)

foundation concrete roof wood; shingles
walls wood; weatherboard other shiplap

Describe present and historic physical appearance.

See continuation sheet

8. STATEMENT OF SIGNIFICANCE

Certifying official has considered the significance of this property in relation to other properties:

nationally statewide locally

Applicable National Register Criteria A B C D

Criteria Considerations (Exceptions) A B C D E F G

Areas of Significance (enter categories from instructions)

Politics/government

Conservation

Architecture

Period of Significance

1933-1942

Significant Dates

1933-1934

Cultural Affiliation

N/A

Significant Person

N/A

Architect/Builder

Regional Office Architectural Group -
Linn A. Forrest, Howard L. Gifford,
Ward Gano, James Pollock, Emmett U. Blanch-

State significance of property and justify criteria, criteria considerations, and areas and periods of significance noted above.

See continuation sheet

9. MAJOR BIBLIOGRAPHICAL REFERENCES

- Previous documentation on file (NPS):
- preliminary determination of individual listing (36 CFR 67) has been requested
 - previously listed in the National Register
 - previously determined eligible by the National Register
 - designated a National Historic Landmark
 - recorded by Historic American Buildings Survey # _____
 - recorded by Historic American Engineering Record # _____

See continuation sheet

- Primary location of additional data:
- State historic preservation office
 - Other State agency
 - Federal agency
 - Local government
 - University
 - Other

Specify repository:
USDA Forest Service Regional Office-
Pacific Northwest Region, Recreation Unit

10. GEOGRAPHICAL DATA

Acreege of property 3.8 acres

UTM References

A	Zone	Easting	Northing	B	Zone	Easting	Northing
	10	472166	4698210				
C				D			
E				F			
G				H			

Verbal Boundary Description

See continuation sheet

Boundary Justification The boundaries are drawn to include those buildings and spaces that describe the Forest Service administrative use of the site. The area encompassed is that acquired by the United States for administrative purposes under the provision of the Act of March 3, 1985 (43 Stat. 1132). Thus, the boundaries of the site are legally established.

See continuation sheet

11. FORM PREPARED BY

name/title E. Gail Throop, Regional Historian
organization USDA Forest Service, Pacific Northwest Region date 1/15/86
street & number 319 SW Pine, P.O. Box 3623 telephone (503) 221-3644
city or town Portland state Oregon zip code 97208

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**

Section number 7 Page 1 of 4

DESCRIPTION

Grants Pass Supervisor's Warehouse

Office #2207: 1933; 22' x 16'4"; one-story wood-frame building with a rectangular shape. The east (front) elevation is balanced with a central entry, protected by a gabled, hood porch supported by open, wood brackets. The entry is flanked to the left and right by six-over-six, double-hung sash windows set in simple, wood surrounds. The structure has a concrete foundation, a shingled, gable roof, and an exterior covered with tongue-and-grooved shiplap siding. The gable ends and the gable on the porch are covered with vertical boards and battens. The building has a brick chimney with corbelled top. The eaves are exposed. The interior treatments include fir flooring, a drop, firtex ceiling, and plywood walls.

Galice Warehouse #2205: 1933; 30'4" x 80'5", one-story, wood-frame building of two rectangular units set on a concrete foundation; the southern unit is of greater height than the northern unit. The building's east (front) elevation contains an entry door and a nine-pane casement window in its southern section; the northern section possesses three garage bays enclosed by doors constructed of vertical boards which are "x" banded (see detail photo of doors). Both units are covered with a shingled, gable roof with open eaves. The exterior of the building consists of horizontal, grooved, shiplap siding; the gable ends are covered with vertical board and batten siding. The southern section of the building has on its front elevation an attached, open lean-to porch which may be a later addition to protect the loading dock. A similar warehouse on the east side of the complex does not have this lean-to porch. The building has a single, brick chimney. The interior is divided into storage areas, including

United States Department of the Interior
National Park Service

NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET

Section number 7 Page 2 of 4

Galice Warehouse #2205 continued

screened rooms for segregating various supplies. The attic areas are also used for storage and are floored with seven-inch fir boards. The main floor is covered with 5-1/2 inch fir boards. Four-pane casement windows are located in the gable ends to provide lighting in the attics.

West Parking Garage #2309: 1933; 131'5" x 26'3"; long rectangular, 1 story, wood-frame building on a concrete foundation on the west side of the warehouse complex. The structure has a shingled, gable roof with a major cross gable in the center of its east (front) elevation. The building is of a symmetrical design with five garage bays to the north and to the south of two center bays which are located beneath the cross gable. The structure thus has twelve bays on its front elevation. Although the original doors enclosing these bays have been removed, the tracks remain. The cross gable is decorated with two cutout pine tree logos located beneath an eight-pane casement window. The building's exterior is covered with horizontal, lapped siding; the gable ends are covered with vertical boards and battens (see photo of cross gable). The floor of the southern five bays and the two center bays is made up of two-by-fours set on end and cut with a diagonal taper where they rest on the concrete base at the entry to the bay. This two-by-four flooring is rotting and is in need of maintenance. The five bays on the north end have a concrete floor. The building's attic is floored. Each bay is lighted by a twelve-pane casement window located in the west (rear) elevation.

Radio Shop #2104: 1933; 48'7" x 26'; one-story, rectangular, wood-frame building on a concrete foundation located at the northwest corner of the warehouse complex. The building has a shingled, gable roof with a small, open porch surrounded by two slender posts on its south (front) elevation. The exterior of the building is covered with horizontal, lapped siding. In 1964 a wing was attached on the east elevation to expand the office area and provide a garage. The new section has aluminum frame windows; the older section has four-pane casement windows in simple wood surrounds. The single brick chimney has a new brick top added to it, a repair probably made in 1964. The garage bay is enclosed with a metal garage door. Building retains function, location, and spatial relationship with historic group, but conveys no historic identity. Non-contributing, peripheral location.

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**

Section number 7 Page 3 of 4

East Equipment Storage Building #2310: 1933; 131'5" x 26'3"; long rectangular, one-story, wood-frame building on a concrete foundation on the east side of the warehouse complex. The structure has a shingled, gable roof with a major cross gable in the center of its west (front) elevation. The building is of a symmetrical design with five garage bays to the north and south of the two center bays which are located beneath the cross gable. The structure thus has twelve bays on its front elevation. Although the original wood doors for the bays remain, some of them have been refaced; others have been cut for smaller doorway (see photo). The cross gable is decorated with two cutout Forest Service tree logos located beneath an eight-pane casement window. The building's exterior is covered with horizontal lapped siding; the gable ends are covered with vertical boards and battens. The building has a concrete floor and presently houses the tree cooler as well as serving as a storage structure. The windows are twelve-pane casement.

Warehouse-Shop Building #2101: 1933; 97'6" x 60'; large rectangular, wood-frame structure of 1-1/2 stories located in the center of the warehouse complex. The building has a shingled, gable roof which is broken by three dormers, each containing pairs of nine-pane casement windows. The exterior of the building is covered with lapped, horizontal siding; the gable ends of the building and the dormers are covered with vertical boards and battens. The building is of symmetrical design and has projecting garage bays on the east and west ends of the north and south elevations. The south (front) elevation has a center entry door; by it stands a wood mailbox with shingle roof (see photos). The shop area is well-lighted by large window bays most of which are filled with nine-pane casement windows. A five-ton, overhead crane on tracks runs the length of the shop on 10" x 18" timbers which rest on 10" x 10" posts. The building originally had two brick chimneys; one has been removed; one remains near the base of the garage bay on the east end of the front elevation (see photo). The southwest corner of this building has been remodeled and partially enclosed for an enlarged bathroom area and for storage of parts. The large garage bays on the north (rear) elevation are enclosed with wood doors and are held in place by hinges 32" long. The building has a concrete floor.

Gas House #2501: 1933; 26'3" x 17'6"; rectangular building facing to the northwest. This wood-frame structure sets on a concrete foundation and is located on the right side of the entry to the warehouse complex. The building has a shingled, gable roof, open eaves, and an exterior of grooved, shiplap laid horizontally. The gable ends are covered with vertical boards and battens; the front gable has a six-pane casement window for attic lighting. The front elevation of the building is recessed for a drive-through service area; the roof is supported by two, slender, undecorated wood posts with wood

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**

Section number 7 Page 4 of 4

Gas House #2501 continued

brackets. The windows in the building are six-pane casement. The structure needs painting and replacement of broken windows. The roof is in fair condition. There are two gas pumps; one is approximately twenty years old.

Engineering Warehouse #2206: 1933; 30'4" x 80'5"; one-story, wood-frame building of two rectangular units set on a concrete foundation; the northern unit is of greater height than the southern unit. The building's west (front) elevation contains an entry door and three nine-pane casement windows. The southern section possesses three garage bays enclosed by doors constructed of vertical boards which are "x" banded (see photo detail for Galice Warehouse). Both units are covered with a shingled, gable roof with open eaves. The exterior of the building consists of horizontal, grooved, shiplap siding; the gable ends are covered with vertical board and batten siding. The northern unit has a small, loading dock on its west (front) elevation. The building has a single, brick chimney. The interior is divided into storage areas which include rooms in the attic. Four-pane casement windows provide attic lighting.

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**

Section number 8 Page 1 of 1

SIGNIFICANCE:

The Grants Pass Supervisor's Warehouse typifies the construction projects undertaken by the Civilian Conservation Corps and signifies the aid to the local community provided by the emergency work-relief program through employment of youth and experienced craftsmen, purchase of building materials and camp supplies, and personal expenditures of enrollees. The property represents the Forest Service's presence in the locality, as the headquarters for field operation, and denotes, via the physical facilities required to carry out the agency's expanding responsibilities, the critical transition in the Service's development from custodial superintendence to extensive resource management. The Grants Pass Supervisor's Warehouse exemplifies the rustic architectural idiom developed by the Forest Service, Pacific Northwest Region, to impart Forest Service identity and to represent its purposes and ideals, and signifies the agency's particular interpretation of a singular expression of early twentieth century American architectural thought. Possessing high qualities of design and execution, the Warehouse Group is a good example of an architectural locution invested with special aesthetic and associative values by the agency that created it.

NPS Form 10-900a
(1/86)

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**

Section number 9 Page 1 of 1

1935-1941 Building Plans and Specifications, Unit of Engineering Files, USDA
Forest Service, Regional Office, Portland, Oregon. Microfilm.

Administrative Site Plans, Unit of Recreation Files, USDA Forest Service,
Regional Office, Portland, Oregon. Microfilm.

Photograph Collections, Office of Information and Unit of Recreation Files,
USDA Forest Service, Regional Office, Portland, Oregon.

Property, Capital Investment, and Building Maintenance Records; Improvements
Atlases. Internal Documents on File in Forest Supervisor's Offices.
Locations Available USDA Forest Service, Regional Office, Portland, Oregon.

United States Department of the Interior
National Park Service

**NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET**


Section number 10 Page 1 of 1

VERBAL BOUNDARY DESCRIPTION

The Grants Pass Supervisor's Warehouse encompasses the following parcels of land:

Lots one to twelve, both inclusive, in Block lettered "I" in Judson's Addition to the Town, now City of Grants Pass in Josephine County, Oregon, as the same are shown upon the plat of said Addition on file and of record in the office of the County Clerk of said County and State (Page 598 of Vol. 74, Deed Records of Josephine County, Oregon).

Lots 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12, Block "H," Judson's Addition to the Town now city of Grants Pass, Oregon, as platted and on file in the office of the County Clerk of Josephine County, Oregon (Page 171 of Vol. 80, Deed Records of Josephine County, Oregon).




SYMBOLS

- 6" SS — SANITARY SEWER & SIZE
- STS — STORM SEWER
- 1" WTR — WATER LINE & SIZE
- PP — POWER POLE & LINE
- X — X — WIRE FENCE
- P — UNDERGROUND CONDUIT
- A — AIR LINE
- C — COMMUNICATIONS (UNDERGROUND and in CURB)
- o C.O. — SANITARY SEWER CLEAN OUT
- F.H. — FIRE HYDRANT
- o — SPRINKLER HEAD - 1/2" RISER
- ⊙ — RAINBIRD - 1/2" RISER
- ⊠ — GATE VALVE & DRAIN
- T — TELEPHONE
- GRC — BURIED ELECTRICAL CONDUIT
- T --- TRAFFIC COUNTING LOOP, 6" x 8" DEEP

BUILDING LEGEND	
BLDG. No.	DESCRIPTION
2101	Equipment Repair Shop
2205	Fire Warehouse
2206	F.R.B.T. Warehouse
2309	West Equipment Storage
2310	East Equipment Storage
2501	Gas & Oil House

EXISTING SITE PLAN
SCALE: 1" = 30'



WARQUESS & ASSOCIATES, INC.
109 E. JACKSON ST. - P.O. BOX 400
GRANTS PASS, OREGON 97526

R.O. APPROVAL:		U.S. DEPARTMENT OF AGRICULTURE FOREST SERVICE		SITE SURVEY PLAN SUPERVISOR'S OFFICE COMPOUND	
APPROVED:		SISKIYOU NATIONAL FOREST		1012 S.W. 'L' STREET, GRANTS PASS, OREGON	
FOREST SUPERVISOR		THE PACIFIC NORTHWEST REGION		SEC. 18, R.5W., T.36S., WILLAMETTE MERIDIAN	
R.O. STAFF	E	FOREST ENGINEER	DESIGNED	LSH & CRO	DATE: JUN 1961
RECOMMENDATION	R	RECREATION STAFF	CHECKED	LSH	DATE:
	O	DISTRICT RANGER	SUBMITTED		DATE:
				SCALE: 1" = 30'	SHT 2 OF 4