## **National Register of Historic Places Inventory**—Nomination Form

received AUG 2 6 1983 date entered SEP 2 2 1983

For NPS use only

See instructions in How to Complete National Register Forms Type all entries—complete applicable sections

#### 1. Name

historic CRO	NKHITE RANCH H	OUSE	-	
and/or common	Same			
2. Loc	ation			
street & numbe	r N of Wa	tong a off o	K5/a N	I/A not for publication
city, town W		X_vicinity of		
state O	klahoma	code 40 county	Blaine	code 011
3. Clas	ssification			
Category district _X building(s) structure site object	Ownership public private both Public Acquisition N/A in process N/A being considere	yes: restricted	Present Use agriculture commercial educational entertainment government industrial military	museum park JW_X private residence religious scientific transportation other:
4. Owr	ner of Prop	erty		
	icia Woolbrigh			
street & number	· · · · · · · · · · · · · · · · · · ·			
city, town	Watonga	X_ vicinity of	state	Oklahoma 73772
5. Loc	ation of Le	gal Descripti	on	
courthouse, req	istry of deeds, etc.	County Clerk's Of	fice	<u></u>
street & number	Country Cours			
city, town	Watonga		state	Oklahoma
6. Rep	resentatio	n in Existing	Surveys	
title Okla.	Preservation	Office has this pr	operty been determined	eligible?yes_X_no
date			federalX st	ate county local
depository for s	urvey records Pre	servation Office,	Oklahoma Hist.	Soc.
city, town O	klahoma City		state	Oklahoma

## 7. Description

Condition		Check one
X excellent	deteriorated	unaltered
good	ruins	X_altered
fair	unexposed	

### Check one X original site

moved date N/A

Describe the present and original (if known) physical appearance

Built in 1906, the two story Cronkhite Ranch House was constructed of 9 inch by 14 inch solid cement blocks. Of rusticated ashlar design, the blocks were formed at the site and namufactured from local materials. The single walls of the house were placed on massive foundations of cement poured into deep V-shaped trenches. Four single, double sash windows-two upper and two lower--were symmetrically placed around the north side entryway. On the east end there were two single, double sash windows and an asymmetrically placed entryway on both lower and upper levels. The north side contained two sets of double paired windows on the bottom floor and one set of double paired and a single window on the second floor. The west end had two upper and two lower windows with an symmetrically placed lower level entryway. On the east, north, and west ends were full proches, with the roof, enclosed by rails, serving as a second story balcony. The west end porch was screened. Two interior chimneys protruded from the deck of the hipped roof, which was itself covered with tin sheets. Upon completion, therefore, the house was faintly Italinate in design and with the exception of its cement, block walls not unlike other two story houses of prosperous farmers and townspeople in the county.

In 1936 four additions were made to the house. To the east end was added an upper level sleeping porch; on the north side a small portico over the entryway replaced the veranda; on the west end and to the rear a kitchen and dinning area was added; and the hipped roof was replaced by a single ridge, gabled one. Because the additions were constructed of materials identical to those used originally, the Cronkhite Ranch retained its basic architectural integrity.

# 8. Significance

Period prehistoric 1400–1499 1500–1599 1600–1699 1700–1799 1800–1899 X 1900–	Areas of Significance—C archeology-prehistoric archeology-historic X agriculture architecture art commerce communications	community planning conservation economics education engineering X exploration/settlement	politics government	religion science sculpture social/ humanitarian theater transportation other (specify)
Specific dates	1906	Builder/Architect Will	Cronkhite	

#### Statement of Significance (in one paragraph)

Initially a part of the Cheyenne-Arapaho Reservation, what is now Blaine County, Oklahoma, was opened to white settlement in a famous land run in 1892. Because the canyon country in the western portion of the county was unsuitable for farming, that region was utilized principally for cattle ranching. Allotments reserved for the Indians were frequently located in that area as well. White ranchers generally entered one 160 acre tract according to the Homestead Laws, built a home on that tract, and then put an extensive cattle range together by leasing surrounding Indian allotments. This was the pattern followed by Will Cronkhite. Thus his Ranch House is suggestive of the settlement and agriculture patterns typical at the turn of the century in western Oklahoma. Moreover, it is the only remaining imposing structure associated with the ranching industry dating from that era in Blaine County.

The Cronkhite Ranch House is significant architecturally not because of its design as much as its method of and materials used in its construction To the north of the house lies one of the purest deposits of gypsum in the United States. Will Cronkhite and his brothers pioneered in the exploitation of the mineral in 1904 by establishing a mill and guarry some two miles northeast of the house site. Material from the mill formed the cement blocks from which the house was fashioned. Only one other house is known to be constructed from similar materials, and it is located several miles south in the community of Watonga. The Cronkhite House, therefore, is a prime example of early inhabitants of a region using uniquely local materials for construction purposes.

### 9. Major Bibliographical References

Heritage Book Committee, <u>Their Story: A Pioneer Days Album of the</u> <u>Blaine County Area</u> (Oklahoma CIty, 1977) pp. 119-121. Interview with Patricia Woolbright, Watonga, OK, July 13, 1981 Interview with Lillian Cronkhite, Watonga, OK, July 27, 1982

## **10. Geographical Data**

Acreage of nominated property <u>One Acrea</u> Quadrangle name <u>Watonga Lake</u>

**UTM** References

Quadrangle scale 7.5 min

A 114 5 419 31410 319 716 81410 Zone Easting Northing	B Zone Easting Northing
GLIILII	
Verbal boundary description and justification Beginsome 3400 feet north of the Southeau	nning at a point 1500 feet east and st corner of Sec. 23. T17N, B12W go

some 3400 feet north of the Southeast corner of Sec, 23, T17N, R12W go 200 ft. east, 200 ft north, and 200 feet west to the point of beginning.

List all states and counties for				
List all states and countres for	properties ove	rlapping stat	e or county bou	ndaries
tate <sub>N/A</sub>	code	county		code
tate	code	county		code
1. Form Prepa	red By			
ame/title W. David Baird			Director	Mary Ann Anders
rganization Oklahoma Pres	servation s	Survey	date	
treet & number 502 Math Sc	iences		telephone	624-5678
ity or town Stillwater, C	)K State Ur	niv.	state Ok	lahoma
12. State Histor	ric Pres	ervati	on Offic	er Certification
national	for inclusion in	the National R	egister and certify	
				/ /
tate Historic Preservation Officer si	ignature C	Emelo	$\sim$ $\sim$ $\sim$	8/8/83
State Historic Preservation Officer si	ignature <u>C</u>		$\sim$ $\sim$ $\sim$	8/8/83 date
		Emfelo	egister the	, ,
I hereby certify that this property for the second		EMelo the National R Entered In	egister the	date