SUPPLEMENTARY LISTING RECORD

NRIS Reference Number: 100003416

Date Listed: 2/4/2019

Property Name: Stannard House

County: Chittenden

State: VT

This property is listed in the National Register of Historic Places in accordance with the attached nomination documentation subject to the following exceptions, exclusions, or amendments, notwithstanding the National Park Service certification included in the nomination

documentation

Signature of the Keeper

2.5.2019

Date of Action

Amended Items in Nomination:

Section 8: Period of Significance

The Period of Significance is hereby changed to c. 1850 - c. 1855.

Section 8: Significant Dates

C. 1920 and c. 1955 are hereby deleted as significant dates.

The core of the house, which reflects its significance as an example of Greek Revival design, is represented only by the original 2 story portion and the north wing, which were likely constructed between 1850 and 1855. This constitutes the period of significance under Criterion C.

The Vermont State Historic Preservation Office was notified of this amendment.

DISTRIBUTION: National Register property file Nominating Authority (without nomination attachment)

NPS Form 10-900 United States Department of the Interior National Park Service

OMB No. 1024-0018

56 3316

National Register of Historic Places Registrat	ion Form
his form is for use in nominating or requesting determinations for individual properties and districts. See in ulletin, <i>How to Complete the National Register of Historic Places Registration Form.</i> If any item does no ocumented, enter "N/A" for "not applicable." For functions, architectural classification, materials, and an ategories and subcategories from the instructions.	eas of significance, enter only
1. Name of Property	DEC 2 1 2018
Historic name: Stannard House	2018
Other names/site number: N/A	NAT, BERN
Name of related multiple property listing: N/A	NO(T)
(Enter "N/A" if property is not part of a multiple property listing)	
2. Location	
Street & number: <u>3 George Street</u>	
City or town: Burlington State: VT County: Chittenden	
Not For Publication: N/A Vicinity: N/A	

3. State/Federal Agency Certification

B

As the designated authority under the National Historic Preservation Act, as amended,

I hereby certify that this \underline{X} nomination _____ request for determination of eligibility meets the documentation standards for registering properties in the National Register of Historic Places and meets the procedural and professional requirements set forth in 36 CFR Part 60.

In my opinion, the property \underline{X} meets $\underline{}$ does not meet the National Register Criteria. I recommend that this property be considered significant at the following level(s) of significance:

D

national statewide X local Applicable National Register Criteria:

XC

Signature of certifying official/Title: Signature of certifying official/Title: Date Date Dependent Division For HISTORIL PRESERVATION State or Federal agency/bureau or Tribal Government

In my opinion, the property ____ meets ____ does not meet the National Register criteria.

 Signature of commenting official:
 Date

 Title :
 State or Federal agency/bureau or Tribal Government

National Park Service / National Register of Historic Places Registration Form NPS Form 10-900 OMB No. 1024-0018

Stannard House Name of Property Chittenden, Vermont County and State

4. National Park Service Certification

I hereby certify that this property is:

- entered in the National Register
- _____ determined eligible for the National Register
- _____ determined not eligible for the National Register
- ____ removed from the National Register

other (explain:)

Signature of the Keeper

Z.4.2019.

Date of Action

e

5. Classification

Ownership of Property

(Check as many boxe Private:	es as apply.) x
Public – Local	
Public – State	
Public - Federal	

Category of Property

(Check only one bo	ox.)
Building(s)	x
District	
Site	
Structure	
Object	

Stannard House Name of Property Chittenden, Vermont County and State

Number of Resources within Property

(Do not include previously list	ed resources in the count)	
Contributing	Noncontributing	
1	0	buildings
	<u> </u>	sites
		structures
		abianta
		objects
		Total
		Ioui

Number of contributing resources previously listed in the National Register <u>0</u>

6. Function or Use Historic Functions (Enter categories from instructions.) DOMESTIC/single dwelling_ DOMESTIC/multiple dwelling_

Current Functions (Enter categories from instructions.) DOMESTIC/multiple_dwelling

Stannard House

Name of Property

Chittenden, Vermont County and State

7. Description

Architectural Classification

(Enter categories from instructions.) MID-19TH CENTURY: Greek Revival

Materials: (enter categories from instructions.) Principal exterior materials of the property: STONE: slate; BRICK; WOOD: weatherboard

Narrative Description

(Describe the historic and current physical appearance and condition of the property. Describe contributing and noncontributing resources if applicable. Begin with a summary paragraph that briefly describes the general characteristics of the property, such as its location, type, style, method of construction, setting, size, and significant features. Indicate whether the property has historic integrity.)

Summary Paragraph

The Stannard House is located at 3 George Street and occupies a prominent location at the intersection of George Street and Pearl Street in downtown Burlington, Vermont. The setting of the ca. 1850 brick house has changed considerably over the years, largely due to a mid-1960s Urban Renewal project that cleared contemporaneous houses and business to the west, south, and east of the Stannard House. Oriented north-south and fronting George Street, the Stannard House comprises a c. 1850, Greek Revival-style, eaves front, brick main block at the south end, a contemporaneous brick wing in the center, and a ca. 1925 cinder block addition at the north end. While there have been changes over the years to porches, windows, and the configuration of the north addition, the mid-19th century main block and wing remain largely as originally constructed. Based on the foregoing, the Stannard retains its historical integrity of location, design, feeling, workmanship, materials, and association.

Narrative Description

Exterior

Main Block

The eaves-front, two and one-half story, four-by-two bay brick main block fronts George Street, with its south-facing gable set back ten feet from the Pearl Street sidewalk. The house rests on a locally guarried, mortared redstone foundation extending sixteen inches above ground with

Stannard House Name of Property Chittenden, Vermont County and State

horizontally oriented blocks – more regular in shape in the front (east) than the other elevations where smaller, irregular sized blocks are used. Post and beam exterior walls are covered in brick veneer in a running bond. The brick walls show remnants of faded and peeling red paint throughout the exterior, numerous interventions to replace and repoint sections of the wall, and signs of covered porches having been constructed and removed over the years. Vermont weathering slate with wide standing seam metal edge flashing covers the roof. The roof and boxed eaves project twelve inches beyond the brick wall plane. Above the box is a small cyma reversa under a larger ogee molding that extends up and under the metal drip edge; a quarter-round molding covers the connection of the box and brick wall below. An unadorned brick chimney penetrates the center of the main block roof west of the ridge.

Windows on the four-bay main block façade were replaced in 2018, to improve on the poorquality replacements on the second story, and deteriorated wood sash on the first story. Sash packs were installed on the east and south elevations of the main block, and full wood double hung inserts everywhere else. Fenestration is irregularly placed into the brick walls. The elaborate central entry is flanked on the north side by two, wood, double-hung, two-over-two windows while only one is offset to the south on the other side of the door. On the second floor, windows are placed above the first-story windows and entrance door, set into the brick walls with projecting wooden sills and jack arches. The main block facade is highlighted by an elaborate central entry that contains a three-inch-thick door with six recessed panels and delicately carved leaf-and-tongue molding surrounds. Three-quarter height, original sidelights above recessed panel bases flank the door. Freestanding fluted lonic columns stand on either side of the front door and support a full entablature with dentilated cornice and continuous frieze. Fluted pilasters frame the side of the recessed entry area and support the ends of the entablature. Above the entablature is a cut stone slab lintel. The recessed entryway has a granite stoop accessed from grade by two granite steps with wrought iron railings.

The two-bay, main block south elevation has two windows on the second story, a window in the west bay of the first floor, and a modern door set into the first-floor east bay with a single full sidelight and fixed transom. First and second story windows are double-hung, two-over-two wood sash units in set into the brick with projecting wood sills and jack arches. Above the second-floor windows and set into the pediment tympanum is a delicate, ogee-arched gable vent overtopped with a simple brick perimeter following the ogee curves.

On the west elevation, windows are a mix of wood two-over-two, double-hung sash with projecting wood sills and jack arches, and smaller, two-over-two, double-hung windows at the north end that lack lintels. An entrance door at the south end of the west elevation was converted to a window by bricking in the lower half of the opening. To its north are two, wood, double-hung, two-over-two windows, and one smaller two-over-two window without a lintel. Similar replacement sash are set into second floor window openings. The entrance doorway at the south end of the west elevation was also converted to a window in 2018 by bricking in the

Stannard House Name of Property Chittenden, Vermont County and State

lower half of the opening. The north elevation is mostly obscured by the one and one-half story wing attached under the main block gable soffit which remains exposed. A square, fixed, single-light wood window lights the attic space in the gable peak. A former doorway on the first-story northeast corner has been bricked in.

Brick Wing

The irregularly fenestrated, four bay long, two-story, gable-roofed wing is attached to the north end of the main block. It rests on a mixed stone, brick and concrete foundation and has a Vermont weathering slate roof with a wood box soffit matching that of the main block. A plain, brick chimney is centered on the roof ridge.

On the east-facing façade, exterior doors open into the first and fourth bays. Both doors are modern fiberglass replacements with upper half-lights over lower vertical panels. Paired, replacement double-hung, two-over-two wood windows with wood sills and no lintels are set into the second and third bays. Two sets of paired, replacement two-over two double-hung windows set close to the eaves light the second floor. The southern entry door opens into a simple enclosed staircase to the second floor which contains a single apartment. The northern door accesses the first-floor apartment. Paint remnants indicate a single-story porch was previously constructed along the first story.

The rear (west) elevation of the wing is continuous with the rear elevation of the main block and contains a mix of replacement two-over-two double-hung replacement windows, both full length and shorter units. Each story has four windows in the same configuration. From north to south they comprise a full height window, a window set into an earlier doorway converted by bricking in the lower half of the opening, and a pair of shorter windows to the south. The first story windows have jack arches, the second story windows are set closely under the eaves. A two-story porch once spanned the west side of the building as evidenced by paint lines and was accessed by the doors since converted to windows.

North Addition

This c. 1925, two-story, gable-roofed, two-bay wide by three-bay deep addition attaches to the north end of the brick wing. The first-floor walls are quarry-faced cinder block extending below grade, dating to the original ca. 1925 garage addition. The garage opening on the façade, as well as the second story walls were covered in faux brick asphalt siding when the addition was raised to two stories in the 1950s. The faux brick asphalt siding has since been replaced with clapboards. All north addition windows are 2018 replacement wood one-over-one double-hung. The addition roof is covered in asphalt shingles, with a soffit composed of plain trim with a narrow cornice molding. A shed-roofed, two-story porch constructed in 2018 replaced the original porch in the same configuration and is supported on square wood posts. The upper level of the porch has a clapboarded half wall and another set of square wooden columns

Stannard House Name of Property Chittenden, Vermont County and State

supporting the roof. Decking is composite, and the porch ceiling is painted plywood. The roof of the north addition continues over the façade porch and the westernmost bay extension, but in each case on shallower planes that are covered in EPDM rubber roofing.

Projecting from the south bay of the addition façade first floor, but sheltered under the front porch, is a door opening into an enclosed stairhall to the second floor. The door is a modern fiberglass replacement with a one-half upper light over vertical panels on the lower half. Paired windows on both stories of the facade have flat wood casings and projecting wood sills. The north elevation has a single window in the east bay, and paired windows in the west bay, a fenestration pattern repeated on the second floor. The lower windows are set into the cinder block with brick molds, and the upper windows have flat casings. On the west, rear wall there are two windows on each floor set one above the other, the lower windows set into the cinderblock with brick molds, and the upper windows with simple flat casings. On the south elevation of the addition where it projects west of the brick wing, each floor has a single window where earlier doors opened onto a two-story porch constructed along the back of the brick wing.

Interior

<u>Main Block</u>

The main block first floor houses two apartments on either side of an enclosed staircase to the second floor. The south apartment comprises a large open space along the south wall housing the livingroom/ dining room, and kitchen. The space has been altered throughout the years, removing most of the original wall separating original east and west rooms. Walls and ceilings are sheetrocked, the hardwood floor has been refinished. Most of the extant door and window trim on the east, west, and south walls, except for the main entrance door on the south wall, which is painted flat-stock boards, appears to be original to the building but modified and relocated to fit the renovated spaces. The consistent element is tall entablatures with double frieze boards, the upper frieze being punctuated by two filets under a cyma reversa. Side casings are consistently wide and molded but mismatched among the doors and windows indicating previous alterations. The west wall window retains historic trim indicating it was originally a door. The bath and kitchen fixtures and cabinets are new.

The one-bedroom first floor apartment on the north side of the stairs is accessed by a modern fiberglass door with flat stock trim at the bottom of the stairwell. The front (east) livingroom contains a small modern kitchenette in the northwest corner. Behind (west) of the livingroom is a north-south hallway that accesses a closet and bedroom at the south end, and a bathroom and a second closet to the north. Floors are a mix of wood-look laminate and hardwood strip, except for the bath and kitchen which have sheet linoleum. Interior walls are generally plaster and lathe, and a significant amount of historic wood trim remains. The two front windows retain their original Greek Revival entablatures comprising peaked lintels over a tall frieze

Stannard House Name of Property Chittenden, Vermont County and State

board. The ears of the entablature step inward to meet the side casings comprising three fascias, the proudest and narrowest at the outer edge, with sequentially wider fascias stepped back toward the inside edge. The casings intersect a bullnosed projecting sill, then continue downward to connect with plain bases at the floor. Under the windows and between the lower casings are recessed panels with perimeter quarter-round moldings and a flat stock border. The horizontal entablature over the entrance door steps out to meet the side casings (rather than in like the front windows) and comprises a series of narrow fascias stepping in from the outside edge. A three-light transom window overtops the door into the hallway that has the same entablature and casings as the east side windows. Ten-inch-tall baseboards comprise a lower section of three, horizontal, two and one-half inch, tongue in groove boards capped with a twoand one-half-inch molding. The narrow, north-south hallway west of the living room has four tightly spaced doors, all with staggered fascia casings and projecting horizontal entablatures. The entablature over the door into the north closet is cove molded to fit around the connecting entablatures as the width of the space cannot handle all the heavy wood trim. Base blocks and baseboard are the same as the livingroom. The ornate door casings, entablatures, and baseboard continue into the back bedroom and bathroom with some replacement with flat stock trim. Apartment doors are a mix of replacement fiberglass doors and recessed panel wood doors. The bath and kitchen fixtures and cabinets are new.

An enclosed staircase rises into the center of the six-room apartment that occupies the entire second floor of the main block. South of the staircase are the connected living room, dining room, and a modern kitchen. North of the stairs is a north-south hallway that accesses one bedroom and the bathroom to the west, and a larger bedroom to the east. Except for tile in the bathroom, floors are uniformly two and one-quarter inch wide hardwood and like the first floor, walls and ceilings are generally plaster and lathe. The apartment is distinguished by heavy Greek Revival style trim in the common spaces, comprising peaked entablatures with tall frieze boards over doorways and windows in the living room and dining room. Ancillary spaces including the hall, bedrooms, and bathroom have flat stock trim, and a three-light transom is in place over the door to the east bedroom. Tall baseboards with either of two different molded cap designs are in every room, and doors are a mix of either four or six recessed-panel wood designs and fiberglass replacements. The bath and kitchen fixtures and cabinets are new. The sole access to the attic is located in the small room directly over the main entrance door.

Brick Wing

The ground floor, five-room apartment in the brick wing is accessed by a fiberglass entrance door in the northernmost bay of the wing's façade. A north-south hallway separates the living room and one bedroom on the east side from the second bedroom, modern kitchen and bathroom on the west side. Floors are hardwood strip except for the sheet linoleum in the bath and kitchen. Walls and ceilings are a mix of sheetrock and plaster and lathe. The trim level is much simpler in the brick wing, comprising flat stock boards around windows and doors throughout the space. Baseboards are nine inches tall throughout and comprise a six-inch fascia

Stannard House Name of Property Chittenden, Vermont County and State

board overtopped by with a thinner, three-inch fascia board. Interior doors are a mix of Christian cross, paneled wood doors, and fiberglass replacements. The bath and kitchen fixtures and cabinets are new.

The wing's second floor apartment is accessed through an enclosed stairway with a modern exterior door set in the south bay of the façade. Its configuration, surfaces, and plain trim generally match those of the first floor. Instead of a mix of baseboard types, however, the second-floor apartment has the two-piece construction capped by a beveled molding. Interior doors are a mix of Christian cross wood paneled units and modern fiberglass replacements. The bath and kitchen fixtures and cabinets are new.

North Addition

Upper and lower apartments in the north addition have the same five-room configuration with living rooms located at the front of the building (east), a bedroom and dining room in the center, and a kitchen and bathroom in the rear. The lower apartment is accessed on the façade's south bay by a modern fiberglass entrance door that opens into the livingroom. Walls and ceilings are covered in sheetrock, and floors are a mix of hardwood strip and wood-look laminate, except the kitchen and bath that have sheet linoleum. The trim is identical to that of the brick wing, comprising two-piece baseboards and flat stock casings around windows and doors. Doors are modern replacements. The upstairs unit is accessed from the enclosed staircase adjacent south of the first-floor entrance. The trim is identical to that of the first floor, comprising flat stock casings around windows and doors and two-piece baseboards. The wood door to the front porch is a modern fiberglass replacement.

Basement

Under the main block and wing only is an unfinished basement, accessed from a single wood staircase in the brick wing apartment. The ceiling is sheetrocked for fire protection, though earlier exposed floor framing had remnants of lath in some areas indicating an earlier plaster ceiling. The framing is separated per the basement's three rooms: two rooms in the wing separated by an east-west brick wall, and a single room under the main block which is separated from the wing by a second brick wall. Both brick walls have doorways allowing passage between the three rooms - one at each end of the south wall, and one in the east end of the north wall. In the wing's north room, two by ten-inch joists running east-west are carried by perimeter stone walls and by two, intermediate six-by-ten carry beams running north-south. Joists in the wing's south bay run north-south, supported by the intermediate brick wall to the north, and the brick wall separating the wing from the main block to the north. Main block floor joists also run north-south and are carried by the dividing brick wall to the north, the perimeter stone wall to the south, and two intermediate six-by-ten carry beams. Basement perimeter walls are generally exposed random ashlar redstone, though some previously repaired areas have been plastered over with mortar, and a substantial concrete curb has been installed to reinforce the west and north walls in the wing north room. Floor surfaces are different in each

Stannard House Name of Property Chittenden, Vermont County and State

of the three rooms: in the main block the brick floor is covered in concrete, in the center room it is stone slab, and in the north room there is a dirt floor. On the south side of the wing's dividing brick wall is a brick-lined meat smoker connected to the center chimney. Inside the smoker remain the metal hooks to hang meat though it is apparent this facility has not been used in many decades due to its condition.

<u>Attic</u>

The building has one attic space, unfinished, in the two and one-half story main block and accessed by an enclosed staircase in the second-floor apartment. Three-inch by six-inch rafters on twenty-four-inch centers meet without a ridge beam under the roof peak. The floor is wood plank overtopped with insulation. The brick gable walls are exposed behind the stud frame with the ogee vent on the south gable and a six-light fixed sash on the north gable.

Stannard House Name of Property

8. Statement of Significance

Applicable National Register Criteria

(Mark "x" in one or more boxes for the criteria qualifying the property for National Register listing.)

- A. Property is associated with events that have made a significant contribution to the broad patterns of our history.
- B. Property is associated with the lives of persons significant in our past.
- C. Property embodies the distinctive characteristics of a type, period, or method of construction or represents the work of a master, or possesses high artistic values, or represents a significant and distinguishable entity whose components lack individual distinction.

x

D. Property has yielded, or is likely to yield, information important in prehistory or history.

Criteria Considerations

(Mark "x" in all the boxes that apply.)

- A. Owned by a religious institution or used for religious purposes
- B. Removed from its original location
- C. A birthplace or grave
- D. A cemetery
- E. A reconstructed building, object, or structure
- F. A commemorative property
- G. Less than 50 years old or achieving significance within the past 50 years

Stannard House Name of Property

> Are as of Significance (Enter categories from instructions.) Architecture

Period of Significance

<u>c. 1850 – c. 1955</u>

Significant Dates

_c. 1850 _c. 1920 _c. 1955_____

Significant Person

(Complete only if Criterion B is marked above.) N/A

Cultural Affiliation

<u>N/A</u>

Architect/Builder

<u>unknown</u>

Statement of Significance Summary Paragraph (Provide a summary paragraph that includes level of significance, applicable criteria, justification for the period of significance, and any applicable criteria considerations.)

The Stannard House is eligible for listing in the National Register of Historic Places under Criterion C: Architecture as a good example of a mid-19th century Greek Revival house in downtown Burlington. . The house is also notable, though not considered historically significant, for its having briefly been the home of Vermont Civil War Hero General George Stannard, from 1871 – 1873. The General was distinguished for his role in the Union victory at

Chittenden, Vermont County and State

Stannard House Name of Property Chittenden, Vermont County and State

Gettysburg and several other pivotal Civil War battles. Despite his short occupation of the house, it is still known as the Stannard House today. As it exists today, the Stannard House embodies the characteristics of a mid-19th century Greek Revival-style house. Its design is an expression of the style interpreted in a large house built for a citizen of means, at a prominent, centrally located intersection close to Burlington's waterfront commercial center. Medical practitioner Dr. Ashbel Pitkin (1807-1853) had the Greek Revival-style Stannard House constructed in 1849/1850 at the corner of Pearl and George Streets, just three blocks from the waterfront, to house his large residence and medical practice. The affluence of Dr. Pitkin is expressed in the substantial size of the house and choice of brick for the walls and slate to cover the roof. The house is architecturally significant for its elaborate and remarkably wellpreserved entrance centered on the main block façade. Equally notable, with only a handful of other examples in Chittenden County, is the ogee-arched fanlight present in the south pedimented gable. Overall, the house possesses several integrated characteristics that define the Greek Revival style which attained widespread popularity in Vermont in the second half of the 19th century: a prominent, columned entrance way with heavy, ornamented door, threeguarter sidelights, and full entablature; low pitched, slate-covered roof; pedimented gables; eaves entablatures, and; stone lintels and jack arches over windows. Originally built to house Dr. Pitkin's home and office, the large size of the house allowed subsequent adaptation to multi-family and commercial use in the late 19th century, occupancies that continue to present day. Despite the changes, a considerable amount of Greek Revival-style trim survives in the main block in the tall baseboards, and casings of doors and windows with full entablatures. Among the preserved features is wide, peaked lintel overtopping the large opening between the second-floor rooms along the south wall. A cinderblock garage was added to the brick wing in the 1920s, reflecting the widespread use of automobiles in Burlington at that time. The garage was raised to two stories and adapted for use as apartments in the 1950s, thus extending the Stannard House period of significance to 1955.

Narrative Statement of Significance (Provide at least **one** paragraph for each area of significance.)

Summary History of the Stannard House

Burlington is the seat of Chittenden County and Vermont's most populous City with 42,452 residents recorded in the 2015 census. It is located on the shores of Lake Champlain in the northwest corner of the state, forty-five miles south of the Canadian border and ninety-four miles from Canada's second most populated city, Montreal.

The City of Burlington was chartered by colonial governor Benning Wentworth on June 7, 1763. Ira and Ethan Allen owned most of the land in the area, having surveyed the region and laid out lots in 1772. Saw and grist mill operators exploited advantageous sites on local rivers to power

Stannard House Name of Property Chittenden, Vermont County and State

a growing economy based on water driven industry. In 1791 the State chartered the University of Vermont, securing the City's prominence through present day. Later in the decade the town laid out a grid of streets formalizing existing transportation routes between industrial centers and setting aside areas for residential growth. Municipal activities were to develop around a city green space set aside in this early city plan.

Burlington's early commerce centered around its Lake Champlain waterfront with shipping connections north to Canada and south throughout New England. Regular steamboat service began in 1809 transforming Lake Champlain into an important transportation route for Burlington's lumber products. Markets depended directly on the efficiency of water borne transportation, and Burlington gained access to the markets of New York City when the Champlain Canal was completed in 1823. When Quebec opened the Chambly Canal in 1843, the city expanded its role in dressing and processing raw lumber imports from Canada for export to United States markets.

Tariffs placed by the 1824 Tariff Act on imported textiles accelerated the growth of textile production at the nearby Winooski Falls with its abundant water supply, as well as other rivers and streams. The same act fostered the expansion of Burlington's growing glass-making business. Burlington consolidated its manufacture of glass when on October 27, 1827, the Champlain Glass Company was incorporated with its primary location at the foot of Pearl Street. The Company's expansion transformed the waterfront with construction of new industrial buildings and fostered the build out of Burlington's residential neighborhoods radiating from the waterfront that would include the Greek Revival-style Stannard House.

Pearl Street, on which the ca. 1850 Stannard House is located at its intersection with George Street, is one of Burlington's oldest streets, laid out in the 1790s to connect the growing settlements at Burlington Bay and the mills at Winooski Falls. Upper Pearl Street, east of Church Street, developed as Burlington's primary business district until about 1820, with fine examples of federal style dwellings between Winooski Avenue and the University constructed for the businessmen and merchants. The area at the foot of Pearl Street initially developed as an important military post during and after the War of 1812 comprising fortifications and a campground in the Battery Park area. Growing companies at the waterfront added wharfs, industrial buildings, and worker housing. New streets were laid out west of Champlain Street during the neighborhood expansion, including George Street where the Stannard House would be built some 13 years later. As this portion of the city developed it became known as "Glassville" and contained modest homes that were constructed to house glass factory employees further north on George Street. At least three of the ca. 1830 brick houses are extant, located at 45, 49, and 57 George Street. The company closed in 1848 but had established lower Pearl Street as a commercial hub.

Stannard House Name of Property Chittenden, Vermont County and State

Despite a decline in commercial activity brought on by the depletion of the local timber supply by the 1850s, Burlington's waterfront remained an active commercial center. The Vermont Central and Rutland Railroads reached Burlington in 1849, connecting the waterfront by rail with markets in Montreal and Boston. This, together with improved shipping led to a second period of intense and sustained investment as new wharfs, docks, and improved transportation infrastructure handled products from expanding manufacturers, including furniture, carriages, boots and shoes, Venetian blinds, shade rollers, specialized wood products, door screens, refrigerators, baked goods, confections, soaps, pottery, stone products, spools and bobbins, and ovens. By this time, Burlington was the third largest lumber port in the country, and workers emigrated from Canada, Ireland, Scotland, Germany, and other European countries to labor at waterfront factories, swelling Burlington's population from 815 in 1800 to 7,713 in 1860. The shoreline was repeatedly filled and expanded, a process that would continue into the 20th century. A reinvigorated economy and growing population created new demands for professional services. In response, medical practitioner Doctor Ashbel Pitkin would build the Greek Revival-style Stannard House in 1849/1850 at the corner of Pearl and George Streets, just three blocks from the waterfront, to house his substantial residence and medical practice.

By 1870, distinct zones for residential, commercial, and industrial activity had been established in the city, radiating eastward from the waterfront then dominated by industry, shipping and the railroads. The City of Burlington had incorporated in 1865 followed by several municipal infrastructure improvements and new neighborhoods developed around lower Pearl Street filled in with a mix of residential and commercial buildings, effectively becoming an extension of the downtown commercial district. Modest wood-frame or brick buildings housed living quarters and local shops that included grocers, barbers, tin shops, and furniture shops. These neighborhoods developed into ethnically diverse, concentrated settlements housing French, Lebanese and primarily Italian immigrants who worked in the shops and waterfront businesses.

When the lumber industry began to decline in the early 20th century, factories relying on imported raw wood began to close. Vacant buildings would be taken down and the land consumed by the new railroad lines as rail freight and passenger service dominated transportation. Rail began to decline in the mid-20th century when the interstate highway system came online, and Burlington's waterfront commerce shifted again, to handling and bulk storage of petroleum coming from barges through the Hudson River and Champlain Canal. As many as 83 huge storage tanks lined the waterfront between Oakledge Park to North Beach storing fuels for shipment inland. This industry too would wain as fuel transport was handled more efficiently over the road, and the waterfront declined and fell into decay.

As the 20th century progressed, talk of an economic revival in the city center increased. In 1955 a formal study was undertaken targeting neighborhoods covering twenty-seven acres bounded on the north by Pearl Street, on the east by Pine Street, on the south by College Street, and on

Stannard House Name of Property Chittenden, Vermont County and State

the west by properties fronting on the lake side of Battery Street. Known as The Champlain Street Urban Renewal Project, the project proposed to extend the Church Street business district westward by renewing the area between Church Street and the waterfront. Wholesale demolition of the neighborhood began in 1966, an activity that was then seen as a social and economic improvement program for the entire city. Entire blocks of homes, corner stores and other businesses in a mostly Italian neighborhood were removed including buildings dating to the early 1800s. Some reports have stated that the buildings were in a general state of deterioration. In fact, the structures were in good to very good condition as evident in photographs taken of the demolished structures, comprising dozens of detached, one and one half and two and one-half story Greek-Revival, Queen Anne, and vernacular style homes of wood, brick, and stone, most with one or two-story porches. Also demolished were warehouses, auto repair shops, schools, and stores, most possessing historic integrity and collectively comprising an important historic Burlington neighborhood. Several historic homes and businesses between the Stannard House and Battery Street were demolished as part of the urban renewal project. Two others at eighty-two and eighty-six Pearl Street were demolished for construction of the Victoria Apartments in 2005, located immediately west of the Stannard house. Removal of the historic buildings and construction of modern commercial and apartment buildings on lower Pearl Street modern isolated the Stannard House and left it as a remnant of the mid-19th century prosperity resulting from waterfront industrial expansion.

Today, upper Pearl Street, east and north of Church Street, is a historic district listed in the National Register. The area remains largely residential, although most of the 19th and early 20th century homes have been converted to apartment buildings. The streetscape maintains a continuity of building scale, lot size, and building setback. The lower portion of Pearl Street has lost much of its historic character, as a result of Urban Renewal, fire, and increasing commercial pressure. The historic buildings that remain on lower Pearl Street today are largely second-generation construction that date from the mid-19th century and represent middle class commercial and residential construction, including: 19th century mixed-use buildings on the south side of the street at #67 (brick, three story French Second Empire) and #77 (brick, three story, flat roofed) Pearl Street. On the north side of the street, #68 Pearl (Bove's Restaurant), and #s 10, 14, and 20 Pearl at the foot of Pearl Street, near Battery Park, all one and one-half and two and one-half story residential structures dating from the mid to late 19th century. This collection of structures lacks the cohesiveness, common historical associations, and minimum concentration for be considered a historic district.

Located just three blocks east of the Burlington waterfront, the waves of commercial activity and development brought an evolving occupancy of the Stannard House property, but the ca. 1850 Main Block and brick wing have changed little since their construction. The house is depicted first on the 1853 Presdee & Edward map of Burlington. Land records indicate that this structure was built ca. 1849-1850 for Dr. Ashbel Stanley Pitkin, son of

Stannard House Name of Property Chittenden, Vermont County and State

Caleb and Hannah Pitkin who were originally from East Hartford, Connecticut and who were among the first settlers of Marshfield, VT. Pitkin graduated from the Medical College of Castleton in the spring of 1845 and after teaching at Castleton for a short time moved to Burlington to practice medicine. Pitkin had bought the corner lot at Pearl Street and the "New Street Recently Opened" (George Street) in 1849 from Timothy W. Lovell in 1849 for \$600, Mr. Lovell having previously used the land to store lumber and stone. Pitkin combined this lot with an adjacent lot he purchased to form his homestead. He practiced medicine for the growing community out of his George Street home office for only three years and died in 1853 at the age of 45. The following year the house was purchased by Doctors H. Crandall and F. C. Clapp who continued practicing medicine out of Pitkin's offices for several years. An 1860 advertisement for the building listed it as a house "of two stories brick, with woodshed of brick, a good barn of brick with cellar...all most substantially built". Mary Stanton, wife of Henry Stanton, a well-known hotel man, bought the house in 1861, rented out rooms and operated the barn as a livery. When Stanton died in 1867 his wife sold the house to Flavill Button. A postcard depicts the house "Res of C.P Button, Burlington VT" showing the main block, the brick wing, and a brick barn to the north.

When Charles Button's wife died in 1870 at 28 years of age, Button offered the house for rent in a Burlington Free Press ad which stated "House to let: the residence corner Pearl and George Streets containing 14 rooms (one being reserved for the undersigned) with furnace, water, and other conveniences. Will be let with or without barn and carriage house. Enquire Charles Pomeroy Button". Despite the ad, the Mrs. Button's estate sold the property a few days later to General George J. Stannard. General Stannard was a celebrated Civil war hero, having played a key role in the Battle of Gettysburg, but relinquished ownership of the house only two years later to cover debts owed to the government arising from bad accounting practices when he was the Collector of Customs for the District of Vermont. Though the house goes by his name, Stannard's tenure owing the house is not considered historically significant owing to its short duration, the fact there were no significant changes made by Stannard to the house, and there is no documented evidence of any historically significant events having taken place at the property connected with his ownership. L.B. Platt and R.H. Hoyt, assignees to manage the sale of the property, broke it into four pieces. Charles F. Spaulding, then superintendent of the Burlington Gas Works, bought the largest piece of the property described as a "large and commodious modern style house, barn and sheds and about one-half acre of land, all in good order". Spaulding lost the house back to Platt and Hoyt in a mortgage default and the property was sold to Cornelia Fisk in 1881. Ms. Fisk lived in the house with her 3rd husband, George Fisk, a Clerk to the United State Court and Deputy US Marshall who kept an office at the house. In 1888, the Burlington Free Press ran an ad describing the property for rent as "rooms furnished or unfurnished at 3 George Street, corner of Pearl". The 1900 census showed that Mrs. Fisk was living at 3 George Street with Julia Parker, a widowed music teacher, Thomas Wight, a salesman and his family, and Phildom Young, a stone mason and his family. In 1904, Lucy Sweeney advertised that she

Stannard House Name of Property Chittenden, Vermont County and State

"wishes to announce to all who may need her services, that she is now conveniently located at No. 3 George Street and is prepared to make ladies' cloaks, gents' clothing and do all kinds of repairing at short notice." Cornelia Fisk's estate transferred the house and lot located at the northwest corner of Pearl and George Streets, valued at \$4,500 to Mary G. Gardner in 1911. The house was sold again in 1917 to Henry and Helen Guyette, and in 1948 the Guyettes sold the property to Raymond and Emily Simon. Divided into apartments by the mid-1950s, the house has been rented by a variety of tenants to present day.

Architectural Significance

As constructed in 1849-1850, the Greek Revival-style Stannard House shared many elements typical of mid-19th century residential architecture in Vermont built for citizens of means. The two-story, eaves-front, brick veneer configuration appears in several extant Burlington and Winooski buildings from the period, though gable-front (temple-form) Greek Revival style is more prevalent in the city. With notable exceptions, the Stannard House was simply detailed, though large and well-constructed with brick walls, redstone foundation, and slate-covered roof. The house is significant under Criterion C, as a good representative example of mid-19th century Greek Revival style residential architecture, and one of few historic buildings remaining on Pearl Street dating to the period of robust commercial activity at the nearby Burlington Bay waterfront.

The Greek Revival style is intended in its construction to evince the characteristics of the Greek temple, arranged with symmetry, a defined range of geometric ratios, simple post and beam construction in its columned porches and pilastered walls, and accentuated corners and roof lines. It was thought by Americans at the time to embody the concept and principles of democracy as established in the Greek City State of Athens in the 5th century BC. New England shows little influence of the Greek Revival style before the 1830s, before which the prominent classical form was Roman Revival, or Federal style. Greek Revival-style design attracted the attention of American architects through buildings constructed here by British immigrant Henry Latrobe, including the Bank of Pennsylvania in 1798. Greek orders were illustrated in Asher Benjamin's The American Builders Companion in 1826, and four years later Benjamin wrote The Practical House Carpenter devoted entirely to the Greek Revival style focused on doorways, interior casings, mantels, baseboards, and cornice moldings. James Garvin in his book A Building History of Northern New England suggests that "this was a tacit recognition of the fact that in New England the Greek Revival style is often expressed more in detail than in overall house form." The Greek Revival style flourished in Vermont from the 1830s to the 1870s, used for houses, churches, courthouses, and other civic buildings. Ami Young was a nationally renowned architect of the style having studied Asher Benjamin's books. Out of his office in Burlington, Young designed the State House in Montpelier built between 1833 and 1838. In the 1850s, Young would become appointed the first supervising architect of the US Treasury, and from his Washington office designed numerous federal buildings around the nation.

Stannard House Name of Property Chittenden, Vermont County and State

The Stannard House possesses several defining features of the Greek Revival style: simple, rectangular massing with low pitched gable roof, design symmetry of its façade and gable ends (principal entrance is centered though there are two windows north and one window left), a pedimented gable and prominent eave lines, unadorned wall planes of running bond brick, and an elaborately decorated entrance with a heavy paneled door, three-quarter sidelights, and fluted columns in the lonic order. The eaves front plus wing massing is a full two stories without knee walls.

Exterior detailing conforms generally to the Greek Revival style with some variants. Centered on the façade, the main entrance is recessed into the brick wall the depth of the doorway entablature. The entrance surround conforms to the classical lonic order with elegant detailing: fluted columns with large volutes, a full entablature, continuous frieze, and dentilated cornice. The three-inch thick door with leaf and tongue panel moldings appears to be original to the building. Similar Greek-Revival entrance surrounds in the Ionic order can be found elsewhere in Burlington, with good examples at 52 North Winooski Ave., 244 South Winooski Ave., and 214 Maple Street.

Eaves entablatures at the Stannard House lack the wide frieze bands typical of wood-sided Greek Revival buildings and are bridged at the connection with the brick walls with a simple cornice molding. Most of the window lintels are jack arches, some painted, common to the Greek Revival style. The foundation redstone blocks were almost certainly quarried at the Willard Quarry one mile south off Shelburne Road where the majority of redstone for Burlington foundations was quarried in the 19th century. Vermont's slate valley centered in Poultney, about 70 miles south would have provided the Vermont weathering slate that covers the main block and brick wing roofs.

An unusual, and delicately constructed ogee arched vent with slender wooden slats radiating from the lower center highlights the south elevation tympanum. With a pointed arch the shape would rightfully be classified as a Gothic variant, but the point at which the arches meet is rounded over. The arches themselves are shallow curves with the lower being of a tighter radius. None of the curves have the elliptical or parabolic form characteristic of the Greek Revival, but rather have the more regular, circle-segment form characteristic of Roman arches as manifested in New England Federal style architecture. Similar ogee-arched gable vents can be found in the tympanums of brick houses at 18 Park Street in Burlington and 146 Main Street in Winooski. Interior features of the house are also architecturally significant, including a substantial amount of extant, original Greek Revival-style trim in the main block, most notably in the first floor north, and second floor apartments.

The chronology of changes to the Stannard House is informed by a variety of sources, including early renderings, maps, and descriptions of the property in ads as it was rented out over the years. A rendering dating to 1869 "Residence of C.P Button, Burlington Vt" shows the house 19

Stannard House Name of Property Chittenden, Vermont County and State

vears after its construction and likely in its original configuration. At that time, the main block had chimneys at each corner, and a full width, one story, covered porch on the façade with round columns. A similar porch was present on the southern two-thirds of the wing's George Street elevation. Windows were likely 6/6 double-hung and all appear to have had shutters, including the lower right window on the south elevation later converted to a door. The 1853 Presdee and Edwards map and the 1884 Sanborn map show both porches as depicted in the 1869 rendering and a 2-story detached barn north of the house. By 1900 the brick wing was attached to the barn with a single-story connector, both had been removed by 1906. By 1926 the connector was gone and the 2-story barn with a hipped roof was listed as a 2-story shed. The 1942 map shows several changes to the building: the main block facade porch had been removed, a shop was constructed in the southeast corner of the main block with a small entrance porch, and a shop door installed in place of the lower window. A two-story porch had been constructed on the rear, west elevation of the main block and wing, and both had been converted from rented rooms to apartments. The two-story shed had been replaced by a one and one-half story cinderblock autohouse. By 1950, the main block storefront space was gone, the autohouse had been raised to 2 stories and a second story porch constructed across its east elevation. In the 1970s the west elevation two-story porch was removed, and small, modern entrance porches constructed at grade level for the apartment doors. These porches were removed in the 2018 rehabilitation when the doors were converted to windows.

9. Major Bibliographical References

Bibliography (Cite the books, articles, and other sources used in preparing this form.)

Beers, F.W. Atlas of Chittenden County, Vermont. F.W. Beers, A.D. Ellis and G.G. Soule, New York, New York. 1869

Blow, David J. *Historic Guide to Burlington Neighborhoods*. Vol. I. Chittenden County Historical Society. Queen City Printers Inc., Burlington, Vermont. 1991

Child, Hamilton *Gazetteer and Business Directory of Chittenden County, Vermont for 1882* 1883. Journal Office, Syracuse, New York. 1882

Consulting Archaeology Program, University of Vermont. *Historic Resources Review and Archaeological Assessment of the Pearl Street and George Street Lofts Project, Burlington, Chittenden County, Vermont.* Technical Report prepared for Rick Bove. 2017

Garvin, L. James. A Building History of Northern New England. Lebanon: University Press of New England, 2011

Jamele, Suzanne. *3 George Street, Proposed Demolition and New Construction Burlington, Vermont.* Technical Report Prepared for Rick Bove, 2012

McAlester, Virginia Savage. A Field Guide to American Houses. New York: Alfred E. Knoph. 2015

W. S. Rann. History of Chittenden County, Vermont. Syracuse: D. Mason & Co. 1886

Sanborn Mapping and Publishing Company

1869 *Fire Insurance Map, Burlington, Vermont.* Sanborn Mapping and Publishing Company, Pelham, New York.

1885 *Fire Insurance Map, Burlington, Vermont*. Sanborn Mapping and Publishing Company, Pelham, New York.

1889 *Fire Insurance Map, Burlington, Vermont*. Sanborn Mapping and Publishing Company, Pelham, New York.

1894 *Fire Insurance Map, Burlington, Vermont*. Sanborn Mapping and Publishing Company, Pelham, New York.

1900 *Fire Insurance Map, Burlington, Vermont.* Sanborn Mapping and Publishing Company, Pelham, New York.

1906 *Fire Insurance Map, Burlington, Vermont.* Sanborn Mapping and Publishing Company, Pelham, New York.

1912 *Fire Insurance Map, Burlington, Vermont*. Sanborn Mapping and Publishing Company, Pelham, New York.

Stannard House Name of Property Chittenden, Vermont County and State

1919 Fire Insurance Map, Burlington, Vermont. Sanborn Mapping and Publishing Company, Pelham, New York.
1926 Fire Insurance Map, Burlington, Vermont. Sanborn Mapping and Publishing Company, Pelham, New York.
1938 Fire Insurance Map, Burlington, Vermont. Sanborn Mapping and Publishing Company, Pelham, New York.
1942 Fire Insurance Map, Burlington, Vermont. Sanborn Mapping and Publishing Company, Pelham, New York.
1950 Fire Insurance Map, Burlington, Vermont. Revised 1942 map. Sanborn Mapping and Publishing Company, Pelham, New York.
1960 Fire Insurance Map, Burlington, Vermont. Revised 1942 map (ca. 1960).
Sanborn Mapping and Publishing Company, Pelham, New York.
1978 Fire Insurance Map, Burlington, Vermont. Sanborn Mapping and Publishing Company, Pelham, New York.

University of Vermont. Online Landscape Change Program. Burlington.

University of Vermont. Wilbur Special Collections at Baily Howe Library. Burlington

Vermont Division for Historic Preservation. *Guide to Vermont Architecture*. Montpelier: Vermont Division for Historic Preservation, 1992

Vermont Division for Historic Preservation. *Online Research Center*. Montpelier. Vermont Division for Historic Preservation.

Previous documentation on file (NPS):

- _____ preliminary determination of individual listing (36 CFR 67) has been requested
- _____ previously listed in the National Register
- _____previously determined eligible by the National Register
- designated a National Historic Landmark
- _____ recorded by Historic American Buildings Survey #_____
- _____recorded by Historic American Engineering Record # _____
- _____ recorded by Historic American Landscape Survey #_____

Primary location of additional data:

- <u>X</u> State Historic Preservation Office
- ____ Other State agency
- _____ Federal agency
- ____ Local government

Stannard House

Name of Property _____University Other

Name of repository:

Historic Resources Survey Number (if assigned): ______

10. Geographical Data

Acreage of Property < 1 acre

Use either the UTM system or latitude/longitude coordinates

Latitude/Longitude Coordinates (decimal degrees) Datum if other than WGS84:_____ (enter coordinates to 6 decimal places)

Latitude: 44°28'50.11 N

Longitude: 73°12'54.00 W

Northing:

Or UTM References

Datum (indicated on USGS map):

NAD 1927	or	NAD 1983
1. Zone:		Easting:

2. Zone:	Easting:	Northing:	
3. Zone:	Easting:	Northing:	

4. Zone: Easting : Northing:

Verbal Boundary Description (Describe the boundaries of the property.)

The property boundary is the same as the tax parcel boundary which includes the building footprint, a 5-foot buffer along the west elevation, 3-foot buffer along the north elevation, east to the George St. right-of way, and south to the Pearl St. right-of way.

Chittenden, Vermont County and State Stannard House Name of Property Chittenden, Vermont County and State

Boundary Justification (Explain why the boundaries were selected.)

The property boundaries were selected to be consistent with the tax parcel and the limited amount of surrounding area historically associated with the building within its built-up, urban environment.

11. Form Prepared By

name/title:Scott Newman, Principa	al
organization: <u>106Associates</u>	
street & number: 193 Saint Paul Street, S	uite 105
city or town: <u>Burlington</u> s	tate:VT zip code:05401
e-mailscottnewman@106associates.com	n
telephone: <u>(802)</u> 777-15762	
date: 8/15/2018	

Additional Documentation

Submit the following items with the completed form:

- **Maps:** A **USGS map** or equivalent (7.5 or 15 minute series) indicating the property's location.
- **Sketch map** for historic districts and properties having large acreage or numerous resources. Key all photographs to this map.
- Additional items: (Check with the SHPO, TPO, or FPO for any additional items.)

Photographs

Submit clear and descriptive photographs. The size of each image must be 1600x1200 pixels (minimum), 3000x2000 preferred, at 300 ppi (pixels per inch) or larger. Key all photographs to the sketch map. Each photograph must be numbered, and that number must correspond to the photograph number on the photo log. For simplicity, the name of the photographer,

Stannard House Name of Property

Chittenden, Vermont

e of Property County and State photo date, etc. may be listed once on the photograph log and doesn't need to be labeled on every photograph.

Photo Log

Name of Property:	Stannard House
City or Vicinity:	Burlington
County:	Chittenden
State:	Vermont
Photographer:	Scott Newman
Date Photographed:	5/19/2018

Description of Photograph(s) and number, include description of view indicating direction of camera:

Inventory

1 of 28	Stannard House, looking north, view shows main block from Pearl Street
2 of 28	Stannard House, looking northwest, view shows east facades of main block, brick wing, and north addition
3 of 28	Stannard House, looking west, view shows brick wing east façade
4 of 28	Stannard House, looking northwest, view shows two-story porch on east façade of the north addition
5 of 28	Stannard House, looking southwest, view shows north addition east façade and north elevation
6 of 28	Stannard House, looking east, view shows north addition west elevation
7 of 28	Stannard House, looking north, view shows north addition south elevation
8 of 28	Stannard House, looking north, view shows south and brick wings west elevations
9 of 28	Stannard House, looking north, view shows main block - south elevation ogee fanlight centered in gable
10 of 28	Stannard House, looking west, view shows main block façade - main entrance
11 of 28	Stannard House, looking west, view shows Unit 1 livingroom and kitchen
12 of 28	Stannard House, looking east, view shows Unit 1 livingroom
13 of 28	Stannard House, looking east, view shows Unit 5 dining room and livingroom

Stannard Hous	
Name of Property 14 of 28	County and State Stannard House, looking northwest, view shows Unit 5 dining room leading into kitchen in right background
15 of 28	Stannard House, looking west, view shows Unit 2 kitchen and door to hallway in background
16 of 28	Stannard House, looking east, view shows Unit 2 livingroom
17 of 28	Stannard House, looking north, view shows Unit 2 trim detail in central hallway
18 of 28	Stannard House, looking east, view shows Unit 3 livingroom
19 of 28	Stannard House, looking southwest, view shows Unit 3 kitchen
20 of 28	Stannard House, looking northeast, view shows Unit 3 central hall leading to living room (center background) and 2 bedrooms
21 of 28	Stannard House, looking southwest, view shows Unit 6 center hallway and kitchen
22 of 28	Stannard House, looking northeast, view shows Unit 4 livingroom
23 of 28	Stannard House, looking north, view shows Unit 7 bedroom
24 of 28	Stannard House, looking southeast, view shows Unit 7 livingroom and door to second story porch
25 of 28	Stannard House, looking south, view shows Unit 7 second story porch details
26 of 28	Stannard House, looking north, view shows attic space over main block
27 of 28	Stannard House, looking north, view shows basement under south and brick wings
28 of 28	Stannard House, looking south, view shows basement under north addition looking into brick wing

Paperwork Reduction Act Statement: This information is being collected for applications to the National Register of Historic Places to nominate properties for listing or determine eligibility for listing, to list properties, and to amend existing listings. Response to this request is required to obtain a benefit in accordance with the National Historic Preservation Act, as amended (16 U.S.C.460 et seq.).

Estimated Burden Statement: Public reporting burden for this form is estimated to average 100 hours per response including time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding this burden estimate or any aspect of this form to the Office of Planning and Performance Management. U.S. Dept. of the Interior, 1849 C. Street, NW, Washington, DC.




























































UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES EVALUATION/RETURN SHEET

Requested Action:	Nomination		· · · · · · · · · · · · · · · · · · ·				
Property Name:	Stannard House						
Multiple Name:							
State & County:	VERMONT, Chittenden						
		nnard House RMONT, Chittenden Date of Pending List: Date of 16th Day: Date of 45th Day: Date of Weekly List: 100003416 uest					
Reference number:	SG100003416						
Nominator:							
Reason For Review	· · · · · · · · · · · · · · · · · · ·		a ny ny na amin'ny amin				
Appeal SHPO Request		X PDIL	Text/Data Issue				
		Landscape	Photo				
Waive	r	National	Map/Boundary				
Resubmission		Mobile Resource	Period				
Other	10. J	ТСР	Less than 50 years				
	ar contractor	CLG					
X Accept	Return	Reject2/4/2	2 019 Date				
Abstract/Summary Comments:	Locally significant exar	nple of Greek Revival executed	t in brick				
Recommendation/ Criteria	Accept / C						
Reviewer Jim Gabbert		Discipline	Historian				
Telephone (202)354-2275		Date					
DOCUMENTATION	Date Received: Date of Pending List: Date of 16th Day: Date of 45th Day: Date of Weekly List: 12/21/2018 2/4/2019 2/4/2019 ence number: SG100003416 nator:						

If a nomination is returned to the nomination authority, the nomination is no longer under consideration by the National Park Service.

CERTIFIED LOCAL GOVERNMENT NATIONAL REGISTER NOMINATION FINAL REVIEW & RECOMMENDATION REPORT

Please scan and email the completed form to Devin Colman at devin.colman@vermont.gov

Burlington Name of CLG					
Stannard House Name of Property being Nominated <u>3 George</u> Street Address <u>Bove family</u> Owner OWNER	For completion by CLG Commission: Was nomination distributed to CLG members? \Box Yes \Box No Did CLG members make a Site Visit? \Box Yes \Box No Date nomination received by CLG: $\frac{9/13}{18}$ Date reviewed by CLG: $10/9/18$ Date comments sent to Division: $10/15/2018$				
	n evaluating the eligibility of this property? □Yes ☑No				
 2. National Register Criteria Met: □ Criterion A: Event □ Criterion B: Person 	Criterion C: Design/Construction Criterion D: Information Potential				
그는 것 같은 것 같	ries				
4. Level of Significance: Local	ate DNational				
5. Retains Historic Integrity: Yes					
6. Additional Comments: HPRC enthus	artically supports nonunation,				
 7. How was the public invited to participate in Commission's agenda was published in ne Copies of the proposed nomination were m 	the National Register nomination process? Wyspaper 15 days prior to meeting. nade available to the public. Posted on Gity Website				
CLG recommendation: Approve Deny (ex,	plain)				
CLG Commission Representative					
Local Government Official-recommendation:	Approve □ Deny (explain)				

Date

Chief Elected Official

Burlington Design Advisory Board

149 Church Street, City Hall Burlington, VT 05401 <u>http://www.burlingtonvt.gov/PZ/Boards/Design-Advisory-Board/</u> Telephone: (802) 865-7188 (802) 865-7195 (FAX)



Minutes Burlington Design Advisory Board Tuesday, October 9, 2018 3:00 p.m. Conference Room 12, City Hall, 149 Church Street, Burlington, VT

Present: Matt Bushey (Chair), Steve Offenhartz, Tom Cullins, Ron Wanamaker, Phil Hammerslough (alt.)
Absent: Leo Sprinzen, Phil Wagner (alternate).
Staff present: Mary O'Neil

Session I – 3:00 PM – 3:30 PM

19-0284CA; 69 Charlotte St (RL, Ward 5S) Paul and Sabine Budnitz

Demolish and replace existing single family house and accessory building.

Present: Architect Stephen Selin with owners Sa Budnitz and daughter. Motion by Matthew Bushey: I move we recommend approval as submitted. We encourage relocation of mechanical equipment to the west side of the north elevation as allowable. 2^{nd} – Tom Cullins Vote 5-0. Motion carries.

Session II – 3:30 PM – 3:45 PM

Certified Local Government Historic Preservation Review Committee Review of 3-11 George St; Stannard House National Register Nomination

Historic Preservation Review Committee (Matthew Bushey, Steven Offenhartz, Ron Wanamaker (alternate) discuss nomination and benefits to applicant and city. HPRC recommends forwarding the nomination to the Vermont Division for Historic Preservation and National Park Service for consideration and listing.

	E G E I V E D UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE HISTORIC PRESERVATION CERTIFICATION APPLICATION PART 1 – EVALUATION OF SIGNIFICANCE					OMB Approved No. 1024-0009 Form 10-168 Rev. 2014					
7	AX INCENTIVE PREIGRAM			NPS Proj	ject Numbe	er 2	8048				
appli	uctions: This page must bear the applicant's original signature and mu cation form. In the event of any discrepancy between the application for fications), the application form takes precedence. A copy of this form w	m and other	, supplementary material su	ubmitted wit							
1.	Property Name Stannard House										
	Street 3 George Street						_				
	City Burlington County Ch	nittende	n	State	VT	Zip	04501 .L	1305			
	Name of Historic District n/a										
2.	 National Register district certified state or local district Nature of request (check only one box) certification that the building contributes to the significance of the certification that the building does not contribute to the significance preliminary determination for individual listing in the National Reg preliminary determination that a building located within a potentia 	above-nam above-nam ce of the abo gister. Il historic dis	ed historic district for a char ove-named district. trict contributes to the signi	titable contr	ibution for	conserv		S.			
3.	Project Contact (if different from applicant)										
	Name Scott Newman		Company 106 As	sociate	s						
	Street 193 Saint Paul St., #105	City E	Burlington				State	VT			
	Zip 05401 Telephone (802) 777-1572		Address scottnewmar	0106as	sociat	es.co		1			
4.	Applicant I hereby attest that the information I have provided is, to the best of my knowledge, correct. I further attest that [check one or both boxes, as applicable] (1) \boxtimes I am owner of the above-described property within the meaning of "owner" set forth in 36 CFR § 67.2 (2011), and/or (2) \square if I am not the fee simple owner of the above- described property, the fee simple owner is aware of the action I am taking relative to this application and has no objection, as noted in a written statement from the owner, a copy of which (i) either is attached to this application form and incorporated herein, or has been previously submitted, and (ii) meets the requirements of 36 CFR § 67.3(a)(1) (2011). For purposes of this attestation, the singular shall include the plural wherever appropriate. I understand that knowing and willful falsification factual representations in this application may subject me to fines and imprisonment under 18 U.S.C. § 1001, which, under certain circumstances, provides for imprisonment of up to 8 years.										
	Name Rick Bove	Signature	_//	2		Da	ate 07/10/2	2017			
	Applicant Entity 3-11 1/2 George Street LLC		SS	N		or	TIN 20-27	18807			
	Street 88 East Avenue	City	Burlington	_			State	VT			
	Zip 05401 Telephone (802) 999-9998	Emai	Address rickbove@d	comcast	.net						
MDC	Official line Only										
	Official Use Only			Sec. 2	a la sua		Sector 6				
	National Park Service has reviewed the Historic Preservation Certificatio contributes to the significance of the above-named district or National F contributes to the significance of the above-named district and is a "cer does not contribute to the significance of the above-named district,	Register pro	perty and is a "certified hist	oric structur	e" for reha	bilitation	purposes.	operty:			
Preli	ninary Determinations:										
Ø	appears to meet the National Register Criteria for Evaluation and will li	kely be liste	d in the National Register o	f Historic Pl	laces if nor	ninated I	by the State His	storic			
	Preservation Officer according to the procedures set forth in 36 CFR P does not appear to meet the National Register Criteria for Evaluation a		not be listed in the Nationa	al Register.							
ē	appears to contribute to the significance of a potential historic district, v Historic Preservation Officer.			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Historic P	laces if n	ominated by th	e State			
	appears to contribute to the significance of a registered historic district documentation on file with the NPS is expanded by the State Historic F	if the period Preservation	or area of significance as o Officer.	documented	d in the Na	tional Re	gister nominati	on or district			
	does not appear to qualify as a certified historic structure.	1									

National Park Service Authorized Signature

NPS comments attached

Date / /



State of Vermont Division for Historic Preservation Deane C. Davis Building, 6th Floor One National Life Drive, Montpelier, VT 05620-0501 http://accd.vermont.gov/historic-preservation

December 14, 2018

Joy Beasley National Park Service National Register of Historic Places 1849 C Street, Mail Stop 7228 Washington, DC 20240 [phone] 802-828-3540

Agency of Commerce and Community Development



Re: Nomination to the National Register of Historic Places for Property in Vermont

Dear Ms. Beasley:

The enclosed disks contain a true and correct copy of the nomination for the Stannard House located at 3 George Street in Burlington, VT, to the National Register of Historic Places.

Notification

The property owner(s), Chief Elected Official and Regional Planning Commission were notified of the proposed nomination on September 17, 2018.

- No objections to the nomination were submitted to the Division during the public comment period.
- An objection to the nomination was submitted to the Division during the public comment period. A copy of the objection is included on Disk 1.
- A letter of support for the nomination was submitted to the Division during the public comment period. A copy of the letter is included on Disk 1.

Certified Local Government

- The property being nominated is not located in a CLG community.
- The property being nominated is located in a CLG community, and a copy of the local commission's review is included on Disk 1.

Rehabilitation Investment Tax Credits

This property is not utilizing the Rehabilitation Investment Tax Credits.

This property being rehabilitated using the Rehabilitation Investment Tax Credits. A copy of the *Part I – Evaluation of Significance* form is included on Disk 1.

State Review Board

The Vermont Advisory Council on Historic Preservation reviewed the draft nomination materials at its meeting on October 18, 2018. The Council voted that the property meets the National Register Criteria for Evaluation under Criterion C, and recommends that the State Historic Preservation Officer approve the nomination.

If you have any questions concerning this nomination, please do not hesitate to contact me at (802) 585-8246 or <u>devin.colman@vermont.gov</u>.

Sincerely, VERMONT DIVISION FOR HISTORIC PRESERVATION

Devin A. Colman State Architectural Historian