United States Department of the Interior National Park Service

National Register of Historic Places Registration Form



This form is for use in nominating or requesting determinations for individual properties and districts. See instructions in National Register Bulletin, *How to Complete the National Register of Historic Places Registration Form.* If any item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, architectural classification, materials, and areas of significance, enter only categories and subcategories from the instructions. Place additional certification comments, entries, and parrative items on continuation sheets if needed (NPS Form 10-900a).

Name of Property	· · · · · · · · · · · · · · · · · · ·	
historic name Hailey Methodist Episcopal Churc	ch	
other names/site number Hailey Commun	nity Baptist Church	
Name of Multiple Property Listing N/A		
(Enter "N/A" if property is not part of a multiple property listing)		
2. Location		
street & number 200 2 nd Avenue South		not for publication
city or town Hailey		vicinity
state Idaho code ID county	Blaine code 13	zip code 83333
3. State/Federal Agency Certification		
As the designated authority under the National Histo	oric Preservation Act as amended	
for registering properties in the National Register of requirements set forth in 36 CFR Part 60. In my opinion, the property X meets does not be considered significant at the following level(s) of some considered sig	meet the National Register Criteria. significance:nationalsi B _X C D I D eccul s Z ation Officer Date	I recommend that this property tatewide X local
Signature of commenting official	Date	-
Title	State or Federal agency/bureau or Tribal Go	vernment
4. National Park Service Certification		
I hereby certify that this property is: entered in the National Register determined not eligible for the National Register other (explain:)	determined eligible for the Na removed from the National R	
Signature of the Keeper	Date of Action	

United States Department of the Interior National Park Service / National Register of Historic Places Registration Form NPS Form 10-900 OMB No. 1024-0018

Hailey Methodist Episcopal Church Name of Property		Blaine County, ID County and State	
5. Classification		·	
Ownership of Property (Check as many boxes as apply.) X private public - Local public - State public - Federal	Category of Property (Check only one box.) X building(s) district site structure object	Number of Resources within Prope (Do not include previously listed resources in the Contributing Noncontributing 1 1 0	
Number of contributing resor listed in the National Registe N/A	urces previously r		
6. Function or Use			
Historic Functions (Enter categories from instructions.) RELIGION/ religious facility		Current Functions (Enter categories from instructions.) RELIGION/ religious facility	
7. Description Architectural Classification		Materials	
(Enter categories from instructions.) Gothic Revival		(Enter categories from instructions.) foundation: Stone walls: Wood, Weatherboard	
		roof: METAL: Steel other:	

United States Department of the Interior National Park Service / National Register of Historic Places Registration Form NPS Form 10-900 OMB No. 1024-0018

|--|

Name of Property

Blaine County, ID

County and State

Narrative Description

(Describe the historic and current physical appearance and condition of the property. Describe contributing and noncontributing resources if applicable. Begin with **a summary paragraph** that briefly describes the general characteristics of the property, such as its location, type, style, method of construction, setting, size, and significant features. Indicate whether the property has historic integrity).

Summary Paragraph

Located in the Wood River Valley in the central part of the state, the Hailey Methodist Episcopal Church is located on the southeast corner of Second Avenue South and East Croy Street in Hailey, Idaho. The building was constructed in 1886, and still retains integrity of location, design, setting, materials, workmanship, feeling, and association. It is in its original location on the border between a residential area and downtown. The surrounding neighborhood has retained most of its historic structures, setting and feeling. The building is eligible for listing in the National Register for architecture as an excellent example of the Carpenter Gothic style. The church retains its original simple design, with its steep roof, distinctive lancet windows and outset belfry entry centered on the façade. In addition, the interior space retains its original arrangement. There are two additions set at the rear of the church that reflect the expanded needs of the congregation. They are of compatible design and materials and continue the lines, dimensions, and roof slope of the original church.

Narrative Description

The Hailey Methodist Episcopal Church, now known as the Hailey Community Baptist Church, stands as a good example of the Carpenter Gothic style and as a one-story, frame vernacular Gothic-revival church. Architectural components, including the steeply pitched roof, the outset entrance topped with a Gothic steeple, Gothic arch lancet windows, and decorative rafter tails and purlins, symbolically connect this simple church with the great houses of worship.

Setting:

The Hailey Methodist Episcopal Church is set on a level town lot at the corner of 2nd Avenue South and East Croy Street. Paved sidewalks separate the building from the streets with a simple lawn on the south side of the building.

The original 28.5 x 50.25-foot church and its belfry entry were built on a dry-laid masonry foundation. The walls are clad in drop siding nailed flat to the wall and edge-matched with a shiplap joint. The upper surface of the siding is milled with a cove scallop on top. This siding extends from the baseboard 17 feet upwards to the eaves. This type of drop siding was in use as early as 1860, but was a popular choice by the 1880s. Because the sophisticated milling process was not available locally, its use on the church reflects Hailey's 1883 railroad connection with outside markets.

The eaves of the roof are supported by rafter tails and the front extension of the roof is supported by purlins. Both the rafter tails and purlins were carved in a decorative bull's eye pattern that is also repeated inside the church on the ends of the pews. The gable roof was originally clad in wood shingles, but was converted in the historic era to corrugated metal. The building now has ribbed metal roofing.

The 8-foot, 11-inch square, belfry tower is half-way inset into the facade of the church. The tower rises to a point a few feet below the apex of the church's gable roof. Resting on the tower is a square, shingled roof with flared enclosed eaves that curve upward to vertical giving this section of the belfry tower the impression of a Mansard roof. Built upon the shingled section is an open-sided bell tower. A metal bell is supplemented with four 1950s-era all-weather speakers. Four square vertical posts with brackets set in the corners of the bell tower support the ogee slope of the four-sided steeple roof. At the apex of the

United States Department of the Interior
National Park Service / National Register of Historic Places Registration Form
NPS Form 10-900
OMB No. 1024-0018

Hailey Methodist Episcopal Church

Name of Property

Blaine County, ID

County and State

wood shingle-covered roof is a short metal spire. The belfry's design reflects a bell tower design used in municipal buildings of the 1880s.

The main entrance of the church is through the west facing elevation of the belfry tower. Double wood doors open onto a single wood step and then onto concrete sidewalks. Above the doors is a triple light transom. Each pane of the transom is a square of stained glass depicting a Christian theme. Above the transom is a three-light window arranged in a Gothic arch.

Midway between the top of the arch window and the belfry eaves is a large round louvered vent. The belfry is flanked on either side by 5/6-light, single-hung sash lancet windows. The odd number of the upper set reflects the single top window that creates a Gothic arch. The sill of each window is supported by wood brackets. In addition to the two windows, the west side of the original church structure has a wood signboard identifying the structure and service times. The sign is cut in the Gothic arch shape.

The north and south elevations of the church each have three 5/6-light, single-hung sash lancet windows. On the south side, an external brick chimney has been partially dismantled down to the roof level. This was completed prior to the most recent roofing of the church. The dry-laid masonry foundation on the south side of the church has been removed on the east end and replaced with cinder blocks. This repair probably occurred in the 1950s. The east elevation is covered by an extension to the building known as the "Sunday School addition".

Additions:

The church was expanded with the aforementioned Sunday School addition on the east end sometime between 1913 and 1920. The 28.5 x 32-foot addition was constructed with an eye to blending with the original structure, continuing the original church lines, and using matching siding. The gable roof Sunday School addition has a clipped end and is also covered with ribbed metal roofing. The south slope of the addition has a metal patch from a removed wood stove pipe.

In the 1950s, the church was further expanded with an ell constructed on the southwest side of the Sunday School addition. This addition provided much needed kitchen facilities to support weddings, funerals and potluck dinners. Modern restrooms were constructed in the ell's basement. As with the Sunday School addition, care was taken to blend the structure by using matching siding. The north side of the Sunday School addition has two 2/2-light, double-hung sash windows. The east side has a modern wood door that opens onto a concrete sidewalk protected by a shed roof addition (8-feet, 1-inch x 17-feet, 1-inches) extending from a small shed addition (8-feet, 1-inch x 10-feet, 5-inches). The shed has a modern door on its north end under the shed extension. The south wall of the Sunday School addition is covered by the south ell-addition.

The south ell-addition (19-feet, 5-inches x 42-feet) has two 1/1-light, double-hung sash windows on the east side along with basement windows obscured by material stacked against the structure. The south side has three 1/1-light, double-hung sash windows; one is covered with plywood. The gable end above the first floor has no openings. The cinderblock foundation of the addition has three basement casement windows, one of which is covered. The west side has a single 1/1-light, double-hung sash window; a 1-light, 3-panel door; and a cinderblock chimney. The stoop of the door has been removed, leaving the door hanging without easy access. The cinderblock chimney has been deconstructed down several feet from the eaves, which had a gable protector for the missing portion of the chimney.

Interior:

The interior of the sanctuary retains much of its original design, with the original space and layout intact. The wood flooring, interior plastering and baptistery were added in the early 1930s. The simple rectangular floor plan has an entrance through the belfry at one end and the baptistery in the center of the opposite wall. The lower walls are covered by vertical dark wood wainscoting, while the upper walls

United States Department of the Inte	erior
National Park Service / National Reg	gister of Historic Places Registration Form
NPS Form 10-900	OMB No. 1024-0018

Name of Property

Blaine County, ID

County and State

are plastered. The windows have simple painted wood trim. Between each window is a conical wall sconce seamlessly plastered into the walls. Plaster reflective medallions above the light sconces echo the tops of the adjacent lancet windows. These sconces provide indirect illumination for the sanctuary. The sanctuary is topped with a smooth plaster vaulted ceiling. With no rafters, the outward force placed on the walls by the roof is countered by tension rods stretched from side wall to side wall.

The sanctuary entry door is a double two-panel door that is eight feet high. Above the door, wood molding has been worked to form a Gothic arch that echoes both the windows and the baptistery at the front of the room. The front of the room has a large inset pointed arch. At its base is a baptistery that is inset into the arch, but also extends into the sanctuary. This design allows individuals to enter the baptistery from private rooms behind while the extension into the sanctuary allows baptisms to be viewed by the congregation. The baptistery, sconces and plastering of the upper walls date from after 1930-1931 when the Baptists refurbished the sanctuary. The previous occupants, the Methodist Episcopal congregation, baptized by sprinkling, while the Baptists, as their name implies, believed in full-immersion baptism and therefore required a baptistery to properly outfit the church.

It should also be noted that the wooden pews, with their sturdy design and simple construction, are historic. The detail on the ends of the pews echo the decorative rafter tails and purlins observed on the outside of the church. As such, they may be original furnishings.

Hailey Methodist Episcopal Church	Blaine County, ID
Name of Property	County and State

8. \$	State	ement of Significance	
Ap (Ma	plica	in one or more boxes for the criteria qualifying the property hal Register listing.)	Areas of Significance (Enter categories from instructions.) ARCHITECTURE
	Α	Property is associated with events that have made a significant contribution to the broad patterns of our history.	
	В	Property is associated with the lives of persons significant in our past.	
X	С	Property embodies the distinctive characteristics of a type, period, or method of construction or represents the work of a master, or possesses high artistic values, or represents a significant and distinguishable entity whose components lack individual distinction.	Period of Significance 1886
	D	Property has yielded, or is likely to yield, information important in prehistory or history.	Significant Dates N/A
		a Considerations in all the boxes that apply.)	Significant Danson
Pro	pert	y is:	Significant Person (Complete only if Criterion B is marked above.)
X	Α	Owned by a religious institution or used for religious purposes.	N/A
	В	removed from its original location.	Cultural Affiliation (if applicable) N/A
	С	a birthplace or grave.	
	D	a cemetery.	
	Е	a reconstructed building, object, or structure.	Architect/Builder
	F	a commemorative property.	Rev. Andrew J. Joslyn
	G	less than 50 years old or achieving significance within the past 50 years.	

Period of Significance (justification)

The Hailey Methodist Episcopal Church is significant due to its architectural style, the Carpenter Gothic style. The period of significance for the building is 1886, the year of construction. Although there have been alterations to the building, none of the alterations contribute to or negate the qualities of integrity that make the building eligible for listing in the National Register.

United States Department of the Interior	
National Park Service / National Registe	r of Historic Places Registration Form
NPS Form 10-900	OMB No. 1024-0018

Hailey Methodist Episcopal Church	Blaine County, ID	
Name of Property	County and State	

Criteria Consideration A: Religious Properties

The Hailey Methodist Episcopal Church is, by definition, a religious property having been designed and built by a pastor to house a religious congregation. Historically, it was used as a church and is currently being used in its original historic function as a religious property.

The church building is eligible for the NRHP under Criterion C as a good example of the Carpenter Gothic style that is found in other churches of the era. It includes both common Gothic Revival elements (steep roof, lancet windows) and idiosyncratic details (window sill brackets, steeple) to create a structure unique to its time and place.

United States Department of the Interior
National Park Service / National Register of Historic Places Registration Form
NPS Form 10-900

OMB No. 1024-0018

Hailey Methodist Episcopal Church	Hailey	Methodist	Episcopa	I Church
-----------------------------------	--------	-----------	-----------------	----------

Name of Property

Blaine County, ID

County and State

Statement of Significance Summary Paragraph (Provide a summary paragraph that includes level of significance, applicable criteria, justification for the period of significance, and any applicable criteria considerations).

The Hailey Methodist Episcopal Church is eligible for the NRHP under Criterion C for architecture. It is locally significant as an excellent example of a Carpenter Gothic style that was popular in rural areas nationwide during the late 1800s. The church reflects its time and place as a unique mix of design and material elements that are directly tied to Hailey's history and its evolving sense of community. Because the nearby Hailey business district experienced two devastating fires in the 1880s, the construction of the church reflects the community's building strategies in the interim between the fires and the use of materials made available by the 1883 arrival of the railroad in Hailey. The building is an excellent example of its style, which was commonly expressed on religious building. The Carpenter Gothic building is one of only a few known surviving examples of the style in Idaho.

Narrative Statement of Significance (Provide at least one paragraph for each area of significance.)

History:

The foundation for the Hailey Methodist Episcopal Church was laid in 1886, and was sparked by a fire in the Hailey business district. The church is both a result of the protestant evangelical movement of the 19th Century and the desires of an early boom town to evolve into a permanent community.

Vernacular places of worship come in all sizes and shapes, with variations in floor plan somewhat tied to theology and ritual. Christian – particularly Protestant – churches exhibit a remarkable flexibility, in that they are often recycled through several denominations. Vernacular churches are most often domestic in scale and are composed of simple, direct geometric forms... Most remaining vernacular churches are located in rural settings (Gottfried & Jennings 1985: p. 12).

The Wood River Valley, where Hailey is located, was the location of a mining rush in 1880 and 1881. Hailey sprang up on the banks of the Big Wood River at the confluence of Croy Creek from the west and Quigley Creek from the east. The silver-lead ore mined in the hills around Hailey and to the north was at first shipped by wagon as far as Kelton, Utah, some 170 miles to the south. In 1881, a small smelter was established at Hailey. As the town grew, Hailey became the county seat of Alturas County in 1882. Its fortunes further improved with the arrival of the Wood River Branch of the Oregon Short Line Railroad on May 7, 1883, connecting Hailey's mines, businesses and an emerging agricultural industry with the outside world. Hailey quickly became a major shipping point for sheep. Hailey, like many rapidly built early boom towns, was primarily a town constructed of wood. While local, abundant, and relatively cheap, the material was also extremely flammable in an era lit by kerosene and heated by wood fires. Hailey suffered two major fires in its business district. The first occurred on September 24, 1883, and the second on July 9, 1889. It is within the interim between fires that the Methodist Episcopal Church was built (Hailey 1910; Hailey Pamphlet).

Hailey's Main Street quickly rebuilt following the first fire. However, most of the early rough-and-tumble architecture was gone. Hailey, with a sound economic base and a rail link to outside markets, chose to rebuild and reinvent itself. When the new courthouse was completed in late 1883, it was constructed of brick. Because brick was expensive and was labor intensive in construction, not all businesses chose to use brick in the reconstruction. Milled siding, shipped in by rail, was used in the Methodist Episcopal Church as a less expensive alternative to brick, while providing a visual distinction from the rough-cut lumber used before the fire and before the railroad. As a result, new construction in the interim period between Hailey's great fires resulted in distinctive buildings built of both brick and manufactured siding.

While rebuilding itself physically, Hailey began to consciously work toward permanence and that meant becoming a family town. This is reflected in the advertisements of the local newspaper. Before the first fire, the April 3, 1883, *Wood River Miner* featured advertisements for seven saloons and eleven attorneys on the front

United States Department of the Interior	
National Park Service / National Registe	r of Historic Places Registration Form
NPS Form 10-900	OMB No. 1024-0018

Hailey Methodist Episcopal Church

Name of Property

Blaine County, ID

County and State

page. Other advertisements included three furniture stores, two doctors, one notary and a surveyor. Two years later, after the fire and the arrival of the railroad, the front page listed advertisements for a grocer, telephone, stone works, a hotel, a restaurant, assayers and reduction works. No bars were listed on either page one or page two. Buried on page five are two saloon ads and cards for 12 attorneys. Examination of newspapers from 1886 show similar results with ads from mail-order catalogs and medicine displayed prominently. By 1887, attorneys had resumed their place on the front page, but only one saloon was listed (Wood River Miner 1883, 1885; 1886; 1887).

The façade of respectability presented by the newspaper was at odds with the realities of business. Sanborn Fire Insurance Co. maps of the interim show that in January of 1885 there were 13 saloons, two cigar stores, and a wholesale liquor store along just two blocks of Hailey's Main Street. There were also 19 other businesses including jewelers, hardware stores, a tailor, a cobbler, barbers, drug stores, hotels and a theater (with a saloon). One church was listed on the second floor over a vacant saloon. In 1888, the year before the next fire, the number of saloons along the same two blocks had dropped slightly to 11, with other businesses remaining at 19. It took the second great fire on July 9, 1889 to finally reform the business district. The 1890 Sanborn shows only two active and one vacant saloon in the same two blocks. But the town was not completely reformed in that there were seven buildings dedicated to "female boarding" hidden one block to the west along River Street, the same number as in previous years (Sanborn 1885; 1888; 1890).

But Hailey was changing. The railroad brought wives and children into the growing community. The former male society was augmented, if not replaced, by a growing community of families. Small frame school houses that first served scattered families around the valley were replaced by a brick school on 2nd Avenue North in 1884. However, the community rapidly outgrew the new school. In 1890, a much larger brick two-story school, with a mansard-roof bell tower similar to the Methodist Episcopal bell tower, was built on 4th Avenue North. It was reported to be "one of the best appointed school-houses in the state, where the teachers, also, are the best paid of all in the west." (Sanborn 1884; 1890; Lewis Publishing Co. 1899, Idaho Historical Society).

Another milestone in Hailey's maturation was the construction of churches to serve the growing community. More specifically, churches were needed to meet the needs of worship, marriage, death, and celebration of the major Christian holidays. In the interim between fires, three churches sprang up in Hailey: the Catholic Church, the Emmanuel Episcopal, and the Methodist Episcopal (Hailey 1910; Hailey Pamphlet).

On January 7, 1884, Methodist Episcopal minister, the Reverend Andrew J. Joslyn, stepped off the train in Hailey with the purpose of building a church for the community (Pacific Christian Advocate 1884; Hailey 1910; Hailey Pamphlet). Wasting no time, Rev. Joslyn and nine charter members founded the Hailey Methodist Episcopal Church on the day of his arrival. However, the newly formed Hailey congregation was not immediately housed in a building of their own. Rev. Joslyn was otherwise occupied building another Methodist Episcopal Church in nearby Ketchum, Idaho. Indeed, the 1885 Sanborn Fire Insurance Map (Sanborn Map) of Hailey does not show a church on the corner of 2nd Avenue South and East Croy Street, but the church listed on Main Street may have been the temporary meeting place of the Methodist Episcopal Church.

According to "Historic Hailey a Nineteenth Century Town," the Methodist Episcopal Church was finally completed in 1886 (Pacific Christian Advocate 1884; Sanborn 1885; 1888; Hailey Pamphlet).

The Methodist Episcopal Church apparently received little or no funding from its denomination. With no fiscal backers dictating a design, Joslyn likely relied on his own creativity. For inspiration, Joslyn adapted basic church designs with elements borrowed from other recently built structures in the vicinity. The church echoes the style and dimensions of the Emmanuel Episcopal Church, which was built a block to the northeast a year before in 1885. In detail, elements of the windows, specifically the support brackets under the window sills are similar to the window brackets employed in the Alturas County Courthouse located half a block to the northwest. The Alturas County Courthouse, now the Blaine County Courthouse, was constructed immediately after the first fire in 1883. The Emmanuel Episcopal Church was listed on the National Register of Historic Places in 1977, and the Blaine County Courthouse was listed in 1978.

United States Department of the Interior	
National Park Service / National Registe	r of Historic Places Registration Form
NPS Form 10-900	OMB No. 1024-0018

Hailey Methodist Episcopal Church

Name of Property

Blaine County, ID

County and State

When construction began in the fall of 1885, economical wood building materials were used throughout. However, work stalled in December as coffers ran dry. With insufficient funds to complete construction, the church turned to the community for help finishing the interior. Hailey's "Ladies Aid Society" responded with a series of three fund-raisers at the Hailey Theater in January and February 1886. The *Wood River Times* provided free advertising and carried stories promoting attendance to the events. The first event was a "revival" held on January 16th. At the conclusion of ceremonies, the doors of the church were opened for inspection by members of the congregation. While undoubtedly satisfying to the congregation, proceeds from the revival were not spectacular. The following two events were decidedly more secular with performance of songs, poems and other entertainments. The January 29 "Entertainment" was financially a success and received good reviews from the newspaper. The third "Entertainment" on February 13, was well attended and hailed both as a social and financial success (Wood River Times Jan 16, 1886; Jan 29, 1886; Jan 30, 1886; Wood River News-Miner Feb 13, 1886). On January 30, 1886, the Wood River Times reported:

The new Methodist Episcopal Church is now nearly completed and is an ornament to this city. Work on the interior is being pushed as rapidly as circumstances will permit. The seats will be put in soon. The lumber for same having been ordered. The aisles and pulpit platform are to be carpeted... The people of Hailey have responded liberally to this cause (Wood River Times January 30, 1886. p. 3.).

The community's support for its fledgling churches was not limited to fund raisers. To assure the continued survival of its churches, in the 1890s, the town levied its businessmen a \$2 per month tax to provide funds to support three ministers (Hailey Pamphlet).

As with many small churches, the Hailey Methodist Episcopal Church physically evolved through the historic era to meet changing requirements of the church and community. The 1888 Sanborn Map that shows the completed "Meth. Church" on the corner of 2nd Avenue South and East Croy Street with a small dwelling to the rear and a shed on the alley. The church is represented with the belfry on the northwest end, indicating that the belfry was original to the building. The 1890 Sanborn Map shows the church as the "ME Church / 17-foot to eaves", but the dwelling was shown as vacant and the shed was no longer in the alley. At that time the minister at the Methodist Episcopal Church was the Rev. C. E. Helman. On the 1897 Sanborn Map, there was a church with a small shed structure covering the rear entry, but the dwelling had been removed. In 1907, the church was reduced to only the main building and the belfry, but was listed as having lights, electric heat and stoves. A 1913 photograph of the town of Hailey shows the church sitting alone on its lot. In October 1920, the map showed a Sunday School addition had been constructed to the rear of the original church. The Methodists continued to hold services in the church through late 1927 / early 1928 when declining membership closed the church (Sanborn 1885; 1888; 1890; 1897; 1907; 1920; Hailey Pamphlet).

The next occupant of the church was the American Baptists. The First Baptist Church in Hailey was organized by the American Baptists on April 24, 1900. While the first board meeting minutes have been lost, the second board meeting minutes tell how the church voted to borrow \$250 dollars to buy lumber for a church. The resulting building would in later years be used as the Miners' Union Hall, a Special Education School, and in modern times it has been used as the Hailey Senior Center. The church continued to meet and have regular board meetings through 1909. However, thereafter, the bond that held the church together seemed to weaken and members began to drift away, many to the Methodist church (Baptist 1977).

In 1920, the Baptist church called Rev. H. W. Vodra to fill the pulpits in both Hailey and nearby Picabo. The church had grown to the point that Mary C. Ayers was appointed as assistant pastor to work with the young people, "Blue Birds" and the Sunday School. Vodra is credited with starting the Boy Scout movement in the Wood River Valley. Blue Birds were a girl's organization prior to the formation of Campfire Girls. However, this level of activity could not be sustained. Pastors tended to have short ministries at the church due to lack of funding. Most of the pastors left when the church debt reached unacceptable levels, which in that time ranged from \$150-\$300 (Baptist 1977).

United States Department of the Interior
National Park Service / National Register of Historic Places Registration Form
NPS Form 10-900

OMB No. 1024-0018

Hailey Methodist Episcopal Church

Name of Property

Blaine County, ID

County and State

Meanwhile, as stated above, the Methodist church in Hailey was in decline. By early 1928, the Methodist church was no longer meeting and most of the valley's unaffiliated Protestants met in the Baptist church, which had evolved into a community church led by Rev. F. O. Hess. The *Wood River Journal*, which listed churches in the Wood River Valley in each issue, listed Rev. F. O. Hess as the pastor of the community church until January 26, 1928. Thereafter, the church was absent from the listings until April 5, 1928, when it was listed as the Community Baptist Church with "Miss Ayers in Charge and Mr. C. E. Halsey Superintendent". The May 10, 1928, issue announced that Baptist minister Rev. Shank would be giving the message. Shank, at the time, was actively developing a Baptist Church camp north of Ketchum. Shank's association with the Hailey church would later prove instrumental in its survival (Wood River Journal 1928).

In 1929, the American Baptists arranged a property exchange with the Methodists. In exchange for the Baptist Church in Fairfield, Idaho, the Baptists received the old Methodist Church in Hailey. Despite the onset of the Great Depression, the First Baptist Church Hailey members refurbished the new building in 1930 and 1931. New plaster was applied, a baptistery installed, and the foundation was repaired. After the outside of the church was painted, there was exactly \$1.00 left in the building fund. This was used as a starter for a fund to put in new flooring. The old "ingrain" carpet was taken up and a new hardwood floor was installed. The walls and light sconces were plastered. The interior of the church was modified at this time to include the required baptistery (Baptist 1977).

Money continued to be a problem for the church throughout the 1930s and 1940s as it fought to keep its doors open. Rev. Shanks, who was the Baptist Area Minister, opposed closing the church and despite opposition, repeatedly found funds to send to the church. However, the 1950s found a revival in the church as it began to steadily grow under the ministry of Joseph W. Fulds. Two city lots were purchased to provide room for growth. A kitchen addition was added to the south of the Sunday School addition. The south ell not only provided a kitchen, but also provided modern restrooms in the basement and as well as a new furnace. In 1955, a new Carillon bell system, donated by a Hailey business man, was installed with horn speakers attached to the bell tower. These speakers are still in place to this day. Other improvements include new robes, new hymnals, insulation and a new metal roof.

The church also reflects national norms for religious buildings. Gottfried and Jennings (1985:13) noted the importance of the "placement of the entrance, the shape of the congregational space, and the location of the vertical elements." They continued:

Church design centers on the placement of the entrance, the shape of the congregational space, and the location of the vertical elements. Most vernacular buildings are rarely over two stories in height and a modest window-to-wall ratio. . . frame construction and wood cladding are all common. Building materials play a major role in design; that is the materials are as important as any other element (Gottfried & Jennings 1985: p. 13).

Both the Gothic Revival and Greek Revival styles were popular for wood frame church designs in Idaho during the late 19th Century, with some churches combining elements of both. The Gothic Revival Christ Chapel in Boise (1866), while more elaborate in decoration, shares the same simple form as the Hailey Methodist Episcopal Church, with a three-bay rectangular sanctuary topped with a steep, front-facing gable roof; an outset belfry with double entry doors topped with a multi-paned transom; and a tiered belfry tower topped with steeple and spire. St. Joseph's Church in Idaho City (1863) shares the simple rectangular form and steep, front-gable roof of the Gothic Revival style, but it adds Greek Revival eave returns. The double entry doors are in a simple one-story, outset entry, while an open belfry and steeple grace the front gable peak. The Kamiah Presbyterian Church (1871) also combines elements of both popular styles, with enclosed eaves and eave returns of the Greek Revival style and lancet windows typical of Gothic Revival and similar to those found in the Hailey church. All these churches are sided with milled horizontal siding, mostly shiplap (Attebery 1991:69-70).

Hailey Methodist Episcopal Church

Name of Property

Blaine County, ID

County and State

9. Major Bibliographical References

Bibliography (Cite the books, articles, and other sources used in preparing this form.)

Anon. (Hailey Pamphlet)

n.d. "Historic Hailey A Nineteenth Century Town". Undated pamphlet in the Hailey Vertical File of the Idaho State Historical Society Archives, Boise, Idaho.

England, David

2013 "History of Church Steeples". Available online at: <a href="http://www.religiousproductnews.com/articles/2007-February/Feature-Articles/The-History-of-http://www.religiousproductnews.com/articles/2007-February/Feature-Articles/The-History-of-http://www.religiousproductnews.com/articles/2007-February/Feature-Articles/The-History-of-http://www.religiousproductnews.com/articles/2007-February/Feature-Articles/The-History-of-http://www.religiousproductnews.com/articles/2007-February/Feature-Articles/The-History-of-http://www.religiousproductnews.com/articles/2007-February/Feature-Articles/The-History-of-http://www.religiousproductnews.com/articles/2007-February/Feature-Articles/The-History-of-http://www.religiousproductnews.com/articles/2007-February/Feature-Articles/The-History-of-http://www.religiousproductnews.com/articles/2007-February/Feature-Articles/The-History-of-http://www.religiousproductnews.com/articles/2007-February/Feature-Articles/The-History-of-http://www.religiousproductnews.com/articles/2007-February/Feature-Articles/The-History-of-http://www.religiousproductnews.com/articles/2007-February/Feature-Articles/The-History-of-http://www.religiousproductnews.com/articles/2007-February/Feature-Articles/The-History-of-http://www.religiousproductnews.com/articles/2007-February/Feature-Articles/The-History-of-http://www.religiousproductnews.com/articles/2007-February-Arti

Gottfried, Herbert and Jennings,

1985 American Vernacular Design, Van Nostrand Reinhold Company. New York, New York.

Hailey, John

1910 "History of Idaho". Syms-York Company, Boise Idaho.

Idaho State Historical Society Archives

Church-Steeples.htm>.

nd School, Hailey. Idaho Cities, photo archives.

Lewis Publishing Company

1899 An illustrated history of the state of Idaho. Chicago, Illinois.

Reimers, Mabel

1977 "Hailey Community Baptist Church". *Histories of American Baptist Churches in the Intermountain Area*. Compiled for the Intermountain Area Convention.

Pacific Christian Advocate

1885 Clipping in Hailey, Idaho Vertical File of the Idaho State Historical Society Archives, Boise, Idaho.

Sanborn Fire Maps

- 1885 "Hailey, Idaho".
- 1888 "Hailey, Idaho". June, 1888.
- 1890 "Hailey, Idaho". August, 1890.
- 1897 "Hailey, Idaho". August, 1897.
- 1907 "Hailey, Idaho". Nov, 1907.
- 1920 "Hailey, Idaho". Oct, 1920.
- 1931 "Hailey, Idaho". Sept. 1931.

US Census

- 1850 Linton, Vigo County, Indiana
- 1860 Oregon City, Clackamas County, Oregon

Wood River Journal

1928 Church listings January 5 – June 26, 1928.

Wood River Miner-News

1883-1887 Advertisements on pages 1-5.

1886 Article on Three Entertainments sponsored by Ladies Aid Society, February 13, 1886.

Wood River Times

1886 Page 3 news items January 16 – January 30, 1886.

United States Department of the Interior
National Park Service / National Register of Historic Places Registration Form
NPS Form 10-900

OMB No. 1024-0018

Hailey Methodist Episcopal Church Name of Property	Blaine County, ID County and State		
Previous documentation on file (NPS): preliminary determination of individual listing (36 CFR 67 has been requested)previously listed in the National Registerpreviously determined eligible by the National Registerdesignated a National Historic Landmarkrecorded by Historic American Buildings Survey #recorded by Historic American Engineering Record #recorded by Historic American Landscape Survey #	Primary location of additional data: X		
Historic Resources Survey Number (if assigned):			

Hailey Methodist Episcopal Church		Blaine County, ID			
Name of Property			Соц	unty and State	
10. Geographical Data					
Acreage of Property Less than 1 acre (Do not include previously listed resource acreage; enter "Le	ess than one" if th	e acreage is	s .99 or less)		
UTM References					
1 11 717264 4822029	3				
Zone Easting Northing		Zone	Easting	Northing	_
2	4			N. d.	_
Zone Easting Northing		Zone	Easting	Northing	
The nominated property includes the four ci	ty lots histori	cally asse	ociated with the	Methodist Episcopal / Ha	ailey
11. Form Prepared By					
name/title Dale M. Gray				date May 26, 2016	_
organization Frontier Historical Consultants			telephone (208)	834-3061	_
street & number 24265 River Road			email		_
city or town Grand View			state ID	zip code <u>83624</u>	=
Property Owner					
name/title Idaho Baptist Convention			teleph	one (208) 642-9712	
street & number 10498 Highway 95					_
city or town Payette			state ID zi	p code <u>83661</u>	_
Additional Documentation					
Submit the following items with the completed fo	orm:				_

- Regional Location Map
- Local Location Map
- Tax Lot Map
- Site Plan

United States Department of the Interior	
National Park Service / National Register	of Historic Places Registration Form
NPS Form 10-900	OMB No. 1024-0018

Name of Property

Blaine County, ID	
County and State	

- Floor Plans (As Applicable)
- **Photo Location Map** (Include for historic districts and properties having large acreage or numerous resources. Key all photographs to this map and insert immediately after the photo log and before the list of figures).


Paperwork Reduction Act Statement: This information is being collected for applications to the National Register of Historic Places to nominate properties for listing or determine eligibility for listing, to list properties, and to amend existing listings. Response to this request is required to obtain a benefit in accordance with the National Historic Preservation Act, as amended (16 U.S.C.460 et seq.).


Estimated Burden Statement: Public reporting burden for this form is estimated to average 100 hours per response including time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding this burden estimate or any aspect of this form to the Office of Planning and Performance Management. U.S. Dept. of the Interior, 1849 C. Street, NW, Washington, DC


Photo Log	ID_Blaine County_Hailey Methodist Episcopal Church		
Name of Property:	Hailey Methodist Episcopal Church		
City or Vicinity:	Hailey		
County:	Blaine	State:	ID
Photographer:	Dale M. Gray		
Date Photographed:	August 3, 2013 (Photos # 1- July 2014 (Photos # 15, 16)	14)	

Description of Photograph(s) and number, include description of view indicating direction of camera:

Photo	#1	Front (southwest) and northwest elevation viewed to east, northeast
Photo	#2	Front elevation of sanctuary as viewed to east, northeast
Photo	#3	Sanctuary and 1950's addition viewed to north
Photo	#4	Overview, looking east, northeast
Photo	#5	Detail of Belfry viewed to east, northeast
Photo	#6	Southeast and southwest elevations of 1950's addition viewed to northwest
Photo	#7	Detail decorative purlins and rafter tails
Photo	#8	Southeast and southwest elevations as viewed to west
Photo	#9	South elevation of 1950's addition and 1 belfry viewed to west, northwest
Photo	#10	Northeast and southeast elevations as viewed to south, southwest
Photo	#11	Rear shed addition viewed to south, southwest
Photo	#12	Detail of dry-laid masonry foundation, southwest side of belfry entry
Photo	#13	Detail masonry foundation 1950's repair on side of sanctuary
Photo	#14	Detail of front entry viewed to east, northeast
Photo	#15	Front interior, facing northeast
Photo	#16	Rear interior, facing southwest









Harley Community Boylest Church Blaine County, 10 Dale M. Gray Aug. 3, 2013 Frontier Historical Consultants, INC Grand View, 10 Front (southwest) and Northwest elevation viewed to east, Northeast. DSCN 1070 Hailey Methodist Episocapl Church # 1 of 14



- Hailey Community Baptist Church Blaine County, 10 Dale M. Gray Aug 3. 2013 Frontier Historieal Consultante, luc Front elevation of Sovetnessy as DSCN 1079 Hailey Methodist Episcopii I Church #20116



Hailey Community Baptist Church Blaine County, 10 Dale M. Gray Aug. 3, 2013 Frontier Historical Consultants, INE Grand View, 10 Santenary and 1950's addition viewed to worth DSCN 1078 Hailey Methodist Episcopal Church #30/16



Hailey Community Boptist Church Blaine County, 10 Dale M. Gray Aug. 3, 2013 Frontier Historical Consoltants Grand View, 10 Overview, looking east, Northeast D3CN1069 Italley Methodist Episocapl Church

4 of 16



Harley Community Baptist Church Blaine County, 10 Dale M. Gray Aug, 3, 2013 Frontier Historical Congolfonts, INC. Grand View, 10 Date: 1 of Belfry viewed to carl, Northanst DSCN 1080 Hailey Methodist Episcopal Church #5 of 16



- Hailey Community Baptist Church Blaine County 10 Dale M. Gray Aug. 3, 2013 Frontier Historical Consultaits, INC. Grand View, 10 Southeast & south west elevations of 1950's addition viewed to North west. DSCN/075 Hailey Methodist Episcopal Church #60616



Hailey Community Baptist Church
Blance County, 10 Dale M. Gray Aug. 3, 20/3 Frontier Historical Consultants, luc Grand View, 10 Detail elecurative purlius and rafter tails, DSCN/083 Hailey Methodist Episcopal Church #7 of 16



Hailey Community Baptist Church Blaine County, 10 Dale M. Gray Aug 3. 2013 Frontier Historical Consultants, INC Groud View, 10 Southeast and south west elevations as viewed to west. DSCN1073 Hailey Methodist Episcopal Church #80416



Harley Community Baptist Church Blaine County, ID Dale M. Gray Aug. 3, 2013 Frantier Historical Consultants, INC Grand View, 10 South elevations of 1950's addition and I belfy viewed to west, Northwest. DSCN1074 Hailey Methodist Episcopal Church

#90616



Hailey Community Bopfort Church Blaine County, 10 Dale, M. Gray Aug. 3. 2013. Frontier Historical Consultants, INE Grand View , 10 Northeast and southeast elevations as viewed to south, southwest, DSCN107/ Halley Methodist Episcopal Church # 10 of 16



- Hailey Community Baptist Church Blaine County, 10 Dale M. Geray Ang. 3. 2013 Frontier Historical Consultants, INC Grand View, 10 Rear shed addition viewed to South, south west DSCN 1086 Hailey Methodist Episcopal Church # 1109/14



Hailey Community Bentist Church Blaine County, 10 Dalle M. Gray Aug 3, 2013 Frontier Historical Consultants, INC. Grand View, 10 Detail of dry land masonry foundation, southwest side of belfry entry. DSCNIUSZ Hailey Methodist Episcopal Church # 12 of 16



- Hailey Community Buptist Church Blance County, 10 Dale M. Gray Aug. 3. 2013 Frontier Historical Consultants, lave. Grand View, 10 Detail masory foundation 1950's repair on side of southery. DSCN/084

Hailey Methodist Episcopal Church
#13 of 16



- Hailey Community Baptist Church Blaine County. 10 Dale M. Gray Aug 3. 2013 Frontier Historical Consultants, INE Grand View, 17 Detail of front entry viewed to east, Northwest, DSCN/OSI Hailey Methodist Episcopal Church #1.40 / 16



Hailey Methodist Episcopal Church Blaine County, 10 Dale Gray July, 2014 Frontier Historical Consultouts Carried Vicer, 10 Front interior, facing Northeast DSCN 2154 Episcopal Church Hailey Methodist

15 of 16



Hails, Methodist Episcopal Church Blaine County, 1D Dale Ciray July, 2014 Frontier Historical Consultants, Grand View, 10 Rear interior facing southwest DSCN 2156 Hailey Methodish Episcopal Church #160616

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES EVALUATION/RETURN SHEET

Requested Action:	Nomination			
Property Name:	Hailey Methodist Episcopal Church			
Multiple Name:				
State & County:	IDAHO, Blaine			
Date Rece 12/9/20		List: Date of 16th Day: 1/26/2017	Date of 45th Day: 1/24/2017	Date of Weekly List: 2/1/2017
Reference number:	SG100000560			
Nominator:	State			
Reason For Review	:			
X Accept	Return	Reject1/24	4/2017 Date	
Abstract/Summary Comments:	Meets Registration Requi	rements		
Recommendation/ Criteria				
Reviewer Edson	Beall	Discipline	Historian	
Telephone		Date		
DOCUMENTATION	: see attached commer	nts : No see attached S	LR : No	

If a nomination is returned to the nomination authority, the nomination is no longer under consideration by the National Park Service.





MEMORANDUM

C.L. "Butch" Otter Governor of Idaho

Janet Gallimore Executive Director State Historic Preservation Officer

Administration and Membership and Fund Development 2205 Old Penitentiary Road Boise, Idaho 83712-8250 Office: (208) 334-2682 Fax: (208) 334-2774

Idaho State Historical Museum 214 Broadway Avenue Boise, Idaho 83702 Office: (208) 334-2120 Fax: (208) 334-4059

Idaho State Archives and Records Center 2205 Old Penitentiary Road Boise, Idaho 83712-8250 Office: (208) 334-2620 Merle W. Wells Research Center 2205 Old Penitentiary Road Boise, Idaho 83712-8250 Phone: (208) 327-7060 Open Tues.-Sat. 11am-4pm

Office and Archaeological Survey of Idaho 210 Main Street Boise, Idaho 83702-7264 Office: (208) 334-3861 Fax: (208) 334-2775

State Historic Preservation

Old Idaho Penitentiary 2445 Old Penitentiary Road Boise, Idaho 83712-8254 Office: (208) 334-2844 Fax: (208) 334-3225

Statewide Historic Sites

- Franklin Historic Site
- Pierce Courthouse
- Rock Creek Station and Stricker Homesite

TO: Keeper of the National Register

FROM: Jamee Fiore, Idaho SHPO

DATE: December 1, 2016

SUBJECT: Enclosed NRHP Nomination

The enclosed materials are being submitted for the following nominated property:

Hailey Methodist Episcopal Church Hailey, Blaine County, Idaho

Original signed front page of the NRHP nomination form CD containing true and correct .PDF copy of the nomination for the Hailey Methodist Episcopal Church to the National Register of Historic Places

Original archival photos in sleeves(16 total)

Additional comments:

The nomination file has a google earth map attached as part of the .PDF file.

If you have any questions about these documents, please contact me.

Jamee Biore

National Register Coordinator

Idaho SHPO

210 Main Street

Boise, ID 83702

(208) 488-7461

Jamee.fiore@ishs.idaho.gov

