

United States Department of the Interior
National Park Service

National Register of Historic Places Registration Form



This form is for use in nominating or requesting determinations for individual properties and districts. See instructions in *How to Complete the National Register of Historic Places Registration Form* (National Register Bulletin 16A). Complete each item by marking "x" in the appropriate box or by entering the information requested. If any item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, architectural classification, materials, and areas of significance, enter only categories and subcategories from the instructions. Place additional entries and narrative items on continuation sheets (NPS Form 10-900a). Use a typewriter, word processor, or computer, to complete all items.

1. Name of Property

Historic name First Methodist Episcopal Church

Other names/site number First United Methodist Church/Daniels Hall

2. Location

street & number 801 Fifth Avenue not for publication

city or town Seattle vicinity

State Washington code WA county King code 033 zip code 98104

3. State/Federal Agency Certification

As the designated authority under the National Historic Preservation Act of 1986, as amended, I hereby certify that this nomination request for determination of eligibility meets the documentation standards for registering properties in the National Register of Historic Places and meets the procedural and professional requirements set forth in 36 CFR Part 60. In my opinion, the property meets does not meet the National Register criteria. I recommend that this property be considered significant nationally statewide locally. (See continuation sheet for additional comments.)

[Signature] 11.12.10
Signature of certifying official/Title Date

WASHINGTON STATE HISTORIC PRESERVATION OFFICE
State or Federal agency and bureau

In my opinion, the property meets does not meet the National Register criteria. (See continuation sheet for additional comments.)

Signature of certifying official/Title Date

State or Federal agency and bureau

4. National Park Service Certification

- I, hereby, certify that this property is:
- entered in the National Register.
 See continuation sheet
 - determined eligible for the National Register.
 See continuation sheet
 - determined not eligible for the National Register.
 - removed from the National Register.
 - other (explain:)

[Signature] 1.3.11
Signature of the Keeper Date of Action

5. Classification

Ownership of Property

(Check as many boxes as apply)

- private
- public-local
- public-State
- public-Federal

Category of Property

(Check only one box)

- building(s)
- district
- site
- structure
- object

Number of Resources within Property

(Do not incl. previously listed resources in the count.)

Contributing	Non-Contributing	
1		buildings
		sites
		structures
		objects
1		Total

Name of related multiple property listing:

(Enter "N/A" if property is not part of a multiple property listing.)

Number of contributing resources previously listed in the National Register

6. Functions or Use

Historic Functions

(Enter categories from instructions)

RELIGION/religious facility

Current Functions

(Enter categories from instructions)

RECREATION AND CULTURE/auditorium

7. Description

Architectural Classification

(Enter categories from instructions)

LATE 19TH AND 20TH CENTURY REVIVALS:

Beaux Arts Classicism

Materials

(Enter categories from instructions)

foundation concrete, brick

walls brick, terra cotta

roof ceramic tile, copper

other stained glass

Narrative Description

(Describe the historic and current condition of the property.)

SEE CONTINUATION SHEET

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 7 Page 1 of 8

Narrative Description

Site, Setting and Urban Context

First Methodist Episcopal Church is located on a steeply westward sloping site at the southwest corner of the intersection of Fifth Avenue and Marion Street in the downtown Seattle commercial core.¹ The building was constructed between 1907 and 1910 and occupies the northern half of a half city block with prominent exterior elevations oriented to both of the side streets. Fifth Avenue is a one-way street running southward and Marion Street is a one-way street running eastward. The building is particularly noticeable from the north at various viewpoints along Fifth Avenue and from east at few points along Marion Street. The southern half of the half-block is currently vacant; this site was formerly occupied by a 1950s era education wing addition that has been removed. Due to the removal, a portion of the original south elevation that previously abutted the addition is now visible. The main entrance to the former church sanctuary is oriented toward Fifth Avenue. A secondary entrance to the former Sunday school level is located at the west end of the north elevation at Marion Street. There is no alley; the west elevation is situated approximately five feet from the east wall of the adjacent Rainier Club.

The church is immediately adjacent to the Rainier Club (1904, Kirkland Cutter and 1926-29, Bebb & Gould), which occupies the entire opposite half-block to the west. Major modern highrise office towers are located within the immediate vicinity and include the 42-story Bank of America Fifth Avenue Plaza directly across Fifth Avenue and the 41-story former Union Bank of California Building directly across Marion Street. The 62-story Seattle Municipal Tower and the 76-story Bank of America Tower (Columbia Tower) are both located nearby to the south of the subject building. Other nearby historic properties include the YMCA Building (1931, Albertson, Richardson & Wilson) at the NW corner of Fourth Avenue and Marion Street and the Leamington/ Pacific Hotel and Apartments (1915-16, W.R.B. Willcox and Julian Everett) at the SW corner of Fourth Avenue and Marion Street. Due to its relatively small scale in comparison to nearby highrise buildings and its distinctive Beaux Arts architectural design character, First Methodist Episcopal Church contrasts with its surroundings and is a very distinctive component of the streetscape and the downtown urban environment.

Current Exterior Appearance

The exterior of the building is distinguished by architectural features and details that follow Beaux Arts stylist principles and borrow classical elements from early Roman, Byzantine and Palladian Renaissance architecture. The building form follows a centralized Greek cross plan that is rooted in

¹ First Methodist Episcopal Church was renamed First United Methodist Church in 1968 and has been commonly known by this name since then.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 7 Page 2 of 8

Byzantium architecture and typified by two main axes of approximately equal lengths. The centralized plan and building form - capped by a circular dome - are characteristic of early Christian architecture from the 5th and 6th centuries. Noteworthy ancient precedents include the Churches of St. Sergius and St. Bacchus in Constantinople (c.525), St. Vitale in Ravenna (c.525-548) and St. Irene in Constantinople (532, 564 & 740), where the height of the dome was increased by the addition of a drum.

The footprint of the subject church is nearly square and measures approximately 104 feet by 111 feet. The main central cross building form ascends to three stories in height and is accentuated at each corner by a two-story corner pavilion. The principal structural system is reinforced concrete and some unreinforced masonry. Due to the sloping site the building includes a reinforced concrete basement and partial subbasement level. The upper-floor levels are clad with light buff/beige color pressed brick that is accentuated by cream-color terra cotta detailing and ornament. The base or basement level is clad with smooth cut granite stone and pressed brick.

The Byzantine-inspired dome is covered by a red-orange color tile roof with a small copper crown. The dome is 64 feet in diameter with a low-arched form and rests on a drum that rises approximately 25 feet above the main perimeter roof, which is flat. It includes a structural steel frame that is supported by four large 72 foot high concrete columns. The drum is penetrated by sixteen clearstory window openings that hold rectangular, tripartite windows with transoms, which are only visible at the exterior side. The original broad terra cotta cornice at the junction of the dome and drum remains in place; it exhibits an ornate, high bas relief, vine-patterned corona. Distinctive original (and in-kind reproduction) copper scuppers and downspouts are in place.

The formal main entrance to the sanctuary is at the east elevation. This symmetrically composed elevation is distinguished by a central three-story bay accentuated by a gabled parapet. A two-story, segmental arched entry bay opening dominates the façade. A central and wide set of entrance doors is flanked by narrow sets of doors that are all surmounted by stained glass windows. An ornamental terra cotta spandrel with a central pediment is surmounted by a tripartite stained glass window feature (illuminating the gallery level); this feature corresponds with the entry door configuration. [Stained glass is described under interior description]. Terra cotta pilasters and mullions further accentuate the entrance and window features. The spandrels and pediment include intricate dentil courses and vine bas relief ornament. The central east bay is further accentuated by terra cotta trim molding and horizontal terra cotta bands at the base and below the cornice line. The original broad terra cotta cornice that capped the entire main central cross building form has been altered by the removal of vine-covered terra cotta corona.

To each side of the central east bay are separate two-story entrance pavilions; each dominated by a central entrance door opening. The doors are accentuated by ornate terra cotta surrounds composed of vine-covered trim and low-pointed headers decorated with tablets and crosses. The corner pavilions are

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 7 Page 3 of 8

further accentuated by horizontal terra cotta bands at the base that extend around the entire exterior and serve to accentuate the sanctuary level of the church. Similar terra cotta bands accentuate the cap of each corner pavilion. The original broad terra cotta cornice at each corner pavilion remains in place and exhibits an ornate, high bas relief, vine-covered corona. The original 1908 cornerstone is located at the base of NE corner pavilion. All of the entrances at the east elevation are currently accessed by a concrete stairwell and wide landing that extends nearly the length of the façade; this feature was constructed in 1950-51. The brick-clad support wall that faces Fifth Avenue is currently covered due to temporary construction activity.

The north elevation follows the same symmetrical composition with a central north bay flanked by corner pavilions and exhibits the same essential brick cladding and terra cotta details at the upper levels. The NE corner pavilion includes a stained glass window with a classically-inspired terra cotta surround. The north elevation is dominated by a two story, segmental arched, tripartite stained glass window feature. Three lower (sanctuary level) stained glass windows are surmounted by an ornamental terra cotta spandrel above which are three upper (gallery level) windows that correspond with the window configurations at the south and east elevations. Terra cotta mullions and spandrels further accentuate this window feature. The spandrels include intricate dentil courses and vine-covered bas relief ornament with Roman numerals indicating the cornerstone dedication date – 1908.

The base (and basement level) that is visible at the north elevation is primarily clad with smooth cut granite stone and pressed brick, at the west end. The stone and brick cladding is accentuated by stone quoins at this level. The central bay includes four tall narrow window openings with stone voussoirs and stepped keystones. The formal entry to the original Sunday school level is located at the west end of the base. It includes a Doric-inspired surround surmounted by a vine-covered entablature head. Fenestration at the upper-floor level above the entrance varies and reflects the office and other interior uses at the west side of the building.

The south elevation follows the same symmetrical composition as the north elevation with a central bay flanked by corner pavilions and exhibits the same essential brick cladding and terra cotta details at the upper levels. The SE corner pavilion includes a stained glass window with a classically-inspired terra cotta surround. The south elevation is dominated by a two story, segmental arched, tripartite stained glass window feature. Three lower (sanctuary level) stained glass windows are surmounted by an ornamental terra cotta spandrel above which are three upper (gallery level) windows that correspond with the window configurations at the south and east elevations. Terra cotta mullions and spandrels further accentuate this window feature. The spandrels include intricate dentil courses and vine-covered bas relief ornament. It is primarily clad with smooth cut granite stone and pressed brick similar to the north elevation; however, it was previously altered in order to construct the education wing that was built in 1950-51. After the removal of that addition in 2008, the base (and basement level) and portions of the west end of the wall were reconstructed and restored, and concealed structural reinforcement members were installed.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 7 Page 4 of 8

The west elevation is more utilitarian in character. It is situated approximately five feet from the east wall of the adjacent Rainier Club and very difficult to view. It follows the same symmetrical composition of the east elevation with a central bay flanked by corner pavilions and exhibits the same essential brick cladding and terra cotta details at the upper levels and the same stone and brick finishes at the base. There are no stained glass window features at this elevation and the central portion of the west bay is primarily clad with pressed brick. Fenestration at the lower and upper-floor levels reflects various office, classroom and other interior uses that were originally housed at this side of the building. Some of the original window openings have been infilled.

Major Exterior Alterations

The greatest alteration to the exterior of the building was the addition of the 1951 education wing, which covered a portion of the south elevation and has been removed. In conjunction with the construction of the education wing, the original Fifth Avenue entrance stairways were also redesigned and changed. The original granite stairways lead directly westward from Fifth Avenue into the main entrance vestibule with a very narrow landing at the top. There were three separate entrance stairways; a wider main flight at the center of the façade was flanked to each side by separate narrower flights leading to side entries at the corner pavilions. Each stairway included wide cheeks with sloping/curved caps. The central flight originally included three-ball light standards secured to each of the base cheeks. The original stairways and cheeks had been partially altered by 1937; however, the direction of the stair run and basic configuration remained the same. In 1951, all three stairways were eliminated to create the current configuration with the construction a brick wall along Fifth Avenue and a wide landing that extends nearly the width of the facade. New stairwells leading up to the landing with north-south stair runs were constructed at the north and south ends of the landing.

In 1990, the exterior appearance of the building was also altered by the removal of portions of the main terra cotta cornice due to deterioration and safety concerns. The original main cornice design included a deep band of vine-covered bas relief ornament that was consistent with other decorative motifs used for the exterior details. Original vine-covered terra cotta cornices do remain in place at the corner pavilions and the dome. None of the original solid wood paneled entry doors remain in place; all of the current glazed panel entry doors are modern replacements.

Current Interior Appearance

First Methodist Episcopal Church exhibits an open sanctuary plan, a plan type that was typically used in progressive Protestant churches of the era. This plan type facilitated the efficient use of the smaller urban building sites because the interior space included galleries that could accommodate seating for

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 7 Page 5 of 8

significant numbers of participants. The open sanctuary plan provided greater visibility of and proximity to the pulpit, as well as greater intimacy of space and prominence to the speaker. Thus, such spaces were often also used as lecture halls and for school activities or concert venues.

The subject building has three full floor levels and one sub-basement level. The principal interior spaces are the *main entrance vestibule* and *main auditorium* (sanctuary) located at the upper or Fifth Avenue level of the building. The sanctuary includes the pulpit, choir loft and a dramatic organ loft at the west end of the space. Above the main auditorium floor level are three seating *galleries* (balconies) that open onto the sanctuary from the north, east and south sides of the space. The gallery/balcony level above the main auditorium and the Sunday school level located below the main auditorium level are accessed via *formal stairwells* located within the corner pavilions at the NE and SE corners of the building. These pavilions also function as side entrances to the sanctuary and/or Sunday school level.

The lower-floor level, which is directly accessible from the Marion Street entrance, was used historically as a *general auditorium* and as a banquet facility with a kitchen and pantry. The general auditorium, which later became known as the Blaine Room, functioned as a meeting room and was primarily used for Sunday school purposes. Five small classrooms were designed to open onto this space, two additional classrooms were adjacent to it and several more classrooms were located at a mezzanine level situated above the west end of the space. The lower-floor level was also designed to include two infant rooms, a library and restroom facilities.

The west end of the two upper-floor levels housed offices and meeting rooms within the pavilions at the NW and SW corners of the building. In addition to choir and committee meeting rooms, a *Pastor's Room/Study* and a Ladies Parlor were part of the original design. These spaces were accessed via less formal (and more private) stairwells located in the corner pavilions at the west end of the building. The partial sub-basement functioned as a utility area to store fuel and house mechanical equipment. It also appears to have been designed to include space for a live-in caretaker.

Main Entrance Vestibule

The main entrance vestibule (or narthex) is distinguished by a segmental-arched and vaulted ceiling. The space is illuminated by stained glass window transoms located above each of the three separate door openings. The windows exhibit opalescent and translucent stained glass members (primarily amber, caramel and other warm, neutral tones including red-orange, yellow and green); they follow a color palette and iconographic themes that are seen throughout the other stained glass windows. The typical designs incorporate geometric borders and shapes, acanthus leaves and an open bible with a Greek cross. The common wall between the narthex and the sanctuary includes soundproof leather covered doors with

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 7 Page 6 of 8

diamond pattern windows (per original design) and relight window walls that include Roman cross transom members. All of the running and standing trim in the vestibule and elsewhere in the sanctuary and side vestibules appears to be original white oak that has been bleached. Walls in the vestibules and throughout the upper-floor levels are typically painted plaster. Modern exterior doors, carpeting and lighting fixtures have been installed in the main entrance vestibule and the side entry spaces.

Main Auditorium (sanctuary)

The main auditorium *or* sanctuary has a bowled floor leading westward toward the pulpit, choir and organ loft. The pulpit is distinguished by bleached oak paneling. The panels behind the choir loft are capped by ornamental trim including carved dentil coursing and brackets, and a pedimented central focal point. The current organ and organ pipes were reconstructed c.1968 and remain in place. The floor is entirely covered by carpet. Original oak pews remain in place at the main floor and within the galleries above.

The dome is approximately 66 feet above the sanctuary floor level and measures 64 feet wide in diameter. The perimeter of the base of dome is penetrated by sixteen sets of tall narrow arched clerestory windows. Each window includes an arched stained glass panel executed in opalescent and translucent colored glass with a geometric border and crown symbol. These windows are actually relights illuminated by windows at the exterior face of the drum. An elaborate dentil course entablature extends around the entire base of the drum. Wide segmental arched openings or recesses extend into the pulpit and the three gallery areas, corresponding to the Greek cross plan. Ten-inch round cast iron columns with fluted acanthus-like capitals support the balcony areas above. Acanthus ornamented plaster brackets/corbels are located at beam ends under the balconies. Ornamental wrought iron grills decorate the four spandrel/junction points of the segmental arches and the dome. An ornamented plaster and wooden cornice runs along the springline face of the four massive support columns within the sanctuary and extends into the pulpit and gallery areas. The simplified ornament appears to be drawn from Doric/Roman architectural precedents. The gallery floors are covered by carpet and acoustical tile has been added to front of the east balcony.

In addition to the dramatic dome, the interior of the sanctuary is dominated by five highly distinctive groups of stained glass windows. Within each of the three segmental arched gallery recesses are segmental arched, tripartite stained glass window features. Tripartite sets of stained glass windows are also located below the north gallery and the south gallery at the main auditorium level. All of the windows exhibit a common color palette and some standard iconographic themes including acanthus leaves and lilies. The elaborate designs incorporate geometric borders and shapes and each window exhibits an ornate iconographic image at the focal point of the central panel. The windows typically exhibit opalescent and translucent stained glass members (primarily amber, caramel and other warm, neutral tones including red-

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 7 Page 7 of 8

orange, yellow and green). Several of the windows memorialize notable members of the church congregation including David E. Blaine and T.S. Libby. The windows have been attributed to the Povey Bros. Glass Company, a highly regarded art glass studio from Portland, Oregon.

Formal stairwells

Formal stairwells are located in the side entry vestibules at the NE and SE corners of the building; they are adjacent and interconnected to the main entry vestibule. These stairwells exhibit distinctive white oak balustrades and handrails and carved newel posts. The bottom six treads of each stairway are curved and spiral along with curved guardrails and handrails. The stairwells also include oak wainscoting and are illuminated by a single stained glass window. A single skylight (measuring 7'6" square) is located at the balcony level vestibule above each of these stairwells. Simpler and less formal stairwells remain in place at the NW and SW corners of the building. They typically exhibit stained fir balustrades and handrails. The NW stair that served the Ladies Parlor, Pastors Room and the Sunday school entrance from Marion Street retains some original linoleum flooring.

Pastor's Room (Pastor's Study)

The Pastor's Room is located at the NW corner of the building. A highly distinctive terra cotta fireplace mantle and surround are located at the south wall of the room. It appears to have been custom designed by Daniel R. Huntington for this project. It is a 5'-0" high white terra cotta mantel and front with a low pointed arched firebox opening that is flanked by highly sculpted garlands. The ornate 14" high over-mantel is embossed with "Redeeming the time" in script. The room also includes one stained glass window at the north window transom. A simpler and less ornate wooden fireplace surround remains in place in the Ladies Parlor, which is directly upstairs.

General Auditorium (Blaine Room) - Sunday school level

The former general auditorium (Blaine Room) originally included a stage with banquet and kitchen facilities. This space was used for multiple social functions especially in conjunction with the adjacent Sunday school classrooms. Originally, there was an open mezzanine at the west end of the space that included additional Sunday school rooms. The mezzanine area was altered and enclosed many years ago. The auditorium and classrooms at this level have been repeatedly remodeled since 1920. With the exception of the Marion Street entry vestibule, the entire lower-floor level has been significantly altered and adapted to modern office purposes. The Marion Street entrance vestibule is distinctive and retains some original fir finishes and stairwell features.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 7 Page 8 of 8

The original Sunday school level followed a modified Akron Plan, so called because it was developed in Akron, Ohio. Methodists were at the forefront of the Protestant Sunday school movement initiated in the mid-nineteenth century in order to educate poor and indigent children. The Akron Plan responded to a specific teaching approach and called for an arrangement of numerous small individual spaces around a larger central space; thus, lessons could be conducted in separate rooms and directed toward the appropriate age and temperament of the participant. However, the plan was flexible and intended to allow for multiple activities to occur simultaneously. Often sliding or folding doors were used so the smaller rooms could also be easily used as part of the larger central space. In later years, these flexible Sunday school spaces were suited to being adapted as social halls, daycare facilities, offices and social service facilities, theaters and recital halls.

Significant Interior Spaces, Features & Finishes

The most significant interior spaces are the *main entrance vestibule* and *main auditorium* (sanctuary) that are located at the upper or Fifth Avenue level of the building. The *main entrance vestibule* retains a distinctive segmental arched and vaulted ceiling, stained glass window transoms and a common wall with the sanctuary that includes ornamental relict windows. The *main auditorium* (including the pulpit, dome and gallery recesses) is distinguished by five highly distinctive groups of stained glass windows and sixteen sets of ornate clerestory windows within the dome. The space also retains distinctive cast iron columns and spandrel grills, and plaster and wood ornamental cornices and brackets. All of these spaces are also distinguished by original white oak running and standing trim. Other significant interior features include the *terra cotta fireplace mantel* in the Pastor's Room and the *formal stairwells* at the side entrance vestibules that retain white oak balustrades and wainscot trim, stained glass windows and skylights.

8. Statement of Significance**Applicable National Register Criteria**

(Mark "x" in one or more boxes for the criteria qualifying the property for National Register listing.)

- A** Property is associated with events that have made a significant contribution to the broad patterns of our history.
- B** Property is associated with the lives of persons significant in our past.
- C** Property embodies the distinctive characteristics of a type, period, or method of construction or represents the work of a master, or possesses high artistic values, or represents a significant and distinguishable entity whose components lack individual distinction.
- D** Property has yielded, or is likely to yield, information important in prehistory or history.

Criteria Considerations (Mark "x" in all the boxes that apply.)

Property is:

- A** owned by a religious institution or used for religious purposes.
- B** removed from its original location.
- C** a birthplace or grave.
- D** a cemetery.
- E** a reconstructed building, object, or structure.
- F** a commemorative property.
- G** less than 50 years old or achieving significance within the past 50 years.

Narrative Statement of Significance

(Explain the significance of the property.)

SEE CONTINUATION SHEET

9. Major Bibliographical References**Bibliography**

(Cite the books, articles, and other sources used in preparing this form.)

Previous documentation on file (NPS):

- preliminary determination of individual listing (36 CFR 67) has been requested
- previously listed in the National Register
- previously determined eligible by the National Register
- designated a National Historic Landmark
- # _____
- recorded by Historic American Engineering
- Record# _____

Areas of Significance

(Enter categories from instructions)

ARCHITECTURE

RELIGION

SOCIAL HISTORY

Period of Significance

1908-1960

Significant Dates

1908, 1910, 1950-51

Significant Person

(Complete if Criterion B is marked above)

Cultural Affiliation**Architect/Builder**

Schack & Huntington (architect)

Rounds, E.J. (builder)

SEE CONTINUATION SHEET

Primary location of additional data:

- State Historic Preservation Office
- Other State agency
- Federal agency
- Local government
- University
- Other

Name of repository:

City of Seattle Historic Preservation Program

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 8

Page 1 of 22

Statement of Significance

The First Methodist Episcopal Church is historically significant under criteria A for its direct association with the initial period (1902-1920) of Seattle's downtown commercial expansion, which occurred due to local economic prosperity after the Klondike Gold Rush and in tandem with explosive population growth and suburban residential development. During this era, modern urban architectural scale began with the construction of the earliest steel-frame highrise buildings and the establishment of a concentration of banking enterprises and department stores along Second Avenue from Cherry Street to Pike Street. The initial re-grading of Denny Hill and the commercial redevelopment of the former University Grounds (University/ Metropolitan Tract) were major factors that facilitated northward and eastward commercial expansion. A significant number of extant commercial properties from this era remain within the downtown commercial core, including hotels, banks, business blocks and early highrise commercial buildings, as well as department stores, clubhouses, and theaters. First Methodist Episcopal Church is the *only* extant downtown church building dating from this era.

The Methodist-Episcopal Church (now commonly known as First United Methodist Church) was the first organized church congregation in the settlement era community of Seattle; it was established in 1853. The congregation subsequently built two early downtown churches. The subject building housed the congregation from September 1908 until March 2008. The church is also significant under criteria C as a well-preserved and highly significant example of ecclesiastical architecture and as a notable work of the local architectural firm. The church exhibits distinctive Beaux Arts Classicism stylistic features and is an outstanding work of the important Seattle architectural partnership of James H. Schack and Daniel R. Huntington and includes highly artistic stained glass windows attributed to Povey Brothers Glass Company of Portland, Oregon. The period of significance begins in 1908, the date the building was completed, and ends in 1960, the 50 year cut-off mark.

The First Methodist Episcopal Church was formally designated a City of Seattle Landmark in 2009. The entire exterior of the building as well as the sanctuary and balcony, main entrance vestibule, side entry vestibules and Pastor's Room are protected features. The building is currently being used as an auditorium and recital hall and is commonly known as Daniels Hall.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 8 Page 2 of 22

*Historic Land Use Patterns & Downtown Seattle Commercial Development*²

The downtown commercial core of Seattle has evolved for over one-hundred and fifty years. This unique geographic locale has been developed and redeveloped multiple times, as building sites have been repeatedly changed due to a complex set of social, economic and historic circumstances. The historic commercial development of downtown Seattle is reflected in the current urban environment; an environment shaped in obvious tangible and subtle intangible ways by national and international events and influenced by broader city-wide and regional land use and developmental patterns.

Community Establishment

The settlement-era community of Seattle was essentially carved out of dense forest along a relatively steep hillside above Elliott Bay where the protected deep water harbor could function as an ocean-going port. As the community became established and was incorporated as a town in 1869, it gradually accommodated industrial, commercial, social and residential functions within a concentrated area near Front and Commercial Streets (now First Avenue and First Avenue S.) and Mill Street (now Yesler Way). Due to its remoteness, the town grew slowly and evolved in a laissez-faire manner with land use and planning decisions based on public health and transportation necessities.

The surviving downtown grid street system is a legacy of the three original plats delineated by the city's major founders Carson Boren, William Bell and Arthur Denny. They chose to layout their individual land claims and correlated streets to follow the adjacent shoreline rather than according to a uniform compass point; thus, creating distinctive angular street intersections within the overall grid. As established, this street grid pattern influenced the future form of the downtown district, its network of streets and blocks, and dictated the future special relationships between downtown commercial buildings.

The earliest settlement community was composed of wood-frame, plank and clapboard buildings that were typically one to two stories in height with gabled shingle roofs – constructed using locally abundant materials. Commercial buildings were clustered along Front and Commercial Streets; they exhibited utilitarian false front designs and building forms typical of newly established communities throughout the American West. One particularly notable exception to this pattern was the Territorial University building (1861) that exhibited a formal Classical Revival façade with ionic columns. It was

² Due to the instrumental role of church congregations (and the specific role of First Methodist Episcopal Church) in the evolution of the settlement era town and the social history of the city, a description of historic land use patterns and the transformation of the original residential district to commercial uses has been included.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 8 Page 3 of 22

situated at a high point some eight blocks to the north of Yesler Way on Denny's Knoll, a site that became known as the University Grounds.

By the early 1880s the bustling commercial center had evolved to include elaborate architect-designed, wood-frame buildings and modest brick and stone masonry structures, many being two to three stories in height. By then, a scattered collection of fashionable residences and smaller dwellings dominated the hillside above the bay. By the mid-1880s, a larger assortment of single-family homes extended all the way from James Street to Pike Street with only a few hotels or lodging houses north of Cherry Street and east of First Avenue. Commercial enterprises within the residential district were small-scale and principally located near Pike Street and Third Avenue. The largest uphill homes were typically situated on spacious $\frac{1}{4}$ block sites and concentrated nearer Cherry and Marion Streets. A fairly dense collection of smaller houses and cottages extended further uphill and northward. Intermixed among the residential district were some rowhouses and double-houses, as well as several meeting and fraternal halls and numerous churches.

By the mid-1880s large mansions began to be constructed on First Hill and Queen Anne Hill, a distance from growing commercial, industrial and port activity. Indicative of an established population and the degree of residential development, two substantial schools - Central School (located at Seventh Avenue and Marion Street) and Denny School (at Sixth Avenue and Wall Street) - were built in 1883 and 1884. While residential concentrations grew to the north and east of the commercial center, the industrial growth and port activity became more concentrated along the mouth of the Duwamish River and southern tidelands portions of Elliott Bay.

Post-Fire Reconstruction

The destruction of sixty-four blocks of the commercial buildings and waterfront industrial and shipping facilities in the fire of 1889 brought a dramatic end to these established districts, which had evolved over the prior three and a half decades. City leaders and local entrepreneurs immediately began to plan to rebuild commercial buildings and industrial facilities in anticipation of a future population for 100,000 people, several times the actual size of the community. The reconstruction effort adhered to new building code provisions that mandated safer and more fire resistant building construction and brought about a new urban scale and design character within the commercial core. Streets were regraded, modern water and sewer utilities were installed, and First Avenue and Yesler Way were widened to relieve growing traffic congestion.

Massive load-bearing stone, brick and heavy timber structures were constructed that utilized decorative terra cotta, cast iron and modern elevator technology. The urban scale of the city was significantly changed as substantial five-story buildings began to characterize the reconstructed commercial

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 8 Page 4 of 22

district. Facades uniformly met the street edge and individual land parcels were typically developed to utilize the full frontage and lot area. Continuous blockfronts of commercial offices, hotels, banks and wholesale houses began to dominate the new streetscapes.

Although the new commercial district remained fixed within five blocks of Yesler Way and First Avenue, substantial commercial construction gravitated further north along First and Second Avenues and toward the well-established residential district. First Avenue to the north of Yesler Way became a major shopping street. As modern business blocks and the growing retail trade expanded uphill, Second Avenue to the north of Marion Street remained largely residential. Gradually the southern portion of Second Avenue between Yesler Way and Marion Street became a second major banking and shopping district. However, step grades limited foot and horse-drawn carriage traffic further uphill to Third Avenue, which remained dominated by residences and numerous churches.

While the well-established residential district survived the fire, by 1889 new neighborhoods and residential districts were being established well beyond the original downtown residential district. While specific geographic sub-areas that had been dominated by industrial, commercial and residential uses began to be more clearly defined, the reconstructed commercial district remained very diverse. Residential hotels, flats and lodging houses were typically located above retail storefronts and various commercial; warehouse, entertainment and manufacturing uses were intermixed on the same city block. Furthermore, individuals from a wide range of economic levels lived and worked in relatively close proximity to one another.

The discovery of gold in the Yukon in 1896 prompted a major influx of people traveling to Seattle, which emerged as a primary embarkation point for those traveling to northern British Columbia and Alaska. After what had been a brief period of economic stagnation, the Klondike Gold Rush triggered unprecedented economic growth and dramatic subsequent population increases. Spurred by new economic prosperity, the City began to undertake projects that would drastically reshape the city's topography. Beginning in the late 1890s, hills were removed, tunnels and canals constructed, numerous streets were regraded, and valleys and tidelands were filled in order to facilitate the movement of goods and people and the expansion of commercial and industrial development. These major engineering efforts, which continued for nearly three decades, addressed various transportation and civil engineering challenges and shaped the future of the burgeoning downtown commercial district in significant ways.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 8

Page 5 of 22

Modern urban architectural scale and design character began with the construction of the earliest steel-frame highrise buildings in the commercial district - the extant fourteen-story Alaska Building built in 1903-04 at Second Avenue and Cherry Street and the twelve-story American Savings Bank/Empire Building (1904-06, destroyed) at Second Avenue and Madison Street. In 1906, the extant seven-story Eitel Building at Second Avenue and Pike Street was the earliest substantial commercial building to be built as far north as Pike Street. Major commercial buildings were subsequently built along Pike Street, including People's Bank Building (1906, destroyed) at the NE corner of Second Avenue and the Northern Bank and Trust Company Building (Seaboard Building, 1906-09) at the NE corner of Fourth Avenue. By 1905, a distinct concentration of banking enterprises and specialty/department stores had been established along Second Avenue near Marion Street.

During this era numerous residential properties, including large mansions that were only twenty years old, were removed and/or relocated in order to accommodate large commercial and civic building projects. The increased pressure for commercial development brought about the first broad scale local planning efforts - influenced by the City Beautiful movement - intended to guide future downtown development. Various civic center plans were proposed between 1905 and 1911; however, none were ever fully adopted or implemented. The legacy of these efforts is reflected to some degree in several extant buildings within the commercial core, including the Central Building (1906-08) and the Securities Building (1912-13). Unfortunately, two of the most architecturally distinctive public buildings to be constructed during this era and influenced by such grand schemes were lost during the 1960s; the Carnegie Public Library (1902) and the Government Post Office Building (1903).

The Rialto Building (1894, destroyed) at Second Avenue and Madison, housed the Frederick and Nelson Department Store, which was one of several major retail enterprises that gradually made Second Avenue a fashionable shopping district. Other important department stores included the Bon Marche Store (1896, 1902, 1911 destroyed) at the SW corner of Second Avenue and Pike Street and the extant Stone, Fisher & Lane Store (Galland Building, 1906). Additional noteworthy retail enterprises located along Second Avenue included the J.A. Baillargeon & Co. (1907), MacDougall and Southwick Store (1907, Chapin Building, destroyed) and the original Rhodes Department Store (1907, destroyed). By 1905, numerous brick hotels were already clustered near First Avenue and Pike Street and further up Pike Street at Third Avenue. A particularly significant boom in downtown hotel development occurred between 1906 and 1910 in conjunction with improved economic prospects, population growth and in anticipation of the Alaska-Yukon-Pacific (AYP) Exposition of 1909.

In 1907, the University of Washington regents successfully negotiated a long-term lease of the former University Grounds that encompassed several contiguous blocks between Seneca and Union along both sides of Fourth and Fifth Avenues. While the University had relocated to its current north end campus

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 8 Page 6 of 22

in 1894, it was not until early 1908 that a comprehensive master plan for the redevelopment of the University/Metropolitan Tract was finalized and made public. The ambitious scheme called for a concentration of ten-story business blocks unified by a Beaux Arts design and a formalized spatial relationship. The successful lease and this visionary plan signaled that the commercial district would certainly shift northward and that Fourth and Fifth Avenues would become major commercial thoroughfares.

While commercial development and retail activity had been concentrated along First Avenue and nearer to the waterfront ever since the earliest street re-grading efforts had occurred in the late 1870s, Pike Street also functioned as a main transit route between Lake Union and the central waterfront. By the early 1900s the area around First Avenue and Pike Street was a center of small-scale commercial activity and residential hotels. Early in the decade, the re-grading of Denny Hill and the establishment of the Pike Place Public Market at the foot of Pike Street triggered increased hotel and commercial development in the general vicinity.

Second Avenue continued to serve as the major downtown commercial thoroughfare for several decades. In addition to three of the five major department stores and the Smith Tower - the city's tallest skyscraper until 1968 - the street included prestigious office buildings, leading furniture stores, a concentration of the biggest commercial and oldest pioneer banks and several leading hotels. The street was preeminent due to the fact that it provided an easy and direct route for the movement of traffic and goods between railroad and wholesale terminals to the south and the thriving retail, business and residential areas to the north and east. Well into the 1930s, Second Avenue remained the principal arterial roadway through the downtown commercial core for those traveling by electric streetcar, private or commercial motor vehicle and for passengers making connections to water-based transportation on Elliott Bay.

However, by 1910 the commercial core had shifted northward and significant commercial real estate development was occurring within the former residential district. By then, regulations had been adopted that limited building heights to 200 feet - or sixteen stories high. In 1912 the City government enacted an innovative ordinance that governed building heights in greater detail according to lot coverage and set particular construction requirements. Following a nationwide trend, several major highrise buildings were constructed - primarily located along Second and Third Avenues. Distinctive multi-story civic, commercial and hotel buildings were also being built as the urban scale and extent of the commercial district changed dramatically prior to World War I. With the opening of the elegant five-story Frederick and Nelson Department Store at Fifth Avenue and Pine Street in 1919, the fashionable retail center began to make a rather dramatic northward shift.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 8 Page 7 of 22

A local Zoning Commission was created in 1920 and in 1923 Seattle adopted its first ordinance that identified specific areas for specified uses. The zoning code allowed the most densely concentrated - although regulated - commercial development to occur in the downtown core. Over the following seven years the downtown core was transformed by the addition of highly distinctive office towers, major hotels and movie theaters designed by skilled local architects.

The economic prosperity of the 1920s stimulated the development of numerous major highrise and commercial block office buildings, as well as smaller-scale bank and specialty retail stores, major tourist hotels and apartment hotels, club buildings and entertainment facilities. The northward expansion of commercial development ultimately led to the destruction of Seattle's original residential district. Distinctive and highly ornate mansions on large lots, modest family homes, row houses, flats, vernacular cottages and dwellings were gradually removed or demolished. By 1930, virtually all residential properties had been eliminated - as well as several immediate post-fire commercial buildings - due to regrading and commercial real estate development.

Modern Era Commercial Development & Regionalization

As the density of commercial uses intensified during this era, the impact of the automobile became apparent and the need for downtown automobile services and storage facilities increased. As retail activity began to be decentralized to neighborhoods and smaller outlying commercial districts, downtown property and business owners became increasingly concerned about parking needs and traffic impacts in the commercial core.

The economic depression of the 1930s brought a fundamental halt to downtown real estate development and commercial construction. Few major downtown construction projects were undertaken after 1930 with two exceptions being the U.S. Federal Courthouse (on the former Sister's of Providence Hospital site) at Fifth Avenue and Seneca Street and the F.W. Woolworth Company store at Third Avenue and Union Street, both completed in 1940 during the build up to World War II. This period of stagnation extended through the World War II era as patterns of use in downtown Seattle remained virtually unchanged. The post-war era brought about the transformation of the region and the urban form of the city, basically in response to the increased role of automobile transportation. Post-war planning efforts placed a heavy emphasis on the creation of modern traffic thoroughfares and expressway designs intended to facilitate easy access to and use of the downtown commercial core.

Compared with massive post-war suburban real estate development, relatively few new commercial buildings were constructed in downtown Seattle. Of particular note were the expansions of the two major downtown department stores. In 1952, after constructing a new suburban Bellevue department store,

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 8 Page 8 of 22

Frederick & Nelson added five stories to their downtown flagship store. In 1953, the Bon Marche added three stories to its elegant 1929 building and later the store was connected via a skybridge to a ten-story, self-parking garage constructed in 1959. Scattered major commercial construction occurred during the late 1950s and early 1960s at various downtown sites and several notable buildings were built reflecting modern zoning changes and architectural trends, including: the Norton Building (1958); the Logan Building (1959); the Washington Building (1960) and the IBM Building (1961-64). Other major modern redevelopment projects included several public buildings: the Public Safety Building (1951, destroyed); Seattle Public Library (1956-59 destroyed) and the Municipal Building (1959-61, destroyed). Numerous older downtown buildings were remodeled and expanded during this era.

Social Organizations, Clubhouses and Churches

While the original settlement era residential district was almost entirely composed of single-family homes, it quickly grew to include several meeting and fraternal halls and numerous churches. By 1884, the district included the following churches:

Methodist-Episcopal Church	[Second Avenue and Columbia Street]
Methodist-Protestant Church	[Second Avenue and Madison Street]
Plymouth Congregational Church	[Second Avenue between Spring & Seneca Street]
Roman Catholic Church	[Fourth Avenue and Washington Street]
Baptist Church	[Fourth Avenue and Cherry Street]
Trinity Episcopal Church	[Third Avenue and Jefferson Street]
First Presbyterian Church	[Third Avenue and Madison Street]

By 1893, there were at least eleven churches located within the older residential district, on Denny Hill and in Belltown. Due to multiple factors - including increasing real estate values - church congregations were beginning to relocate just outside the developing commercial core or building new churches in emerging residential neighborhoods. Despite the ever-increasing commercial real estate development and the removal of family homes throughout the early decades of the twentieth century, several congregations and social organizations remained downtown and new church buildings, fraternal halls and clubhouses continued to be built.

The continued presence of major new churches, fraternal halls and club buildings was a legacy of the land use patterns established by the settlement community and reflects the ties that descendants had to a rapidly vanishing era. Numerous important non-commercial and non-governmental buildings were constructed in the commercial district (and typically designed by leading architects) during this era. They include the Rainier Club (1902, 1928), YMCA Building (1905, destroyed), First Methodist Episcopal Church (1908-10), Arctic Club Building (Morrison Hotel, 1908-09), Plymouth Congregational Church

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 8 Page 9 of 22

(1910-12, destroyed), YWCA Building (1913), the seven-story Elks Club (1913, destroyed), Arctic Club (1916), College Club (1921, destroyed), Women's University Club (1914 and 1922, 1914 building destroyed), Eagles Temple (ACT Theater, 1924), YMCA Central Branch (1929), and the 21-story Washington Athletic Club (1930). The club and association buildings typically included special club meeting, entertainment and dining rooms as well as exercise and education facilities according to the purposes of the organization. They also functioned much like hotels providing long-term residential facilities for members and/or short-term guest rooms for visitors from affiliated groups. Churches served remaining downtown residents, visitors and new residents along with parishioners who continued to worship downtown after having relocated to newly established in-city neighborhoods.

First Methodist-Episcopal Church – Church Congregation History

Seattle's initial Euro-American settlers – the Denny, Terry, Boren and Bell families – landed at Alki Point on November 13, 1851. Within months the settlers moved to a more protected location at the southern end of Elliott Bay. The Methodist-Episcopal Church was the first organized church congregation established in Seattle's settlement community. Rev. David E. Blaine was the church's first minister and the first resident minister to conduct services in the community.

Rev. David E. Blaine (1824-1900) and his wife Catherine Paine Blaine (1829-1908) left Seneca Falls, New York for Seattle in 1853 as participants in a major New England evangelical movement. Traveling by sea and on mules over the Isthmus of Panama they stopped in Olympia and Steilacoom prior to arriving at Alki Point on November 26, 1853. Rev. Blaine conducted two services there before joining the tiny settlement across Elliott Bay. The Methodist-Episcopal Church was formally established shortly thereafter; on December 4, 1853 Rev. Blaine began to conduct services in a building known as "Bachelor's Hall" (or Latimer Building) near Front Street and Cherry Street. The original charter members of the church were Arthur and Mary Denny, John H. Nagle and Catherine Blaine. Carson Boren contributed land for the construction of a parsonage that was completed in May 1854 near the southeast corner of Second Avenue and Columbia Street. In November 1854, construction began on a small wood-frame church located adjacent to the parsonage and near the town's first burial ground.

The church was dedicated on May 12, 1855 and became known as the "White Church". It was Seattle's first house of worship and for ten years it was Seattle's *only* church. Catherine Blaine – who had become Seattle's first school teacher - described the building in a letter dated May 19, 1855:

It is 24 x 36 feet in width and 14 foot posts. It has no basement, except the hall which is 10 feet wide and at each end has winding stairs. The hall floor is on a level with the ground outside. In the audience room between the stairs are three seats, each raised one step above the other. These are for the singers. At the other end of the room is the pulpit, which is small and neat. On one side of

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 8

Page 10 of 22

the pulpit are three seats. There is but one aisle, a center one three feet wide. The house would comfortably seat 150 persons and more could find seats. On the top in front is a low square steeple, designed for a bell as soon as the people can afford to buy one. When the house is painted it will be quite an ornament to the town.

The church was pitted with bullet marks after the Indian attacks of 1856. The building was repaired and a new porch was added in 1862 and a steeple was added at an unknown date. After the Civil War, Rev. and Mrs. Blaine returned to their native New York; however, they returned to Seattle in 1882. Rev. Blaine became fairly wealthy due to various business partnerships with Arthur Denny. The couple resided here until he died in 1900 and she died in 1908. In 1875 the 'White Church' was enlarged and a new parsonage was constructed at the corner of Second Avenue and Columbia Street. By 1884, the congregation had grown to 269 members and two additional Methodist-Episcopal churches had been established. One was located at Fifth Avenue and Pine Street and another at Third Avenue and Bell Street, an indication of the growth and expansion of the town during this era.

In 1886 or 1887 the parsonage and church property was sold to the Boston Improvement Company for \$30,000. The four-story Boston Block, which was the first building in Seattle to include a passenger elevator, was subsequently constructed on the site. The 'White Church' was moved to the NE corner of Third Avenue and Cherry Street where it was used a gambling hall, saloon and restaurant until 1898 when it was demolished for commercial development. The Boston Block was brick masonry construction and survived the fire of 1889. It was demolished in 1922 in order to construct the extant Seattle National Bank (United Way Building).

With the proceeds from the lucrative sale of the 'White Church' the congregation purchased property a relatively short distance uphill at the southeast corner of Third Avenue and Marion Street. The 60' by 120' lot reportedly cost \$10,000. In June 1887, Portland architect William Stokes was commissioned to design a new sanctuary and local architect John Nestor was employed as the local superintendent. However, Stokes was dismissed and Nestor appears to have been responsible for much of the final design. Reportedly, the congregation worshipped in portions of the completed basement until the entire wood-frame building could be completed in 1888. Considered Seattle's most elaborate pre-fire church building, it was designed in a highly articulated free Gothic style with a prominent fifty-foot high corner tower, ornate rose windows and multiple steep gable and tower profiles. An estimated \$20,000 was expended on the construction of the building not including finishes and furnishings, after which the costs rose to \$45,000. At the time of completion *Seattle Illustrated* provided the following description:

It is an architectural beauty, the finest in the city, and shelters a flock of 450 members...it has a basement fully fitted for lectures, social meetings, and prayer circles and a complete suite of rooms

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 8

Page 11 of 22

for Sunday school classes. The audience room is nearly surrounded with spacious gallery and highly ornamented with circular and gothic windows filled with stained glass of great beauty.

The great fire of 1889 occurred on June 6 and came within a half block of the new church; however, it was not damaged. Three months later it was formally dedicated. By 1890, membership had grown to 495 and by 1903 the First Methodist-Episcopal Church had a congregation of 1,022 full time members. There were eleven other Methodist congregations in the rapidly growing city, amounting to a total membership of 2,177.

In mid-September 1905, the *Seattle Post-Intelligencer* reported on the recent sale of the First Methodist-Episcopal Church in what was a record real estate transaction for parcels located along Third Avenue; the property and the ornate wood-frame church had been sold for \$75,000. With the proceeds of the sale, the church trustees immediately purchased property at the SW corner of Fifth Avenue and Marion Street for \$43,500 with the intention of constructing a new "modern edifice." The ornate church building was leased back to the congregation for a year, until it was torn down in late 1906.

During the summer of 1906, Third Avenue was regraded to create the gentlest grade of any of the business district streets. Property values along the street were said to be fifty-percent that of Second Avenue, which was the principal retail trade and business banking area. The prospect for future commercial and retail development along Third Avenue was further enhanced by the construction of new wide sidewalks and the installation of a modern street lighting system. Reportedly, a least a half dozen skyscrapers were being planned for other sites along Third Avenue. The change in street grade - said to be at least one story - impacted access to the church. This factor along with the increased land values and commercial development most certainly forced the sale and subsequent move.

In early October 1906 the *Seattle Post Intelligencer* reported that the Trustee Company had completed the purchase of all of the lots on the entire half block along Third Avenue between Columbia and Marion Streets, a site that included the First Methodist-Episcopal Church and several smaller commercial and residential buildings. The article included a fully illustrated rendering of the Central Building (at the "The Central Point"). The architectural plans called for a riveted-steel and concrete structure to be fully clad in terra cotta. It was planned to be some eighteen to twenty stories in overall height including a central clock tower section.

First Methodist Episcopal Church – Church Building Construction & History

By early 1906, church leaders had begun to plan for the new church to be built on the 120' x 128' site at the SW corner of Fifth Avenue and Marion Street. The site appears to have been the location of

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 8 Page 12 of 22

three small, wood-frame family dwellings and a boarding house (5th Avenue House) with furnished rooms. By then the former Rainier Hotel (located on the opposite east side of Fifth Avenue) was in use as family tenements. Seattle architect James H. Schack was commissioned to design the new church building. On January 2, 1906 Mr. Schack and a church building committee departed on a three-week long trip to visit various cities in the American West in order to study church designs. The purpose of the excursion was to ensure that the design of the new church "...should be excelled by none other..." A subsequent article published in *The Seattle Daily Times* noted that the group admired particular churches – apparently those that were Romanesque Revival in design - in Pasadena, Los Angeles and Portland. They also visited churches in Omaha, Nebraska and San Francisco.

In an article published in *The Seattle Daily Times* on April 27, 1906, committee chairman T.S. Libby described the anticipated design of the new church as "Romanesque" and noted that the design program included several specific features. The main auditorium (sanctuary) would be covered by a glass dome measuring thirty-eight feet in diameter and there would be twenty-five Sunday school classrooms with partitions arranged to open onto a general auditorium. In addition to an organ loft, there would be a pastor's study and choir rooms. There would also be two banquet halls, a kitchen, pantry, toilet and cloak rooms, a reading room, classrooms and room for the heating and ventilation equipment. Initial press coverage indicated that the construction would cost \$100,000.

A perspective sketch was published along with the April 1906 article. The preliminary design for the new church was Romanesque Revival in style with massive granite walls, asymmetrical massing, a cross-gable roof form and a prominent corner tower with spire. The design appears to be somewhat similar to four other local churches that were under construction at the time. A contemporary *Seattle Post-Intelligencer* (January 21, 1906) article discussed and identified the churches as the Unitarian Church, the Pilgrim Congregational Church, the Swedish Methodist-Episcopal Church and the Queen Anne Methodist-Episcopal Church.

However, by mid-February of 1907 a new design for the church was revealed by the architect. An article published in the *Seattle Post-Intelligencer* on February 17, 1907 included a sketch of the building, revealing a drastically revised design. The revised design was very similar in appearance to the competed Beaux Arts style church building. This article announced that the new church would be able to seat 2,000 with three balconies that functioned to increase the seating capacity. It would be clad with brick and terra cotta and include a fifty-six foot diameter "art glass" dome. According to the article, the cost of construction was anticipated to be \$125,000 and construction work would begin that summer. The article also stated, "The old plans were changed since the question of the regrade of Fifth Avenue came up, and the building is to be set a few feet back on the lot to give an opportunity for conforming more gracefully to whatever grade is adopted in the future."

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 8

Page 13 of 22

Shortly thereafter, an illustrated brochure entitled *Our New Church - First Methodist Episcopal Church* was published. With text written in the future tense, it included a building description, floor plans and a new rendering. The new rendering was quite similar to that published in February 1907; however, it was clearly delineated by a different hand. Furthermore, it includes the notation 'Schack and Huntington Architects.' The plans include a title block that appears to have been revised; it states, 'Schack & Huntington - Architect.' These are the first indications that Daniel Huntington had joined James Schack in the design endeavor. Rev. W.H.W. Rees was the church pastor who oversaw the development of the building: he noted in the text that the project had been delayed a year and that the building committee had changed the plan of the building "under the instructions of the Quarterly Conference" and in response to the potential regrade of Fifth Avenue.

The congregation had already relocated further uphill twice due to urban improvements and encroaching commercial development; thus, the design of the church had to be able to accommodate anticipated future grade changes "leaving ample room between the building and the streets." While Rev. Rees noted that the plans were changed he did not specifically acknowledge the participation of Mr. Huntington or the basis for the broader stylistic changes in the design. The brochure described the following features of the new church:

Main Floor Level: "...the Main Auditorium, with entrances on Fifth Avenue, will be one of the most beautiful and complete Auditoriums in the west. The Choir Loft is large, the Organ well located, and the Choir Room, Pastor's Room and Ladies Parlors ample for all needs...the exterior of the building will be of pressed brick with terra cotta trimmings. The main Auditorium will be well lighted by large glass windows and a glass dome of large diameter."

First Floor: "...facing on Marion Street, is arranged for Sunday School, league and Social purposes. Besides the General Auditorium this floor will have a number of classrooms, a Library, Cloak Room banquet Room, Kitchen and Service Rooms."

Basement: "A thorough and modern system of heating and ventilating will be installed in the basement, where we will have ample room for boilers, fans, fuel etc."

An extensive set of architectural drawings for this project was prepared by the firm of Schack & Huntington Architects. It is unclear what exact role each of the partners played in the design and construction of the church. The original architectural drawing set included at least sixty-four drawings, many of which bear the initials of James H. Schack and/or the initials and signature of Olaf Hanson. The design continued to be revised and developed while the building was under construction with drawings

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 8

Page 14 of 22

being added up until January 1910. The drawings that date from late 1909 and early 1910 do not include Huntington's name in the title block that only identifies 'James H. Schack, Architect.' Thus, the relatively brief partnership appears to have ended by mid-1909. However, the set does include very detailed and finely delineated drawings that clearly bear Huntington's initials for the design of the fireplace mantle and bookcases in the Pastor's study. Olaf Hanson appears to have been responsible for most of the design work related to the heating, mechanical and ventilation systems. He also produced many of the drawings for the final interior finishes and details, elements that were revised and redesigned toward the completion of the project.

An article published in *Pacific Builder & Engineer* on August 17, 1907 described the new church design and its departure from the traditional medieval-derived church design modes: "...the church goer is forced to accept, along with the twentieth century Testament, the architecture of the twentieth century. Some are loath to depart from the old, but the chaste simplicity of the new is more in keeping with the subject." There are no formal records or explanations regarding the specific design change from a Romanesque Revival style church to the classically-inspired, Beaux Arts style that was executed. The change seems to reflect prevailing national architectural tastes and design trends reflected in contemporary urban construction and city planning efforts.

Construction does not appear to have been fully underway until the latter part 1907. The cornerstone was laid on February 2, 1908. The structural steel and wood frame for the dome was in place by May 1908 and the pressed brick and terra cotta cladding appears to have been near completion by late June. The congregation worshipped at temporary locations, including a tent and a theater, for two years. The Blaine Room (the large community room or general auditorium directly below the sanctuary or main auditorium) was completed in early September 1908 and services began to be held there. Subsequent construction activity appears to have been slow possibly due to the fact that much of the work was done by the congregation as day laborers.

After over four years of planning and construction, the new church was completed at a cost of \$180,000. On April 17, 1910 a formal "Dedication and Forward Movement Rally Day" took place. Reportedly, Rev. W.H.W. Rees raised \$100,000 in donations that day, which helped to clear all of the construction expenses and left enough to purchase a \$15,000 pipe organ that would be installed the following November. An illustrated brochure/souvenir program was published in conjunction with that event. It appears to have been very similar to the earlier brochure with descriptive text written in the future tense. An article published in the *Seattle Post-Intelligencer* in mid-May included a photograph of the new edifice and noted that adjacent street grading and street approaches to the church had been completed.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 8

Page 15 of 22

The citywide Seattle Methodist-Episcopal congregation had doubled its numbers between 1905 and 1910, a period of extraordinary city population growth and expansion. The Seattle congregation was said to be the largest in all of Methodism. The church was organized around multiple activities including: foreign missions, home missions, children's societies, ladies aid societies, an Epworth League, choral societies and other groups focused on performing good works. For the First Methodist-Episcopal Church, as well as many other urban churches, these activities and a changed focus in mission were a result of urbanization and broader societal changes that ultimately involved new building programs and a desire to construct prominent and fashionable churches to house their growing congregations. These major new Methodist churches served as important regional centers and symbolized the strength and success of its missionary outreach.

Four other extant Beaux Arts style churches or synagogues were constructed during this period or within the following decade; each is located within about a mile and a half of the First Methodist Episcopal Church. Although they each reflect different expressions of the style, they all exhibit a similar building form and a central dome and classically derived architectural detailing and ornament. The group includes First Covenant Church (Swedish Tabernacle designed by John A. Creutzer, 1906-1910), First Church of Christ, Scientist (Bebb & Gould, 1909-1914), Langston Hughes Performing Arts Center (Bikur Cholim Synagogue, designed by Marcus Priteca, 1912-1915) and Town Hall (Fourth Church of Christ Scientist, designed by George Foote Dunham, 1916 & 1922).

Two other large distinctive downtown churches were also constructed during the same period as the First Methodist-Episcopal Church, most certainly due to similar circumstances related to changing land use patterns and increased land values. However, both of these churches were designed in a literal Classical Revival design mode. Neither of them survived subsequent land use pressures and both were demolished in the 1960s. The First Presbyterian Church (Crapsey & Lamb of Cincinnati, 1906-1908) was located at Seventh Avenue and Spring Street and Plymouth Congregational Church (John Graham, Sr., 1910-12) was located at Sixth Avenue and University Street.

By 1915, there were over thirty Methodist-Episcopal churches in Seattle. The First Methodist Episcopal Church congregation increased from 1,700 parishioners in 1910 when the church was dedicated, to 3,756 parishioners by 1938. Relatively few alterations were made to the building; the Sunday school auditorium and stage were remodeled in 1920, the open mezzanine level over Sunday school auditorium was enclosed (c.1935) and the entry stairs were partly reconstructed (c.1936). By the mid-1940s, the congregation began to consider constructing a new church building at another location. However, the church decided in the late-1940s to proceed with plans to build a new building on an immediately adjacent parcel on the southern half of the block. As designed by architect John Graham Jr., a contemporary new education wing was constructed in 1950-51. The L-shaped, two-story building enclosed an open

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 8 Page 16 of 22

landscaped courtyard oriented toward Fifth Avenue. It was designed to house a chapel, educational and administrative functions and social service facilities within two additional lower floor levels at the east side of the site. When the new wing was opened in May 1951, the congregation numbered 3,000 members. In 1968, the church's name changed to First United Methodist Church.³ The Sunday school level auditorium and classrooms appear to have been remodeled several times during the 1960s and 1970s.

The church building remained in continuous and active use for church-related activities as well as public gatherings and musical events throughout its entire history. In the early 1980s the church congregation began to consider redevelopment plans for the church site involving the potential construction of a new multi-use church facility and office tower. In March 1985, the City of Seattle Landmarks Preservation Board (LPB) voted to approve designation of the church as a Seattle Landmark based upon satisfaction of three designation criteria established in Ordinance 106348. The "Report on Designation" dated March 22, 1985 identified "the exterior of the 1907 building and the interior of the auditorium" as features of the Landmark to be preserved.

The church appealed the designation decision before the Seattle Hearing Examiner; however, the decision of LPB was upheld. First United Methodist Church then appealed that decision through the court system and the case was subsequently argued before the Washington State Supreme Court on September 27, 1995. On May 9, 1996, the Washington State Supreme Court ruled that, due to restrictions it had placed on alterations to the interior and exterior of the building, the Landmark designation was unconstitutional because it violated the rights of church to the free practice of religion.

In May 2002, the church congregation retained consultants to assist with planning for the redevelopment of the church property, including the demolition of the historic sanctuary building. Historic preservation advocates, including Historic Seattle and the National Trust for Historic Preservation along with City and County elected officials and governmental representatives, became actively involved in an effort to find an alternative approach - one that would preserve the historic church building while allowing the congregation to sell the property and relocate to new facility that could better serve its current mission. After much negotiation, the church congregation voted on May 20, 2007 to unanimously accept a purchase proposal from Kevin Daniels, president of Nitze-Stagen & Co. The church congregation vacated the building in March 2008 and has relocated to a modern church facility that was recently completed on Second Avenue and Denny Way at the foot of Queen Anne Hill. The education wing (1951) was demolished in August 2008 and the southern half of the site is currently being prepared for major

³ Subsequently, both the church congregation and the subject church building became widely known by this common name and are no longer referred to or recognized by the historic name (First Methodist Episcopal Church).

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 8 Page 17 of 22

commercial development according to current zoning requirements. Fifth & Columbia Investors, Inc. plans to preserve and adapt the historic church building for a permanent new use.

The former church building was formally designated a City of Seattle Landmark in 2009. The entire exterior of the building as well as the sanctuary and balcony, main entrance vestibule, side entry vestibules and stairs, and Pastor's Room are protected features. The building is currently being used as an auditorium and recital hall and is commonly known as Daniels Hall.

Beaux Arts Classicism

Beaux Arts style or Beaux Arts Classicism was an architectural style broadly used in the United States from the mid-1880s through the 1920s. The popular use of the style was significantly influenced by American architectural practitioners who had received formal training in Paris at the Ecole des Beaux-Arts. Turn-of-the-century Beaux Arts architectural training followed a demanding and strict curriculum that was steeped in classical traditions that had been refined for some 350 years. Beaux Arts training emphasized the study of Greek and Imperial Roman architecture, as well as Italian Renaissance and French and Italian Baroque models, and required students to gain a complete understanding of classical design and decorative principles. The rigorous coursework involved the production of quick conceptual sketches, highly-finished perspective drawings and knowledgeable architectural detailing skills; this basic training method became widely adopted by architecture schools within American university systems.

Buildings designed in the Beaux Arts style typically utilized several identifiable design characteristics including symmetry, a hierarchy of spatial components, integration of architecture with sculptural elements, bas-relief panels, mosaics or other artwork, precise design and execution of a profusion of architectural details, some explicit references to an eclectic mix of historic styles or "manners" and the subtle use of polychromatic finishes. The 'White City' of the World's Columbian Exposition of 1893 in Chicago was a triumph in the Beaux Arts stylistic movement and a major influence on subsequent turn-of-the-century expositions and the City Beautiful movement. Because of the formal and idealized traditional design elements of Beaux Arts Classicism, the style was particularly suited for colossal public buildings, post offices, libraries and railroad terminals and was used to a lesser degree for church design.

As noted in Section 7, the exterior of the subject building is distinguished by architectural features and details that follow Beaux Arts stylist principles and borrow classical elements from early Roman, Byzantine and Palladian Renaissance architecture. The building form follows a centralized Greek cross plan that is rooted in Byzantium architecture and typified by two main axes of approximately equal lengths. The centralized plan and building form - capped by a circular dome - are characteristic of early Christian architecture from the 5th and 6th centuries. The Byzantine-inspired dome is covered by a red-orange color

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 8 Page 18 of 22

tile roof with a small copper crown. The dome is 64 feet in diameter with a low-arched form and rests on a drum that rises above the main perimeter roof. The drum is penetrated by sixteen clearstory window openings that exhibit highly distinctive leaded and stained glass windows. A broad terra cotta cornice at the junction of the dome and drum exhibits an ornate, high bas relief, vine-patterned corona and these motifs are repeated at the entry doors. The overall design also integrates other highly distinctive stained glass artwork and interior details that incorporate vine-patterned and acanthus motifs characteristic of the Beaux Arts style.

James Schack & Daniel Huntington, architects

James H. Schack

James Hansen Schack (1871-1933) studied and apprenticed in Chicago prior to arriving in Seattle in 1901. Among his most important early commissions was the only partially completed Melhorn Building (1904). Other early commissions included the Holy Trinity English Lutheran Church on Capitol Hill (1902), University Heights Baptist Church (1904), an addition to Seattle General Hospital (1904) and several residences and downtown commercial buildings.

He practiced briefly with Daniel R. Huntington from 1907 until 1909.⁴ Together, they are known to have designed several residences, the First Methodist-Episcopal Church (1908-10), the original Arctic Club Building (Morrison Hotel, 1908-09), the Delamar Apartments (1908-1909) and the Mines Building (a.k.a. Oriental Building) for the Alaska-Yukon-Pacific Exposition (1908, demolished). Schack eventually formed the partnership of Schack, Young and Myers, a particularly prolific local architecture firm credited with the design of numerous important commercial, residential and institutional projects constructed during the 1920s.

Partner David John Myers (1872-1936) settled in Seattle after the fire of 1889 and worked in succession for Parkinson & Evers, John Parkinson and Evers & Keith until 1894. After studying architecture in Boston, he returned to Seattle in 1905 and established an active partnership with John Graham Sr. He then worked with Virgil Bogue in 1911-12 on the ill-fated *Plan of Seattle* and is believed to have generated many of the architectural plans and drawings included in the plan. He also served on the University of Washington School of Architecture faculty from 1917-1920. Partner Arrigo M. Young

⁴ The First Methodist Episcopal Church (First United Methodist Church) is an exceptional extant commission from the relatively brief partnership of these two skilled and accomplished practitioners. Due to its prominent location, building scale and Beaux Arts design character this church building is a distinctive and unique element of the downtown urban landscape. Both of the architects had prolific subsequent individual careers and produced numerous distinctive building designs; however, the subject building is the only major church commission and the most elaborate Beaux Arts design credited to either architect.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 8

Page 19 of 22

(1884-1954) was a trained structural engineer. After working in Chicago and St. Louis, he migrated to Seattle in 1910 where he initially worked for the Moran Company. By 1913, he had established his own consulting firm; he then served as the structural engineer for various projects including theaters designed by B. Marcus Priteca.

Schack and Myers began sharing office space in 1917 and the full partnership with Young was founded in 1920. Shortly after the partnership was formed, Myers and Harlan Thomas collaborated on the design of the College Club (1921, destroyed), both of whom were members. The role of the larger firm on both the College Club and Chamber of Commerce Building (1924) projects appears to have been for engineering purposes, with Thomas serving as the principal architect and designer. Most designs credited to Schack, Young & Myers are in academic eclectic styles. The partnership lasted until 1929 when Myers returned to private practice. Schack and Young continued in partnership until Schack's death in 1933. By this time, A.M. Young had obtained an architectural license; he then continued in partnership with Stephen H. Richardson and formed the firm of Young, Richardson, Carlton & Detlie, which later became known as The Richardson Associates (TRA).

Daniel R. Huntington

Daniel R. Huntington (1871-1962) was born in New Jersey and migrated to Seattle via New York and Denver, arriving in 1904 or 1905. Prior to entering into his brief partnership with James H. Schack, he appears to have initially worked for others. After the Schack & Huntington partnership ended, he collaborated with Carl F. Gould, Sr. designing several mixed use and residential buildings, including the Sanitary Market (1909, destroyed), until c.1912. He subsequently formed a brief two-year partnership with Arthur Lovelace and together they designed several residences and apartment buildings.

In September 1912, Huntington was appointed City Architect and held this important position until 1921. During this period he is credited with the design of numerous public projects, including Colman Dock (1912, destroyed), Wallingford Fire and Police Station (Station No.11, 1912-13), Lake Union Steam Plant (1912, 1914, 1917, 1921), Firlands Sanitarium (CRISTA Campus, 1913-14), University Bridge piers (1919), Fire Station No. 33 (1914), Fire Station No. 12 (Sally Goldmark Library, 1914), Fire Station No. 2 (Fourth & Battery, 1920), Fire Station No.7 (Capitol Hill, 1920) and the exquisite Fremont Public Library (1920-21).

He returned to private practice in 1922 and is known to have taught briefly at the University of Washington in 1923-24. Important subsequent commissions include the DAR House (1924-25), Northcliffe Apartments (1924-25) and Fire Station No. 16 (Greenlake, 1928). In partnership with Arch

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 8

Page 20 of 22

Torbitt, he also designed the distinctive Piedmont Apartments (Evangeline Young Women's Residence, 1927-28), the Seventh Street Theater in Hoquiam (1927-28) and Hoquiam City Hall (1928-29). He also served as the local AIA chapter president for 1918-19 and 1925.

Olaf Hanson

Olaf Hanson (1862-1933) worked intermittently for the office of James H. Schack and served as a designer, draftsman and plans checker for the First Methodist-Episcopal Church project and other firm commissions during this period. Hanson emigrated from Sweden with his family c.1873. After suffering a complete loss of hearing at the age of ten, he studied at the Minnesota School for the Deaf. He subsequently obtained a B.A. in 1886 and a M.A in 1889 at Gallaudet College in Washington D.C. He was a skilled draftsman and studied at the Ecole des Beaux-Arts in Paris in 1889-90. He established a very successful architectural practice in Minnesota prior to moving to Seattle in 1902 after his firm Thayer & Hanson won the commission to design a major courthouse and jail project in Juneau, Alaska. He appears to have designed several residences and is credited with the design of the Georgetown High School (1904, destroyed) and the Snoqualmie School (1911). He designed several now-destroyed buildings for the Washington State School for the Deaf and Washington State School for the Blind. He served as a draftsman for the University of Washington Department of Buildings and Grounds from 1919 until 1931, during a period extensive campus expansion and construction activity. Olaf Hanson also played a leading role in several organizations that were early advocates for the rights of deaf and hearing-impaired people.

Povey Brothers Glass Company⁵

Long time congregation members have attributed the stained glass used in the original construction of the church to the Povey Bros. Glass Company of Portland, Oregon. An architectural historian (Leslie Heald) who specializes in Povey-produced stained glass was also consulted. She believes that the windows were produced by the Povey Brothers Glass Company; however, the company did not sign their early work and production records are incomplete, thus authentication is difficult. Experts in the field have concluded that the painted stained glass used in the original construction of the church is of a very high quality, whether it can be properly and fully attributed or not.

The Povey Brothers Glass Company operated and produced stained glass in Portland, Oregon from 1888 until 1929. The beginnings of the firm coincided with the boom in American stained glass production

⁵ This information was extracted from a lengthy report prepared by Diana J. Painter, *Historic and Architectural Assessment: The First United Methodist Church & Rainier Club* (July 2003) that includes detailed information and footnote references regarding the history and architecture of FUMC.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 8 Page 21 of 22

that occurred in the 1870s and 1880s. The Povey family was originally from England, where they were established as glass artists. Joseph Povey immigrated to the United States in 1848 and subsequently worked in stained glass in Philadelphia, New York City and Newark. Three of his children eventually formed the Povey Brothers Art Glass Works, as the firm was initially known.

David Povey was the company's chief engineer; he had studied stained glass while traveling in Europe and studied art at Cooper Union Institute in New York City. George Povey was the financial manager and John Povey managed the glass studio/workshop. All three of them worked in various glass studios on the East Coast before establishing their own shop in Portland. Povey Brothers Glass Company was the most successful and prolific glass studio in Portland; albeit the only glass studio during some of this period.

The firm worked throughout the Pacific Northwest and are known to have completed commissions in Victoria, Bellingham, Seattle (First Christian Church (Robert H. Orr, 1922-23) and Eugene. Outstanding examples of Povey stained glass work in Portland include First Presbyterian Church, First Baptist Church, First Congregational United Church of Christ, James Lutheran Church, the Old Church and the Pittock Mansion. One of the best known Povey commissions is the First Christian Church in Portland that includes 118 stained glass windows. In addition to churches, the Povey Brothers are credited with a significant number of residential and commercial projects, as well as work at the University of Oregon.

Povey stained glass work exhibits typical characteristics/themes that are reflected in the windows of the First Methodist Episcopal Church, including the use of a mixture of opalescent and translucent stained glass members; the use of amber, caramel and other warm, neutral tones (deemed especially appropriate in the Pacific Northwest); the use of simple flower, particularly lily, motifs and the placement of a simple image at the center of a panel and "framing" it with geometric glass members that relate the panel to its architectural setting.

Austin Pipe Organs⁶

The pipe organ that is located at the west end of the sanctuary contains over 4,000 pipes from 32" in length down to less than 2" in length. It was built c.1968 as Opus 2479 - meaning that it was the 2,479th pipe organ built by Austin Pipe Organs of Hartford, CT. Austin is the same company that built the Mormon Tabernacle Organ console, as well as many other fine, historic instruments around the world. Some of the pipes in this dramatic organ date back to the original church organ that was installed c.1910. Austin made use of some of the historic pipes that were already in place when Opus 2479 was designed and

⁶ This information was extracted from the Daniels Recital Hall webpage.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 8

Page 22 of 22

built. It is an instrument built in the American Classic style of pipe organ construction, making it one of the largest and most flexible pipe organs in the Pacific Northwest. The voicing of this organ especially for this space makes it one of the finest pipe organs in America built in the American Classic style.

Established in 1899, Austin Pipe Organs is the only remaining great name from the Grand Period of American organ building. Companies like M.P. Moller, Aeolian-Skinner, Kimball and a host of others have closed their doors. The company is known for the design and construction of notable organ works of all kinds, styles and sizes, from grand concert organs to small chapel instruments.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 9 Page 1 of 2

Bibliographic References:

Aldredge, Lydia, ed. *Impressions of Imagination: Terra Cotta Seattle*. Allied Arts of Seattle, 1986.[see p.41 Ellen Miller-Wolfe. "Art Deco and Terra Cotta: F.W. Woolworth building."]

Crowley, Walt. *National Trust Guide, Seattle: America's Guide for Architecture and History Travelers*. New York: John Wiley & Sons, Inc. 1998.

Ochsner, Jeffery Karl, ed. *Shaping Seattle Architecture, A Historical Guide to the Architects*. Seattle: University of Washington Press, 1994, 1998.

Ochsner, Jeffery Karl & Anderson, Dennis Alan. *Distant Corner: Seattle Architects and the legacy of H.H. Richardson*, University of Washington Press, 2003.

Newspaper and Magazine Articles:

"Double Realty Deal" *Seattle Post-Intelligencer*, September 17, 1905, sec.II, pg.14.

"New Church to be One of Finest in the Country" *Seattle Daily Times*, April 27, 1906, pg.13 (rendering).

"Business Blocks and New Homes" *Seattle Post-Intelligencer*, February 10, 1907, Sec. II, pg 11.

"New Home for the First M.E. Church" *Seattle Post-Intelligencer*, February 17, 1907, pg 8 (rendering).

"Plan Two New Church Buildings" *Seattle Post-Intelligencer*, December 28, 1907, pg. 9.

"Summary of Large Structures Now Actually Under Construction" *Seattle Post-Intelligencer*, April 19, 1908, pg. 12.

"New First Methodist Episcopal Church nearing Completion" *Seattle Post-Intelligencer*, May 7, 1908, pg.9. (photograph)

"First Methodist Church" *Seattle Post-Intelligencer*, June 27, 1908, pg.9. (photograph)

"New Edifice of First Methodist Church at Fifth & Marion" *Seattle Post-Intelligencer*, May 14, 1910, pg.5. (photograph)

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 9 Page 2 of 2

Public Records:

Kriesman, Lawrence. *City of Seattle Landmark Nomination Form "First Methodist Episcopal Church"*
January 1984.

City of Seattle, "Report on Designation, First United Methodist Church" - Seattle Landmarks Preservation
Board, March 22, 1985.

Building Plans & Permit Records. City of Seattle, Department of Planning & Development, Microfilm
Department.

King County Property Record Card (c.1937-1972). Washington State Archives - Puget Sound Regional
Branch, Bellevue, Washington.

Other Sources of Information:

Baist's Real Estate Atlas of Surveys of Seattle, 1905 & 1912.

First United Methodist Church, www.firstchurchseattle.org

Krafft, Kathryn H. & LaFever, Alison. *Historic Property Survey Report: Downtown Commercial Core -
Seattle, Washington*. City of Seattle - Historic Preservation Program. February 2007.

Museum of History and Industry, Collections & Research <http://www.seattlehistory.org/mohai>

Our New Church" First Methodist Episcopal Church (brochure). Courtesy of First United Methodist
Church archives

Painter, Diana J. *Historic and Architectural Assessment: The First United Methodist Church & Rainier
Club*, July 2003 [Report available Seattle Room, SPL]

Sanborn Fire Insurance Maps, 1884, 1888, 1893, 1903, 1905, 1950.

University of Washington Libraries, Special Collections, Digital Collections
<http://www.lib.washington.edu/specialcoll/>

10. Geographical Data

Acreeage of Property Less than one acre

UTM References

(Place additional UTM References on a continuation sheet.)

1	<u>10</u> Zone	<u>5</u> <u>50</u> <u>366</u> Easting	<u>52</u> <u>72</u> <u>454</u> Northing	3	<u> </u> Zone	<u> </u> <u> </u> <u> </u> Easting	<u> </u> <u> </u> <u> </u> Northing
2	<u> </u> Zone	<u> </u> <u> </u> <u> </u> Easting	<u> </u> <u> </u> <u> </u> Northing	4	<u> </u> Zone	<u> </u> <u> </u> <u> </u> Easting	<u> </u> <u> </u> <u> </u> Northing

Verbal Boundary Description

(Describe the boundaries of the property.)

See continuation sheet.

Boundary Justification

(Explain why the boundaries were selected.)

See continuation sheet.

11. Form Prepared By

name/title Katheryn H. Krafft

organization Krafft & Krafft Architecture/CRM

date July 2010

street & number P.O. Box 99268

telephone (206) 284-1926

city or town Seattle

state WA

zip code 98139

Additional Documentation

Submit the following items with the completed form:

Continuation Sheets**Maps**

A **USGS map** (7.5 or 15 minute series) indicating the property's location.

A **Sketch map** for historic districts and properties having large acreage or numerous resources

Photographs

Representative **black and white photographs** of the property.

Additional items

(Check with the SHPO or FPO for any additional items.)

Property Owner (Complete this item at the request of the SHPO or FPO.)

name Fifth & Columbia Investors, LLC [Attn: Kevin Daniels]

street & number 2401 Utah Avenue #305

telephone (206) 382-4600

city or town Seattle

state WA

zip code 98134

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet -

FIRST METHODIST EPISCOPAL CHURCH
KING COUNTY, WASHINGTON

Section number 10 Page 1 of 1


Verbal Boundary Description

Lots 2-3 of block 25 of C.D. Boren's Addition to the City of Seattle. According to the plat thereof, recorded in Volume 001 of plats, page 025, in King County, Washington

Boundary Justification


Boundary is the total extent of the land area directly associated with First Methodist Episcopal Church as constructed in 1908-1910.

FIRST UNITED METHODIST CHURCH
KING COUNTY, WASHINGTON
ZONE 10 550270E 5272675N






First Methodist Episcopal Church - General Vicinity Map (Kroll 2005)



First Methodist Episcopal Church - Zoning Map (2010) - City of Seattle Department of Planning & Development




First Methodist Episcopal Church – Site Plan (2010) [Courtesy 5th & Columbia Investors, Inc.]

rwaa



Ron Wright & Associates /
ARCHITECTS, PS
2003 BOSTON AVE., STE. 300
SEATTLE, WASHINGTON
98122-2163
PHONE (206) 726-4246
FAX (206) 726-4272



FIRST
UNITED
METHODIST
CHURCH

FIFTH & COLUMBIA
INVESTORS, LLC
2403 VIEN AVENUE SOUTH
SEATTLE, WA 98134


NO.	DESCRIPTION	DATE
1	BASEMENT PLAN	

CONTENTS:
**BASEMENT
PLAN**

SCALE: 1/4" = 1'-0"
PROJECT NO.: 0710
YEAR: 2007
SHEET:

1 FIRST FLOOR PLAN
1/4" = 1'-0"

A2.1



FH22



Don Wright & Associates /
Architects, P.S.
2003 Western Ave., Ste. 300
Seattle, Washington
98122-2162
PHONE (206) 738-4266
FAX (206) 738-4272



FIFTH & COLUMBIA
INVESTORS, LLC
2401 UTAH AVENUE SOUTH
SEATTLE, WA 98134

Rev.	Date / Description
11/26/01	ISSUE 1

CONTENTS:
**MEZZANINE
PLAN**

SCALE: 1/8"=1'
PROJECT NO: 0710
YEAR:
2001


1 BASEMENT PLAN
1/8"=1'

A2.2

rwa



Robert Wright & Associates /
Architects, P.S.
3000 Western Ave., Ste. 300
Seattle, Washington
98122-2163
PHONE (206) 728-6248
FAX (206) 728-6272



FIRST
UNITED
METHODIST
CHURCH

FIFTH & COLUMBIA
INVESTORS, LLC
2401 UTAH AVENUE SOUTH
SEATTLE, WA 98134


NO.	DATE / REVISION
1	11/26/09 ISSUE 1

CONTENTS:
FIRST FLOOR
PLAN

SCALE: 1/8"=1'-0"
PROJECT NO.: 07140
FILE:
SHEET:

1 MAIN FLOOR PLAN
1/8"=1'-0"

A2.3



Waa



Row Wright & Associates /
Architects, PS
2001 Western Ave., Ste. 300
Seattle, Washington
98121-2161
PHONE (206) 726-4244
FAX (206) 726-4272



FIRST
UNITED
METHODIST
CHURCH

FIFTH & COLUMBIA
INVESTORS, LLC
2401 UTAH AVENUE SOUTH
SEATTLE, WA 98134

No.	Description	Date
1	REVISION	DATE

CONTENTS:
BALCONY
PLAN

SCALE: 1/2"=1'
PROJECT NO.: 0728
FILE:
SHEET:

1 BALCONY FLOOR PLAN
UP

A2.4



Figure 1 - Parsonage and Methodist Episcopal Church ("White Church") at SE corner of Second Avenue and Columbia Street, n.d. [University of Washington Libraries, SCD - SEA1533]



Figure 2 - View south on Third Avenue from Madison Street, 1890. First Presbyterian Church, Stacy Mansion and First Methodist Episcopal Church (beyond at right side of image). [MOHAI 2002.3.419]



Figure 3 - First Methodist Episcopal Church with Third Avenue regrading project underway, 1906. [University of Washington Libraries, SCD - Curtis 149]




Figure 4 - James H. Schack rendering showing revised design for new First Methodist Episcopal Church [Seattle Post Intelligencer, February 17, 1907, pg 8.]




Figure 5 - Rendering showing revised design for new First Methodist Episcopal Church with Schack & Huntington Architects notation. [From promotional brochure *Our New Church*, c.1907.]




Figure 6 - Plan for Main Floor level showing Main Auditorium and Pastor's Room. General floor plan remains unchanged. [From published promotional brochure *Our New Church*, 1907.]




Figure 7 - Plan for Balcony Floor level showing balcony, dome above and Ladies Parlor. General floor plan remains unchanged. [From published promotional brochure *Our New Church*, 1907.]




Figure 8 - Plan for original Sunday School (First Floor) level showing Banquet Room, auditorium and classrooms. This floor level has been altered. See *Current Floor Plans*. [From published promotional brochure *Our New Church*, 1907.]




Figure 9 - First Methodist Episcopal Church at Fifth Avenue and Marion Street, 1912
[University of Washington Libraries, SCD - UW14547]



Figure 10 - View northwest from Smith Tower, c.1914. Domed-roof of First Methodist Episcopal Church is in view uphill from Rainier Club at right side of image. [MOHAI 1983.10.9667]



Figure 11 - First Methodist Episcopal Church, c.1926 [MOHAI 1983.10.3217.1]



Figure 12 - First Methodist Episcopal Church, 1937 PRC image [Puget Sound Regional Archives]



Figure 13 - First Methodist Episcopal Church, 1951 PRC image [Puget Sound Regional Archives]




Figure 14 - First Methodist Episcopal Church, 1952 [University of Washington Libraries, SCD - PC 232]




Figure 15 - Birdseye view north from Cherry Street, 1962. Domed-roof of First Methodist Episcopal Church and modern education wing are in view uphill from Rainier Club at right side of image. [MOHAI 1986.5.12361.1]

FIRST UNITED METHODIST CHURCH – PHOTOGRAPH LOG

Name of Property: First United Methodist Church
City or Vicinity: Seattle
County: King
State: WA
Name of Photographers: Maryanna H. Krafft (unless otherwise noted)
Date of Photographs: December 2008 (unless otherwise noted)
Location of original Digital Files: 2422 29th Avenue W. 98199

Photo #1 (WA_KingCounty_FirstUnitedMethodistChurch_0001)
Context View looking south on Fifth Avenue from Madison Street

Photo #2 (WA_KingCounty_FirstUnitedMethodistChurch_0002)
Context View looking NW from Fifth Avenue & Columbia Street

Photo #3 (WA_KingCounty_FirstUnitedMethodistChurch_0003)
East & North Elevations

Photo #4 (WA_KingCounty_FirstUnitedMethodistChurch_0004)
North Elevation

Photo #5 (WA_KingCounty_FirstUnitedMethodistChurch_0005)
South Elevation

Photo #6 (WA_KingCounty_FirstUnitedMethodistChurch_0006)
Exterior Feature – Main Auditorium Dome

Photo #7 (WA_KingCounty_FirstUnitedMethodistChurch_0007)
Exterior Feature – East Entrance Bay

Photo #8 (WA_KingCounty_FirstUnitedMethodistChurch_0008)
Exterior Detail – Main Entrance pediment

Photo #9 (WA_KingCounty_FirstUnitedMethodistChurch_0009)
Exterior Detail – Typical side vestibule entry door surround

Photo #10 (WA_KingCounty_FirstUnitedMethodistChurch_0010)
Exterior Detail – Stained glass windows at North Elevation

Photo #11 (WA_KingCounty_FirstUnitedMethodistChurch_0011)
Exterior Feature – Typical corner pavilion

Photo #12 (WA_KingCounty_FirstUnitedMethodistChurch_0012)
Exterior Detail – Typical corner pavilion cornice

Photo #13 (WA_KingCounty_FirstUnitedMethodistChurch_0013)
Exterior Detail – Typical main cornice (missing) & parapet with intact dome cornice

Photo #14 (WA_KingCounty_FirstUnitedMethodistChurch_0014)
Exterior Detail – 1908 Cornerstone

Photo #15 (WA_KingCounty_FirstUnitedMethodistChurch_0015)
Main Entry Vestibule – view north toward stairway vestibule

Photo #16 (WA_KingCounty_FirstUnitedMethodistChurch_0016)
Main Entry Vestibule – view south toward stairway vestibule

Photo #17 (WA_KingCounty_FirstUnitedMethodistChurch_0017)
Main Auditorium – view west of pulpit, choir & organ

Photo #18 (WA_KingCounty_FirstUnitedMethodistChurch_0018)
Main Auditorium – view east toward entry vestibule & east gallery

Photo #19 (WA_KingCounty_FirstUnitedMethodistChurch_0019)
Main Auditorium – view SW toward south gallery and pulpit

Photo #20 (WA_KingCounty_FirstUnitedMethodistChurch_0020)
Main Auditorium – view NW toward pulpit & north gallery

Photo #21 (WA_KingCounty_FirstUnitedMethodistChurch_0021)
Main Auditorium – view north toward north gallery

Photo #22 (WA_KingCounty_FirstUnitedMethodistChurch_0022)
Main Auditorium – Detail – typical cast iron column w/ fluted capital

Photo #23 (WA_KingCounty_FirstUnitedMethodistChurch_0023)
Main Auditorium – Detail – typical plaster cornice/ornament at spring line

Photo #24 (WA_KingCounty_FirstUnitedMethodistChurch_0024)
Main Auditorium – Detail – typical plaster bracket/ornament at gallery beam ends

Photo #25 (WA_KingCounty_FirstUnitedMethodistChurch_0025)
Auditorium Dome – view east of light cove cornice and clerestory windows

Photo #26 (WA_KingCounty_FirstUnitedMethodistChurch_0026)
Auditorium Dome – view from below of light cove and clerestory windows

Photo #27 (WA_KingCounty_FirstUnitedMethodistChurch_0027)
Front Stairwell Vestibule – Typical guardrail, handrail, wainscott & stained glass window

Photo #28 (WA_KingCounty_FirstUnitedMethodistChurch_0028)
Front Stairwell Vestibule – Typical handrails, wainscott & spiral run

Photo #29 (WA_KingCounty_FirstUnitedMethodistChurch_0029)
NW Stairwell – Typical handrails & linoleum flooring

Photo #30 (WA_KingCounty_FirstUnitedMethodistChurch_0030)
Marion Street Entrance Vestibule - NW stairwell w/ typical wood flooring & trim

Photo #31 (WA_KingCounty_FirstUnitedMethodistChurch_0031)
Pastor's Study - Ornate terra cotta clad fireplace mantel

Photo #32 (WA_KingCounty_FirstUnitedMethodistChurch_0032)
Stained Glass (Main Entrance Vestibule) above each side door

Photo #33 (WA_KingCounty_FirstUnitedMethodistChurch_0033)
Stained Glass Windows (Main Auditorium) above gallery at north wall

Photo #34 (WA_KingCounty_FirstUnitedMethodistChurch_0034)
Stained Glass Details – gallery level north wall

Photo #35 (WA_KingCounty_FirstUnitedMethodistChurch_0035)
Stained Glass Details – gallery level north wall

Photo #36 (WA_KingCounty_FirstUnitedMethodistChurch_0036)
Stained Glass Windows (Main Auditorium) above gallery at south wall

Photo #37.1 (WA_KingCounty_FirstUnitedMethodistChurch_0037)
Stained Glass Details – gallery level south wall

Photo #37.2 (WA_KingCounty_FirstUnitedMethodistChurch_0037)
Stained Glass Details – gallery level south wall

Photo #38 (WA_KingCounty_FirstUnitedMethodistChurch_0038)
Stained Glass Windows (Main Auditorium) below gallery at south wall

Photo #39 (WA_KingCounty_FirstUnitedMethodistChurch_0039)
Detail – central panel south wall

Photo #40 (WA_KingCounty_FirstUnitedMethodistChurch_0041)
Stained Glass Windows at Main Auditorium Dome - typical

UNITED STATES DEPARTMENT OF THE INTERIOR
NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES
EVALUATION/RETURN SHEET

REQUESTED ACTION: NOMINATION

PROPERTY NAME: First Methodist Episcopal Church

MULTIPLE NAME:

STATE & COUNTY: WASHINGTON, King

DATE RECEIVED: 11/16/10 DATE OF PENDING LIST: 12/14/10
DATE OF 16TH DAY: 12/29/10 DATE OF 45TH DAY: 1/01/11
DATE OF WEEKLY LIST:

REFERENCE NUMBER: 10001105

REASONS FOR REVIEW:

APPEAL: N DATA PROBLEM: N LANDSCAPE: N LESS THAN 50 YEARS: N
OTHER: N PDIL: N PERIOD: N PROGRAM UNAPPROVED: N
REQUEST: N SAMPLE: N SLR DRAFT: N NATIONAL: N

COMMENT WAIVER: N

ACCEPT RETURN REJECT 1.3.11 DATE

ABSTRACT/SUMMARY COMMENTS:

Entered in
The National Register
of
Historic Places

RECOM./CRITERIA _____

REVIEWER _____ DISCIPLINE _____

TELEPHONE _____ DATE _____

DOCUMENTATION see attached comments Y/N see attached SLR Y/N

If a nomination is returned to the nominating authority, the nomination is no longer under consideration by the NPS.



Photo #1 (WA_KingCounty_FirstUnitedMethodistChurch_0001)
Context View looking south on Fifth Avenue from Madison Street (K. Krafft 5-16-10)



Photo #2 (WA_KingCounty_FirstUnitedMethodistChurch_0002)
Context View looking NW from Fifth Avenue & Columbia Street (K. Krafft 5-16-10)



Photo #3 (WA_KingCounty_FirstUnitedMethodistChurch_0003)
East & North Elevations (K. Krafft 5-16-10)



Photo #4 (WA_KingCounty_FirstUnitedMethodistChurch_0004)
North Elevation (K. Krafft 5-16-10)



Photo #5 (WA_KingCounty_FirstUnitedMethodistChurch_0005)
South Elevation (K. Krafft 5-16-10)



Photo #6 (WA_KingCounty_FirstUnitedMethodistChurch_0006)
Exterior Feature – Main Auditorium Dome (K. Krafft 5-16-10)




Photo #7 (WA_KingCounty_FirstUnitedMethodistChurch_0007)
Exterior Feature – East Entrance Bay (K. Krafft 5-16-10)



Photo #8 (WA_KingCounty_FirstUnitedMethodistChurch_0008)
Exterior Detail – Main Entrance pediment



Photo #9 (WA_KingCounty_FirstUnitedMethodistChurch_0009)
Exterior Detail – Typical side vestibule entry door surround




Photo #10 (WA_KingCounty_FirstUnitedMethodistChurch_0010)
Exterior Detail – Stained glass windows at North Elevation



Photo #11 (WA_KingCounty_FirstUnitedMethodistChurch_0011)
Exterior Feature – Typical corner pavilion



Photo #12 (WA_KingCounty_FirstUnitedMethodistChurch_0012)
Exterior Detail – Typical corner pavilion cornice



Photo #13 (WA_KingCounty_FirstUnitedMethodistChurch_0013)
Exterior Detail – Typical main cornice (missing) & parapet with intact dome cornice
above (K. Krafft 5-16-10)



Photo #14 (WA_KingCounty_FirstUnitedMethodistChurch_0014)
Exterior Detail – 1908 Cornerstone (K. Krafft 2-3-09)



Photo #15 (WA_KingCounty_FirstUnitedMethodistChurch_0015)
Main Entry Vestibule – view north toward stairway vestibule



Photo #16 (WA_KingCounty_FirstUnitedMethodistChurch_0016)
Main Entry Vestibule – view south toward stairway vestibule



Photo #17 (WA_KingCounty_FirstUnitedMethodistChurch_0017)
Main Auditorium – view west of pulpit, choir & organ



Photo #18 (WA_KingCounty_FirstUnitedMethodistChurch_0018)
Main Auditorium – view east toward entry vestibule & east gallery



Photo #19 (WA_KingCounty_FirstUnitedMethodistChurch_0019)
Main Auditorium – view SW toward south gallery and pulpit



Photo #20 (WA_KingCounty_FirstUnitedMethodistChurch_0020)
Main Auditorium – view NW toward pulpit & north gallery



Photo #21 (WA_KingCounty_FirstUnitedMethodistChurch_0021)
Main Auditorium – view north toward north gallery



Photo #22 (WA_KingCounty_FirstUnitedMethodistChurch_0022)
Main Auditorium – Detail – typical cast iron column w/ fluted capital




Photo #23 (WA_KingCounty_FirstUnitedMethodistChurch_0023)
Main Auditorium – Detail – typical plaster cornice/ornament at spring line



Photo #24 (WA_KingCounty_FirstUnitedMethodistChurch_0024)
Main Auditorium – Detail – typical plaster bracket/ornament at gallery beam ends



Photo #25 (WA_KingCounty_FirstUnitedMethodistChurch_0025)
Auditorium Dome – view east of light cove cornice and clerestory windows



Photo #26 (WA_KingCounty_FirstUnitedMethodistChurch_0026)
Auditorium Dome – view from below of light cove and clerestory windows



Photo #27 (WA_KingCounty_FirstUnitedMethodistChurch_0027)
Front Stairwell Vestibule – Typical guardrail, handrail, wainscott & stained glass window



Photo #28 (WA_KingCounty_FirstUnitedMethodistChurch_0028)
Front Stairwell Vestibule – Typical handrails, wainscott & spiral run



Photo #29 (WA_KingCounty_FirstUnitedMethodistChurch_0029)
NW Stairwell – Typical handrails & linoleum flooring



Photo #30 (WA_KingCounty_FirstUnitedMethodistChurch_0030)
Marion Street Entrance Vestibule - NW stairwell w/ typical wood flooring & trim



Photo #31 (WA_KingCounty_FirstUnitedMethodistChurch_0031)
Pastor's Study - Ornate terra cotta clad fireplace mantel



Photo #32 (WA_KingCounty_FirstUnitedMethodistChurch_0032)
Stained Glass (Main Entrance Vestibule) above each side door



Photo #33 (WA_KingCounty_FirstUnitedMethodistChurch_0033)
 Stained Glass Windows (Main Auditorium) above gallery at north wall



Photo #34 (WA_KingCounty_FirstUnitedMethodistChurch_0034)



Photo #35 (WA_KingCounty_FirstUnitedMethodistChurch_0035)

Stained Glass Details – gallery level north wall



Photo #36 (WA_KingCounty_FirstUnitedMethodistChurch_0036)
 Stained Glass Windows (Main Auditorium) above gallery at south wall



Photo #37 (WA_KingCounty_FirstUnitedMethodistChurch_0037)
 Stained Glass Details – gallery level south wall




Photo #38 (WA_KingCounty_FirstUnitedMethodistChurch_0038)
Stained Glass Windows (Main Auditorium) below gallery at south wall



Photo #39 (WA_KingCounty_FirstUnitedMethodistChurch_0039)
Detail – central panel south wall



Photo #40 (WA_KingCounty_FirstUnitedMethodistChurch_0040)
Stained Glass Windows at Main Auditorium Dome - typical




FIRST UNITED METHODIST CHURCH
KING COUNTY, WASHINGTON
ZONE ID 850270E 5272675N

Seattle South WASHINGTON

1:25 000-scale metric topographic-bathymetric map



- 7.5 X 15 MINUTE QUADRANGLE SHOWING
- Contours and elevations in meters
 - Highways, roads and other manmade structures
 - Water features
 - Woodland areas
 - Geographic names
 - Bathymetric contours in meters



Produced by the United States Geological Survey and the National Ocean Service

Control by USGS, NOS/NOAA, USACE and King County Engineer Office
Compiled by photogrammetric methods from aerial photographs taken 1977. Field checked 1978. Map edited 1983
Supersedes Duwamish Head and Seattle South 1:25 000 scale maps dated 1949
Bathymetry compiled by the National Ocean Service from tide-coordinated hydrographic surveys. This information is not intended for navigational purposes
Mean low water (dotted) line and mean high water (heavy solid) line compiled by NOS from tide-coordinated aerial photography updated through 1977
Projection and 1000-meter grid, zone 10, Universal Transverse Mercator 10,000-foot grid ticks based on Washington coordinate system, north zone 1927 North American Datum
To place on the predicted North American Datum 1983 move the projection lines 23 meters north and 93 meters east
Gray dot indicates areas in which only landmark buildings are shown
There may be private buildings within the boundaries of the National or State reservations shown on this map

CONTOUR INTERVAL 5 METERS
NATIONAL GEODETIC VERTICAL DATUM OF 1929
BATHYMETRIC CONTOUR INTERVAL 2 METERS-DATUM IS MEAN LOWER LOW WATER DATUM OF LAKE WASHINGTON IS LOW WATER WHICH IS 80 FEET ABOVE THE PLANE OF MEAN LOWER LOW WATER IN PUGET SOUND
RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE
CONTOUR ELEVATIONS SHOWN TO THE NEAREST 5 METERS
BASE MAP COMPLES WITH NATIONAL MAP ACCURACY STANDARDS. BATHYMETRIC SURVEY DATA COMPLES WITH INTERNATIONAL HYDROGRAPHIC ORGANIZATION (IHO) SPECIAL PUBLICATION 44 ACCURACY STANDARDS AND/OR STANDARDS USED AS OF THE DATE OF THE SURVEYS

Meters	Feet	DECLINATION DIAGRAM	ADJOINING MAPS
1	3.2808		1 2 3
2	6.5616		4 5
3	9.8424		6 7 8
4	13.1232		
5	16.4040		
6	19.6848		
7	22.9656		
8	26.2464		
9	29.5272		
10	32.8080		

UTM grid convergence (GN) and 1983 magnetic declination at center of map to meters multiply by 5280
Diagram is approximate



Topographic Map Symbols



- Primary highway, hard surface
- Southern highway, hard surface
- Light-duty road, hard or improved surface
- Unimproved road, trail
- Railroad, standard gauge, narrow gauge
- Bridge, drawbridge
- Overpass, underpass
- Ballup area: only selected landmark buildings shown
- House, barn, church, school, large structure
- Boundary:
 - National, with monument
 - State
 - County, parish
 - Civil township, precinct, district
 - Incorporated city, village, town
 - National or State reservation, small park
 - Land grant with monument, found section corner
 - U.S. public lands survey: range, township, section
 - Range, township, section line: location approximate
 - Fence or field line
 - Power transmission line, located tower
 - Dam, dam with lock
 - Cemetery, grave
 - Campground, picnic area; U.S. location monument
 - Wellhead, water well, spring
 - Mine shaft; prospect, adit, or cave
 - Control: horizontal station, vertical station; spot elevation
 - Contour: index, intermediate, supplementary, depression
 - Contour surface: strip mine, line, sand
 - Bathymetric contours: index, intermediate
 - Perennial lake and stream, intermittent lake and stream
 - Rapids, large and small; falls, large and small
 - Swamp; marsh
 - Submerged marsh; land subject to controlled inundation
 - Wetland: scattered trees
 - Soak, mangrove
 - Orchard, vineyard

SCALE 1:25 000 1 CENTIMETER ON THE MAP REPRESENTS 250 METERS ON THE GROUND


CONTOUR INTERVAL 5 METERS
NATIONAL GEODETIC VERTICAL DATUM OF 1929
BATHYMETRIC CONTOUR INTERVAL 2 METERS-DATUM IS MEAN LOWER LOW WATER DATUM OF LAKE WASHINGTON IS LOW WATER WHICH IS 80 FEET ABOVE THE PLANE OF MEAN LOWER LOW WATER IN PUGET SOUND
RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE

HYDROGRAPHIC SURVEY INFORMATION

SURVEY NUMBER	SURVEY DATE	SURVEY SCALE	SURVEY LINE SPACING (NAUT. MILES)
H-8009	1907	1:10,000	04.23
H-8110	1907	1:10,000	04.23
H-8176	1907	1:20,000	05.25
H-8171	1908	1:20,000	04.32
H-8044	1908	1:20,000	01.01
H-8020	1908	1:10,000	05.10
H-8181	1910	1:10,000	02.02
H-8168	1910	1:10,000	02.04



Photographic copies of the above and prior surveys may be obtained at the cost of reproduction, by obtaining the General Catalogue National Ocean Service, National Oceanic Atmospheric Administration, Rockville, Maryland 20822



STATE OF WASHINGTON
Department of Archaeology and Historic Preservation
1063 S. Capitol Way, Suite 106 - Olympia, Washington 98501
(Mailing Address) PO Box 48343 - Olympia, Washington 98504-8343
(360) 586-3065 Fax Number (360) 586-3067

November 15, 2010

Paul Lusignan
Keeper of the National Register
National Register of Historic Places
1201 "I" Street NW, 8th Floor
Washington, D.C. 20005

RE: **Washington State NR Nomination**


Dear Paul:

Please find enclosed three new National Register Nomination forms for

- **Ilwaco Railway & Navigation Co. – Nahcotta Passenger Car , Pacific County**
- **John R. Rogers High School, Spokane County**
- **First Methodist Episcopal Church, King County**

Should you have any questions regarding these nominations please contact me anytime at (360) 586-3076. I look forward to hearing your final determination on these properties.

Sincerely,



Michael Houser

State Architectural Historian, DAHP

360-586-3076

E-Mail: michael.houser@dahp.wa.gov