United States Department of the InteriorNational Park Service

NATIONAL REGISTER OF HISTORIC PLACES REGISTRATION FORM



579

This form is for use in nominating or requesting determinations for individual properties and districts. See instructions in How to Complete the National Register of Historic Places Registration Form (National Register Bulletin 16A). Complete each item by marking "x" in the appropriate box or by entering the information requested. If any item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, architectural classification, materials, and areas of significance, enter only categories and subcategories from the instructions. Place additional entries and narrative items on continuation sheets (NPS Form 10-900a). Use a typewriter, word processor, or computer, to complete all items.

1. Name of Property
historic name SD DOT Br. NO. 34-120-194
other names/site number N/A
2. Location
street & number _Local Rd. over S. Fork Lonetree Creek not for publication _N/A city or town Tripp vicinity _X
state South Dakota code SD county Hutchinson code 067 zip code 57376
3. State/Federal Agency Certification
As the designated authority under the National Historic Preservation Act of 1986, as amended, I hereby certify that this _x_ nomination request for determination of eligibility meets the documentation standards for registering properties in the National Register of Historic Places and meets the procedural and professional requirements set forth in 36 CFR Part 60. In my opinion, the property _x_ meets does not meet the National Register Criteria. I recommend that this property be considered significant nationally statewide _x_ locally. (See continuation sheet for additional comments.)
Signature of certifying official Date
State or Federal agency and bureau
In my opinion, the property meets does not meet the National Register criteria. (See continuation sheet for additional comments.)
Signature of commenting or other official Date

4. National Park Service Certification	
I hereby certify that the property is: entered in the National Register. See continuation sheet determined eligible for the National Register. See continuation sheet determined not eligible for the National Register removed from the National Register. other, (explain:)	Signature of the Keeper Date of Action Signature of the Keeper Date of Action Signature of the Keeper Date of Action
5. Classification	_
Ownership of Property (Check as many be private public-local public-State public-Federal	oxes as apply)
Category of Property (Check only one box building(s) district site x structure object	
Number of Resources within Property Contributing Noncontributing	
0 0 si 1 0 st 0 0 ot	uildings tes ructures ojects otal
Number of contributing resources previously Name of related multiple property listing (Er listing.) Historic Bridges in South Dakota	y listed in the National Register <u>0</u> Iter "N/A" if property is not part of a multiple property

SD DOT Br. No. 34-120-194 Name of Property	Hutchinson County, South Dakota County and State
6. Function or Use	
Historic Functions (Enter categories from instructions)	
Cat: Transportation Sub: Road-Related	
Current Functions (Enter categories from instructions)	
Cat: Transportation Sub: Road-Related	
<u> </u>	
7. Description	
Architectural Classification (Enter categories from instruction	ns)
	,
Other: Half-Hip Pratt Pony Truss	
	*
Materials (Enter categories from instructions)	
foundation Steel	
roof walls	
other Steel	

Narrative Description (Describe the historic and current condition of the property on one or more continuation sheets.)

See Continuation Sheets

SD DOT Br. No. 34-120-194

8. State	ment of Significance
	ole National Register Criteria (Mark "x" in one or more boxes for the criteria qualifying the v for National Register listing)
	Property is associated with events that have made a significant contribution to the broad patterns of our history.
В	Property is associated with the lives of persons significant in our past.
	Property embodies the distinctive characteristics of a type, period, or method of construction or represents the work of a master, or possesses high artistic values, or represents a significant and distinguishable entity whose components lack individual distinction.
	Property has yielded, or is likely to yield information important in prehistory or history.
Criteria	Considerations (Mark "X" in all the boxes that apply.)
A	owned by a religious institution or used for religious purposes.
B	removed from its original location.
C	a birthplace or a grave.
D :	a cemetery.
E :	a reconstructed building, object,or structure.
F a	a commemorative property
G	less than 50 years of age or achieved significance within the past 50 years.
Areas o	f Significance (Enter categories from instructions)
	Engineering
Period (of Significance

SD DOT Br. No. 34-120 Name of Property	0-194 Hutchir County a	nson County, South Dakota
	·	
Significant Dates	1912	
Significant Person	(Complete if Criterion B is marked above) N/A	
	IVA	
Cultural Affiliation	N/A	-
		-
Amabita at/Duildon	Fodoral Pridge Company, Dee Maines, Jawa	•
Architect/Builder	Federal Bridge Company, Des Moines, Iowa	-
Narrative Statement continuation sheets.)	t of Significance (Explain the significance of the prope)	erty on one or more
See Continuation Sh	neets	
9. Major Bibliograpl	hical References	
	hical References	one or more continuation
(Cite the books, artic sheets.)	eles, and other sources used in preparing this form on o	one or more continuation
(Cite the books, artic sheets.) Previous document	eles, and other sources used in preparing this form on o	
(Cite the books, artic sheets.) Previous document preliminary de previously liste	tation on file (NPS) etermination of individual listing (36 CFR 67) has been led in the National Register	
(Cite the books, artic sheets.) Previous document preliminary de previously liste previously det	tation on file (NPS) etermination of individual listing (36 CFR 67) has been led in the National Register termined eligible by the National Register	
(Cite the books, artic sheets.) Previous document preliminary de previously liste previously det designated a	tation on file (NPS) etermination of individual listing (36 CFR 67) has been led in the National Register	
(Cite the books, artic sheets.) Previous document preliminary de previously liste previously det designated a larecorded by H	tation on file (NPS) etermination of individual listing (36 CFR 67) has been been in the National Register termined eligible by the National Register National Historic Landmark	
(Cite the books, artic sheets.) Previous document preliminary de previously liste previously det designated a light recorded by H	tation on file (NPS) etermination of individual listing (36 CFR 67) has been to determination of individual listing (36 CFR 67) has been to ded in the National Register termined eligible by the National Register National Historic Landmark distoric American Buildings Survey #	
(Cite the books, artic sheets.) Previous document	tation on file (NPS) etermination of individual listing (36 CFR 67) has been ed in the National Register termined eligible by the National Register National Historic Landmark Historic American Buildings Survey # Historic American Engineering Record # f Additional Data Preservation Office	
(Cite the books, artic sheets.) Previous document preliminary depreviously listed previously determinated and recorded by Homeonder State Historic Other State accepts of the sheets.)	tation on file (NPS) etermination of individual listing (36 CFR 67) has been to determination of individual listing (36 CFR 67) has been to ded in the National Register termined eligible by the National Register National Historic Landmark distoric American Buildings Survey # distoric American Engineering Record # f Additional Data Preservation Office gency	
(Cite the books, artic sheets.) Previous document preliminary de previously liste previously det designated a leader recorded by Hereorded by Hereo	tation on file (NPS) etermination of individual listing (36 CFR 67) has been ed in the National Register termined eligible by the National Register National Historic Landmark Historic American Buildings Survey # Historic American Engineering Record # f Additional Data Preservation Office gency cy	
(Cite the books, artic sheets.) Previous document preliminary depreviously listed previously determinated and recorded by Homeon and the state and the stat	tation on file (NPS) etermination of individual listing (36 CFR 67) has been ed in the National Register termined eligible by the National Register National Historic Landmark Historic American Buildings Survey # Historic American Engineering Record # f Additional Data Preservation Office gency cy	
(Cite the books, artic sheets.) Previous document preliminary de previously liste previously det designated a left recorded by Hereorded by Hereord	tation on file (NPS) etermination of individual listing (36 CFR 67) has been ed in the National Register termined eligible by the National Register National Historic Landmark Historic American Buildings Survey # Historic American Engineering Record # f Additional Data Preservation Office gency cy	

SD DOT Name of P		4-120-194		Hutchinson County, South Dakota County and State				
10. Geo	graphic	al Data						
Acreage	of Pro	perty Les	ss than 1					
UTM Re			on a continuation she	et.)				
1 <u>14</u> Zor		591620 Easting	4785355 Northing	3	Zone	Easting	Northing	
2				4	☐ See o	continuation sheet		
Verbal E Sheet	Bounda	ry Descript	ion (Describe the bou	ndaries of the pr	operty on a	continuation sheet.) See Continuation	
Bounda Sheet	ry Just	ification (Ex	plain why the boundari	es were selected	d on a contin	uation sheet.) See	Continuation	
11. Forn	n Prepa	red By						
name/tit	le Ivn	da Schwan						
		D SHPO Sta	aff	_	date	January 10, 200)2	
•		900 Gove		t		605-773-6056		
city or to		ierre		state	•	zip code 5		
J., J. 12				•				
Addition	nal Doc	umentation						
Submit the	e followin	g items with the	e completed form:					
Continu	ation S	heets				,		
Maps A	USGS	map (7.5 or	15 minute series)ind	icating the prop	perty's loca	tion.		
A	sketch	map for his	toric districts and pro	perties having	large acrea	age or numerous	resources.	
Photogr	raphs							

Representative black and white photographs of the property.

Additional items (Check with the SHPO or FPO for any additional items)

SD DOT Br. No. 34-120-194	_
Name of Property	

Hutchinson Co	ounty,	South	Dakota
County and State	!		

Property Owner	
(Complete this item at the request of the SHPO or	FPO.)
name South Dakota Departm	ent of Transportation
street & number	telephone
city or town Pierre	state SD zip code 57501

Paperwork Reduction Act Statement: This information is being collected for applications to the National Register of Historic Places to nominate properties for listing or determine eligibility for listing, to list roperties, and to amend existing listings. Response to this request is required to obtain a benefit in accordance with the National Historic Preservation Act, as amended (16 U.S.C. 470 et seq.).

Estimated Burden Statement: Public reporting burden for this form is estimated to average 18.1 hours per response including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding this burden estimate or any aspect of this form to the Chief, Administrative Services Division, National Park Service, P.O. Box 37127, Washington, DC 20013-7127; and the Office of Management and Budget, Paperwork Reductions Project (1024-0018), Washington, DC 20503.

SD	DOT	Br.	No.	34-120-194		
Nan	ne of P	rope	rtv			

NPS FORM 10-900-A (8-86) OMB Approval No. 1024-0018

United States Department of the InteriorNational Park Service

National Register of Historic Places Continuation Sheet

Section number	 Page	1			

Bridge No. 34-120-194 carries an unpaved road across the South Fork of Lonetree Creek about 4 miles east of the City of Tripp. The 21 feet structure consists of one Half-Hip Pratt Pony Truss. It is located in the rural landscape of Hutchinson County.

The bridge was constructed in 1912 by the Federal Bridge Company of Des Moines, lowa. The single span bridge has upper chord which consists of two steel channel sections riveted with a continuous steel cover plate along their upper flanges and batten plates riveted to their lower flanges. The lower chord, verticals and diagonals all consist of two angle sections riveted together with batten plates. The truss sits on a concrete substructure. The plank deck sits on timber stringers which in turn rest on I-beam floor beams. The floor beams are bolted to the superstructure. There is no railing present on the bridge. The integrity of the truss is very good.

SD DOT Br. No.	34-120-194
Name of Property	

NPS FORM 10-900-A (8-86)

OMB Approval No. 1024-0018

United States Department of the Interior National Park Service

National Register of Historic Places Continuation Sheet

Section number	8	Page	2					

Statement of Significance

Bridge Number 34-120-194 is being nominated to the National Register of Historic Places as part of the "Historic Bridges in South Dakota "Multiple Property Nomination. It is related to the historic context of "Historic Bridges in South Dakota, 1893-1943" and is classified with the associated property type for iron and steel frame bridges. The bridge is individually eligible for the National Register under C as Pony Trusses are rapidly disappearing from the South Dakota landscape and this bridges maintains excellent integrity.

At the turn of the 20th century, the homesteading boom west of the Missouri River coupled with the expanded agri-business east of the river let to an increased demand for reliable bridges in South Dakota. Accompanying the increase in bridge construction was the emergence of a pattern of business wherein almost every county in the state seemed to be dominated by a different bridge building company.

This pattern began to be evident in the late-19th century. It grew even stronger after the turn of the century when the counties began turning of the system of awarding annual contracts for bridge work. Most typically, the counties awarded annual contracts to the same firm year after year. This relationship between the counties and the bridge firms was probably due to "pooling," an illegal but common practice across the country at this time. Under pooling arrangements, various bridge building firms agreed to divide states among themselves, assigning particular counties to specific firms. Most firms operating in South Dakota at this time were based out-of-state. This pattern of business remained strong in South Dakota until about 1920 when the State Highway Commission strengthened its control over bridge construction practices in the counties.

The Federal Bridge Company of Des Moines, Iowa was especially active in South Dakota in the early 20th century. Officers of the company were Edwin and Hamilton Carpenter who left the Iowa Bridge Company to form their own company. When the company finally appeared in South Dakota in 1911, the Federal Bridge Company was successful in earning annual bridge contracts in Clay, Douglas, Hanson, Hutchinson and Turner Counties. In each county, the Iowa Bridge had controlled the annual bridge contract until the Federal Bridge Company came on the scene.

After the turn of the century, South Dakota counties began to pay more attention to building permanent bridges over smaller creeks. As a result, many pony trusses were constructed throughout

SD DOT Br. No.	34-120-194	
Name of Property		

NPS FORM 10-900-A (8-86) OMB Approval No. 1024-0018

United States Department of the InteriorNational Park Service

National Register of Historic Places Continuation Sheet

the state. Pony trusses are a variety of the through truss category in that the roadway passes through or between the trusses, but the pony trusses are small enough not to require overhead bracing to resist the force of winds. A Pratt is comprised of vertical members in compression and diagonal members in tension. The Pratt Bridge design was popular only through 1910. As SD DOT Br. No. 34-120-194 was constructed in 1912, it is an exception to the 1910 ending date for Pratt Bridge construction.

In 1990, 305 truss bridges were listed in the South Dakota inventory as being historically significant bridges. Since that time, 49% have been removed/demolished. This bridge type is the most rapidly disappearing bridge in the State. SD DOT Br. No. 34-120-194 is significant under Criterion C as a Half-Hip Pratt Pony Truss with excellent integrity.

SD DOT Br. No.	34-120-194	
Name of Property		

NPS FORM 10-900-A (8-86) OMB Approval No. 1024-0018

United States Department of the InteriorNational Park Service

National Register of Historic Places Continuation Sheet

Section number	9 & 10	Page	4

Bibliography

RTI. Historic Bridges in South Dakota. November 1990.

RTI. Historic Bridges of South Dakota: 1999 Inventory Update. July 2000.

Verbal Boundary Description

The nominated property consists of a rectangle, 17 feet by 21 feet, whose vertices coincide with the outside corners of the bridge abutments at each end of the bridge, and includes only the bridge superstructure and the substructure.

Boundary Justification

Because the bridge is located on a public road, there are no legal boundary lines for the ends of the bridge. Therefore, these boundaries are drawn to encompass only the superstructure and substructure of the bridge itself.