Form 10-300 (July 1969)

Z 0

C

 α

Z

ш ш S

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

STATE:	
Oregon	
COUNTY:	
Hood River	
FOR NPS USE ONL	Υ
ENTRY NUMBER	DATE
MAY 1 5 107	

(Type all entries	s – complete app	licable sections)	MAY 1	5 1974	7		
1. NAME					V 13/4			
C OMMON:								
Cascade L	ocks Marine l	Park						
AND/OR HISTORIC:								
Cascade L	ocks							
2. LOCATION								
STREET AND NUMBER:								
A Marian	A 11111							
CITY OR TOWN:		0:	regon Sed	cond Congress	ional Dist.			
Cascade L	ocks	R	epresenta	ative Al Ullm	an			
STATE		CODE	OŪNTY:		CODE	<u> </u>		
Oregon	97014	41	Hood Riv	ver	027			
3. CLASSIFICATION	T			T	Т			
CATEGORY (Check One)		OWNERSHIP		STATUS	TO THE PUBLIC	С		
District K Building	X Public	Public Acquisition	:	X Occupied	Yes:			
X Site Structure	☐ Private	☐ In Proces	s	Unoccupied	Restricted	ŧ		
☐ Object	☐ Both	Being Co	nsidered	Preservation work	Unrestricted			
				in progress	□ No	1		
PRESENT USE (Check One or M	More as Appropriate)	L		L	<u> </u>	\dashv		
		Park		T		\dashv		
	dustrial	Private Residence		Transportation	Comments			
	ilitary	Religious	, L	Other (Specify)		-		
	useum [Scientific	-			-		
Λ	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, octomine				_		
4. OWNER OF PROPERTY OWNER'S NAME:						<u> </u>		
		,) STATE:		
STREET AND NUMBER:	ascade Locks		owner is	proponent of	nomination	기류		
					1	Oregon		
CITY OR TOWN:			STATE:		CODE	-86 -86		
	Cascade Locks							
5. LOCATION OF LEGAL DESC			<u> Oregon</u>	97014	41	1		
COURTHOUSE, REGISTRY OF						H0		
Hood Rive	r County Cour	t House				Hood		
STREET AND NUMBER:	c occurry cour		1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1			호기		
CITY OR TOWN:			STATE		CODE	ve		
			ļ			Ħ		
Hood River	r		Oregon	97031	41			
6. REPRESENTATION IN EXIST								
TITLE OF SURVEY:						m Z H R		
Statewide	Inventory of	Historic S	ites and	Buildings	<u> </u>	뒮		
DATE OF SURVEY: 1970	0	Federal	X State] Local	z		
DEPOSITORY FOR SURVEY RE	CORDS:			12	i e	RY NUMBER		
Parks and	Recreation S	Section	•		<u> </u>	2		
STREET AND NUMBER:				(E) N/	TIONAL B			
State High	hway Building				GISTER	57		
CITY OR TOWN:	- J		STATE:		CODE			
Sal _{em}			l _{Oregor}	97310	411	D >		
- arem			016801	- 212±K(?)	日日兄ピも仁 士	-		

ESCRIPTION				(Check One)				
	☐ Excellent	▼ Good	☐ Fair	Deteriorate	d Ruins	☐ Unexpos	sed	
CONDITION		(Check O				eck One)		
	★ Altere	•	Unaltered	į	☐ Moved	▼ Original	Site	
ESCRIBE THE PR	ESENT AND ORIG	SINAL (if kn	own) PHYSICAL	APPEARANCE				
The rap near the pr hazard to e an Oregon T Missouri on waters on t necessary f on the Colu portage roa Cascade Loc The Por and fishing portage rai three ident overlooking The hou gable roofs The basemen tongue in s calladian mo over two. The dwe of local tr Situate was the fir used in the mules on afo Several Army Corps Dam, the fir despite the recently co locks is co	ds or case esent site arly piones are less are at the last less are at the last are at the last are of second continually velopment or case are are are at the last are of second continually velopment or case are are are are are are are are are ar	ades the of Cascers who er mana shed to get in the affic to the affic to the ark is the Locks to the ark is th	at interruade Locks tried to m ged to sur death on ir journey o portage s. Out of d, ultimat a reminder ' park dev of the old Oregon Pon Lock Tende Columbia 1904. The oxed corni masonry. indows in indow sash the old nav e others ar the museum the built or It arriv le portage el gates to thed constri	were not egotiate vive the rocks to the Waround the this needely, consof this elopment locks; a y." The rarrang River. y are forces, dorm The origination 1 the gable es are distinct locks are distinct locks.	gation of tonly an incoming them by boar drowned illamette Vis and other truction of evolution. Includes a museum buint museum is head in a rown mal, two-sters, and clinal siding ends are touble-hung ocks is fit at present. Tregon Ponyofic Coast, cade Locks swere remore Columbia ork is still steel rail:	convenience of or raft verland roll in the convenience of the case	e, but a . Many ute from ascading t was features nt of ade Locks foot bri d an earl one of mbankment ings with ront porc ontal th a lights s a museu gon Pony irst to h replacing the U.S. eville canal su spans the	dg y
	e Port of C							<i>j</i> e
	local hist		nocko, co	ICATAC G	2488	unu t	Proof.	
a colonium	10001 11100	~_ <i>,</i> •			er e			
						000 1 1 107.	· · · · · · · · · · · · · · · · · · ·	

SIGNIFICANCE			
PERIOD (Check One or More as	Appropriate)		
☐ Pre-Columbian	16th Century	18th Century	20th Century
☐ 15th Century	17th Century	X 19th Century	
SPECIFIC DATE(S) (If Applicab	le and Known) 1896		
AREAS OF SIGNIFICANCE (Che	eck One or More as Appropri	iate)	
Abor iginal	☐ Education	☐ Political	Urban Planning
☐ Prehistoric	X Engineering	Religion/Phi-	Other (Specify)
☐ Historic	☐ Industry	losophy	
☐ Agriculture	☐ Invention	Science	
☐ Architecture	Landscape	Sculpture	
☐ Art	Architecture	Social/Human-	
☐ Commerce	Literature	itarian	
☐ Communications	Military	☐ Theater	
☐ Conservation	☐ Music	Transportation	

Cascade Locks and Canal ranks as one of the most important aids to navigation developed in Oregon.

Prior to the building of the Barlow road in 1846, all travelers seeking passage to the Lower Columbia River or the Willamette Valley halted at The Dalle disassembled their wagons, loaded them upon rafts, and steering the rude barges down the Columbîa to the Cascades, docked at the Cascades and portaged wagons and goods around the dangerous white water, Shore lines guided the rafts to safety.

Barlow's alternate route through a high pass in the Cascade Range notwithstanding, the Columbia River route continued to be popular both for passengers and for freight. A portage road was constructed in 1856 to accommodate traffic. The Barlow Road through the mountains climbed 425 feet a steep ascent for oxen used to draw cumbersome wagons. Toll roads later permitted the passage of cattle and pack trains, but it was not until 1872 that the Oregon Legislature made an appropriation to construct a road through the gorge. The first modern highway followed portions of the narrow, crooked road built with that appropriation. During the era when mining booms in Idaho and Eastern Oregon made steamboat transportation on the Columbia a lucrative business, the Cascades were again confronted. At water level a wooden-railed portage tramway was built over which cars laden with freight were drawn from the head to the foot of the rapids. This proved so profitable a venture that steel rails replaced the wooden ones, and the "Oregon Pony", the first steam locomotive to operate in Oregon, was imported from San Francisco to draw the cars in 1862.

Ultimately, the government was encouraged to construct a canal and locks at this site to facilitate river traffic. The project was authorized by Congress in 1874. Ball and Platt of New York were selected as contractors, and construction began in 1879. However, it was not until November 5, 1896 that the locks were dedicated and opened for use. The canal was actually not completed until 1914. The total cost of construction was \$3,891,536.83. Delays in the project resulted from reduction of appropriations by Congress winter storms, high water, deep snows and delayed shipments of materials and supplies.

The community grew from a small settlement of Indians and three white famili es in 1853 to a booming construction town. By 1893, there were about 1000 inhabitants, many living in tents, shacks and other temporary buildings. There were many saloons and all the other attractions that went along with There was no church or any regular church services held in town until a stonecutter by the name of William Hoskins organized a Sunday school. It was during this time that the community was frequently called "Whiskey Flat".

9.	MAJOR	BIBLIOGRAPHICAL RE	FERENCES									1
	Corning, Howard McKinley, ed., <u>Dictionary of Oregon History</u> (Portland: Binfords and Mort, 1956), 45.								ds			
	Thomps	son, Peter, "Wha	t's Left Wh	en Whe	ee.	ls Turn,	" <u>Ore</u>	gon Jo	urnal(January	23,	
	Whart	1963), Sec. 2,		*1. · ·	, _ ·	1			_	7 /-		17
	WIIALL	on, Wallace S., 29, 1933), Mag	. Sec., pgs	. 1.5.	٥.	iumbia G	orge,	Ureg	on Jour	nal (C	ctober	\
1	Lock1	ey, Fred, "The C	ascade Lock	s," Or	e	gon Jour	mal,	(1932)	, Sec.	7, p.	2.	10
	McArtl	nur, Lewis A., <u>O</u>	regon Geogr	aphic	Na	ames, (P	ortla	nd: Bi	nfords	and Mo	rt,	1
l		1965), 110-11.										
10	GEOG	RAPHICAL DATA										
		ATITUDE AND LONGITU		- 1	0				POINT OF			1
		ING A RECTANGLE LOCA			R		OF		N TEN AC	RES		-
}	CORNER	LATITUDE Degrees Minutes Seconds	Degrees Minutes			Degrees /	Minutes	Seconds		Minutes		
	NW	45° 40' 24"	121 ° 54 '	01 "		o o	,	second's	o	minutes ,	seconds	A
Ì	NE	45° 40' 24"	121° 53'	17 "								1
	S E SW	45° 39' 56" 45° 39' 56 "	121° 53′	17 "								
Ì			121 - 34 -	<u>U1</u> ·	<u> </u>	5 of wh	ich_1/	1 0 ro	ah ozzo-z	atarli		
٠,		STATES AND COUNTIES	FOR PROPERTI		_		TE OR CO	OUNTY BO	UNDARIE!			
	STATE:			CODE	┤'	COUNTY				•	CODE	
ŀ	STATE:			CODE	+,	COUNTY:		7.5	-+		CODE	İ
					1				Darring	n = 2		
	STATE:			CODE	۱ ۹	COUNTY:		7	interior disconsisterations.		CODE	1
}	STATE:			CODE	+,	COUNTY:			cui 17	1973	CODE	-
	JIAIE.			- 0052	1			Ti j	IATION	AL :		
11. FORM PREPARED BY												
	NAME AN	D TITLE:							ra en esta	1317		
ŀ	<u>Paul F</u> organiz	B. Hartwig	Assista	nt Par	k	Histori	an		DATE	1		
Oregon State Highway Division September 1973												
									ьер	remper	1973	
-		Highway Building	<u> </u>		Is	TATE					CODE	
	Salem_				ı	regon		073	110		,,	
12.	STATE	LIAISON OFFICER CE	RTIFICATION		ľ	NA NA	TIONAL	REGIST	RVERIF	FICATION	1 41	
	As the	designated State Liaiso	on Officer for the	Na-		I hereby c	ertify th	et this or	onerty is	included	in the	
	tional Historic Preservation Act of 1966 (Public Law				I hereby certify that this property is included in the National Register.							
1	89-665), I hereby nominate this property for inclusion in the National Posister and certify that it has been				2 10							
	in the National Register and certify that it has been evaluated according to the criteria and procedures set				- At Marlower							
	forth by the National Park Service. The recommended			Chief, Office of Archeology and Historic Preservation								
	level of significance of this nomination is:				Cinci, emes simensoring, and instrument							
	Na	ational State	k Local		I		C/	1-6	-/			
	1	9 5	1 01			Date	2//	5//	4-			
	√ Name	saye un	aldun	· 		ATTEST:	,		,			
								10	7			
	Title	Director of Tra	ngnortation	1			(,,	-AX	24	1 1		
	Title Director of Transportation				Keeper of The National Register							
	V	1.	7 9				/	- 2	7/	-0-9.01		
	Date 10-10-73					Date 5						ĺ

Form 10-300a (July 1969)

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

Oregon	
COUNTY	
Hood River	
FOR NPS USE ONLY	/
ENTRY NUMBER	DATE
MAY 1 5 1974	

STATE

(Continuation Sheet)

(Number all entries)

Cascade Locks

2. Location

Cascade Locks Marine Park is located in Sec. 12, T. 2 N., R 7 E., of the Willamette Meridian, in Hood River County, Oregon.

8. Significance

Upon completion of the locks, the town came to be known as Cascade Locks. In 1938, the U.S. Army Engineers opened locks at Bonneville Dam, three miles downriver, and the old locks were superseded. Many of the huge out croppings that formed the rapids were blasted out and the site was covered by the Bonneville Dam pool. Shortly after the Second World War, several of the large steel gates at the old Cascade Locks were removed, but the old canal with its fine stone masonry can still be seen.

A modern bridge spans the Columbia just west of, or downriver from Cascade Locks. It occupies a place where, according to Indian legend, a natural "Bridge of the Gods" at one time arched the river. This bridge, for which there is enticing geological evidence, was cast into the river when Tyhee Sahale, the Supreme Being, became angry with his two sons, who had quarreled over the beautiful Loo-wit, guardian of a sacred falme on the bridge. The two sons and the girl, crushed in the destruction of the bridge were resurrected as Mount Hood, Mount Adams, and Mount St. Helens, principal nearby peaks of the mountain range. It was the debris of the legendary bridge which created the rapids, or "Cascades" of the Columbia.

