					PHOO Z	2560
		ES DEPARTMENT OF ATIONAL PARK SER		s	Florida	
	NATIONAL RE	GISTER OF HIS	TORIC PLAC		Palm Beach	· · · · · · · · · · · · · · · · · · ·
	INVENTO	RY - NOMINAT	ION FORM	E	FOR NPS US	EONLY
		es complete app	olicable section			G 1.4 1973
1.	NAME COMMON:					
÷3	The Breakers Hot	tel Complex		ng the h ted cott		:S
2.	LOCATION STREET AND NUMBER:					
	South County Roa	ad		00100000000		
	Palm Beach				istrict	
	STATE		CODE	COUNTY:		CODE
	Florida CLASSIFICATION		12	<u>Palm Be</u>	ach	099
	CATEGORY	1			1	ACCESSIBLE
	(Check One)		OWNERSHIP		STATUS	TO THE PUBLIC
	District X Building	Public	Public Acquisiti		Occupied	Yes:
	Site Structure	🔲 Private [X] Both	In Proc	ess Considered	Unoccupied	Unrestricted
					in progress	□ N•
	PRESENT USE (Check One or	More as Appropriate)	· · · · · · · · · · · · · · · · · · ·		L	I
			Park		] Transportation	Comments
			] Private Reside ] Religious	nce	Other (Specify)	
			] Scientific			
4	OWNER OF PROPERTY					
	OWNER'S NAME: The East Coast	Hotel Co	g/o mbo			
	STREET AND NUMBER:		<u>c/0/111e</u>	Lagier	noter syste	0
	45 Cocoanut Row	<u>/</u>		STATE:		
	Palm Beach			Flori	da (1911	
5	LOCATION OF LEGAL DES			1++0++	/S RECEI	VED SS
	Palm Beach Cour	· · · ·			A III .	Pa
	STREET AND NUMBER:	<u>chouse</u>		<u></u>	NATIO	1973
	CITY OR TOWN:			STATE	- Tegis	TER C
	CITTOR TOWN:			STATE		
	Palm Beach			Flori	da 🕂	12 1
6.	REPRESENTATION IN EXIS	TING SURVEYS				
	Hoffstot-Grunke	Survey				
	DATE OF SURVEY: Marc		Federal	State	County	Local P
	DEPOSITORY FOR SURVEY R					3
	Palm Beach Hist	oric Societ	ty	· · · · · · · · · · · · · · · · · · ·		Ţ
		Whitehall	Way			
	Flagler Museum,	MILLCCHULL	may			
	Flagler Museum, CITY OR TOWN: Palm Beach	mitcenarr	nag	Flori	_	

7.	DESCRIPTION								
					(Chec	ck One)			
	CONDITION	Excellent	X Good	🗌 Fair	Det	eriorated	🔲 Ruins	Unexposed	
1			(Check Or	ie)			(Che	ck One)	
		🔀 Alte	red	Unaltered	I		🔲 Moved	🔀 Original Site	

DESCRIBE THE PRESENT AND ORIGINAL (if known) PHYSICAL APPEARANCE

The Breakers Hotel is the second to bear that name and The building is basically H-shaped, stand on the same site. but closed in on the east side creating the one-story Grand Loggia. The foundation is reinforced concrete with spread footings. There are seven floors above the public rooms in the central pavilion and five floors on the east-west pavilions which flank it. There are 425 guest rooms and 300 servants' rooms. The exterior walls are 8 inch thick interlocking clay tiles which are painted a light buff. These are trimmed with ornamental cast stone with cement mouldings and Interior partitions in the basement are terra cornices. cotta partition tile. On the bedroom floors, gypsum block was used for all partitions, except at stairways and elevator shafts where tile was installed. The frame of the building is reinforced concrete, consisting of floor slabs reinforced in two directions supported by concrete beams and columns carrying down to the spread footings. The towers and wide spans in the main rooms on the ground floor are constructed with structural steel.

The hotel has a porte cochere on the west front which projects from the entrance loggia. It is two stories and framed by large corner piers to which are engaged double cast Corinthian pilasters. Within this rectangular frame, including the entablature and balustraded flat roof above, are three arched openings springing from the entablature block of paired Ionic columns on a common plinth. These openings are balustraded at the ground with large urns incorporated into the balustrade at each bay. The double driveway passes through a pair of similar arched openings on the north and south ends. The ceiling is a stuccoed barrel vault with groined intersections at the arches. The intrados of the arches are decorated with rosettes.

The west entrance loggia extends along the west wall between the two projecting east-west pavilions. White Doric pilasters are engaged to the buff stucco wall opposite the exterior Ionic columns. Concrete pavers are used for the floor. This loggia is stopped on the morth end by the wall of the service wing. On the south it passes across the end of the north porch to the Wheel-Chair patio, an open court paved with concrete pavers and used for the storage of wicker chairs. It is surrounded by an arched cloister framed by rectangular piers and shallow pilasters. On the south and east walls under the groined vaulted ceiling are shops. It is separated from the larger adjacent north porch by larger scaled piers.

The central patio is an open court surrounded by the major public rooms. The main lobby is on the west, the dining room (Con't) S

Form 10-3000 UNITED STATES DEPARTMENT OF THE INTERIOR	STATE Florida	
MECEIVERATIONAL REGISTER OF HISTORIC PLACES	COUNTY	
JUL 3 1973 EN INVENTORY - NOMINATION FORM	Palm Beach	
	FOR NPS USE ONLY	
© NATIONAL (Continuation Sheet)	ENTRY NUMBER	DATE
Continuation Sheet)	AUG 1 4 1979	
(Number all entries)		
7. DESCRIPTION	-2	-

on the north and the Grand Loggia and the promenade on the south. At the west end is a wide balustraded terrace leading to the main lobby. The cast concrete balustrade is set between moulded concrete pedestals. The high arched openings of the lobby wall are set into stuccoed reveals with engaged Ionic columns between the arches. On the north and south walls, rectangular openings are framed by double engaged Ionic columns and a cast concrete balustrade below the window sill. Concrete steps lead up to the doorways on the axis. There is a balustrade all around the central patio, interrupted only by a centrally placed dish-shaped fountain. In the center of the patio is a sunken reflecting pool enclosed by a cast balustrade. A concrete walk surrounds the pool.

At the main entrance on the west front of the hotel are three adjacent arched openings which frame the main entrance doors. A modern revolving door has been installed in the central This is flanked by double doors set deep in the stucopening. The doors are bronze and contain five square panels coed reveal. The doorway to the shopping arcade on the south wall is each. recessed on a porch. Double bronze doors duplicate the main entrance doors on the west. On the east and west walls of the central patio are axially located wooden French doors with fif-They are set into plaster reveals framed by an teen lights each. engaged movable lower section and a fixed top. In the east and west walls of the patio, windows are set into arched openings All bedroom windows on the framed by engaged Ionic columns. upper floors are bronze sash which has successfully replaced the original wood sash.

Imported antique tiles have been used on the hipped roofs, with the exception of the service area, where flat roofs were covered with red shale tile surrounded by cast stone balustrades. Twin towers on the north and south ends of the major bedroom block are located at the intersection with the lower being a square mass with rectangular windows. The octagonal tile-roofed mass encloses an open belfry on the four cardinal compass points. Flag poles are located on the top of each tower.

The Breakers Hotel is one of the few remaining grand hotels with the original public rooms retaining the elegance of a past era. Since it has been in constant seasonal use since it was opened in December of 1926, it has been properly maintained and continues to be in good condition.

(Con't)

Form 10-300a (July 1969)

#### UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

Florida COUNTY

STATE

### NATIONAL REGISTER OF HISTORIC PLACES

# INVENTORY - NOMINATION FORM

Palm Beach FOR NPS USE ONLY

(Continuation Sheet)

ENTRY NUMBER DATE

(Number all entries)

7. DESCRIPTION

-3-

## The Breaker's Cottages

All fourteen of the Breaker's cottages are built in Shingle Style architecture. The Shingle Style became popular during the 1870's and 1880's. The trend was set in Newport, Rhode Island, by H. H. Richardson when he completed the Watts-Sherman House in 1874. The style is noted for its open interior plan and it soon spread to become a favorite style at all the Northeastern seacoast resorts. It was carried to Palm Beach by the same people that had adapted it in the North.

All the Breaker's cottages are of the same architectural style and for that reason, only two are here described in detail.

### The Lotus Cottage

The Lotus Cottage is a two-story frame structure with a finished attic. The central core has a roof with cross gables covered with asbestos shingles. A service lean-to runs the full length of the south side and a double office in the same lean-to style connects the southeast corner with the south wing. Exterior wall surface is hand split around the north half of the house and shows Greek Revival influence by featuring paired Doric half columns. The same columns appear on the north corners of the second floor where the building is recessed and a false balcony is created on either corner. Between the two balconies is a rectilinear bay with two sets of windows. All windows are 6/1 double-hung sash. A bolection cornice is used on the eave of the core building.

The interior is centered around a large hall with an open staircase. The hall traverses the core and off it are the front and middle parlors and the dining room. The hall continues on the second floor with a master bedroom and bath to the east and a series of three interconnecting bedrooms to the west. The hall ends south with a bath. The third floor (attic) has three more bedrooms, a trunk room, a playroom and bath.



STATE
STATE

NATIONAL PARK SERVICE NATIONAL REGISTER OF HISTORIC PLACES

UNITED STATES DEPARTMENT OF THE INTERIOR

**INVENTORY - NOMINATION FORM** 

(Continuation Sheet)

Florida	
COUNTY	
Palm Beach	
FOR NPS USE ONL	Y.
ENTRY NUMBER	DATE
AUG 14	973

DESCRIPTION

Hat 1010-3000

1973

RECEIVE

JUL 3

NATIONAL

REGISTER AL

-4-

# The "Spray" Cottage

This building is in fair condition for the many years of open exposure to the Ocean which it has endured. As a result of the thickness of the paint applied over the years, the sharp mouldings and interstices have all been obliterated.

The house is a modified U-shape resting on rectangular brick piers with lattice infill. Walls on the first floor are white clapboard. This finish is terminated at an 18 inch deep belt course, the top moulding being a continuation of the secondfloor window sills. The corners are terminated by 5 inch corner boards simulating pilasters. Walls of the second floor, as well as the gable wall and dormers are finished with natural finish cedar shakes. The 18 inch cornice at the eave is composed of simpler membering than the belt course below. The structural system of the house is wood frame and not accessible.

There is a brick chimney on the north wall terminating in corbelling and terra cotta chimney pots. A similar one is located at the eastern end of the south wall. There is also a small plain brick chimney on the service wing to the west.

The main entrance door on the east veranda is wood panelled with two vertical panels between the horizontal panels. There is a fixed transom above. The rear west door is modern glass jalousies with a fixed three light transom over the door. All door trim is plain flat wood except for the crown mould located over the head trim.

All windows are double hung sash. Window trim is plain flat jambs, heads and sills except at the second floor where the There is also a sills are a continuation of the belt course. projected crown moulding over the east windows. Dormer windows are framed by small pilasters with simple moulded capital supporting the projected cornice and the raking cornice moulding in the pediment. There are no shutters, but pintles are in place.

The porch across the east front returns around the south side of the house. On the east it consists of four bays defined by paired square pilasters, separated by one baluster and rail. At the second bay from the north the bay is open to the wood steps leading to grade. The main roof and dormers are gabled,

(Con't)

Form 10-300a	UNITED STATES DEPARTMENT OF THE INTERIOR	STATE		
(July 1969)	NATIONAL PARK SERVICE	Florida		
	NATIONAL REGISTER OF HISTORIC PLACES	COUNTY		
INVENTORY - NOMINATION FORM		Palm Beach		
		FOR NPS USE ONLY		
(Continuation Sheet)		ENTRY NUMBER	DATE	
		AUG 1 4 1979		
(Number all entri	ee)	AUG 1 -		

### 7. DESCRIPTION

with a hipped roof over the south one-story wing which appears to have been added. There are asbestos shingles. There is a plain banded cornice under the eaves which projects approximately 12 inches. There is a single dormer on all sides except the west. Side walls are natural stained shingles. Their pedimented cornice and wall is painted white.

The "Spray" is the southernmost of a row of three similar cottages south of The Breakers Hotel. It is bounded on the south and east by an asphalt road with asphalt drives on the north and south. There is a whitewashed wall on the south and a latticed rear yard on the southwest corner. The house faces the Atlantic Ocean on the east and is screened on the west from the Golf Course by Australian pines, which also form a hedge on the west.



-5-

PERIOD (Check One or More as	Appropriate)		
Pre-Columbian	16th Century	18th Century	X 20th Century
15th Century	17th Century	19th Century	
PECIFIC DATE(S) (If Applicab	le and Known) 1925		
REAS OF SIGNIFICANCE (Ch	eck One or More as Appropri	ate)	
Abor iginal	Education	Political	X Urban Planning
Prehistoric	Engineering	Religion/Phi-	Other (Specify)
Historic	Industry	losophy	
Agriculture	Invention	Science	
X Architecture	Landscape	Sculpture	
Art	Architecture	Social/Human-	
Commerce	Literature	itarian	
Communications	Military	Theater	
Conservation	Music	Transportation	

The plight of the present day Breakers Hotel is the same that has befallen the world's other great hosteleries. The building is reflective of a way of life that no longer is It was a strange dichotomy of incredulous granduer, possible. uncomfortable formality and the absence of modern technological luxuries. In the tradition of the wooden structures that preceeded it, the present Breakers Hotel is possibly the most prestigous of all American resort hotels. Its guest lists read like pages from the social register, since guests were screened The Breakers is important to Palm Beach history until lately. because it is contemporary with the Royal Poinciana-the first hotel on the island. It is important to American history in that it epitomizes the Florida Boom years and is one of the last of the great hotels.

More important to modern day Palm Beach than the history and prestige is the existence of the open space known as the Breakers Ocean Golf Course. This is the property lying between Cocoanut Row, S. County Road and Royal Poinciana Way and between S. County Road and the hotel proper. Due to its island nature, Palm Beach available land use is limited. From the beginning this has caused the town to develop a concentrated, tight urban fabric. Complementing and offsetting the close knit pattern are the vast open vistas of ocean, lake and golf courses. It is this delicate balance of solid and void that gives Palm Beach its magnificent and unique urban atmosphere. This was realized by leading urban designers as far back as 1930. Architects Bennett, Parsons and Frost gave their views:

As the privately owned open spaces (empty lots) disappear, the public open space must replace them to preserve the character of Palm Beach.

The Breakers course is the most important of all the island courses simply because it already is and has always been visually a public space. Since it is traversed by the island's main motor artery, Florida AlA, and bordered by two other

9. MAJOR BIBLIOGRAPHICAL REFERENCES	
Garden Club of Palm Beach. <u>Th</u> Bennett, Parsons and Frost Copyright, 1930.	ne Plan of Palm Beach. Chicago: , consulting architects.
Historical American Buildings	Survey. Fla. 223 & 228.
Turner Construction Company. Madison Ave.) New York, Ne	Turner Constructor. (224 w York: February, 1927.
10. GEOGRAPHICAL DATA	
LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY	O DEFINING THE CENTER POINT OF A PROPERTY OF LESS THAN TEN ACRES
CORNER LATITUDE LONGITUDE	LATITUDE LONGITUDE
Degrees Minutes Seconds Degrees Minutes Seconds   NW N26° 43' 04" W 80° 02' 34"   NE 26° 43' 03" 80° 02' 02"   SE 26° 42' 41" 80° 02' 01"	Degrees. Minutes Seconds 0, , , , , , , , , , , , , , , , , , ,
SW 26º 42' 46 " 80° 02' 34"	
APPROXIMATE ACREAGE OF NOMINATED PROPERTY:	105 acres
STATE: CODE	LOUINTY AVENUE
STATE: CODE	JUL 3 1979
STATE: CODE	COUNTY: TO NATIONAL CODE
STATE: CODE	COUNTY:
STATE: CODE	COUNTY: CODE
11. FORM PREPARED BY	l
NAME AND TITLE:	
Roger H. Grunke, Historic Site	s Specialist
ORGANIZATION	DATE
Division of Archives, History,	& Records Mgt. June 16, 1971
STREET AND NUMBER:	
Department of State, The Capito	ol
CITY OR TOWN:	STATE CODE
Tallahassee	Florida 12
12. STATE LIAISON OFFICER CERTIFICATION	NATIONAL REGISTER VERIFICATION
As the designated State Liaison Officer for the Na-	
tional Historic Preservation Act of 1966 (Public Law	I hereby certify that this property is included in the
89-665), I hereby nominate this property for inclusion	National Register.
in the National Register and certify that it has been	$\mathcal{D}_{1} \vee \mathcal{Y}_{1}$
evaluated according to the criteria and procedures set	Clahor Pro Atlino
forth by the National Park Service. The recommended	Director, Office of Archeology and Historic Preservation
level of significance of this nomination is:	
National State X Local	V. I
A han in	Date 0/14/23
Name Value Manager	
y yay wy www.	ATTEST:
Title State Liaison Officer	10m Munite
	Keeper of The National Register
Date June 26, 1973	Date 7 30 73
ι	GPO 931-894

\_ z S -刀 C n -\_ Ο Ż S

S ш ш

V

Form	10-300a
(July	1969)

#### UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

## NATIONAL REGISTER OF HISTORIC PLACES

## INVENTORY - NOMINATION FORM

	AUG 1 4 1973					
ENTRY NUMBER DA						
	FOR NPS USE ONLY					
	Palm Beach					
	COUNTY					
	Florida					
	STATE					

(Continuation Sheet)

(Number all entries)

8. STATEMENT OF SIGNIFICANCE

-2-

important arteries, it can be viewed from the street and therefore, it is appreciated more than those courses which are surrounded by buildings or screened from view by hedging. Likewise, its loss would be more greatly felt. The golf course space is essential to the character of Palm Beach, not in its function as a golf course but rather in the scale of negative relief to positive space it provides to the town as a whole.

At the turn of the century Palm Beach society was known as "the cottage colony." Yearly visitors to the island began to find hotel rooms too small and inadequate for their expanding Mr. Flagier responded by constructing a series of needs. cottages on the ocean and one near Whitehall that could be rented for the season. Although an entire family would frequently occupy a cottage, even to the point of bringing their own household staff, social activities continued to revolve around the hotel, as the cottages were very much a part of the Florida East Coast Hotel System. The hotel cottages became so popular that individuals began to erect their own cottages on town lots. It was to such a cottage on Chilean Avenue that Paris Singer brought Addison Mizner in 1918, to recuperate from pneumonia. The shingle cottage was the first stage of private development that Palm Beach went through. Such cottages remain scattered throughout the town today.

