

MULTIPLE RESOURCES OF GREENVILLE

BUTLER COUNTY, ALABAMA

Historic name: South Greenville Historic District

Address: Herbert St. - 101-305; Dunklin St. - 200-311; Walnut St. - 506;
Milner St. - 305-310; Caldwell St. - 112-205; Church St. 202-309;
Park St. - 300-351; Pine St. 215-348; Hickory St. 212-351; Parmer
St. - 402; S. Conecuh St. 210-301

Acreage: 80

Verbal Boundary: See enclosed scaled map.

UTM:	A-16/536/180-3521/290	J-16/535/300-3521/360
	B-16/536/230-3521/060	K-16/535/410-3521/340
	C-16/536/240-3520/840	L-16/535/550-3521/300
	D-16/536/240-3520/780	M-16/535/600-3521/320
	E-16/535/960-3520/740	N-16/535/780-3521/320
	F-16/535/640-3520/800	O-16/535/930-3521/320
	G-16/535/540-3520/860	P-16/536/020-3521/320
	H-16/535/300-3521/110	Q-16/536/060-3521/320
	I-16/535/280-3521/300	

Statement of Significance:

Criterion B - Commerce

The South Greenville Historic District is significant for its association with several 19th and 20th century merchants who lived within the district area.

James Hilliard Dunklin (#19) who operated a banking establishment, cotton warehouses and a mercantile business in Greenville during the mid-19th century and was elected president of the Alabama Board of Commerce.

W. J. Beeland (#27), R. A. Beeland (#19) and L. J. Beeland (#84) who owned and operated the largest mercantile store in Greenville, the Beeland Brothers Mercantile Company, during the late 19th and early 20th century.

Other important merchants who are associated with houses in the district include, R. A. Lee (#81), Jefferson Beeland (#81), Charles Neuman (#19) and J. R. Abrams (#18).

Criterion B - Government and Politics

The South Greenville Historic District is significant for its association with several government and political leaders of Greenville and Butler County.

James Hilliard Dunklin (#19) who served in the Alabama State Senate in 1876.

Dempsey Monroe Powell (#53) a noted Greenville attorney and was elected to two terms in the Alabama State Senate from Butler County in 1900 and 1903.

John Lee Long (#125A) who served in Greenville as a city councilman, treasurer and member of the school board. He also served as chairman of the Butler County Democratic Executive Committee, was a member of the State executive committee and chairman of the Congressional executive committee. He also was a delegate to the constitutional convention of 1901 and chairman of the State Tax Commission from 1911-1913.

Criterion B - Transportation

The South Greenville Historic District is significant for its association with two members of the community who were instrumental in the development of the railroad through Greenville: John Hilliard Dunklin (#19) who was a charter member of the Mobile and Montgomery Railroad when it was founded in the early 1850's and John T. Milner (#83) who was elected chief surveyor and engineer of the company in 1858 and in that capacity until his retirement from the railroad in 1872.

Criterion C - Architecture

The South Greenville District represents Greenville's largest 19th and early 20th century moderate income residential area (c 1850-1936). Architectural styles exhibited in the district are good examples of Greek Revival, Queen Anne, Arts and Crafts, French Creole, Colonial Revival and Bungalow-type cottages. Also included is a fine Gothic Revival Episcopal Church (1896) and an eclectic Victorian Methodist Church (c 1880).

Description:

The South Greenville District comprises Greenville's largest collection of 19th and early 20th century residential architecture. The district is characterized by largely middle class housing exhibiting Queen Anne, Greek Revival, Bungalow, Gothic Revival, Arts and Crafts, French Creole, and Colonial Revival architectural styles. Also included are numerous vernacular cottages and two turn of the century churches, one of which is late eclectic Victorian and the other is Gothic Revival. The houses, for the most part, are relatively modest and placed close to the narrow streets on lots of one-fourth of an acre or less. Scattered throughout the district are a few larger Queen Anne style homes situated on slightly larger corner lots.

Historical Summary:

The South Greenville Historic Residential District developed southward away from the main commercial area of Greenville, which was located around the courthouse around 1850. The earliest survey plat map of Greenville which dates from August 1854, indicates that the lots that faced Walnut Street were the southern limits of development at that time. Located at the extreme southwest boundary of the town was located the community burial ground. The first community church in Greenville is believed to have been located at the western edge of the plot and was later removed to make room in the cemetery which expanded to cover the area between Walnut street and what is now Danklin Street. The cemetery now called Pioneer Cemetery (#139) contains the remains of many of Greenville Pioneers and includes the grave of Captain Samuel Butler for whom Butler County is named. Butler's body was exhumed from its original burial site in the county and was reinterred in the cemetery with great ceremony in 1858.

During the late 1850's the residential area within the district boundaries was located primarily around Herbert Street with some development on Caldwell, Church, and Hickory Streets. The houses were situated in many cases on large lots as there had been little or no street development south of Walnut Street. During the 1850's development in this section was aided by the introduction of rail service into the

town. This introduction created a boom period in commercial development as well as residential building. The houses constructed during this period were primarily for merchants and tradesmen such as James Hilliard Dunklin (#19) who operated a drugstore in the rapidly developing commercial area around the railroad depot: the Abrams House (#18) which was built for Reverend Jonathan Bell but was purchased shortly afterwards by local merchant J. R. Abrams and the Lobman-Herbert House (#17) which was built by Henry Lobman, a German emigrant who operated a furniture factory in Greenville. Also constructed during this period was the Milner-Spier House (#83) which was built for John T. Milner who served as chief surveyor and engineer for the Mobile and Montgomery Railroad and who also was involved in the timber industry in Butler County.

Following the Civil War development in the area occurred at a relatively slower pace caused primarily by the depressed economic condition of the area. The best examples of development during this period include the Lee-Beeland House (#81) on Dunklin Street and the Hammond-Cumbie House on South Park Street (#42).

During the late 19th and the beginning of the 20th century the development continued in its southward movement. A continuation of the earlier trends were seen as a large number of houses were built for professionals, primarily merchants, as well as some for doctors and lawyers. Most were of relatively modest scale and detail and reflected the Victorian Cottage from which was in vogue during the period as may be seen in inventory (#1) and (#12).

The houses within the district which date from this period of development closely conform to John Buckner Littles description of Greenville housing of the late 1880's:

"The private residences are mostly neat, comfortable and substantial structures of the cottage order of architecture and are especially adapted to this locality and climate. But few are of the palatial order. All, however, impress the deserver with the fact that they are constructed in accordance with the most improved patterns of workmanship and are built for beauty of design and far great convenience to those who occupy them."


This development of moderate sized housing continued into the first decade of the 20th century with the best example of this development being located along South Park Street where such Greenville merchants as A. W. Metcalf (#88) and Henry Seale (#40 & #55) as well as Dr. J. L. Bryan (#57) constructed houses along the street. Other examples in the district of early 20th century development on a larger scale is the Beeland-Mallett House (#84) on the corner of Hickory and Danklin Street which was built for local merchant L. J. Beeland in 1901 and Inventory (#118) located at 252 South Conecuh Street.

Two major Greenville Churches were built within the district area during the 1880's and 1890's. The First Methodist Church (#34) was constructed during the early 1880's. The roof was destroyed during a 1901 fire and was replaced and the present two tower configuration added during the repair and renovation of the building in 1902. In 1896 the St. Thomas Episcopal Church (#23) was constructed on the site of the frame Episcopal Church building which was located beside the rectory (#24) which was erected during the 1880's. Construction of the church was overseen by Rector G. R. Upton who supervised both the laying of brick as well as the selection of timber for use in the building.

The development of the district was largely complete by 1910. There were, however, a number of bungalow type houses added to the districts after that time. The most notable of these is the Kate Judge House (#22) located on Herbert Street beside the St. Thomas Episcopal Church. According to an article in the Greenville Advocate of July 21, 1909, this house was built by contractor B. F. Jones and was the first of its type ever constructed in Greenville. Other notable bungalows include inventory #75 located at 3335 Pine Street and inventory #123 located at 269 South Conecuh Street.

United States Department of the Interior
National Park Service

National Register of Historic Places
Inventory—Nomination Form



Continuation sheet

MRN #26

Item number 7


Page 1

BUILDINGS AND SITES WHICH CONTRIBUTE TO THE CHARACTER OF THE SOUTH GREENVILLE
HISTORIC DISTRICT

1. 310 Milner St.: c. 1890; one-story frame w/ steep gable roof, projecting cross gable over end bay, full width front porch w/ 8 slender square columns on brick piers, porch has brackets and balusters, two separate entrances one w/ transom and one w/ transom and sidelights. Roll 4, Neg. 9.
3. 211 Church St.: c. 1900; one-story, gable roof w/ cross gable end bay extension slant roofed porch w/ fluted columns, two interior chimneys. Roll C, Neg. 13.
4. 112 Caldwell: c. 1895; Greek Revival, one-story frame, low hipped roof, porch across entire facade supported by six Ionic columns, central entry w/ transom and sidelights flanked on either side by a pair of French doors, two interior and two exterior chimneys. Roll 4, Neg. 7.
6. 307 Milner St.: c. 1910; two-story frame, hipped roof, one-story flat roofed porch across entire facade supported on 7 Ionic columns, single central entry w/ transom and sidelights, one exterior end chimney. Roll 4, Neg. 8.
7. 305 Milner St.: c. 1920; one-story frame cottage, hipped roof, two interior chimneys, small front portico. Roll 16, Neg. 3.
8. 200 Caldwell St.: c. 1890; one-story frame, gable tin roof w/ projecting cross gable end bay, hip roofed corner porch on two sides, three entries, bay window in projecting end bay. Roll 4, Neg. 5.
9. 204 Caldwell St.: c. 1900; one-story frame, hipped roof w/ cross gable projecting octagonal end bay, slant roofed porch w/ modern metal supports on brick piers. Roll 4, Neg. 4.
11. 203 Caldwell St.: c. 1900; one-story frame, low pitched hip roof, low pitched hipped roof porch, double front entry, one interior and one exterior chimney. Roll 4, Neg. 6.
12. 205 Caldwell St.: c. 1900; one-story frame, gable roof w/ cross gable dormer and projecting end bay, fish scale shingles on gable ends, wrap-around porch w/ slender turned columns and scroll saw trim, one interior chimney. Roll 4, Neg. 3.
13. 206 Herbert St.: c. 1925; one-story frame, gable roof, one interior and one exterior chimney, glass enclosed porch. Roll C, Neg. 14.

United States Department of the Interior
National Park Service

National Register of Historic Places
Inventory—Nomination Form



Continuation sheet

MRN #26

Item number 7

Page 2

14. 202 Herbert St.: c. 1850; one-story frame, low hipped roof, flat roofed portico. Roll 3, Neg. 12.
15. 305 Herbert St.: c. 1850; one-story frame cottage, gable roof, cross hipped roof extension over small portico, two exterior chimneys, central entry w/ transom. Roll 2, Neg. 17.
16. 211 Herbert St.: c. 1915; two-story frame, gable roof w/ projecting center cross gable bay w/ Tudoresque features, center bay is brick. Roll 3, Neg. 9.
18. 201 Herbert St.: c. 1875; French Creole, two story; lower floor plastered brick, upper floor frame, hipped roof w/ kicked eaves, low hipped roofed two story, double porch across entire facade, lower porch supported on square brick piers, upper porch supported by slender wooden columns, two end exterior chimneys both of which have upper halves removed and capped, central entries on both first and second floor levels each w/ transom and sidelights. Roll 3, Neg. 10 and 11.
19. 111 Herbert St. (Dunklin-Beeland-Frankes House): c. 1850; Greek Revival, one-story frame, hipped roof, front portico w/ Tuscan columns, central entry w/ transom and sidelights, rear and side additions. Roll 3, Neg. 13 and 14.
20. 105 Herbert St.: c. 1920; Tidewater Cottage, one-and-a-half story frame, gable roof w/ three cross gable dormers, flat roofed portico topped w/ metal balustrade, central entry w/ transom and sidelights, flat roofed side wings. Roll 3, Neg. 15.
21. 101 Herbert St.: c. 1920; Neo Classical Revival cottage, one story frame, gable roof w/ cross gable projection over front portico, two exterior chimneys, one interior chimney. Roll 3, Neg. 16.
22. 108 Herbert St.: c. 1920; one story frame, gable roof w/ cross gable over porch supported by square columns. Roll 16, Neg. 7.
23. 210 Church St. (St. Thomas Episcopal Church): 1896; Gothic Revival, one story brick church w/ multigabled roof, Gothic arched entries and stained glass windows, decorative brick buttresses around main block of church, later side additions, buttressed side bell tower on one corner of main block. Roll 16, Neg. 8 and 9.
24. 210 Church St.: c. 1900; two story ell-shaped frame, pedimented gable roof w/ cross gable projecting end bay, slant roofed one-story porch in corner of ell, shed roofed one-story side addition. Roll 4, Neg. 12.

**United States Department of the Interior
National Park Service**

**National Register of Historic Places
Inventory—Nomination Form**



Continuation sheet

MRN #26


Item number 7

Page 3

25. 208 Church St.: c. 1920; one story frame, gable roof; gable roof over porch w/ two sets of triple columns and two single columns on brick piers, jalousied half porch, three interior chimneys. Roll 16, Neg. 10.
26. 202 Church St.: c. 1900; one-and-a-half story frame, gable roof w/ cross gable extensions, one story, partially enclosed wrap around porch. Roll 4, Neg. 10.
27. 301 Church St.: c. 1900; one story frame, hipped roof, wrap around porch w/ round columns small gabled portico over entry, two exterior and one interior chimney. Roll 16, Neg. 11.
28. 305 Church St.: c. 1900; one-and-a-half story frame, hipped roof w/ cross gable dormer and corner octagonal turret w/ cone roof, one story flat roofed wrap around porch supported by ten Ionic columns, double leaf entry w/ transom and sidelights. Roll 3, Neg. 32.
29. 309 Church St.: c. 1900; one-story frame, gable roof w/ cross gable rear wing, low hip roofed wrap around porch, one exterior and one interior chimney, central entry w/ transom and sidelights. Roll 3, Neg. 33.
30. 213 Church St.: c. 1900; one-story frame, hipped roof w/ multi-cross gable extensions, enclosed wrap around porch, two interior chimneys. Roll 4, Neg. 13.
34. P. O. Box 551, Greenville on S. W. corner of Walnut and Park St. (Methodist Church): c. 1880; one story brick church w/ gable roof flanked on both sides by bell towers, arched entries and stained glass windows, later brick office addition connected to the main block by an arcaded breezeway. Roll 16, Neg. 15, 16 and 17.
36. 300 Park St.: c. 1900; one-story frame gable roof w/ cross gable end extension, gable roofed rear addition w/ separate entry, flat roofed front portico w/ slender square columns, one interior and three exterior chimneys. Roll 4, Neg. 25.
37. 306 Park St.: c. 1900; one-and-a-half story frame, steep hipped roof w/ center cross gable dormer, flat roofed porch across entire facade, flat roofed side addition, two exterior and two interior chimneys, central entry w/ transom and sidelights. Roll 4, Neg. 23.
38. 310 Park St.: c. 1900; one-story frame, gable roof w/ center cross hipped dormer and cross gable end bay extension, flat roofed portico topped w/ balustrade, side porte cochere, two interior chimneys w/ chimney pots. Roll 4, Neg. 21.

United States Department of the Interior
National Park Service

National Register of Historic Places
Inventory—Nomination Form



Continuation sheet

MRN #26


Item number 7

Page 4

39. 312 Park St.: c. 1910; two-story frame, hipped roof w/ cross hipped extensions, flat roofed one story porch wrapping around two sides of house, porch supported by clustered columns, entry has transom and sidelights. Roll 4, Neg. 19.
41. 320 Park St.: c. 1910; one story frame, pyramidal roof w/ cross gable over projecting end bay, one story flat roofed porch wrapping around two sides of house, bay window in projecting bay. Roll 4, Neg. 26.
42. 332 Park St. (Hammonds-Cumbie House): C. 1850; one story frame, gable roof w/ cross gable rear extension, recessed front porch across entire facade, Victorian porch columns and decorative elements, four exterior chimneys and one interior chimney. Roll 4, Neg. 15.
43. 336 Park St.: c. 1910; one story frame, gable roof, cross gable roof over porch w/ square columns, one interior chimney. Roll 16, Neg. 18.
44. 340 Park St.: c. 1910; one story frame, gable roof w/ cross gable projecting end bays, flat roofed portico w/ iron columns between projecting end bays, center door w/ sidelights. Roll 16, Neg. 19.
45. 342 Park St.: c. 1910; one story five bay frame, gable roof flanked on either end by exterior brick chimneys, shed roofed front porch supported by thin wooden posts. Rolls 16, Neg. 20.
46. 346 Park St.: c. 1900; one story frame, hipped roof, slant roofed porch w/ iron columns, two interior chimneys. Roll 16, Neg. 21.
49. 345 Park St.: c. 1920; one story frame w/ hipped roof, hipped gable front screened porch supported by square columns, one interior chimney. Roll 16, Neg. 23.
51. 337 Park St.: 1900; one story frame, hipped roof w/ gable extensions over side wings, low hipped roof over porch in corner created by main block and one wing, one interior and one exterior chimney. Roll 6, Neg. 7.
52. 335 Park St.: c. 1920; one story frame, gable roof w/ cross gable over porch and side addition, modern pierced metal porch supports. Roll 16, Neg. 24.
53. 329 Park St.: c. 1900; one story frame, multigabled roof, flat roofed porch wrapped around three sides of house, center entry w/ transom and sidelights. Roll 4, Neg. 14.

United States Department of the Interior
National Park Service

National Register of Historic Places
Inventory—Nomination Form



Continuation sheet

MRN #26


Item number 7

Page 5

56. 315 Park St. (Thomas-Major-Talbert House): c. 1860; one story frame, gable roof w/ center dormer over older front portion of house, steep pyramidal and gable roofs over later rear additions, flat roofed wrap-around porch, central entry w/ transom. Roll 4, Neg. 18.
57. 309 Park St.: c. 1910; one story frame, steep truncated pyramidal roof w/ dormer and cross gable projections, slant roofed wrap-around porch, central entry w/ transom and sidelights. Roll 4, Neg. 20.
58. 305 Park St.: c 1910; one-and-a-half story frame, steep truncated pyramidal roof w/ three large gable dormers, flat roofed wrap-around porch, two interior chimneys, center entry w/ transom. Roll 4, Neg. 22.
59. 301 Park St.: c 1910; two story frame, gable roof w/ center cross gable dormer, one story low hipped wrap-around porch supported by slender round columns on brick piers, central entry w/ transom and sidelights. Roll C, Neg. 15.
60. 216 Pine St.: c 1930; one story frame, gable roof, porte cochere. Roll 16, Neg. 26.
66. 318 Pine St.: c 1900; one story frame steep hipped roof, low hip roofed wrap-around porch, two interior chimneys, center entry w/ transom and sidelights. Roll 6, Neg. 17 and 25.
67. 320 Pine St.: c 1900; one story frame, truncated pyramidal roof, arched small portico over central entry w/ transom and sidelights. Roll 6, Neg. 23.
69. 334 Pine St.: c 1935; one story frame, gable roof w/ cross gable extensions, one exterior and one interior chimney, porte cochere. Roll 16, Neg. 31.
70. 336 Pine St.: c 1935; one story frame, gable roof, wrap-around porch, one exterior chimney. Roll 16, Neg. 32.
71. 340 Pine St.: c 1935; one story frame, gable roof w/ projecting cross gable, slant roofed porch supported by iron columns, exterior chimney, slant roofed rear extension. Roll 16, Neg. 33.
73. 345 Pine St.: c 1850; Greek Revival one-and-a-half story frame, gable roof, recessed front porch w/ six square columns, entry has transom and sidelights. Roll 16, Neg. 35.

United States Department of the Interior
National Park Service

National Register of Historic Places
Inventory—Nomination Form



Continuation sheet

MRN #26

Item number 7

Page 6

75. 333 Pine St.: c 1910; one story frame, gable roof w/ center dormer attic vent, recessed porch w/ five square columns. Roll 16, Neg. 36.
77. 323 Pine St.: c 1900; one story frame w/ hipped roof w/ center cross gable dormer, shed roofed porch across facade w/ six thin columns and overhanging metal awning, two interior chimneys. Roll 17, Neg. 2.
78. 319 Pine St.: c 1910; one story frame, pyramidal roof w/ gabled attic dormer vent, flat roofed wrap around porch supported by ten square columns, center entry has transom and sidelights. Roll 21, Neg. 3.
80. 311 Pine St.: c 1900; one story frame, gable roof w/ cross gable projecting end bay, shed roofed porch across entire facade supported by square columns. Roll 21, Neg. 4 and 5.
82. 304 Dunklin St. (Lee-Beeland-Speir House): c 1860; two story frame, gable roof w/ cross gable projecting end bay, recessed balcony under cross gable roof extension, cantilevered second floor balcony projecting from one gable end, slant roofed front porch located in ell formed by main block and projecting end bay, entry has transom and sidelights. Roll 3, Neg. 30.
83. 215 Pine St.: c 1910; Queen Anne one-and-a-half story frame, steep hip roof w/ two cross gable dormers, turret w/ conical roof on one corner, wrap around porch supported by slender columns on brick piers, entry has transom and sidelights. Roll 6, Neg. 12 and 13.
84. 310 Dunklin St.: c 1855; two story frame, gable roof, one story low hip roofed wrap around porch w/ small projecting pedimented extension over entry which has transom and sidelights, one story side wing. Roll 3, Neg. 29.
87. 212 Hickory St.: c 1930; one story frame, gable roof, cross gable roofed porch w/ two paired and two triple clustered square columns on brick piers. Roll 17, Neg. 6.
89. 312 Hickory St.: c 1920; Bungalow, one story frame, hip roof w/ cross gable porch roof supported by tapered square columns, interior chimney. Roll 21, Neg. 11 and 12.
92. 328 Hickory St.: c 1925; one story brick, gable roof, cross gable over front porch, slant roofed rear extension, one exterior chimney. Roll 17, Neg. 9.
93. 330 Hickory St.: c 1920; one story frame, gable roof, side wing, shed roofed wrap around porch, one exterior chimney. Roll 17, Neg. 10.

United States Department of the Interior
National Park Service

National Register of Historic Places
Inventory—Nomination Form



Continuation sheet

MRN #26


Item number 7

Page 7

96. 340 Hickory St.: c 1900; one-and-a-half story T-shaped frame, gable roof w/ projecting cross gable end bay, one cross gable dormer, slant roofed front porch in angle of T, porch supported by modern metal supports on brick piers, two front entries. Roll 3, Neg. 21.
97. 402 Parmer St.: c 1900; one story frame, steep hipped roof, slant roof porch across entire facade, central entry w/ transom and sidelights. Roll 3, Neg. 19.
98. 351 Hickory St.: c 1900; one story frame, double hipped roof, flat roofed front and side porches w/ Doric columns, extended gable roof over porch steps, four interior chimneys. Roll 3, Neg. 20.
100. 343 Hickory St.: c 1920; one story frame, gable roof, gabled hood over entry. Roll 17, Neg. 18.
103. 333 Hickory St.: c 1910; one story frame, pyramidal roof w/ clipped cross gable extension over front porch, two pairs of side exterior chimneys. Roll 3, Neg. 23.
104. 327 Hickory St.: c 1910; one story ell-shaped frame, mansard roof w/ projecting gable front and rear wings, small portico in angle of ell over entry w/ transom, three exterior chimneys. Roll 3, Neg. 24.
105. 323 Hickory St. (Corry-Morton House): c 1850; Greek Revival cottage, one story frame, hipped roof, recessed front porch across entire facade supported by six square columns, two exterior chimneys on one side, entry has transom and sidelights. Roll 3, Neg. 25.
107. 311 Hickory St.: c 1895; one story frame, gable roof w/ cross gable center dormer, gable roofed rear addition, low hip roofed front porch, four exterior and one interior chimneys, center front entry w/ transom and sidelights. Roll 3, Neg. 27.
117. 248 S. Conecuh St.: c 1920; one story frame, hipped roof, low hip roofed front porch w/ double and triple clustered columns on brick piers, center entry w/ transom and sidelights. Roll 5, Neg. 18.
118. 252 S. Conecuh St.: c 1910; Queen Anne, one story frame, hipped roof w/ cross gable dormers, wrap around porch w/ turret on one corner supported by twenty-two Ionic columns, porte cochere, three interior chimneys, entry has transom and sidelights. Roll 5, Neg. 17.
121. 268 S. Conecuh St.: c 1900; one story ell-shaped frame, gable roof w/ cross gable projecting octagonal bay, low hipped porch wrapping around two sides of house two interior chimneys. Roll 5, Neg. 14.

United States Department of the Interior
National Park Service

National Register of Historic Places
Inventory—Nomination Form



Continuation sheet

MRN #26


Item number 7

Page 8

124. 267 S. Conecuh St.: c 1910; one story frame, steep hipped roof, flat roofed wrap around porch supported by paired Ionic columns on brick piers, double leaf entry w/ transom and sidelights. Roll 5, Neg. 16.
125. 263 S. Conecuh St.: c 1930; one story frame, hipped roof, cross gable roofed porch w/ three sets of paired columns on brick piers, shed roof over rear extension. Roll 17, Neg. 36 and 37.
126. 251 S. Conecuh St.: c 1925; one story frame, gable roof, gable roofed porch supported by concrete columns, two interior chimneys. Roll 21, Neg. 13 and 14.
127. 247 S. Conecuh St.: c 1910; one story frame, steep hipped roof w/ center cross gable louvered dormer, low hip roofed porch across entire facade supported by clustered columns on brick piers, center entry w/ transom. Roll 5, Neg. 19.
128. 239 S. Conecuh St.: c 1920; one story frame, hipped roof, shed roofed front porch supported by paired square columns on brick piers, side porch, two exterior chimneys, entry has transom and sidelights. Roll 18, Neg. 2.
130. 231 S. Conecuh St.: c 1920; one story frame, gable roof, cross gable over porch supported by four square columns on brick piers, one exterior side chimney. Roll 18, Neg. 4.
133. 225A S. Conecuh St.: c 1920; one story frame, gable roof, shed roof side extensions, shed roofed porch w/ three square columns. Roll 18, Neg. 10.
134. 225 S. Conecuh St.: c 1925; one story frame, gable roof, metal shed roof porch w/ three columns. Roll 18, Neg. 9.
136. 225C S. Conecuh St.: c 1920; one story frame, galbe roof, hip roofed porch, one exterior chimney. Roll 18, Neg. 7.
137. 213 S. Conecuh St.: c 1930; one story frame, gable roof, hipped roof porch w/ four square columns, one exterior chimney. Roll 18, Neg. 11.
138. Corner of Walnut and Park Streets (Pioneer Cemetery): 1820s; early rectangular burial ground w/ unusual cast iron and seashell burial mounds surrounded by cast iron fence, some cast iron fenced family burial sites inside main fence. Roll 21, Neg. 15-29.
139. 406 Walnut St.: c 1910; one story frame, gable roof flanked on either end by stuccoed exterior chimneys, large center cross gabled louvered dormer, low hip roofed porch across entire facade supported by Ionic columns, porch has denticulated entablature. Roll B, Neg. 10.

**United States Department of the Interior
National Park Service**

**National Register of Historic Places
Inventory—Nomination Form**



Continuation sheet

MRN #26

Item number 7


Page 9

BUILDINGS WHICH CONDITIONALLY CONTRIBUTE TO THE CHARACTER OF THE SOUTH GREENVILLE
HISTORIC DISTRICT

31. 107 Dunklin St.: c 1920; one story frame w/ asbestos siding, gable roof, slant roofed hood over entry. Roll 16, Neg. 12.
32. 109 Dunklin St.: c 1930; one story frame w/ asbestos siding, gable roof, small gable roofed side porch. Roll 16, Neg. 13.
33. 111 Dunklin St.: c 1930; one story frame w/ asbestos siding, gable roof. Roll 16, Neg. 14.
35. 346 Pine St.: c 1900; one story asphalt siding, gable roof w/ shed roofed front porch and front addition, porch supported by square columns, one interior chimney. Roll 21, Neg. 1 and 2.
40. 316 Park St.: c 1900; one story frame w/ asbestos siding, hipped roof w/ cross gable over projecting octagonal end bay, slant roofed front porch, one interior and one exterior chimney. Roll 4, Neg. 17.
47. 350 Park St.: c 1920; one story frame w/ asbestos siding, gable roof w/ cross gable end bay projection, slant roof porch w/ square columns. Roll C, Neg. 16.
48. 349-351 Park St.: c 1920; one story frame duplex w/ asbestos siding, slant roof porch w/ four square columns, two front entries, two interior chimneys. Roll 16, Neg. 22.
55. 317 Park St.: c 1900; one story frame w/ asbestos siding, truncated pyramidal roof, projecting cross gable end bay, cross gable and hipped gable dormers, recessed corner porch. Roll 4, Neg. 16.
61. 200 Dunklin St.: c 1930; one story frame w/ asbestos siding, gable roof, hip roofed porch. Roll 16, Neg. 27.
62. 202 Dunklin St.: c 1930; one story frame w/ asbestos siding, gable roof, hip roofed porch. Roll 16, Neg. 28.
64. 310 Pine St.: c 1900; one story vinyl siding w/ steep pitched hipped roof w/ front center cross gable dormer, low pitched hipped front porch enclosed with glass jalousie, one story gable roofed rear addition. Roll 16, Neg. 29.

United States Department of the Interior
National Park Service

National Register of Historic Places
Inventory—Nomination Form



Continuation sheet

MRN #26


Item number 7

Page 10

65. 314 Pine St.: c 1920; one story frame w/ asbestos siding, gable roof w/ projecting side dormer and end bay, slant roof corner porch w/ six square columns on brick piers, one interior chimney w/ double chimney pots. Roll 6, Neg. 16.
72. 348 Pine St.: c 1920; one story asphalt siding, gable roof, shed roofed front porch partially enclosed, one interior chimney. Roll 16, Neg. 34.
74. 337 Pine St.: c 1910; one-and-a-half story frame, gable roof w/ projecting cross gable end bay, two dormer windows, shed roofed porch across entire facade w/ six square support posts, one gable end exterior chimney. Roll 17, Neg. 1.
76. 327 Pine St.: c 1910; one story frame w/ asbestos siding, gable roof w/ center cross gable dormer, slant roofed porch w/ turned columns, two interior chimneys, slant roofed side porch. Roll 6, Neg. 22.
79. 315 Pine St.: c 1920; one story frame w/ asbestos siding, gable roof, cross gable over porch. Roll 17, Neg. 3.
85. 304 Hickory St. (Beeland-Mallet House): 1901; Queen Anne, one-and-a-half story aluminum siding, steep hipped roof w/ cross gable extensions and dormers, two turrets w/ cone roofs, low hipped wrap-around porch supported by slender columns on brick piers, two interior chimneys. Frank Lockwood, Sr., Architect, Roll 3, Neg. 28.
90. 318 Hickory St.: c 1900; one story ell-shaped frame, gable roof w/ projecting cross gable end bay, shed roofed porch in corner of ell, transom over entry. Roll 3, Neg. 26.
94. 334 Hickory St.: c 1850; Greek Revival, one story asbestos siding, shallow hipped roof, slant roofed porch across entire facade, two pairs of exterior side chimneys. Roll 17, Neg. 11.
95. 338 Hickory St.: c 1920; one story frame w/ asbestos siding and brick veneer, gable roof, modern front porch. Roll 17, Neg. 12.
99. 345 Hickory St.: c 1930; one story frame w/ asbestos siding, gable roof w/ very small cross gabled portico over central entry, modern shed roofed carport attachment. Roll 17, Neg. 17.
101. 341 Hickory St.: c 1930; one story frame w/ asbestos siding, gable roof, gable roofed porch w/ double and triple clustered columns on brick piers, one exterior chimney. Roll 17, Neg. 19.
102. 337 Hickory St.: c 1925; one story frame w/ asbestos siding, gable roof, gable roofed porch w/ iron columns. Roll 17, Neg. 20.

**United States Department of the Interior
National Park Service**

**National Register of Historic Places
Inventory—Nomination Form**



Continuation sheet

MRN #26


Item number 7

Page 11

106. 315 Hickory St.: c 1900; one story frame w/ asbestos siding, hipped roof, gable roofed porch w/ iron columns. Roll 17, Neg. 21.
108. 301 Hickory St.: c 1920; one story frame, hipped roof, cross gable roofed front porch w/ brick columns, porch enclosed w/ jalousie windows, one interior chimney. Roll 17, Neg. 22.
109. 506 Walnut St.: c 1850; French Creole, two story brick, steep pitched hip roof w/ cross gable rear extensions, hipped double two story porch around three sides of house w/ modern iron columns and balustrade, modern casement windows, first floor porch still has some original columns. Roll 5, Neg. 10.
110. 210 S. Conecuh St.: c 1930; one story aluminum siding, gable roof w/ cross gable projecting end bay, slant roof rear extension, one exterior chimney. Roll 17, Neg. 25.
112. 224 S. Conecuh St.: c 1920; one story aluminum siding, gable roof, slant roofed porch. Roll 17, Neg. 27.
113. 232 S. Conecuh St.: c 1920; one story ell-shaped frame w/ asbestos siding, gable roof w/ projecting cross gable end bay, wrap-around porch, one interior chimney. Roll 17, Neg. 28.
115. 238 S. Conecuh St.: c 1920; two story frame, pyramidal roof, slant roofed rear extension, side bay window, recessed screened front porch, dormer over entry. Roll 17, Neg. 29.
120. 262 S. Conecuh St.: c 1910; one story aluminum siding, low hipped roof, hipped roof porch w/ iron columns. Roll 17, Neg. 34.
122. 301 S. Conecuh St.: c 1920; one story aluminum siding, gable roof w/ cross gable projecting end bay, cross gable porch roof supported by paired columns on brick piers, one exterior end chimney. Roll 17, Neg. 35.
123. 269 S. Conecuh St.: c 1920; one story asbestos siding, gable roof recessed front porch across entire facade supported by paired columns on brick piers, central entry w/ transom and sidelights, one exterior chimney. Roll 6, Neg. 2.
129. 417 Primitive Baptist St.: c 1885; one story frame church w/ asbestos siding, gable roof, two front entries, building supported by brick piers. Roll 18, Neg. 1.

**United States Department of the Interior
National Park Service**

**National Register of Historic Places
Inventory—Nomination Form**



Continuation sheet

MRN #26

Item number 7

Page 12


131. 229 S. Conecuh St.: c 1935; one story aluminum siding, gable roof, cross gable shelter over entry. Roll 18, Neg. 5.
132. 227 S. Conecuh St.: c 1930; one story asbestos siding, gable roof w/ cross gable projecting end bay, slant roofed rear extension, one exterior chimney. Roll 18, Neg. 6.
135. 225B S. Conecuh St.: c 1930; one story frame w/ aluminum siding, combination gable and slant roof, slant porch roof, one interior chimney. Roll 18, Neg. 8.

BUILDINGS WHICH DO NOT CONTRIBUTE TO THE CHARACTER OF THE SOUTH GREENVILLE
HISTORIC DISTRICT

2. 306-308 Milner St.: c 1950; one story frame, gable roof. Roll 16, Neg. 2.
5. 309 Milner St.: c 1945; one story frame, gable roof. Roll 16, Neg. 1.
10. 201 Caldwell St.: 1945; one story frame w/ asbestos siding, gable roof, one exterior chimney. Roll 16, Neg. 4.
17. 207 Herbert St.: c 1965; one story frame w/ brick veneer, three interior chimneys, portico w/ two columns. Roll 16, Neg. 6.
50. 341 Park St.: c 1940; one story frame, gable roof w/ two cross gable dormers, small cross gable portico w/ iron supports, one interior chimney. Roll 6, Neg. 6.
54. 319 Park St.: c 1965; one story frame, gable roof, carport. Roll 16, Neg. 25.
63. 308 Pine St.: c 1970; one story brick, hipped roof w/ hipped extension over carport and side wing, recessed front porch w/ cast iron supports. Roll C, Neg. 17.
68. 326 Pine St.: c 1950; one story vinyl siding, gable roof, recessed porch. Roll 16, Neg. 30.
81. 309 Pine St.: c 1945; one story stone, hipped roof. Roll 21, Neg. 6.
- 84A. 306 Dunklin St.: c 1940; one story frame, hipped roof, shed roofed porch supported by four square columns, one interior and one exterior chimney. Roll C, Neg. 18.

**United States Department of the Interior
National Park Service**

**National Register of Historic Places
Inventory—Nomination Form**



Continuation sheet

MRN #26

Item number 7

Page 13

-
86. 311 Dunklin St.: c 1950; one story brick, hipped roof. Roll 17, Neg. 5.
88. 310 Hickory St.: c 1945; one story frame w/ brick veneer siding, gable roof, side gable extension, one exterior chimney. Roll 17, Neg. 7.
91. 324 Hickory St.: c 1960; one story brick, gable roof, attached garage. Roll 17, Neg. 8.
111. 212 S. Conecuh St.: c 1940; two story frame w/ asbestos siding, gable roof, outside stairway to second floor. Roll 17, Neg. 26.
114. 236 S. Conecuh St.: c 1970; one story frame and brick veneer duplex, gable roof, flat roofed porch across entire facade supported by six round columns on birck piers. Roll 17, Neg. 32.
116. 246 S. Conecuh St.: c 1960; one story brick, hipped roof, carport. Roll 17, Neg. 30.
119. 258 S. Conecuh St.: c 1960; one story brick, gable roof, central chimney. Roll 17, Neg. 33.