NPS Form 10-900-a (Rev. 8/2002)

OMB Control No. 1024-0018

United States Department of the Interior National Park Service

National Register of Historic Places Continuation Sheet

Name of Property

County and State

Name of multiple listing (if applicable)

Section number ___ Page _1

Supplementary Listing Record

NRIS Reference Number: SG100004393

Date Listed: 09/19/2019

Property Name: Steiner American Building

County: Salt Lake

State: UT

This Property is listed in the National Register of Historic Places in accordance with the attached nomination documentation subject to the following exceptions, exclusions, or amendments, notwithstanding the National Park Service certification included in the nomination documentation

Signature of the Keeper

Date of Action

Amended Items in Nomination:

Bibliographic References:

Under Previous Documentation on File the box for Preliminary Determination of Individual Listing (36 CFR 67) should be checked [Part 1 tax certification approved 8/13/2019, Case # 40632.]

The UTAH SHPO was notified of this amendment.

DISTRIBUTION: National Register property file Nominating Authority (without nomination attachment)

NPS Form 10-900 United States Department of the Interior National Park Service

ories and subcategories from the instructions.	Alla S R Las
1. Name of Property	
Historic name:Steiner American Build	Ing Nati. Reg. of Historic Places
Other names/site number:	National Park Service
<u>N/A</u> (Enter "N/A" if property is not part of a mu	ltiple property listing
2. Location	
Street & number: 505 E. South Temple	
City or town: <u>Salt Lake City</u> Not For Publication: Vicinity:	State: <u>UT</u> County: <u>Salt Lake</u>
3. State/Federal Agency Certification	
As the designated authority under the Natio	onal Historic Preservation Act, as amended,
the documentation standards for registering	request for determination of eligibility meets
Places and meets the procedural and profes	ssional requirements set forth in 36 CFR Part 60.
Places and meets the procedural and profes	sional requirements set forth in 36 CFR Part 60. does not meet the National Register Criteria.
Places and meets the procedural and profes In my opinion, the property \underline{X} meets recommend that this property be considered	sional requirements set forth in 36 CFR Part 60. does not meet the National Register Criteria.
Places and meets the procedural and profes In my opinion, the property <u>X</u> meets <u>recommend that this property be considered</u> level(s) of significance: <u>national</u> <u>statewide</u>	sional requirements set forth in 36 CFR Part 60. does not meet the National Register Criteria. d significant at the following
Places and meets the procedural and profes In my opinion, the property <u>X</u> meets <u>recommend that this property be considered</u> level(s) of significance: <u>national</u> <u>statewide</u> Applicable National Register Criteria:	sional requirements set forth in 36 CFR Part 60. does not meet the National Register Criteria. d significant at the following
Places and meets the procedural and profes In my opinion, the property <u>X</u> meets <u>recommend that this property be considered</u> level(s) of significance: <u>national</u> <u>statewide</u> Applicable National Register Criteria:	 sional requirements set forth in 36 CFR Part 60. does not meet the National Register Criteria. d significant at the following <u>X</u>local
Places and meets the procedural and profes In my opinion, the property <u>X</u> meets <u>recommend that this property be considered</u> level(s) of significance: <u>national statewide</u> Applicable National Register Criteria: <u>A B X C</u> <u>I</u>	Signal requirements set forth in 36 CFR Part 60.
Places and meets the procedural and profes In my opinion, the property <u>X</u> meets <u>recommend that this property be considered</u> level(s) of significance: <u>national statewide</u> Applicable National Register Criteria: <u>A B X C</u> <u>J</u> Signature of certifying official/Title:	Associated as a set of the set of
Places and meets the procedural and profes In my opinion, the property <u>X</u> meets recommend that this property be considered level(s) of significance: <u>national</u> <u>statewide</u> Applicable National Register Criteria: <u>A</u> <u>B</u> <u>X</u> C <u>J</u> Signature of certifying official/Title: <u>Utah Division of State History/Office</u> State or Federal agency/bureau or Th	A significant at the National Register Criteria. d significant at the following <u>X</u> local D <u>Marky SHW</u> <u>7.31.19</u> Date of Historic Preservation ribal Government
Places and meets the procedural and profes In my opinion, the property <u>X</u> meets <u>recommend that this property be considered</u> level(s) of significance: <u>national statewide</u> Applicable National Register Criteria: <u>A B X C</u> <u>J</u> Signature of certifying official/Title: <u>Utah Division of State History/Office</u>	A significant at the National Register Criteria. d significant at the following <u>X</u> local D <u>Marky SHW</u> <u>7.31.19</u> Date of Historic Preservation ribal Government

State or Federal agency/bureau or Tribal Government

National Park Service / National Register of Historic Places Registration Form NPS Form 10-900 OMB No. 1024-0018

Steiner American Building Name of Property

Salt Lake, Utah County and State

4. National Park Service Certification

- I hereby certify that this property is:
- Kentered in the National Register
- determined eligible for the National Register
- determined not eligible for the National Register
- removed from the National Register
- other (explain:)

Signature of the Keeper

5. Classification

Ownership of Property

(Check as many box) Private:	es as apply.)
Public – Local	
Public – State	
Public – Federal	

Category of Property

1		
(Check o	nly one	a how)
(CIICCA D	my one	- 00A.J

Building(s)	X
District	
Site	
Structure	
Object	

Salt Lake, Utah County and State

Number of Resources within Property

(Do not include previously listed resources in the count) Contributing Noncontributing buildings __1____ _____ sites structures objects Total 1

Number of contributing resources previously listed in the National Register _____0

6. Function or Use **Historic Functions** (Enter categories from instructions.) Commerce/Business

Current Functions (Enter categories from instructions.) Commerce/Professional (Work in Progress)

Steiner American Building Name of Property Salt Lake, Utah County and State

7. Description

Architectural Classification (Enter categories from instructions.) <u>Modern Movement/Wrightian</u> <u>Modern Movement/Deconstructivism</u>

Materials: (enter categories from instructions.) Principal exterior materials of the property: <u>Brick, Concrete</u>

Narrative Description

(Describe the historic and current physical appearance and condition of the property. Describe contributing and noncontributing resources if applicable. Begin with **a summary paragraph** that briefly describes the general characteristics of the property, such as its location, type, style, method of construction, setting, size, and significant features. Indicate whether the property has historic integrity.)

Summary Paragraph

The Steiner American Building is located on the northwest corner of South Temple and F Street in Salt Lake City, Utah. It is a two-story office building with a Wrightian style of architecture mixed with some deconstructive concepts. It is a concrete structure with multiple flat roofs. The exterior consists of the concrete columns, brick laid in a vertical running bond pattern, floor to ceiling storefronts, and precast concrete canopies. The stair tower is a central feature to the building that connects the plaza of the building to the second floor. The construction of the Steiner American building contributed to the expanding commercial district of South Temple extending out of Salt Lake City's central business core. Karsten Hansen, a prominent landscape architect, designed the landscape features around the building. The exterior of the building remains unchanged from its original construction in 1967 leaving its historic integrity intact.

Steiner American Building Name of Property Salt Lake, Utah County and State

Narrative Description

Exterior

The Steiner American Building is a Wrightian-style two-story, L-shaped concrete building with multiple flat roofs. The overall dimension of the building is 132 feet square, with 64-foot-wide short ends of the L shape. Exterior walls are constructed of infill concrete masonry units clad in cocoa colored brick laid in an articulated vertical running bond pattern. Windows are full height storefront types and are generally recessed at exterior columns, with precast concrete canopies extending slightly past the exterior face of the brick. The site rises to the north, with ground level parking accessed off F Street, tucked beneath the main level offices and hidden behind matching brick walls. A stair tower within the negative space of the L shape connects a lower level plaza and parking with the second floor offices above.

There are also elements of early Deconstructivism visible in the façade of the American Steiner building. The recessed storefront windows occurring at the structural columns give the appearance of the envelope pulling away from the structure of the building. The stair tower appears to be pulled apart with the storefront windows separating the rectilinear form from the structural columns. The multiple flat roofs and canopies also contribute to the feel of the rectilinear form being deconstructed, especially at the stair tower and the clearstory above the interior office space.

The south elevation is the main, street-facing façade of the Steiner American Building. There are six structural bays in this south façade, which alternate between 20-foot and 24-foot column spacing. The three furthest west bays represent the south-facing short end of the L-shaped building. This section of the façade is composed of open-air lower level parking, screened by an 8'-2" tall brick wall, with typical brick infill walls on the main office level. Each structural bay in this west section contains two full-height windows, for a total of six. The fourth structural bay from the west (24-feet-wide) is recessed 28 feet back from three bays to the west and is open on the lower level to provide access from the plaza to the parking garage, with five windows and a small amount of brick on the upper level. The fifth structural bay from the west (20-feet-wide) contains the stair tower, which is formally vertical and distinct from the horizontally composed elements of the rest of the building (see below for stair tower description). The two easternmost structural bays of the south elevation are recessed 68 feet back from the southernmost face of the building. These two bays have recessed glass walls on the lower level and the typical brick infill walls on the main level.

The east elevation faces F Street, a significantly less busy road than South Temple, and it serves as a secondary elevation to the Steiner American Building. Similar to the south elevation, the east elevation contains six structural bays that alternate between 20-foot and 24-foot spacing, the southern half of which are recessed to carve out the stair tower and plaza. The southernmost bay is similar to the three western bays on the south façade: an 8'-2" tall brick screen wall on the parking level and a brick infill wall on the main office level, with full-height windows behind the

Name of Property

Salt Lake, Utah

County and State

flanking concrete columns. The next bay to the north contains the standalone stair tower (see below for description). The next bay to the north on the east façade (third from the south) is unique to the building, with the standard screening wall on the lower level but a fully glazed floor-to-ceiling main level, at the large conference room. The three northernmost bays of the east façade contain the standard façade on the upper level – brick walls infilling the concrete structure with recessed full-height windows behind the columns – while the lower level features a ramp to the parking garage in the middle bay, flanked by the screening walls on either side.

Due to the sloped nature of the site and the parking garage on the lower level, only the upper floor of the north façade is exposed to view. It faces the property to the north, with an upper level parking deck built to the property line, and should be considered a tertiary facade. Like the south and east facades, the north facade contains six structural bays, alternating between 20-foot and 24-foot spacing. On the north facade, however, there are no recessed bays and the elements of each bay are aligned in the north-south direction. All six bays contain a brick infill wall, with recessed floor-to-ceiling windows behind concrete columns. The third bay from the east contains a double storefront door with an accessible ramp leading from the parking deck to the finished floor height (approx. 12" rise). This ramp was added after construction as accessibility standards developed; it is constructed of cast concrete with an aluminum handrail. The column second from the west features a double in-swinging door, rather than the standard recessed windows. The west facade lies about seven feet from the west property line, facing a parking lot on the adjacent property. It features six structural bays that alternate between 20-foot and 24-foot spacing. The grade moves up on the lower level from south to north; as a result, the four southern bays have the standard 8'-2" screening wall while the two northern bays are fully infilled with brick. These two northern bays on the lower level contain mechanical and storage rooms and the only fenestrations are mechanical grilles. The upper level on the west façade is composed of six standard bays, with infilling brick and recessed floor-to-ceiling windows.

Stair Tower

The standalone stair tower, located in the cut out southeast corner of the otherwise square building, serves as the main access point from the lower level parking garage to the office level. Four L-shaped columns, spaced 16 feet on center and 25 feet tall, support the corner roof sections of the tower. 28'-8"-tall brick walls infill these columns on the south, east, and north facades, while the west facade is the access bridge between the tower and the office. Similar to the upper level infill walls in the rest of the office, there is a gap between the brick infill walls and the columns. In the tower these gaps contain recessed floor to ceiling windows on a 45degree angle to the walls, creating an octagonal interior space. These fixed windows do not contain intermediate mullions, and are very tall for a single pane of plate glass at 25'-8" tall by 4'-3" wide. A central, 5'-4" square clerestory rises above the exterior brick walls of the stair tower, giving the tower its 31'-2" height. At the 28'-8" roof level, four skylights bring additional natural light into the interior of the stair tower. The interior of the tower features four terrazzo stair runs, parallel to the large windows, with four triangular landings behind the south, east and north brick infill walls and at the west "bridge" into the reception area. The interior features of the stair tower maintain high integrity, including terrazzo stairs and landings, a metal-and-wood handrail, sconce light fixtures and interior brick finish. The tower originally included a water

Salt Lake, Utah County and State

Name of Property County and State feature, but this was removed only a few years after construction in the 1970s due to maintenance issues. Cobblestone at the base of the stairs and trenches leading west under the main doors on the lower level are evidence of this removed water feature.

Interior

The bulk of the lower level interior contains the L-shaped parking garage, with a slab—on-grade concrete floor and exposed concrete columns. The ceiling of the parking garage is stucco over metal lath, suspended from the concrete slab above. There is a 44'-0"-by-20'-0" volume along the south edge of the east wing of the parking garage contains a lunch room and stairway leading to the second floor open office. The south and west facades of this volume are fully glazed, while the north and east facades are the articulated brick pattern. Another brick-clad volume punctures the northwest corner of the parking garage and contains a boiler room and storage.

The interior of the main level is organized around an open office with clerestory windows surrounded by private offices, a conference room, a computer room, and support space. Very little has changed in the interior organization of the building since its initial construction. Historic interior features include plaster-clad cubic light pendants, 9-foot-tall sliding wood doors and wood panel finishes. The four executive offices along to the south each includes a personal restroom. The offices and work rooms along the west façade vary in size and configuration. The band of rooms along the north façade are mostly for shared use, including restrooms, storage, a mailroom and the server closet. Private offices and a library border the south side of the east wing of the open office. A hallway connects the open office east wing and the reception room, with the large conference room accessed off the east side of this hallway. The computer room is located off the east end of the open office east wing, featuring interior windows to provide employees with a view of what was one of the first supercomputers in Salt Lake City at the time of construction. The super computer has since been removed from the building, but the storefront window into the room that housed the computer still remains.

Landscape

The landscape for the American Steiner Building was designed by Karsten Hansen, a prominent landscape architect. The entrance plaza consisted of several pools surrounded by planter boxes and trees. The stair tower that serves as the main entrance to the building was located in the center of the main pool in the plaza. A majority of Hansen's original landscape elements have been removed over the years. Issues with the maintenance of the pools led to their removal from the site soon after the project was completed. The main pool was paved over with concrete and the two smaller raised pools were converted into planter boxes. A Japanese maple tree that was originally planted still remains as a prominent element in the landscape.

Salt Lake, Utah County and State

8. Statement of Significance

Applicable National Register Criteria

(Mark "x" in one or more boxes for the criteria qualifying the property for National Register listing.)

- A. Property is associated with events that have made a significant contribution to the broad patterns of our history.
- B. Property is associated with the lives of persons significant in our past.
- C. Property embodies the distinctive characteristics of a type, period, or method of construction or represents the work of a master, or possesses high artistic values, or represents a significant and distinguishable entity whose components lack individual distinction.
 - D. Property has yielded, or is likely to yield, information important in prehistory or history.

Criteria Considerations

(Mark "x" in all the boxes that apply.)

- A. Owned by a religious institution or used for religious purposes
- B. Removed from its original location
- C. A birthplace or grave
- D. A cemetery
- E. A reconstructed building, object, or structure
- F. A commemorative property
- G. Less than 50 years old or achieving significance within the past 50 years

Steiner American Building Name of Property Salt Lake, Utah County and State

Areas of Significance

(Enter categories from instructions.) Architecture

Period of Significance 1967

Significant Dates

<u>1967</u>

Significant Person

(Complete only if Criterion B is marked above.) <u>N/A</u>_____

Cultural Affiliation N/A

Architect/Builder Browning, William____

Salt Lake, Utah County and State

Statement of Significance Summary Paragraph (Provide a summary paragraph that includes level of significance, applicable criteria, justification for the period of significance, and any applicable criteria considerations.)

The Steiner American Building, located 505 E. South Temple in Salt Lake City, Utah is locally significant under Criterion C in the area of Architecture as an important work of modernism by Utah architect William "Bill" Browning. Constructed in 1967, which is the period of significance, the building is also significant as a unique-example of Wrightian architecture in the state of Utah with elements of Deconstructivism. The construction of the building contributed to the transformation of South Temple Street from a grand residential thoroughfare to a thriving extension of Salt Lake City's central business district. The design incorporated a modern style of architecture that fit within the surrounding historic residential context of the site. The interior reflects Steiner's vision for how the office operates. Private offices along the exterior walls had views out into the city, with the central open office spaces being lit by the clearstory windows above. Although located within the boundaries of the South Temple Historic District (NRIS #82004147), the Steiner American Building is not contributing in the district because it was constructed outside the period of significance. However, it has significance in its own right as an iconic transitional building that blends aspects of the residential and commercial architecture on historic South Temple Street.

Narrative Statement of Significance (Provide at least **one** paragraph for each area of significance.)

The Steiner American Building is architecturally significant under Criterion C as a significant work of modernism by Utah architect William "Bill" Browning, a principal of Salt Lake firm Scott, Louie & Browning. Browning was presented a 2007 Lifetime Achievement Award from AIA Utah, demonstrating his high regard within the local architectural scene. Many of his other significant designs have been demolished, including the nationally recognized East Elementary School in Tooele, Utah, which was featured in the March 1967 issue of Architectural Record. The 1980 Fifth Judicial Circuit Courts Building, another prominent Browning design, was demolished along with the rest of the Metropolitan Hall of Justice complex to make way for the new Salt Lake City Central Library in the 1990s. Most of the work Browning did for local school districts and colleges has been heavily remodeled or demolished. The Industrial Supply Company headquarters Browning designed in 1964 received an honor award from AIA Western Mountain Region, but it has since been expanded and the original design is no longer apparent from the street. Other than the Steiner American Building, intact significant Browning buildings include the JC Penny Building (1973; 301 S. Main Street, Salt Lake City), Bingham High School (1975; 2160 W. 10400 South, South Jordan), and Wilde Wood Tower (1981; 515 E. 100 South, Salt Lake City). Several of Browning's buildings have been demolished or altered beyond their original construction. The Steiner American Building is one of Browning's most intact buildings in regard to maintaining the original design.

Salt Lake, Utah County and State

 Name of Property
 County and State

 The Steiner American Building is also significant as a rare Utah example of Wrightian
 commercial architecture that retains its historical integrity. Wrightian architecture is derived

 from Frank Lloyd Wright's Usonian style and is different from his Prairie Style. Docomomo US postulates,
 Docomomo US

"Fundamentally homogeneous though superficially varied, Wrightian architecture is more easily recognized than described. A prevailing horizontality is one characteristic of nearly all of it; another is the importance given to the roof as a character-giving feature, whether it is a flat slab or of some pitched or 'folded' form."¹

In the Steiner American Building, this horizontality is conveyed through the emphasized main floor slab edge, canopies over windows, and the flat roof with a pronounced parapet cap. Bands of full-height windows on the south and east facades reinforce the horizontality, while buttjoined corner windows represent another common element of Wrightian architecture. The textured brick pattern is a common material found in Wrightian buildings, as is an emphasis on bringing the exterior landscape into the building interior. At the Steiner American Building, this interior-exterior synthesis is achieved through lower level brick site walls that are expressed on the interior.

Deconstructivist elements also contribute to the significance of the Steiner American Building. The iconic stair tower of the building reflects the influence of Deconstructivism on the building. The flat roofs at varying levels, along with the separation of the walls from the concrete columns of the stair tower, conveys a visual appearance of controlled chaos that is characteristic of Deconstructivism. Elements of the building's architecture appear distorted and dislocated from the structure of the building, which is a defining characteristic of Deconstructivism. This is evident in the storefront windows that are recessed at the location of the exterior columns of the building.

The interior design reflects Richard Steiner's vision for the office operations, executive offices with the secretarial and accounting pools in a central, light-filled, open office. Steiner also wanted to place their new supercomputer on display, so it was housed in a room with large interior windows looking onto the accounting side of the open office. The quality of natural light supplied by the clerestory into the centralized open office and the treatment of the computer as an object to be exhibited impart a unique character on the interior spaces, and the building interior enhances its significance as a distinctive example of mid-century Wrightian commercial architecture.

There are very few other examples of Wrightian commercial architecture in Salt Lake City and Utah in general. The Tenth East Senior Center (1963; 237 S. 1000 East, Salt Lake City), designed by noted local architect Burtch Beall, also displays some of the similar stylistic traits of emphasized horizontality and indoor-outdoor connection. It also evokes Wright's use of textured

¹ Whiffen, Marcus. *American architecture since 1780: a guide to the styles*. The MIT Press, 1969.

Salt Lake, Utah County and State

Name of Property block in his Mayan Revival Southern California houses (i.e. Hollyhock House). There are some Wrightian residences in the Salt Lake area, most notably the Stromquist House in Bountiful, Frank Lloyd Wright's only Utah building. However, the Steiner American Building is one of the most unique examples of commercial Wrightian architecture in the region, and its high integrity strengthens its contribution to Salt Lake City's architectural history.

Within the broader context of Salt Lake City's development, the building represents the transformation of South Temple Street from a declining grand residential thoroughfare composed of palatial mansions to a thriving commercial extension of the central business district. As land become increasingly expensive in downtown Salt Lake City, businesses began purchasing the aging mansions along South Temple. The land was valuable for its proximity to downtown but was affordable for medium-sized businesses. In some cases, the businesses were able to reuse South Temple mansions for their purposes, but demolition and replacement became commonplace in the 1950s and 60s. Previously the site of the Weir-Cosgriff Mansion, the property was purchased by Steiner American Corporation in 1965. Company President Richard Steiner initially approached architects Scott, Louie & Browning with the intention of repurposing the Cosgriff Mansion for their headquarters, but reuse was quickly determined to be inadequate.

George A. Steiner started the Lincoln Towel and Apron Supply Company in 1889 in Lincoln, Nebraska, moving to Salt Lake City in 1895 and eventually incorporating under the name American Linen Supply Company (Alsco). The company grew into many markets, with branches in Utah, Los Angeles, Portland, Milwaukee, Chicago, Minneapolis, St. Paul, Hibbing, and New York. George's son Frank G. Steiner took control of the company following his death in 1946 and consolidated all branches under the Alsco name, moving the headquarters to Chicago. After a decade of strong international growth, the board became "irreparably fractionalized," and Steiner American split off in 1959 to represent the western United States. Richard "Dick" Steiner (b. 2/26/1923 in Chicago), Frank's son, took the reins of Steiner American at this time. Originally headquartered in the 9th and 9th neighborhood, the rapid growth of the company required the new, larger headquarters in 1965.

Browning's design for the building focused on creating a modern headquarters that fit into the residential scale and historical context of South Temple. Concrete columns were designed to evoke the surrounding mansions, and brick was used to represent the solid masonry of the neighborhood. A December 10, 1965, Salt Lake Tribune article summarized, "In design it is a contemporary structure, suggestive of the work of Frank Lloyd Wright. But in materials and composition it evokes – but does not imitate some of the design and structural materials of E. South Temple's mansion row."²

² Woody, Robert H. "Center to Replace Cosgriff Mansion." Salt Lake Tribune Business, December 20, 1965: D7.

Salt Lake, Utah County and State

9. Major Bibliographical References

Bibliography (Cite the books, articles, and other sources used in preparing this form.) Arrington, Leonard J. *From Small Beginnings: A History of the American Linen Supply Company and Its Successors and Affliates.* Salt Lake City: Steiner Corporation, 1991.

Deseret News. "Progress claims mansion." December 16, 1965.

Deseret News. "Richard Russel Steiner Obituary." February 3, 2005.

Deseret News. "Save the Cosgriff home?" December 28, 1965.

Scott, Louie, and Browning Architects records, Accn 1564, Box [206]. Special Collections and Archives. University of Utah, J. Willard Marriott. Salt Lake City, Utah.

Whiffen, Marcus. American architecture since 1780: a guide to the styles. The MIT Press, 1969.

Woody, Robert H. "Center to Replace Cosgriff Mansion." *Salt Lake Tribune Business*, December 20, 1965: D7.

Previous documentation on file (NPS):

- _____ preliminary determination of individual listing (36 CFR 67) has been requested
- _____ previously listed in the National Register
- _____previously determined eligible by the National Register
- _____designated a National Historic Landmark
- _____ recorded by Historic American Buildings Survey #_____
- _____recorded by Historic American Engineering Record #
- _____ recorded by Historic American Landscape Survey # ______

Primary location of additional data:

- ____ State Historic Preservation Office
- ____ Other State agency
- _____ Federal agency
- ____ Local government
- ____ University
- ____ Other
- Name of repository: _____

Historic Resources Survey Number (if assigned):

Salt Lake, Utah County and State

10. Geographical Data

Acreage of Property .834 Acres_

Use either the UTM system or latitude/longitude coordinates

Latitude/Longitude Coordinates

Datum if other than WGS84: (enter coordinates to 6 decimal places) 1. Latitude: 40.769831	 Longitude:-111.876559
2. Latitude:	Longitude:
3. Latitude:	Longitude:
4. Latitude:	Longitude:

Or UTM References Datum (indicated on USGS map):

NAD 1927 orNAD 19831. Zone:Easting:2. Zone:Easting:3. Zone:Easting:4. Zone:Easting :

Verbal Boundary Description (Describe the boundaries of the property.)

The full parcel on which the building stands, legally described as: Commencing at southeast corner of lot 1 block 9 plat D Salt Lake Survey, north 13 1/3 rods, west 10 rods, south 13 1/3 rods, east 10 rods to the beginning (0.83 acres).

Salt Lake, Utah County and State

Boundary Justification (Explain why the boundaries were selected.)

The boundary is the legal parcel, which has always been associated with the property.

11. Form Prepared By

name/title: Zach Heslop / Architectural	Associate	
organization: <u>CRSA</u>		
street & number: 649 E. South Temple		
city or town: Salt Lake City	state: UT	zip code: <u>84102</u>
e-mail: zheslop@crsa-us.com		
telephone: (801) 746-4974	_	
date: July 18, 2019		

Additional Documentation

Submit the following items with the completed form:

- **Maps:** A **USGS map** or equivalent (7.5 or 15 minute series) indicating the property's location.
- **Sketch map** for historic districts and properties having large acreage or numerous resources. Key all photographs to this map.
- Additional items: (Check with the SHPO, TPO, or FPO for any additional items.)

Photographs

Submit clear and descriptive photographs. The size of each image must be 1600x1200 pixels (minimum), 3000x2000 preferred, at 300 ppi (pixels per inch) or larger. Key all photographs to the sketch map. Each photograph must be numbered and that number must correspond to the photograph number on the photo log. For simplicity, the name of the photographer,

Name of Property

Salt Lake, Utah County and State

photo date, etc. may be listed once on the photograph log and doesn't need to be labeled on every photograph.

Photo Log

Name of Property: Steiner American Building

City or Vicinity: Salt Lake City

County: Salt Lake

State: UT

Photographer: John Ewanowski

Date Photographed: January 16, 2019 (Except where noted)

Description of Photograph(s) and number, include description of view indicating direction of camera:



Photograph 1 of 29 South and east elevation of Steiner American Building. Camera facing northwest. (Zach Heslop, 5/15/2019)

Steiner American Building Name of Property

Salt Lake, Utah County and State



Photograph 2 of 29 East elevation of Steiner American Building. Camera facing west.



Photograph 3 of 29 South and east elevation of Steiner American Building. Camera facing northwest.

Steiner American Building Name of Property

Salt Lake, Utah County and State



Photograph 4 of 29 East elevation of Steiner American Building. Camera facing west.



Photograph 5 of 29

Name of Property

Salt Lake, Utah County and State

South elevation of Steiner American Building. Camera facing north.



Photograph 6 of 29

South and east elevation of Steiner American Building. Camera facing northwest.



Photograph 7 of 29

Salt Lake, Utah County and State

South elevation of Steiner American Building. Camera facing north.



Photograph 8 of 29 East elevation of Steiner American Building. Camera facing west.



Photograph 9 of 29

Name of Property

Salt Lake, Utah County and State

South elevation of Steiner American Building. Camera facing north.



Photograph 10 of 29 South and west elevation of Steiner American Building. Camera facing northeast.



Photograph 11 of 29 West elevation of Steiner American Building. Camera facing east.

Steiner American Building Name of Property

Salt Lake, Utah County and State



Photograph 12 of 29

North and east elevation of Steiner American Building. Camera facing southwest



. Photograph 13 of 29 Lobby of Steiner American Building. Camera facing west.

Steiner American Building Name of Property

Salt Lake, Utah County and State



Photograph 14 of 29 Map of the world in lobby of Steiner American Building. Camera facing north.



Photograph 15 of 29 Interior storefront screen of Steiner American Building. Camera facing southeast.

Steiner American Building Name of Property

Salt Lake, Utah County and State



Photograph 16 of 29 Lobby of Steiner American Building. Camera facing east.



Photograph 17 of 29 Open office of Steiner American Building. Camera facing southeast.

Steiner American Building Name of Property

Salt Lake, Utah County and State



Photograph 18 of 29

Open office of Steiner American Building. Camera facing southwest.



Photograph 19 of 29 Open office of Steiner American Building. Camera facing northeast.

Steiner American Building Name of Property Salt Lake, Utah County and State



Photograph 20 of 29 Open office of Steiner American Building. Camera facing southeast.



Photograph 21 of 29 Computer Room of Steiner American Building. Camera facing southwest.

Steiner American Building Name of Property

Salt Lake, Utah County and State



Photograph 22 of 29 Conference room of Steiner American Building. Camera facing southeast.



Photograph 23 of 29 Hallway of Steiner American Building. Camera facing south.

Steiner American Building Name of Property

Salt Lake, Utah County and State



Photograph 24 of 29 Stairs of Steiner American Building. Camera facing east.



Photograph 25 of 29 Stairs of Steiner American Building. Camera facing west.

Steiner American Building Name of Property

Salt Lake, Utah County and State



Photograph 26 of 29 Stairs of Steiner American Building. Camera facing east.



Photograph 27 of 29 Lunch room of Steiner American Building. Camera facing southeast.

Steiner American Building Name of Property

Salt Lake, Utah County and State



Photograph 28 of 29 Lunch room of Steiner American Building. Camera facing northwest.



Photograph 29 of 29 Parking garage of Steiner American Building. Camera facing northwest.

Steiner American Building Name of Property Salt Lake, Utah County and State



10

Oft

1

30ft

Photo Key

11



9

Steiner American Building 505 E. South Temple Street Salt Lake City, Salt Lake County, Utah

1

Name of Property

Salt Lake, Utah County and State







Steiner American Building

505 E. South Temple Street Salt Lake City, Salt Lake County, Utah

Steiner American Building Name of Property Salt Lake, Utah County and State







Steiner American Building 505 E. South Temple Street Salt Lake City, Salt Lake County, Utah

+ Latitude 40.769831° Longitude -111.876559°

Steiner American Building Name of Property

Salt Lake, Utah County and State





- Latitude 40.769831° Longitude -111.876559°

Steiner American Building 505 E. South Temple Street Salt Lake City, Salt Lake County, Utah

Steiner American Building Name of Property





Figure 1 Main Floor plan of American Steiner Building, 1966



Figure 2 Elevations of American Steiner Building, 1966
Steiner American Building			Salt Lake, Utah
Name of Property			County and State
Property Owner information:			
(Complete this item at the request of the SHI	PO or FPO.)		
Name <u>Colvin Engineering</u> , Inc. ATTN: S	Steve Connor_		
Address _244 W 300 North, Ste. #200			
City or TownSalt Lake City	State_UT	_Zip code_	_84103
Telephone/email			

Paperwork Reduction Act Statement: This information is being collected for applications to the National Register of Historic Places to nominate properties for listing or determine eligibility for listing, to list properties, and to amend existing listings. Response to this request is required to obtain a benefit in accordance with the National Historic Preservation Act, as amended (16 U.S.C.460 et seq.).

Estimated Burden Statement: Public reporting burden for this form is estimated to average 100 hours per response including time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding this burden estimate or any aspect of this form to the Office of Planning and Performance Management. U.S. Dept. of the Interior, 1849 C. Street, NW, Washington, DC.







oft 25ft Property Boundry



Steiner American Building 505 E. South Temple Street

Salt Lake City, Salt Lake County, Utah

- Latitude 40.769831° Longitude -111.876559°









Steiner American Building 505 E. South Temple Street

+ Latitude 40.769831° Longitude -111.876559°

Salt Lake City, Salt Lake County, Utah































































UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES EVALUATION/RETURN SHEET

Requested	Action:	Nomination										
Property Na	ime:	Steiner American Building										
Multiple Nar	me:											
State & Cou	unty:	UTAH, Salt Lake										
Da	ate Rece 8/5/201		Date of Pend 8/28/20	1. The second		16th Day: /2019		45th Day: 9/2019	Date of Weekly List:			
Reference n	number:	SG1000	004393									
Nominator	Nominator: Other Agency, SHP0											
Reason For	Review	1										
_	Appeal			X PDIL				Text/Data Issue				
	SHPO Request		_La	Landscape			Photo					
Waiver				National			Map/Boundary					
Resubmission				Mobile Resource			Period					
Other				TCP			Less than 50 years					
					G							
<u> </u>	ccept		_Return	R	eject	9/19/	2019 [Date				
Abstract/Su Comments:		(Architect Lake City century m within the of large, c mix of bui Deconstru	modernist Will odern design t context of the older residence lding forms inc uctivism. The c nd emphasized	ed in 196 iam Brow hat would surround s and new luding ele lesign int	7, the com vning (Sco d reflect th ing mixed- wer comm ements of entionally	mercial offic tt, Louie & E e prosperity use South ercial buildi late Wrightia kept the bui	ce building Browning) of the gro Temple ne ngs. The an, New F ilding heig	g was desig who create owing Stein eighborhood original des ormalism, a pht low with	ned by noted Salt d a handsome mid- er family firm yet fit d, a transitional area sign is an eclectic and below-ground			
Recommeno Criteria	dation/	Accept N	R Criterion C									
Reviewer	Paul L	I Lusignan			Discipline	Historia	Historian					
Telephone	elephone (202)354-2229			Date		09/19/2019						
DOCUMEN	TATION	see	attached comm	nents : N	o see a	attached SL	R Yes					

NATIONAL REGISTER NOMINATION EVALUATION SHEET Certified Local Governments / Historic Landmark Commissions

The following property is being nominated to the National Register of Historic Places and will be reviewed by the Utah State Historic Preservation Review Board at its next meeting

PROPERTY NAME: Steiner American Building

ADDRESS: 505 E. South Temple

INTEGRITY: Major alterations or additions? New materials? Altered setting? Moved? etc. OK Concerns Is the property adequately described? Have contributing and non-contributing **DESCRIPTION:** OK Concerns features been clearly identified? Has the appropriate criterion been used? Has it been justified? Is the context SIGNIFICANCE OK Concerns sufficient in breadth and depth to support the claims of significance? and CONTEXT: FACTS AND Are the appropriate and best sources used? Are key dates and facts SOURCES: accurate? OK Concerns SUPPORTING Adequate photos, maps, drawings, etc.? OK Concerns MATERIALS: The Commission recommends that the property or properties appear to meet the National Register criteria and should be listed in the National Register. The Commission recommends that the property or properties do not appear to meet the National Register criteria and should not be listed in the National Register. Return to: Utah Historic Preservation Office ATTN: National Register Coordinator Signature of Commission Chair (or Designee) 300 S. Rio Grande Street Salt Lake City, UT 84101

Name of Local Historic Preservation Commission



GARY R. HERBERT Governor

SPENCER J. COX Lieutenant Governor

Jill Remington Love Executive Director Department of Heritage & Arts

TO:



Don Hartley Director State Historic Preservation Officer

August 2, 2019

Ms. Joy Beasley National Register of Historic Places Mail Stop 7228 1849 C St, NW Washington, D.C. 20240

FROM: J. Cory Jensen, National Register Coordinator Utah State Historic Preservation Office

RE: Steiner American Building, National Register of Historic Places nomination

Ms. Beasley,

The enclosed disk contains the true and correct copy of the nomination form for the **Steiner American Building** to the National Register of Historic Places. The other disks contain the photograph image files of the property in TIF format. Should you have any questions, please contact me at coryjensen@utah.gov or 801/245-7242.

Thank you, J. Cory Jensen

Enclosures:

- 1 CD with PDF of the NRHP nomination form and correspondence/additional info
- 1 CD with digital images (tif format)
- 1 Physical transmission letter
 - 1 Physical Signature Page, with original signature
 - Other:

Comments:

- Please ensure that this nomination receives substantive review
- Property owners
- Property owners who object
- _____ Other:



