

HB NO UTM

NATIONAL REGISTER OF HISTORIC PLACES  
INVENTORY - NOMINATION FORM

(Type all entries - complete applicable sections)

STATE: Mississippi	
COUNTY: Hinds	
FOR NPS USE ONLY	
ENTRY NUMBER 69-21-23-0003	DATE 11/25/69

1. NAME

COMMON: Mississippi State  
~~The New Capitol~~

AND/OR HISTORIC:

2. LOCATION

STREET AND NUMBER:  
Fronting Mississippi Street, between North President and North West

CITY OR TOWN:  
Jackson

STATE <u>Mississippi</u>	CODE <u>23</u>	COUNTY: <u>Hinds</u>	CODE <u>049</u>
-----------------------------	-------------------	-------------------------	--------------------

3. CLASSIFICATION

CATEGORY (Check One)	OWNERSHIP	STATUS	ACCESSIBLE TO THE PUBLIC
<input type="checkbox"/> District <input type="checkbox"/> Site <input type="checkbox"/> Object	<input checked="" type="checkbox"/> Building <input type="checkbox"/> Structure <input type="checkbox"/> Both	<input checked="" type="checkbox"/> Public <input type="checkbox"/> Private <input type="checkbox"/> Both	Public Acquisition: <input type="checkbox"/> In Process <input type="checkbox"/> Being Considered
PRESENT USE (Check One or More as Appropriate)		<input checked="" type="checkbox"/> Occupied <input type="checkbox"/> Unoccupied <input type="checkbox"/> Preservation work in progress	Yes: <input type="checkbox"/> Restricted <input checked="" type="checkbox"/> Unrestricted <input type="checkbox"/> No
<input type="checkbox"/> Agricultural <input type="checkbox"/> Commercial <input type="checkbox"/> Educational <input type="checkbox"/> Entertainment	<input checked="" type="checkbox"/> Government <input type="checkbox"/> Industrial <input type="checkbox"/> Military <input type="checkbox"/> Museum	<input type="checkbox"/> Park <input type="checkbox"/> Private Residence <input type="checkbox"/> Religious <input type="checkbox"/> Scientific	<input type="checkbox"/> Transportation <input type="checkbox"/> Other (Specify) _____ <input type="checkbox"/> Comments _____

4. OWNER OF PROPERTY

OWNER'S NAME:  
Public ownership

STREET AND NUMBER:  
State of Mississippi

CITY OR TOWN: <u>Jackson</u>	STATE: <u>Mississippi</u>	CODE: <u>23</u>
---------------------------------	------------------------------	--------------------

5. LOCATION OF LEGAL DESCRIPTION

COURTHOUSE, REGISTRY OF DEEDS, ETC.:  
Hinds County Chancery Court Building

STREET AND NUMBER:  
316 South President Street

CITY OR TOWN: <u>Jackson</u>	STATE: <u>Mississippi</u>	CODE: <u>23</u>
---------------------------------	------------------------------	--------------------

6. REPRESENTATION IN EXISTING SURVEYS

TITLE OF SURVEY:  
WPA Historical Research Project, "Source Material for Mississippi History" - Hinds County"


DATE OF SURVEY: ca. 1938     Federal     State     County     Local

DEPOSITORY FOR SURVEY RECORDS:  
Mississippi Department of Archives and History

STREET AND NUMBER:  
120 North State Street

CITY OR TOWN: <u>Jackson</u>	STATE: <u>Mississippi</u>	CODE: <u>23</u>
---------------------------------	------------------------------	--------------------

SEE INSTRUCTIONS



STATE: <u>Mississippi</u>
COUNTY: <u>Hinds</u>
ENTRY NUMBER
DATE

FOR NPS USE ONLY

## 7. DESCRIPTION

CONDITION	(Check One)					
	<input type="checkbox"/> Excellent	<input checked="" type="checkbox"/> Good	<input type="checkbox"/> Fair	<input type="checkbox"/> Deteriorated	<input type="checkbox"/> Ruins	<input type="checkbox"/> Unexposed
	(Check One)			(Check One)		
	<input checked="" type="checkbox"/> Altered	<input type="checkbox"/> Unaltered	<input type="checkbox"/> Moved	<input checked="" type="checkbox"/> Original Site		

DESCRIBE THE PRESENT AND ORIGINAL (if known) PHYSICAL APPEARANCE

The main facade of the New Capitol faces the south, with the south portico centering with Congress Street. The style of the building is that of Beaux Arts Classicism and is designed on the order of pavilions connected by wings. The pavilions are provided with porticos and arcades. The exterior walls of the building are of Bedford limestone, and the base course is of Georgia granite.

The New Capitol's main vestibule is constructed entirely of Blue Vermont marble on a base of Black Belgian marble. The central rotunda is of Italian marble with trimmings of black marble. Friezes and columns of scagliola lead to an elaborately decorated dome, supported at four points with marble niches designed as receptacles for statuary, developing into massive free columns in the second story to the frieze line of the dome. The legislative halls, located in the two extreme points of the third story are built upon marble and scagliola, both with dome-shaped ceilings of oxidized copper, stucco and stained glass. The central dome is surmounted by a 15' x 8' copper eagle, coated with gold leaf.

The only repairs of any consequence on the New Capitol since its erection were accomplished in 1934-35, when the interior was generally repaired and redecorated.

SEE INSTRUCTIONS

**3. SIGNIFICANCE**

PERIOD (Check One or More as Appropriate)

- Pre-Columbian |  16th Century |  18th Century |  20th Century  
 15th Century |  17th Century |  19th Century

SPECIFIC DATE(S) (If Applicable and Known) **1903-**

AREAS OF SIGNIFICANCE (Check One or More as Appropriate)

- |  |  |   |  |
|--|--|---|--|
| <input type="checkbox"/> Aboriginal              | <input type="checkbox"/> Education                         | <input checked="" type="checkbox"/> Political | <input type="checkbox"/> Urban Planning  |
| <input type="checkbox"/> Prehistoric             | <input type="checkbox"/> Engineering                       | <input type="checkbox"/> Religion/Philosophy  | <input type="checkbox"/> Other (Specify) |
| <input type="checkbox"/> Historic                | <input type="checkbox"/> Industry                          | <input type="checkbox"/> Science              | _____                                    |
| <input type="checkbox"/> Agriculture             | <input type="checkbox"/> Invention                         | <input type="checkbox"/> Sculpture            | _____                                    |
| <input checked="" type="checkbox"/> Architecture | <input checked="" type="checkbox"/> Landscape Architecture | <input type="checkbox"/> Social/Humanitarian  | _____                                    |
| <input type="checkbox"/> Art                     | <input type="checkbox"/> Literature                        | <input type="checkbox"/> Theater              | _____                                    |
| <input type="checkbox"/> Commerce                | <input type="checkbox"/> Military                          | <input type="checkbox"/> Transportation       | _____                                    |
| <input type="checkbox"/> Communications          | <input type="checkbox"/> Music                             |   | _____                                    |
| <input type="checkbox"/> Conservation            |  |   | _____                                    |

STATEMENT OF SIGNIFICANCE

Work on the New Capitol began in 1901, and the building was completed in 1903. Since that time, it has been the seat of the Mississippi State Government. Many of Mississippi's 20th century Congressmen and prominent state political officials have served in the New Capitol in one of the three branches of state government.

The State House Commission, established in 1900 to supervise construction of the Capitol, secured the advisory services of Barnard R. Green, contractor and builder of Washington, D. C., who had erected the Library of Congress building in Washington. The architect selected by the State House Commission was Theodore C. Link, St. Louis, Missouri. The design, selected from fourteen entries submitted, is typical of its era and is based on that of the National Capitol. When completed, it was considered an outstanding example of pure renaissance classic architecture. Link, a native of Heidelberg, Germany, also designed the Union Station, as well as other buildings in St. Louis, Missouri.

One of the New Capitol's most distinguished visitors was General Douglas C. MacArthur, who addressed a joint session of the Mississippi Legislature on the steps of the building on March 22, 1952.

SEE INSTRUCTIONS

9. MAJOR BIBLIOGRAPHICAL REFERENCES

Proceedings Connected with Laying the Corner Stone of Mississippi's New State House in the City of Jackson on June 3rd, 1903.  
(Jackson: Tucker Printing House, 1903), 69-87, passim.

Souvenir of Mississippi. (Jackson, 1963), 10-13.

10. GEOGRAPHICAL DATA

LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY			O R	LATITUDE AND LONGITUDE COORDINATES DEFINING THE CENTER POINT OF A PROPERTY OF LESS THAN TEN ACRES		
CORNER	LATITUDE	LONGITUDE		LATITUDE	LONGITUDE	
	Degrees Minutes Seconds	Degrees Minutes Seconds		Degrees Minutes Seconds	Degrees Minutes Seconds	
NW	32 ° 19 ' 4 "	90 ° 11 ' 56 "		° ' "	° ' "	
NE	32 ° 19 ' 3 "	90 ° 11 ' 39 "		° ' "	° ' "	
SE	32 ° 18 ' 48 "	90 ° 11 ' 42 "		° ' "	° ' "	
SW	32 ° 18 ' 51 "	90 ° 11 ' 58 "		° ' "	° ' "	

APPROXIMATE ACREAGE OF NOMINATED PROPERTY: 11.2 - includes entire block.

LIST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES

STATE:	CODE	COUNTY	CODE



11. FORM PREPARED BY

NAME AND TITLE: Elbert Hilliard, Curator of History

ORGANIZATION: Mississippi Department of Archives and History DATE: October 11, 1969

STREET AND NUMBER: 120 North State Street

CITY OR TOWN: Jackson STATE: Mississippi CODE: 23

12. STATE LIAISON OFFICER CERTIFICATION

NATIONAL REGISTER VERIFICATION

As the designated State Liaison Officer for the National Historic Preservation Act of 1966 (Public Law 89-665), I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service. The recommended level of significance of this nomination is:

National  State  Local

Name A. G. McNamee

Title Director, Miss. Dept. of Archives and History

Date October 14, 1969

I hereby certify that this property is included in the National Register.

Ernest Allen Connally  
Chief, Office of Archeology and Historic Preservation

NOV 25 1969

Date \_\_\_\_\_

ATTEST:  
William J. Smuttagh  
Keeper of The National Register

NOV 7 1969

Date \_\_\_\_\_

SEE INSTRUCTIONS



44 96

MS-12

#1

RPS Number 69-11-23-0003

Title: New Capitol

Loc. Jackson, Miss.

Hinds  
City

PROPERTY OF THE NATIONAL REGISTER



NATIONAL REGISTER OF HISTORIC PLACES  
PROPERTY PHOTOGRAPH FORM

(Type all entries - attach to or enclose with photograph)

STATE Mississippi	
COUNTY Hinds	
FOR NPS USE ONLY	
ENTRY NUMBER 69-1123-0002	DATE 11/25/69

SEE INSTRUCTIONS

1. NAME

COMMON: The New Capitol

AND/OR HISTORIC:

2. LOCATION

STREET AND NUMBER:

Fronting Mississippi Street, between North President and N. West

CITY OR TOWN:

Jackson

STATE:

Mississippi

CODE

23

COUNTY:

Hinds

CODE

049

3. PHOTO REFERENCE

PHOTO CREDIT: Mississippi Department of Archives and History

DATE OF PHOTO: 1969


NEGATIVE FILED AT:

Mississippi Department of Archives and History, Jackson, Miss.

4. IDENTIFICATION

DESCRIBE VIEW, DIRECTION, ETC.

The New Capitol, fronting Mississippi Street, from the  
south







*Cil Ford Photography*  
*P. O. Box 729*  
*319 East Pearl Street*  
*Jackson, Miss. 39205*




*Gil Ford Photography*

*P. O. Box 729*

*319 East Pearl St.*

*Williamsport, Pa. 17705*



New Capitol  
Jackson, Mississippi

Form 10-301  
(July 1969)

UNITED STATES DEPARTMENT OF THE INTERIOR  
NATIONAL PARK SERVICE

**NATIONAL REGISTER OF HISTORIC PLACES  
PROPERTY MAP FORM**

(Type all entries - attach to or enclose with map)

STATE	
Mississippi	
COUNTY	
Hinds	
FOR NPS USE ONLY	
ENTRY NUMBER	DATE
69-1123-0003	11/25/69

SEE INSTRUCTIONS

<b>1. NAME</b>			
COMMON: <u>The New Capitol</u>			
AND/OR HISTORIC:			
<b>2. LOCATION</b>			
STREET AND NUMBER:			
Fronting Mississippi Street, between North President and N. West			
CITY OR TOWN:			
Jackson			
STATE:	CODE	COUNTY:	CODE
Mississippi	23	Hinds	049
<b>3. MAP REFERENCE</b>			
SOURCE:			
U.S.G.S. 7 1/2', Jackson quadrangle			
SCALE: 1:24000			
DATE: 1963			
<b>4. REQUIREMENTS</b>			
TO BE INCLUDED ON ALL MAPS			
1. Property boundaries where required.			
2. North arrow.			
3. Latitude and longitude reference.			



# National Register of Historic Places

## Note to the record

Additional Documentation: 2014

United States Department of the Interior  
National Park Service

# National Register of Historic Places Registration Form

This form is for use in nominating or requesting determinations for individual properties and districts. See instructions in National Register Bulletin, *How to Complete the National Register of Historic Places Registration Form*. If any item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, architectural classification, materials, and areas of significance, enter only categories and subcategories from the instructions.



### 1. Name of Property

Historic name: Mississippi State Capitol (Additional Documentation)\_\_\_\_  
Other names/site number: New Capitol \_\_\_\_\_  
Name of related multiple property listing:  
N/A \_\_\_\_\_  
(Enter "N/A" if property is not part of a multiple property listing)

### 2. Location

Street & number: Mississippi Street, between President Street and West Street  
City or town: Jackson State: MS County: Hinds \_\_\_\_\_  
Not For Publication:  Vicinity:

### 3. State/Federal Agency Certification

As the designated authority under the National Historic Preservation Act, as amended,

I hereby certify that this X nomination \_\_\_ request for determination of eligibility meets the documentation standards for registering properties in the National Register of Historic Places and meets the procedural and professional requirements set forth in 36 CFR Part 60.

In my opinion, the property \_\_\_X meets \_\_\_ does not meet the National Register Criteria. I recommend that this property be considered significant at the following level(s) of significance:

X national \_\_\_ statewide \_\_\_ local  
Applicable National Register Criteria:  
\_\_\_A \_\_\_B XC \_\_\_D

\_\_\_\_\_  
Signature of certifying official/Title: *R. L. ...* Date: 4/14/2014  
\_\_\_\_\_  
State or Federal agency/bureau or Tribal Government

In my opinion, the property \_\_\_ meets \_\_\_ does not meet the National Register criteria.  
\_\_\_\_\_  
Signature of commenting official: \_\_\_\_\_ Date \_\_\_\_\_  
\_\_\_\_\_  
Title : \_\_\_\_\_ State or Federal agency/bureau or Tribal Government



Mississippi State Capitol  
(Additional Documentation)  
Name of Property


Hinds County  
Mississippi  
County and State

**4. National Park Service Certification**

I hereby certify that this property is:

**Additional Documentation Approved**

- entered in the National Register
- determined eligible for the National Register
- determined not eligible for the National Register
- removed from the National Register
- other (explain:)

  
Signature of the Keeper

6.2.2014  
Date of Action

**5. Classification**

**Ownership of Property**

(Check as many boxes as apply.)

- Private:
- Public - Local
- Public - State
- Public - Federal

**Category of Property**

(Check only one box.)

- Building(s)
- District
- Site
- Structure
- Object

Mississippi State Capitol  
 (Additional Documentation)  
 Name of Property \_\_\_\_\_

Hinds County  
 Mississippi  
 County and State \_\_\_\_\_

**Number of Resources within Property**

(Do not include previously listed resources in the count)

Contributing	Noncontributing	
<u>1</u>	_____	buildings
<u>1</u>	_____	sites
_____	_____	structures
<u>6</u>	<u>1</u>	objects
<u>7</u>	<u>1</u>	Total

Number of contributing resources previously listed in the National Register 1

**6. Function or Use**

**Historic Functions**

(Enter categories from instructions.)

GOVERNMENT/capitol \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**Current Functions**

(Enter categories from instructions.)

GOVERNMENT/capitol \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

---

## 7. Description

### Architectural Classification

(Enter categories from instructions.)

LATE 19<sup>th</sup> and 20<sup>th</sup> CENTURY REVIVALS/Classical Revival \_\_\_\_\_

LATE 19<sup>th</sup> and 20<sup>th</sup> CENTURY REVIVALS/ Beaux Arts \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**Materials:** (enter categories from instructions.)

Principal exterior materials of the property: stone; granite; limestone; steel; terra cotta; glass

---

### Narrative Description

(Describe the historic and current physical appearance and condition of the property. Describe contributing and noncontributing resources if applicable. Begin with a **summary paragraph** that briefly describes the general characteristics of the property, such as its location, type, style, method of construction, setting, size, and significant features. Indicate whether the property has historic integrity.)

---

### Summary Paragraph

The Mississippi State Capitol is a large, monumental Classical Revival public building, designed by Theodore C. Link of St. Louis, which was begun in 1901 and completed in 1903. Although it is has been in use for well over a century, it is still often referred to as the "New Capitol," in contrast to the Old Capitol, located several blocks away, which was completed in 1840.

---

### Narrative Description

#### Setting

The Capitol is located in the downtown business district of Jackson, Mississippi, at the center of a large, park-like public square that occupies an area equivalent to four city blocks, bounded by Mississippi Street on the south, High Street on the north, President Street on the east, and West Street on the west. This tract of land measures 670 feet in length on its east and west sides and 715 feet on its north and south sides, and contains eleven acres. This area was initially laid out as Squares 5 North, 6 North, 14 North, and 15 North of the original 1822 plat of Jackson. This four-block tract was formerly the site of the old State Penitentiary, which had been built from 1836 to 1840 (at the same

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

time as the Old Capitol), and had been designed by William Nichols, the architect of the Old Capitol and the Governor's Mansion. The Penitentiary, a walled complex of brick buildings, was demolished in 1901 to clear the site for the construction of the new capitol. (Because of extensive excavation and grading of the site it is very unlikely that there are any significant archaeological remains of the Penitentiary.) The streets and blocks of the original part of downtown Jackson are angled about ten degrees east of a true north-south alignment.

The Capitol grounds are immediately north of the northern boundary of the Smith Park Architectural District (NR), which extends for several blocks to the south. Within the district, facing the Capitol across Mississippi Street, is the Heber Ladner Building (State Executive Building), originally built in 1924 as the Mississippi Fire Insurance Company Building. Also across Mississippi Street, further to the west, at 321 Mississippi Street, is the Methodist Building, formerly the offices of the Mississippi Methodist Conference, built in 1957. To the west of the Capitol, across West Street, is the E. T. Woolfolk State Office Building, which was completed in 1950. Across from the Capitol grounds to the northwest, across High Street, is the new Mississippi Supreme Court Building, completed in 2006. (Part of its site was formerly occupied by the Carroll Gartin Justice Building, which had been completed in 1972.) To the northeast, at 550 High Street, is the Walter Sillers State Office Building, a twenty-story International Style building begun in 1970 and completed in 1972. On the twentieth floor of the Sillers Building are the administrative offices of the Governor and his staff, which had been located in the Capitol until 1976. East of the Capitol, facing it across President Street, is First Baptist Church, the sanctuary of which was originally completed in 1927.

The Capitol building occupies the exact center of its site, at what was specified to be the intersection of the continuations of the center lines of Congress Street and College Street. The building is aligned with the street grid, and it is therefore angled about ten degrees east of a true north alignment. The main façade of the building faces southward, toward Mississippi Street, and is centered on Congress Street, which extends the south. (Congress Street originally continued north of the Capitol grounds on the same axis, but since the construction of the complex of government buildings to the north of the Capitol across High Street in the early 1970s, Congress Street has been interrupted and resumes another block further to the north.) The lateral axis of the Capitol building is aligned with the center of College Street to the east. (College Street does not continue west of the Capitol grounds.)

### **Overall Composition and Exterior**

Extending 402 feet on its east-west axis and 225 feet on its north-south axis, the Mississippi State Capitol is a broad, symmetrical building, four stories in height, with a lofty central dome. It has a composite structural system, consisting of a steel frame encased by brick walls, which are faced on the exterior by stone.

Broadly speaking, the form of the building can be described as a symmetrical five-part composition, consisting of a square central block, surmounted by a dome, with two lateral wings and two end blocks which contain the two legislative chambers. At first glance this seems an accurate description, but a more careful examination of the plan [see diagram] shows that the building has a more complex and more elegant shape, which could perhaps more accurately be described as a seven-part composition, in which the extreme ends of the composition are the semi-circular colonnaded apses. These apses are unique among existing state capitols, although the old Wisconsin state capitol (no longer extant) apparently had similar peristyles at its ends. The placement and proportion of these apses pick up the line of the primary lateral wall planes that extend between the center block and the projecting pavilions, curving the wall line and carrying it around to the other side of the building. This has the effect of enhancing the visual unity of the building. The apses also add to the unity of the design by echoing the form and detailing of the colonnaded drum of the dome. This arrangement gives the Mississippi State Capitol a compositional unity which is rare among domed capitol buildings, for in the designs of some capitols the placement a dome and drum atop an otherwise rectilinear building seems rather abrupt and arbitrary, as if it is simply "stuck on" instead of being an integral element of the overall composition of the building.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State




Diagram of the composition of the Mississippi State Capitol.

The Mississippi capitol contains four full stories, plus a partial basement. In the original plans, the basement was identified as the “sub-basement.” The ground floor was originally referred to as the “basement” but is now called the first floor. The main level of the building was originally referred to as the first floor, but it is now called the second story. The next level was originally labeled as the second floor, but is now called the third floor, and the top level was originally referred to as the attic, but is now called the fourth floor. (The present-day floor numbering system is used in this document, for consistency.)

These various floor levels are articulated on the exterior of the building. Where the basement is visible on the exterior (in a light well at the west end and in three small exterior stairwells), it has walls of rough, rock-faced ashlar. The walls of the first story walls are clad in rusticated blocks with deep channel joints. The second and third story walls are finished in smooth blocks of coursed ashlar. At the top of the third story is a broad continuous entablature, above which are the ashlar walls of the fourth story. The exterior walls are clad in warm-toned, light gray Bedford limestone from Indiana. The base is Georgia granite.<sup>1</sup> The architectural character of the building is a rigorously disciplined and erudite form of Classical Revival, in the stylistic mode variously called the “Neo-Classical Revival” or “Academic Roman Revival,”<sup>2</sup> although the interior also contains features expressing some other stylistic influences.

At the center of the symmetrical seven-part composition of the building is the main block, which is surmounted by the primary dome, raised upon a high drum that has an encircling colonnade of Corinthian columns. Atop each of the four corners of the central block is a decorative sculpted structure resembling a pedestal, topped by a spherical globe light. These elevated structures contribute to the compositional unity of the building by serving as visual

<sup>1</sup> *Proceedings Connected with Laying the Corner Stone of Mississippi's New State House in the City of Jackson on June 3, 1903*, p. 69; “The New Capitol,” in the State of Mississippi, *Official and Statistical Register* (1904), p. 207; and “A Guide to the Architecture of the Mississippi State Capitol” (2013), p. 4.

<sup>2</sup> Marcus Whiffen, in his widely-used *American Architecture Since 1780: A Guide to the Styles* (Cambridge, Mass.: MIT Press, 1969), pp. 166-171, uses the term “Neo-Classical Revival.” Alan Gowans, in *Styles and Types of North American Architecture: Social Function and Cultural Expression* (New York: HarperCollins, 1993), p. 87, uses the term “Academic Roman Revival Style.”

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

anchors for the dome, providing an intermediary feature between the dome and the roof and relating the dome to the four corners of the center block.<sup>3</sup> At either side of the central block, the wall planes step back slightly, forming the east and west wings and expressing the portion of the building which, on all four stories, contains rows of offices along either side of broad central corridors. At the outer ends of these office wings are secondary blocks that contain the chambers for the two houses of the Legislature, the Senate in the east and the House of Representatives in the west. These blocks are expressed externally by projecting pavilions, elaborated on the north and south façades by recessed monumental Corinthian tetrastyle porticoes. These secondary blocks are topped by low, shallow domes which serve as skylights for the legislative chambers below. Extending beyond the pavilions, at the east and west ends of the building, are the semi-circular colonnaded apses.

The most prominent feature of the Capitol is the dome, which is set upon a tall drum encircled by a colonnade of 24 Corinthian columns, supporting a balustrade. Piercing the wall of the drum behind the columns is a series of tall rectangular windows which illuminate the Rotunda below. The drum continues above the balustrade, where its wall is pierced by smaller rectangular windows which provide light to the space between the internal and external domes. The dome itself is ribbed, and is surmounted by a lantern. The lantern is itself capped by a small dome, upon which is positioned a large sculpted eagle, made of copper and covered in gold leaf.

At the center of the south façade of the building, a projection in the form of a classical temple extends forward from the square central block, culminating in a broad monumental prostyle portico, two stories in height, surmounted by a pediment with an elaborately sculpted tympanum that was designed by Robert P. Bringham of St. Louis. The portico is supported by six fluted Corinthian columns. The portico is approached by a broad, long ascent of stone steps which rises a full story in height. Within the portico are three double-leaf doors which have historically served as the main ceremonial entrance to the building, although this entrance is now used only on special occasions. (Nowadays the south entrance into the building is through the doors that open directly into the first story from a *porte cochere* located underneath the portico projection.)

On the north side of the building, a similar gable-roofed projection extends out from the central block, but it does not have a monumental portico. Instead, it opens to an upper terrace, from which two matching curved staircases descend to ground level. The north entrance to the building today, however, is a door at ground level, between the lower ends of the two staircases.

The monumental portico and its broad steps are the distinctive features of the south façade, and the gable-roofed projection, open terrace, and curved stairs are the distinctive features of the north façade; otherwise the two façades of the building are identically composed, so that the building is essentially symmetrical on both its north-south and its east-west axes.

The exterior of the building is unified by the exclusive use of the Corinthian order throughout. The six columns of the main portico, the four columns on each of the recessed porticoes of the secondary blocks, and the columns of the peristyle apses are all of the same size and appearance, and a continuous Corinthian entablature, with a modillion cornice, wraps the entire building.

### **Interior, First Floor**

As previously noted, the present-day south entrance to the building is through the doors that open directly into the first story from a *porte cochere* located underneath the portico projection. This leads to a lobby on the periphery of the first-story level of the rotunda. This area is open to the main rotunda, on the story above, through a circular oculus in the ceiling. Extending northward from this "lower rotunda" is a corridor leading to the lobby inside the

<sup>3</sup> These pedestal-like structure are analogous to the *tourelles* (so called by Henry-Russell Hitchcock and William Seale) at the four corners of the central block at the base of the dome of the Rhode Island State House (1895-1905), by McKim, Mead and White. See illustrations in Henry-Russell Hitchcock and William Seale, *Temples of Democracy: The State Capitols of the U.S.A.* (New York: Harcourt Brace Jovanovich, 1976), p. 221; Susan W. Thrane and Tom Patterson, *State Houses: America's 50 State Capitol Buildings* (Erin, Ontario, Canada: Boston Mills Press, 2005), p. 148; and Richard Guy Wilson, *McKim, Mead & White, Architects* (New York: Rizzoli, 1983), p. 162.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

north entrance. The north entrance lobby is notable because its ceiling is made of copper, in order to avoid damage from any leaks that might occur from the open terrace located directly above.

Because what is now considered the first story was originally regarded as a basement area, rather than a ceremonial space, its detailing and surface finishes are much simpler than those of the upper stories. This area has tile floors, and the wainscots of its walls are finished with glazed white "subway" tiles. (The actual tiles in this area are not original, but are reproductions, circa 1979-82, of the original tile surfaces.)<sup>4</sup>

Extending to the east and west from the "lower rotunda" are corridors lined with offices. At the end of the eastern corridor are two of the Capitol's most distinctive and unusual rooms. Directly at the end of the corridor is a broad circular room with stout, unfluted Ionic columns around its perimeter and one lone column in the center. This room, located directly below the former Supreme Court Chamber, and two stories below the Senate Chamber, was originally designated as the Historical Hall, or Hall of History. It housed the Department of Archives and History from 1903 until 1941.<sup>5</sup> (Gradually, as the Department's collections increased, exhibits expanded out of this room into the "basement" corridors and the lower rotunda.)

Near the Hall of History, off a side corridor with its own door to the outside, is a small but richly detailed room with an apse in its north end. This room was originally designed to be a ladies' reception room for the United Daughters of the Confederacy (UDC). The wainscoting of its walls and the room's two Corinthian columns are finished in Rose Claire scagliola, and the floor is decorated with pink mosaic tile. Both this room and the Hall of History are now used as committee rooms for the House of Representatives.<sup>6</sup>

In the north corners of the periphery of the lower rotunda are two elevators providing access to the upper stories. The carriages and mechanical systems themselves have been replaced, but there were elevators in these locations originally, installed by the Otis Elevator Company. The glass-sided elevator carriages allow riders to see the white glazed tiled walls and stained glass windows in the original elevator shafts.<sup>7</sup> An iron staircase also leads from the lower rotunda to the story above.

### **Interior, Second Floor**

Emerging onto the second story from the elevators or the stair, one enters the north side of the main Rotunda. This vast central space is open to the dome high above. The walls and floor of the Rotunda are finished in white Italian marble trimmed with black Belgian marble. In its diagonal corners are huge pedestals that rise a full story in height. Set into the face of each pedestal is a white marble aedicule containing a statuary niche. Upon the pedestals are pairs of colossal Composite Order columns, finished in Pavanazzo scagliola, that support the drum of the dome. These columns have steel cores that are integral parts of the building's structural frame. Balconies overlook the Rotunda on all sides from the upper floors.<sup>8</sup>

The most surprising and distinctive aspect of the appearance of the Rotunda is its illumination by 750 exposed electric lightbulbs.<sup>9</sup> While this might seem strange to a viewer today when electric lighting is commonplace, it

<sup>4</sup> "A Guide to the Architecture of the Mississippi State Capitol" (2013), p. 9.

<sup>5</sup> "A Guide to the Architecture of the Mississippi State Capitol" (2013), p. 9, and "The New Capitol," *Official and Statistical Register* (1908), p. 211. The original plans of the building, prepared in 1900, designated this space as the "Historical Hall," even though the Mississippi Department of Archives and History was not established as a state agency until 1902.

<sup>6</sup> "A Guide to the Architecture of the Mississippi State Capitol" (2013), p. 9, and "The New Capitol," *Official and Statistical Register* (1908), p. 211.

<sup>7</sup> "A Guide to the Architecture of the Mississippi State Capitol" (2013), p. 7.

<sup>8</sup> "A Guide to the Architecture of the Mississippi State Capitol" (2013), p. 7, and "The New Capitol," *Official and Statistical Register* (1908), p. 209. There is a color photograph of the Rotunda in Thrane and Patterson, *State Houses: America's 50 State Capitol Buildings*, p. 138.

<sup>9</sup> "A Guide to the Architecture of the Mississippi State Capitol" (2013), p. 7. The use of exposed electric lightbulbs in this manner is perhaps not as unusual as might be supposed. Color photographs in Thrane and Patterson, *State Houses: America's 50 State Capitol Buildings* show rows of exposed electric lightbulbs in the state library of the Rhode Island State House (p. 149), in the House Chamber and Governor's Reception Room of the Minnesota State Capitol (pp. 158-159), and in the House of Representatives Chamber of the Wisconsin State Capitol (p. 208).

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

should be remembered that when the Capitol was completed in 1903, electric lighting was a new and cutting-edge technological development. Link's utilization of 4,750 electric lights throughout the building was a visual celebration of this new technology. This is shown in the minutes of the State House Commission, which recorded that the public was invited to view the spectacle of the illuminated capitol when the electric lights were first fully tested on the evening of September 3, 1903.<sup>10</sup>

Immediately south of the Rotunda, on what is now the second story, is the vestibule of the historic main entrance to the building, opening from the front portico. The walls of this vestibule are finished in blue Vermont marble above a base of black Belgian marble.<sup>11</sup>

At the north of the Rotunda is the Grand Staircase. This elaborate marble staircase ascends to the third and fourth stories. The half-story landing between the second and third stories is the location of one of the Capitols most dramatic features – a three-panel set of brilliantly colored “opalescent” stained glass windows, made by the studio of Louis J. Millet of Chicago. The center panel shows the image of a woman, symbolizing Mississippi, holding a book and a sword. In the right panel is the image of an American Indian, and in the left is the image of a pioneer settler. A story above this, the upper half-story landing has a vaulted ceiling with elaborate plaster decorations, and the balustrade is embellished with marble lions' heads.<sup>12</sup>

Extending eastward and westward from the Rotunda are broad corridors lined with offices. The corridors on this floor are finished in white Italian marble with black Belgian marble trim.<sup>13</sup> The corridors are lined with Doric pilasters, and the beams that span the ceiling are finished as fully-detailed Doric entablatures. At the end of the eastern corridor is the entrance to the former Supreme Court Chamber. (The Supreme Court relocated to the Gartin Justice Building in 1972, and more recently to the new Supreme Court Building.) This room features a semi-circular rear wall which is positioned within the apse at the east end of the building. The walls of this room are finished in Pavanazzo scagliola with wainscoting of Georgia Verde Antique marble.<sup>14</sup> The peripheral columns and other detailing of this room are in the Greek Doric order, finished in scagliola. This room is now used as a Senate committee room. (A photograph of the Supreme Court Chamber was included with the original National Register nomination in 1969.)

At the end of the western corridor of the second story is the suite of rooms formerly occupied by the State Law Library. (The library relocated to the Gartin Justice Building in 1972, and more recently to the new Supreme Court Building.) Just inside its entrance is a lobby which connects to offices to the north and the former Reading Room to the south. These rooms were restored in 1979-82, and now serve as committee meeting rooms for the House of Representatives. Between these two rooms, separated from the lobby by a partition with stained glass panels, is the area that formerly contained the library stacks. This area now contains offices and small meeting rooms.

### **Interior, Third Floor**

The third story of the Capitol (originally the second floor) is the location of the Legislative chambers and the Governor's Office suite. An ascent of the Grand Staircase, past the stained glass window on its first landing, leads to the second level of the main Rotunda, where the central open space is surrounded by iron balconies overlooking the floor of the Rotunda below. Opposite the Grand Staircase, on the south side of the Rotunda, is the Governor's Office suite. These rooms occupy the area directly over the original main lobby. These rooms are now used as a ceremonial office for the Governor, whose working offices are now located in the Walter Sillers Building nearby. Within this area is the ceremonial Governor's Office itself, which was historically referred to as the Governor's Reception Room. This elaborate chamber has a particularly fine mosaic floor laid in the style of Ancient Rome. The dado along the lower walls is finished in Numidian marble. The two elaborate French Renaissance style mantels were originally

<sup>10</sup> Mississippi, State House Commission, *Minutes*, pp. 582, 594 (Official Records Series 637, in the collections of the Mississippi Department of Archives and History).

<sup>11</sup> “The New Capitol,” *Official and Statistical Register* (1908), p. 209.

<sup>12</sup> “A Guide to the Architecture of the Mississippi State Capitol” (2013), p. 11. There is a color photograph of the stained glass windows in Thrane and Patterson, *State Houses: America's 50 State Capitol Buildings*, p. 140.

<sup>13</sup> “A Guide to the Architecture of the Mississippi State Capitol” (2013), p. 10.

<sup>14</sup> “A Guide to the Architecture of the Mississippi State Capitol” (2013), p. 10.



Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

made of the same marble, but the original mantels had been removed at some time prior to the 1970s. They were replicated during the restoration of 1979-82, but replacement in marble was cost-prohibitive, so they were reproduced in wood and painted to simulate the Numidian marble.<sup>15</sup> The most impressive feature of the room, however, is its vaulted ceiling with ornate plaster moldings. In 1930, some alterations to the Governor's Office were made under the direction of architect Vinson B. Smith, Jr. At that time, elaborate panels were installed at each end of the vault, adorned with heraldic griffins executed in plaster.<sup>16</sup>

To the east and west of the Rotunda are broad corridors lined with offices. The corridors on this floor are finished in Rose Claire scagliola framed in Champagne scagliola, with wainscoting of Georgia Verde Antique marble and bases and door surrounds of Belgian black marble. The corridors are lined with fluted Ionic pilasters of Verde Antique marble.<sup>17</sup> The ceilings of the third story corridors contain glass blocks which are set into the floor of the story above, transmitting light from the skylights that illuminate the fourth story corridors. At the end of the eastern third-story corridor is the entrance to the Senate Chamber. The entrance opens into a lobby with walls of white Italian marble trimmed with Tennessee marble. At the north and south ends of this lobby are doors entering into the Senate Chamber itself.

The Senate Chamber is one of the Capitol's most ornate rooms. It is two-stories in height with an apsidal east end. Along its walls are monumental Corinthian columns of violet Breccia scagliola. Over the room is a broad dome containing a skylight consisting of twelve stained glass panels in a sinuous Art Nouveau pattern. The walls are finished in panels of Pavanazzo scagliola framed by St. Baum scagliola, with Egyptian scagliola wainscoting. Overlooking the room on three sides are visitors' galleries.<sup>18</sup>

At the end of the western corridor of the third story is the entrance to the House of Representatives Chamber. The corridor is shorter in this wing because of the larger size of the House Chamber. Immediately within the entrance is a lobby with walls of Tennessee Pink marble trimmed with Knoxville marble. At the north and south ends of this lobby are doors entering into the House Chamber itself. This huge room is two-stories in height with an apsidal west end. Spanning the room is a broad dome containing a skylight made of eight stained glass panels in a sinuous Art Nouveau pattern, somewhat resembling the dome in the Senate chamber, but with a different design. Unlike the Senate Chamber, this room does not have columns along its side walls. Instead, the walls of the chamber curve inward at the gallery level to become part of the dome itself, with the visitors' galleries and the western apse opening from it through broad round arches. The walls of the chamber are finished in Sienna scagliola with wainscoting of Belgian black marble.<sup>19</sup>

#### **Interior, Fourth Floor**

The fourth story is arranged similarly to the third story, with wide corridors, lined with offices, extending to the east and west of the Rotunda.<sup>20</sup> At the ends of the corridors are the entrances to the visitors' galleries overlooking the Senate and House chambers. The fourth story corridors are illuminated by skylights. The light from these skylights is transmitted to the corridors of the third story, below, through glass blocks set into the fourth-story floor.<sup>21</sup>

Among the notable features of the Capitol are the many fine examples of stained glass and other types of decorative architectural glass, showing several different stylistic influences, including Art Nouveau and Prairie Style. The art glass throughout the building was designed by the studio of Louis J. Millet of Chicago.<sup>22</sup>

<sup>15</sup> Kenneth H. P'Pool, email communication with Lawson Newman, October 29, 2013.

<sup>16</sup> "A Guide to the Architecture of the Mississippi State Capitol" (2013), pp. 11-12.

<sup>17</sup> "A Guide to the Architecture of the Mississippi State Capitol" (2013), p. 11.

<sup>18</sup> "A Guide to the Architecture of the Mississippi State Capitol" (2013), pp. 13-14.

<sup>19</sup> "A Guide to the Architecture of the Mississippi State Capitol" (2013), pp. 15-16.

<sup>20</sup> The fourth story was originally called the attic floor, but the term was used in its classical sense, to refer to the top story of a classical building, above the line or the cornice, and not in the modern sense denoting a storage space tucked under the roof.

<sup>21</sup> "A Guide to the Architecture of the Mississippi State Capitol" (2013), p. 12.

<sup>22</sup> *Proceedings Connected with Laying the Corner Stone*, p. 74.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

Another notable aspect of the design is the extensive use of scagliola, or “art marble,” which was used instead of marble in many places throughout the Capitol, particularly for the finishes of columns and upper wall surfaces. The scagliola work in the Mississippi Capitol is believed to be among the finest and most extensive in the United States. The scagliola was installed by the Art Marble Company of Chicago.<sup>23</sup>

#### **Historical integrity of the Mississippi State Capitol**

The Mississippi State Capitol possesses an exceptionally high degree of historical integrity in all respects: location, design, setting, materials, workmanship, feeling, and association. The exterior of the building and the major architecturally significant spaces of the interior are original and unchanged in their design, materials, and workmanship.

The building has undergone very few changes since its construction. Its few changes have mostly been either upgrades to its utilities or alterations within some of the office areas. Among the few other changes were a remodeling of the Governor’s Office in 1930, which added plasterwork features that are now regarded as significant in their own right, and an extensive program of painting in 1934, under the auspices of the Civil Works Administration (CWA), which is also regarded as being significant in its own right.

The Capitol underwent a complete restoration and renovation from 1979 to 1982 under the overall direction of Jackson architects Lewis-Eaton. During this work, all of the architecturally significant interior spaces were restored to their historical appearance, retaining the noteworthy 1930 and 1934 design elements. The interiors of the less important office areas, however, were redesigned to increase usable office space. Also at this time the building’s utilities were completely replaced, and air-conditioning was installed.

#### **Precedents for the design and its major features**

It can be readily observed that the overall composition of the Mississippi State Capitol resembles the overall composition of the United States Capitol, but beyond a certain similarity of function and general organization, the buildings are quite different.

The dome, while somewhat suggestive of the dome of the U.S. Capitol, is distinctly different from it in design, having no *oeil-de-boeuf* windows in the dome proper, nor the “secondary attic” with its “chaplet of consoles” (to use the wording of Henry Hope Reed),<sup>24</sup> though the drums of both domes have encircling Corinthian colonnades (peristyles). The peristyle of the U.S. Capitol has 36 columns;<sup>25</sup> the Mississippi capitol has 24. The U.S. Capitol’s dome is proportionally much taller than the walls of the building itself.<sup>26</sup> The dome of the Mississippi capitol is actually much closer in design to that of St. Paul’s Cathedral in London, designed by Sir Christopher Wren, which was begun in 1675 and completed in 1710.<sup>27</sup> The Mississippi dome has similar proportions and has the same configuration as St. Paul’s: the drum is encircled by a Corinthian peristyle surmounted by a balustrade, above which is a single-tiered attic, the wall of which is pierced by square windows, and the surface of the roof of the dome has no *oails-de-boeuf*. The lantern, however, differs in design from both the U.S. Capitol and St. Paul’s.

The origin of the specific design of the dome on this building is a matter of longstanding controversy. Link’s original competition design had a lower dome of a completely different design, but his approved construction drawings, finished several months later, show the present dome. Several important changes to the originally proposed design were made in order to accommodate the recommendations of Bernard R. Green, who advised the Mississippi State House Commission in their selection of an architect based on their proposed designs. Green had recommended that Link’s design be selected and that Link be hired as the architect, and he had made recommendations for improvements to Link’s proposal; but Green’s recommendations did not specifically include the addition of a larger central dome. The inclusion of a larger dome might perhaps have been Link’s own idea, or it

<sup>23</sup> *Proceedings Connected with Laying the Corner Stone*, p. 74.

<sup>24</sup> Henry Hope Reed, *The United States Capitol: Its Architecture and Decoration* (New York, W.W. Norton, 2005), p. 47.

<sup>25</sup> Reed, *The United States Capitol: Its Architecture and Decoration*, p. 45.

<sup>26</sup> Reed, *The United States Capitol: Its Architecture and Decoration*, p. 45.

<sup>27</sup> Bannister Fletcher, *A History of Architecture*, eighteenth edition, revised by J. C. Palmes (New York: Charles Scribner’s Sons, 1975), pp. 1014, 1016-1019; Tricia Simmonds, *St. Paul’s Cathedral* (Bath, England: Unichrome, 1992), p. 47.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

might have been suggested by one or more members of the State House Commission. The controversial aspect of the matter, however, is the design of the dome itself. Architect George R. Mann claimed that he had provided the design of the dome to Link. In a letter dating from 1937, Mann wrote:

This Mississippi Capitol dome has a curious history. I was one of the competitors for the Mississippi Capitol but the Board selected the plans of Theodore Link of St. Louis... Shortly after the competition was decided I received a letter from Mr. Link, who was a warm personal friend, stating the Capitol Commission of Mississippi, in selecting his plan, had made it a condition that he eliminate the campanile and place a dome like the one I had on my design on the building. Courteously, he asked me if I had any objections to his using this design. Of course I told him I would be glad to have him use it and sent him the design of the dome I had on my drawings, and that was the way it was built.<sup>28</sup>

Mann had prepared the original plans for the Arkansas capitol, and had submitted a proposed preliminary design for the Mississippi capitol competition, which was not selected. No drawing of Mann's proposed design for Mississippi has survived to provide any documentation for its dome. That proposed design, however was apparently the plan that Green addressed as no. 8 in his report, saying "The ornamental detail of the exterior lacks the strength required for a monumental building. The domes are weak and thin in appearance."<sup>29</sup> It seems implausible that Link would have asked Mann for permission to use a design for the dome that Green had considered "weak and thin in appearance," or that the Commission would have endorsed such a request.<sup>30</sup> However, because Mann's proposed design has been lost, there is insufficient specific documentation to settle the issue definitively. (In an ironic twist, the dome of the *Arkansas* State Capitol, added to that building under the direction of Cass Gilbert, who replaced Mann as the project architect, has a peristyle drum and was supposedly based on the design of the dome of the *Mississippi* Capitol, instead of Mann's original design, which was based on the dome of St. Peter's Basilica in Rome.<sup>31</sup>)

The Corinthian portico of the Mississippi Capitol with its sculptural tympanum is clearly a paraphrase of the main portico of the U.S. Capitol, though it has six columns, where the projecting center portion of the U.S. Capitol portico has eight columns. The compositional motif of placing the main ceremonial entrance of the building within a monumental pedimented portico at the top of a long ascent of steps is less common among state capitol buildings than might be supposed. First used at the Virginia capitol, the motif appeared on several Greek Revival capitols during the antebellum period, but was rarely used during the late Victorian period, appearing only on the Kansas and Illinois. Mississippi is the earliest of the American Renaissance capitols to exhibit this motif, which was later used on the capitols of Idaho (1905-20), Utah (1912-15), Missouri (1913-17), Oklahoma (1914-17), Washington (1922-28), and West Virginia (1924-32). South Dakota and Montana have smaller porticoes without pediments. Arkansas has a recessed portico with an unsculpted pediment, evidently based on the portico of the Palace of Fine Art at the World's Columbian Exposition. Much more typical was the placement of the main entrance within a loggia set *below* a monumental portico. Capitols with this other entrance arrangement include those of Massachusetts, Maine,

<sup>28</sup> George R. Mann, in a letter to his children, dated September 30, 1937, quoted in Blake Wintory, "A Tale of Two Domes: Mississippi and Arkansas" (Part I), in the blog *Preservation in Mississippi*, August 22, 2011, <http://misspreservation.com/2011/08/22/architectural-twins-mississippi-and-arkansas-state-capitol-domes/>.

<sup>29</sup> Mississippi, State House Commission, *Minutes*, p. 24 (Official Records Series 637, in the collections of the Mississippi Department of Archives and History); and Thomas Rosell [pseud.], "A Rosetta Stone and Truth about the Dome?" *Preservation in Mississippi*, September 6, 2011, <http://misspreservation.com/2011/09/06/a-rosetta-stone-and-truth-about-the-dome/>.

<sup>30</sup> Thomas Rosell [pseud.], "A Rosetta Stone and Truth about the Dome?" *Preservation in Mississippi*, September 6, 2011. The controversy surrounding the origin of the design of the dome is the subject of a series of articles in the blog *Preservation in Mississippi*: Blake Wintory, "A Tale of Two Domes: Mississippi and Arkansas" (Part I), August 22, 2011; Blake Wintory, "A Tale of Two Domes, Part II," August 23, 2011; Blake Wintory, "A Tale of Two Domes, Part III," August 24, 2011; Blake Wintory, "A Tale of Two Domes, Finale," August 25, 2011; and Thomas Rosell [pseud.], "A Rosetta Stone and Truth about the Dome?" September 6, 2011.

<sup>31</sup> Blake Wintory, "A Tale of Two Domes, Finale," August 25, 2011.

Mississippi State Capitol  
(Additional Documentation)

Name of Property

Hinds County  
Mississippi  
County and State

North Carolina, Tennessee, California, Iowa, Indiana, Georgia, Pennsylvania, Colorado, Kentucky, and Wisconsin. Rhode Island, Minnesota, and Wyoming have variations on that theme.

The restrained Neoclassicism of the design of the Mississippi Capitol and the combination of the colonnaded dome and the monumental portico suggest another possible influence on the design. Considering that Theodore Link resided for a time in Paris, where he was a student of architecture and engineering, it seems possible that one inspiration for the design might have been the Panthéon in Paris (1757-64), which has both a dome with a Corinthian peristyle drum similar in design to St. Paul's and a pedimented monumental Corinthian portico. When the Panthéon is viewed from the front, the visual relationship between the dome and the portico is similar to the relationship of those features on the Mississippi Capitol.<sup>32</sup>

There are few well-known buildings that might have served as a precedent for the colonnaded apses. The old state capitol of Wisconsin (no longer extant) had similar apses, but they were awkwardly proportioned and did not relate well to the architectural character of the rest of the building. Perhaps the best known building with a peristyle apse is the Merchants' Exchange Building in Philadelphia (1832-34, William Strickland, architect) (National Historic Landmark, 2001). Another possible inspiration for the peristyle apses may have been the design of domes with colonnaded drums, like as the Mississippi Capitol's dome, for if a colonnaded drum were to be sliced in half, and one half placed at each end of a building, the result would be similar to the peristyle apses of the Mississippi Capitol. (Link, however, did not derive the design of the apses from the design of his own dome for the Capitol, for a drawing of his original competition design shows that the apses were included in the original design, which did not include a peristyle drum supporting its center dome.) Another possible source for the idea of colonnaded apses if derived from the shape of circular structures with peristyles might have been buildings of the 'Tempietto' type – freestanding circular buildings with encircling colonnades, such as the ancient Roman Temple of Vesta in Rome and the Temple of Vesta at Tivoli,<sup>33</sup> and the Renaissance Tempietto (1502-10) in Rome.<sup>34</sup> Interestingly, there were two Neoclassical Tempietto-like buildings with monumental peristyle colonnades in the Corinthian order at the World's Columbian Exposition in 1893, at least one of which housed, surprisingly, a chocolate shop.<sup>35</sup>

It is clear, then, that while the Mississippi State Capitol incorporates elements that may have been inspired by or borrowed from the designs of some other buildings, the design itself is distinctive and singular.

#### Other contributing features on the Capitol Grounds.

Besides the Mississippi State Capitol itself, there are several other notable features associated with it, including the Capitol grounds and several commemorative objects, most of which have historical significance as well.

#### A. The Capitol Grounds.

The eleven-acre park-like setting of the Capitol building is considered a contributing historic landscape. Although its exact historic appearance has not been clearly documented, the site has continuously been a tree-shaded park landscape with winding drives and paved walks since soon after the completion of the Capitol building, and is a very important part of its physical and visual presence in downtown Jackson.

<sup>32</sup> The Panthéon in Paris is pictured in James Stevens Curl, *Classical Architecture: An Introduction to Its Vocabulary and Essentials, with a Select Glossary of Terms* (New York: W.W. Norton & Co., 2001), p. 122; Bannister Fletcher, *A History of Architecture*, eighteenth edition, revised by J. C. Palmes (New York: Charles Scribner's Sons, 1975), pp. 913-914; Frédérique Lemerle and Yves Pauwels, *Baroque Architecture, 1600-1750* (Paris: Flammarion, 2008), p. 224; and Heinfried Wischermann, *Paris: An Architectural Guide* (Venice: Arsenale Editrice, 1997, reprinted 2005), p. 80.

<sup>33</sup> Bannister Fletcher, *A History of Architecture*, eighteenth edition, revised by J. C. Palmes (New York: Charles Scribner's Sons, 1975), pp. 283-284.

<sup>34</sup> Curl, *Classical Architecture*, pp. 86-89; Bannister Fletcher, *A History of Architecture*, eighteenth edition, pp. 821, 823.

<sup>35</sup> Norman Bolotin and Christine Laing, *The World's Columbian Exposition: The Chicago World's Fair of 1893* (Urbana and Chicago: University of Illinois Press, 2002), p. 52 and 58. They were located immediately adjacent to The Peristyle, a monumental colonnaded entrance pavilion.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

#### B. The Prow Ornament of the Second U.S.S. Mississippi.

Located on the Capitol grounds, at the eastern edge of the parking area immediately north of the building, is a monument consisting of the prow ornament of an early twentieth century battleship, the second U.S.S. *Mississippi*, mounted on a concrete base.

The U.S.S. *Mississippi* (BB-23) was launched in 1905 and formally commissioned in 1908. At the time of its commissioning it was adorned with an elaborate prow (or bow) ornament (also referred to as figurehead). At the end of the nineteenth century and into the earliest years of the twentieth century, most of the larger vessels of the U.S. Navy had ornaments of this type, which could be removed when a ship was prepared for combat. It appears, however, that in 1909 an order was issued by the Secretary of the Navy requiring that these ornaments be removed from all Navy ships.

The *Mississippi* made a visit to Pascagoula, on the Mississippi Gulf Coast, in 1909, at which time the Governor Edmund P. Noel, on behalf of the state, presented a magnificent silver service to the ship. Evidently he learned about that time that the bow ornament had been removed, or was soon to be removed, for in August of that year he requested that the figurehead be lent to the state to be placed on display at the Capitol. The ornament was sent to Mississippi by rail from the Philadelphia Navy Yard in December of 1909. About six months after its arrival, it was mounted on a temporary stand and placed on display at the Capitol. Several years later, in 1914, the ship (which had been rendered essentially obsolete, soon after its construction, by British naval developments) was decommissioned and sold to Greece. About that time, the prow ornament was permanently mounted on a concrete base and placed on display on the Capitol grounds, where it remains today.<sup>36</sup>

#### C. The Monument to the Women of the Confederacy.

Located in the center of the paved walkway directly in front of the Capitol, on the south side of the grounds, the Monument to the Women of the Confederacy is an elegant bronze sculpture portraying a woman attending a wounded soldier while a second woman places a wreath upon her head. The sculpture is raised upon a tall base made of Italian marble, with inscriptions on each of its four sides, honoring the mothers, wives, sisters, and daughters of the men who fought for the Confederacy. The cornerstone for the monument was laid in 1912, and the bronze sculpture, designed by noted sculptor Belle Kinney and cast by Tiffany Studios, was made and installed in 1917.<sup>37</sup> It is one of the finest sculptural monuments in Mississippi, and it is perhaps the largest and most elaborate bronze sculptural work in the state outside of the Vicksburg National Military Park.

#### D. Flagstuffs.

Two flagstuffs, located on either side of the front approach to the Capitol, were purchased and erected in 1922 under the auspices of the State Bond Improvement Commission. The 80-foot poles were manufactured by the Pole & Tube Works, Inc., of Newark, New Jersey.<sup>38</sup> The particular significance of these flagpoles is that they were purchased under the direction of Theodore C. Link, while he was the supervising architect for the State Bond Improvement Commission. They are the only visible features related to Link's second period of association with the Capitol.

The flags of the United States and the State of Mississippi are flown from these two flagstuffs year-round. (There are also flagpoles on the domes over the House and Senate chambers on the Capitol building, but flags are only flown atop the Capitol when the Legislature is in session.)

<sup>36</sup> Documentation, including a xerographic copy of an article, "Monument to an Old Battleship," *Ships and the Sea Quarterly* (Winter 1958), p. 47, filed in the Subject File "Mississippi, U.S.S. (2<sup>nd</sup>) (1905)," Mississippi Department of Archives and History. The second U.S.S. *Mississippi*, after having been sold to Greece in 1914, was renamed the *Kilkis*. She was sunk in an attack by German aircraft during the German invasion of Greece in World War II. A new U.S.S. *Mississippi* (BB-41), the third ship to bear that name, was commissioned in 1917 and saw service in the Second World War.

<sup>37</sup> Subject file, "Monument to the Women of the Confederacy," Mississippi Department of Archives and History; and Elise L. Smith, "Belle Kinney and the Confederate Women's Monument," *Southern Quarterly*, 32:4 (Summer 1944), pp. 6-31

<sup>38</sup> Records of the State Bond Improvement Commission, Old Capitol file, Series 666.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

E. German field howitzers from World War I.

Located near the flagstuffs in front of the Capitol building are two German field guns from World War I. Both are examples of the 150-millimeter heavy field howitzer, model 13 (15cm *schwere Feldhaubitze* 13). They represent two variations of the design, one having a longer barrel than the other. The two field guns are war trophies from the First World War that were allocated to the State of Mississippi by the federal government in 1924. They were placed on the grounds of the Capitol in 1925.<sup>39</sup>

F. Liberty Bell replica.

In 1950, as part of a national Savings Bond drive, each state and territory of the Union was presented with a full-size, functional replica of the Liberty Bell, commissioned by the U.S. Treasury Department but paid for by private contributions. The bells were cast at the Paccard Foundry in Annecy-le-Vieux, France. Mississippi's Liberty Bell was presented to the state on July 4, 1950.<sup>40</sup> It is displayed at the front of the main entrance walk on the south side of the Capitol Grounds. Identical replicas of the Liberty Bell, presented to other states and territories at this same time, have been placed on public display at or near numerous other state capitols, including the capitols of Alaska, Colorado, Delaware, Hawaii, Idaho, Iowa, Oregon, and South Dakota. Although it is more than 50 years old, because this commemorative object postdates the historic architectural features of the Capitol, and has no specific historical connection with the building, it is considered to be a non-contributing feature within the context of this documentation.

Altogether, the Mississippi State Capitol and its associated site and monuments comprise an ensemble consisting of one previously-listed building, one contributing site, six contributing objects (two monuments, two flagstuffs, and two field guns), and one non-contributing object.

<sup>39</sup> *Biennial Report of the Adjutant General of the State of Mississippi for the Years 1924-1925*, pp. 57-58 and p. 68. The report specifically mentions two 150-mm howitzers that were to be placed on the grounds of the New Capitol.

<sup>40</sup> "State Accepts Liberty Bell in Formal Ceremony," *Jackson Daily News* (Jackson, Mississippi), July 5, 1950. A xerographic copy of that article is filed, along with other information, in the Subject file, "Liberty Bell," Mississippi Department of Archives and History.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

## 8. Statement of Significance

### Applicable National Register Criteria

(Mark "x" in one or more boxes for the criteria qualifying the property for National Register listing.)

- A. Property is associated with events that have made a significant contribution to the broad patterns of our history.
- B. Property is associated with the lives of persons significant in our past.
- C. Property embodies the distinctive characteristics of a type, period, or method of construction or represents the work of a master, or possesses high artistic values, or represents a significant and distinguishable entity whose components lack individual distinction.
- D. Property has yielded, or is likely to yield, information important in prehistory or history.

### Criteria Considerations

(Mark "x" in all the boxes that apply.)

- A. Owned by a religious institution or used for religious purposes
- B. Removed from its original location
- C. A birthplace or grave
- D. A cemetery
- E. A reconstructed building, object, or structure
- F. A commemorative property
- G. Less than 50 years old or achieving significance within the past 50 years

Mississippi State Capitol  
(Additional Documentation)  
Name of Property \_\_\_\_\_

Hinds County  
Mississippi  
County and State \_\_\_\_\_

**Areas of Significance**  
(Enter categories from instructions.)

ARCHITECTURE  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**Period of Significance**  
1900-1935  
\_\_\_\_\_  
\_\_\_\_\_

**Significant Dates**  
1900  
1901  
1903

**Significant Person**  
(Complete only if Criterion B is marked above.)  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**Cultural Affiliation**  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**Architect/Builder**  
Architect: Link, Theodore  
Builder: Wells, W. A. & W. E. (Wells Brothers Company)  
Glasswork: Millet, Louis J.  
Sculptor: Bringhurst, Robert P.  
Sculptor: Kinney, Belle



Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

**Statement of Significance Summary Paragraph** (Provide a summary paragraph that includes level of significance, applicable criteria, justification for the period of significance, and any applicable criteria considerations.)

### **Background for this Additional Documentation**

The Mississippi State Capitol was listed on the National Register of Historic Places on November 25, 1969. At that time, the submission standards were much less rigorous than they are now, so the documentation was quite brief. The building was recognized at that time for state-level significance in the areas of Architecture, Landscape Architecture, and Politics.

This document is intended to provide much more extensive information, at current documentation standards, showing that the building is nationally significant under Criterion C in the area of Architecture.

### **Summary**

The Mississippi State Capitol is nationally significant as the first complete expression of academic Classicism in a state capitol building outside of the Northeast. As an exceptionally fine public building combining the Beaux Arts and Neoclassical Revival styles, built from 1901 to 1903 in what was then a very small and provincial southern city, as the capitol building for a southern state still recovering from the physical and economic devastation of the Civil War and the tremendous social upheaval brought about by the War and Reconstruction, it vividly represents the overwhelming extent to which academic Classicism was embraced by the American public and governmental leaders as the national style for civic architecture from the 1890s through the 1910s. Moreover, as the work of a single architect, built in a single construction campaign spanning only three years, and having had only minor alterations since its completion, the Mississippi State Capitol exhibits a unity of design, a fidelity to the original plans, and a degree of architectural integrity since its completion that are very rare among state capitol buildings of the American Renaissance era.

The period of significance extends from 1901, when construction began, to 1935, when notable interior painting done under the auspices of the Civil Works Administration (CWA) was completed. This span of years encompasses the construction of the building (1901-03), the development of the grounds, the placement of two notable monuments on the grounds (1914 and 1917), work done under the State Bond Improvement Commission (1920-23), renovation of the Governor's office (1930), and the painting done under the CWA (1934-35).

In addition to its significance as a landmark in the spread of academic Classicism as a national style, the Mississippi Capitol is notable as arguably the finest and most refined work of the architect Theodore C. Link. Although he is best known and most widely cited in architectural histories as one of the architects of Union Station in St. Louis (1891-94) (National Historic Landmark, 1970), Link was a very talented and very versatile architect whose *oeuvre* embraces a wide range of building types and architectural styles in numerous locations from the Pennsylvania and Virginia to the Midwest to the Deep South. His architectural work and its importance are addressed later in this document.

The Mississippi State Capitol is also notable for its exceptionally large, fine, and diverse array of architectural glass, executed by the firm of noted Chicago artisan and designer Louis J. Millet, who collaborated with Louis Sullivan in several of his most noted buildings. Millet's work is also addressed later in this document.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

---

**Narrative Statement of Significance** (Provide at least one paragraph for each area of significance.)

**Architectural Context: Beaux Arts Classicism, the Neoclassical Revival, and the American Renaissance**

The thirty-five years from the end of the Civil War in 1865 until the end of the nineteenth century were a period of great architectural change and experimentation in the United States. The architecture of those years reflected a wide diversity of styles, and it was not uncommon to see features from several different styles combined on the same building. Many of the major public buildings erected during this period, including several state capitols, were built in non-classical styles. The Connecticut state capitol, designed by Richard M. Upjohn and built from 1872 to 1879, was an elaborate display of High Victorian Gothic.<sup>41</sup> Louisiana's Gothic Revival state capitol, completed in 1849, had burned during the Civil War, but it was rebuilt within its ruined walls in 1880-82 under the direction of William A. Freret in an even more imaginative expression of the Gothic style.<sup>42</sup> The New York state capitol, begun by Thomas W. Fuller in 1868 but largely built in the 1880s under the direction of Leopold Eidlitz and H.H. Richardson, has a distinctly French Renaissance or Chateausque character on the exterior, while the interior has Gothic and Romanesque styling.<sup>43</sup>

Although the popularity of classically-inspired architecture waned during this period, it never completely fell out of fashion, particularly for major public buildings; but the classically-inspired public buildings that were built from the 1870s through the early 1890s largely exhibited an approach to classical design that was heavily influenced by the High Victorian Italianate, French Second Empire, and French Renaissance styles. Henry-Russell Hitchcock and William Seale, in *Temples of Democracy: The State Capitols of the U.S.A.*, refer to the state capitols of the period from 1866 to 1890 as "Gilded Age" capitols.<sup>44</sup> Alan Gowans, in *Styles and Types of North American Architecture*, characterizes these buildings as examples of "Picturesque Classicism."<sup>45</sup> These capitol buildings tended to have highly articulated exteriors with a distinct vertical emphasis, and their features, particularly windows and columns, were often vertically elongated. Those characteristics are expressed in the capitols of Kansas (1866-1903), Illinois (1868-88), Iowa (1871-86), Michigan (1872-78), Indiana (1878-88), Texas (1882-88) (NHL, 1986), Colorado (1886-1908), and Wyoming (1887-88 and 1889-90, enlarged 1915-1917) (NHL, 1987).<sup>46</sup>

It was during this late Victorian period that the custom of placing large, prominent central domes on state capital buildings became well established. This architectural motif had been used in the design of numerous state capitols before the Civil War, including the (Old) Capitol of Mississippi (1836-40), but these buildings tended to have relatively low domes, set upon short drums, apparently following the example of the United States Capitol as it had been completed by Charles Bullfinch in about 1826.<sup>47</sup> (There were some exceptions to this general pattern; several antebellum capitols, most notably the Vermont capitol as rebuilt in 1857-59,<sup>48</sup> had domes set upon higher drums, but lower domes were more typical during that period.) It was the completion of the new dome of the U.S. Capitol

---

<sup>41</sup> Henry-Russell Hitchcock and William Seale, *Temples of Democracy: The State Capitols of the U.S.A.* (New York: Harcourt Brace Jovanovich, 1976), pp. 162-166.

<sup>42</sup> Hitchcock and Seale, *Temples of Democracy*, pp. 194-196.

<sup>43</sup> Susan W. Thrane and Tom Patterson, *State Houses: America's 50 State Capitol Buildings* (Erin, Ontario, Canada: Boston Mills Press, 2005), pp. 120-125, and Hitchcock and Seale, *Temples of Democracy*, p. 165.

<sup>44</sup> Hitchcock and Seale, *Temples of Democracy*, pp. 166-167, 187, 198-200.

<sup>45</sup> Alan Gowans, *Styles and Types of North American Architecture: Social Function and Cultural Expression* (New York: HarperCollins, 1993), p. 87. Gowans pictures the Colorado State Capitol as an example of Picturesque Classicism, and contrasts it with the Missouri State Capitol as an example of the later academic Classicism, which he refers to in this instance as "the majestic, learned early-twentieth-century Academic Roman Revival Style."

<sup>46</sup> The design and construction of these capitols is Hitchcock and Seale, *Temples of Democracy*, pp. 126-129.

<sup>47</sup> The U.S. Capitol, as it as it appeared in 1847, is pictured in Hitchcock and Seale, *Temples of Democracy*, p. 121. Hitchcock and Seale, however, assert, on p. 123, that "No state had seen fit to copy the Capitol."

<sup>48</sup> Thrane and Patterson, *State Houses*, pp. 54-55; Hitchcock and Seale, *Temples of Democracy*, pp. 126-129.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

(completed on the exterior in 1863 and completed inside in 1866)<sup>49</sup> that established the precedent, and to a great extent the model, for the large, monumental domes built on the great majority of the state capitols that were built from the late 1860s through the 1920s. The new dome of the U.S. Capitol, designed by Thomas U. Walter, was built of cast iron, and was inspired, in part, by the dome of St. Paul's Cathedral in London and the dome of the Panthéon in Paris.<sup>50</sup> Apparently inspired by the U.S. Capitol dome, a new dome was added to the New Hampshire capitol in 1863-66,<sup>51</sup> and a dome much more like that of the U.S. Capitol was designed about 1866 for the (old) Wisconsin capitol (no longer extant).<sup>52</sup> The California capitol (completed in 1878)<sup>53</sup> also had a similar dome. The presence of large, monumental domes gives many of the state capitols built between the 1860s and the 1920s a certain similarity of form,<sup>54</sup> but the architectural character of the individual buildings varies greatly.

By the 1890s, under the leadership of architects who had been educated at the École des Beaux Arts in Paris, American architects had begun to embrace a new approach to the design of public buildings that was much more rigorous and disciplined in its composition and much more erudite and deliberate in its interpretation and application of the vocabulary of classical design. A similar movement was also occurring in the fine arts. Broadly, these developments are referred to as the "American Renaissance."<sup>55</sup> This new "academic" approach to classically-inspired architecture was expressed in several different stylistic modes. Marcus Whiffen, in *American Architecture Since 1780: A Guide to the Styles*, categorized these modes of Classicism as four specific styles: "Beaux Arts Classicism," the "Neo-Classical Revival," the "Second Renaissance Revival," and the "Georgian Revival."<sup>56</sup> Beaux Arts Classicism tended to look toward the architecture of the Baroque era and particularly the French architecture of the seventeenth and early eighteenth centuries. The Neo-Classical Revival (or Neoclassical Revival) was more inspired by the French Neoclassical architecture of the late eighteenth and early nineteenth centuries, and often employed ancient Greek orders instead of ancient Roman or Renaissance orders. The Second Renaissance Revival, as termed by Whiffen, looked more toward the Italian Renaissance for its inspiration and vocabulary. The Georgian Revival drew inspiration from the architecture of the late Stuart and early Georgian eras in England and from the architecture of the late Colonial and early Federal periods in North America. Distinctions between these four stylistic modes are sometimes rather arbitrary. They employed a similar vocabulary and drew from similar Classical traditions. It is not unusual to see characteristics of two or more of these stylistic modes in the same building. This is particularly true of Beaux Arts Classicism and the Neoclassical Revival, which can be seen as polarities of a single spectrum, with Baroque complexity at one end and restrained or austere Neoclassicism at the other.

Initially, this new approach to monumental public architecture was largely confined to the major cities of the Northeast, particularly New York City, which was the epicenter of American Beaux Arts Classicism.<sup>57</sup> Among the leading architects in this development was the firm of McKim, Mead and White. The first state capitol to express this new approach to Classical architecture was the Rhode Island State House, designed by McKim, Mead and White and built from 1892 to 1904.<sup>58</sup>

<sup>49</sup> Henry Hope Reed, *The United States Capitol: Its Architecture and Decoration* (New York: W.W. Norton and Company, 2005), p. 31; and William C. Allen, *History of the United States Capitol: A Chronicle of Design, Construction, and Politics* (Honolulu, Hawaii: University Press of the Pacific, 2005), pp. 324-327, and 340.

<sup>50</sup> Allen, *History of the United States Capitol*, pp. 225-226; Reed, *The United States Capitol: Its Architecture and Decoration*, pp. 15-18.

<sup>51</sup> Hitchcock and Seale, *Temples of Democracy*, p. 148.

<sup>52</sup> Hitchcock and Seale, *Temples of Democracy*, p. 148.

<sup>53</sup> Hitchcock and Seale, *Temples of Democracy*, pp. 148; pictured on p. 147.

<sup>54</sup> As noted, for example, in James Jacobs, "Capitols as National Historic Landmarks," (U.S. Department of the Interior, National Park Service, February 2009), p. 4. The Statehouse as an architectural type, and particularly the form characterized as a "domed, low cross" is addressed in Chapter 2 of Charles T. Goodsell, *The American Statehouse: Interpreting Democracy's Temples* (Lawrence, Kansas: University Press of Kansas, 2001).

<sup>55</sup> Hitchcock and Seale, *Temples of Democracy*, pp. 210-212.

<sup>56</sup> Marcus Whiffen, *American Architecture Since 1780: A Guide to the Styles* (Cambridge, Mass.: MIT Press, 1969), pp. 149-171.

<sup>57</sup> Hitchcock and Seale, *Temples of Democracy*, pp. 210-212.

<sup>58</sup> Hitchcock and Seale, *Temples of Democracy*, p. 148.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

Popular appreciation for the architecture and urban planning of the American Renaissance was greatly stimulated by a series of World's Fairs held in various American cities in the 1890s and early 1900s, most notably the World's Columbian Exposition, held in Chicago in 1893. The significance of the World's Columbian Exposition was summed up by Hitchcock and Seale:

The producers of Chicago's great show changed the history of American Architecture, extending, if only nominally, the professional climate of New York and Chicago to the whole of America. In turn the fair sold the public on Beautiful Architecture, with the corollary that real beauty could only be created by established professionals. The Chicago exposition also proved that a city could be clean and safe and lovely. Americans willingly accepted the idea that architecture would lead them into the Age of the City Beautiful. Over and over again, in the remotest places, mayors and businessmen pored over pictures of the White City and imagined what their own towns might become.<sup>59</sup>

During the decade following the World's Columbian Exposition, the architecture of the American Renaissance became increasingly popular throughout the United States. Of the several styles encompassed by the movement, the Neoclassical Revival came to be the most widely-adopted style for public buildings throughout the United States, although many fine examples of the other styles were built as well. The largest and finest of these buildings, particularly state capitol buildings, demanded skills in design, engineering, and project management that were beyond the capabilities of most small, local architectural firms of that time; so larger and more experienced firms, with regional or national reputations and résumés, usually based in the larger cities of the Northeast or the Midwest were often called upon for these large-scale projects.

Two very important factors enabled the construction of large, complex public buildings in the 1890s and early 1900s. One factor was the rapid and efficient transportation of people and materials that was made possible by the development of the vast American railroad network. This transportation system made possible the shipment of such materials as structural steel, factory-produced furniture and building supplies, and distinct varieties of marble and other building stones to any city in the United States; and it also made it practical for architects, building contractors, and skilled artisans to travel easily from area of the country to another. The other factor enabling the construction of these buildings was the cumulative effect of many significant advances in building technology, including structural steel framing, electric lighting, and steam heating systems. Without these technological advances, such large, complex, and ornate buildings could not be feasible.

The second of the American Renaissance state capitols to be designed, and the first to be started after the World's Columbian Exposition, was the Minnesota State Capitol in St. Paul. Begun in 1896 and completed in 1905, it was designed Cass Gilbert. Like the Rhode Island State House, the Minnesota capitol was a highly refined example of academic Classicism in the Beaux Arts tradition. Other capitols begun during the next few years included the capitols of Montana (1896-1902; enlarged 1909-12), Arkansas (1899-1915), Pennsylvania (1902-06), Idaho (1905-20), Kentucky (1905-09), South Dakota (1907-10), Wisconsin (1906-17).

Among the earliest and finest of the American Renaissance capitol buildings built during this period was the Mississippi State Capitol, begun in 1901 and completed in 1903.

#### **Historical Background: Jackson as the State Capital**

When the Mississippi Territory was created in 1798, its largest settlement and administrative center was Natchez. In 1800, the capital of the territory was relocated to Washington, a small community about six miles outside of Natchez. Over the next few years, the boundaries of the Mississippi Territory were expanded several times, so that it eventually consisted of all of the area now contained within the states of Mississippi and Alabama, but the capital remained at Washington, in the far southwest corner of that vast area. In 1817, the western half of that area became the State of Mississippi, and the eastern half became the Alabama Territory. When Mississippi became a state, much of its land area, particularly in the central and northern parts of the state, were under the control of the Choctaw and

<sup>59</sup> Hitchcock and Seale, *Temples of Democracy*, p. 215.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

Chickasaw Indians. In 1820, in the Treaty of Doak's Stand, the Choctaws ceded a large area in the west-central part of the state to the federal government, and it was soon opened up for settlement.<sup>60</sup>

The government of the new state met at Natchez from 1817 to 1821. In 1821, the Legislature voted to relocate temporarily to Columbia, but also created a three-man commission to find a suitable location for a permanent capital near the center of the state, in the area recently ceded by the Choctaws. The commission selected a site and recommended it to the Legislature. In 1822, the Legislature, meeting at Columbia, approved the recommended location and ordered that a town be laid out there, to be named Jackson in honor of General Andrew Jackson. A plat was drawn up and was accepted by the Legislature in June 1822. Within the next several months the new town was being developed and a temporary brick capitol building had been erected, where the Legislature convened on December 22, 1822. The officials of the state government had already relocated to Jackson by that time.<sup>61</sup> The temporary brick state house, which was located at the northeast corner of Capitol Street and President Street, was used for the next seventeen years.

### **Historical Background: The Old Capitol**

In 1833, the Mississippi Legislature authorized funding "for the erection of a State House and suitable offices for the secretary of state, state treasurer, auditor of public accounts, and attorney general, therein."<sup>62</sup> The construction of a capitol building, with a Gothic architectural character, was begun in 1834 under the direction of architect John Lawrence. This work was found to be unsatisfactory, however, and in 1835 the decision was made to dismiss Lawrence and hire a new architect to begin the project afresh with a new design. Lawrence was replaced by William Nichols, who had been the architect of state capitols in North Carolina and Alabama.<sup>63</sup>

Nichols developed a new design in the Greek Revival style. Construction began in 1836. By January of 1839 the building was complete enough for the Legislature to meet there, but work continued through 1839 and 1840.

The Capitol was not significantly harmed during the Civil War, but the building suffered from poor and deferred maintenance. It underwent an extensive renovation in 1870-71. Following these renovations, it continued to serve as the State Capitol for another 32 years. Over that period, however, the building suffered increasingly severe problems from insufficient maintenance and from some inherent structural weaknesses in the design.<sup>64</sup>

By the mid-1890s, the building was in very poor condition, and it was much too small to meet the needs of the state government. In 1896 the Legislature began to consider proposals for erecting a new capitol building. A proposal made in 1897 to erect a new capitol was vetoed by Governor Anselm J. McLauren, but the idea of building a new capitol continued to gain support for the next several years. In 1900, under the leadership of newly-elected Governor Andrew H. Longino, the legislature passed "an act to create a State House Commission, to secure drawings, plans, and specifications for, and to authorize and provide for the building and erection of a State House."<sup>65</sup> The building that was subsequently erected is the present Mississippi State Capitol.

After the completion of the new Capitol in 1903, the Old Capitol was largely abandoned and fell into ruin. It was renovated in 1916-17 to become a state office building, and renovated again in 1959-61 to become the State Historical Museum. It was listed on the National Register of Historic Places in 1969 and designated a National Historic Landmark in 1990. The Old Capitol suffered serious damage from Hurricane Katrina in 2005, and subsequently underwent an extensive restoration from 2006 to 2009. The building serves today as the Old Capitol Museum, administered by the Mississippi Department of Archives and History.

<sup>60</sup> John Ray Skates, *Mississippi's Old Capitol: Biography of a Building* (Jackson: Mississippi Department of Archives and History, 1990), pp. 5-7.

<sup>61</sup> Skates, *Mississippi's Old Capitol*, pp. 7-11; and Robert J. Bailey, *History of the Mississippi State Capitol* (unpublished draft manuscript prepared for the Mississippi Department of Archives and History, 2004), p. 2.

<sup>62</sup> Skates, *Mississippi's Old Capitol*, pp. 33-45, 49; and Bailey, *History of the Mississippi State Capitol* (2004 draft), pp. 3-4.

<sup>63</sup> Skates, *Mississippi's Old Capitol*, pp. 22-25.

<sup>64</sup> Skates, *Mississippi's Old Capitol*, pp. 85-107.

<sup>65</sup> Skates, *Mississippi's Old Capitol*, pp. 107-111; and Bailey, *History of the Mississippi State Capitol* (2004 draft), pp. 9-20.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

### The design and construction of the "New" Capitol, 1900-1903

When the Mississippi Legislature passed the authorization for the design and construction of a new capitol, it included a provision allowing the governor to issue bonds for up to one million dollars to fund the project. However, before this could be done, it suddenly became unnecessary. Not long before, State of Mississippi had filed suit against the Illinois Central Railroad and two of its subsidiaries, the Yazoo and Mississippi Valley Railroad and the Gulf and Ship Island Railroad, to claim unpaid taxes in the amount \$1,000,000. This lawsuit eventually led to an appeal which was considered by the United States Supreme Court. The case was heard before the court in October 1900, and a decision in favor of the State of Mississippi was issued on January 7, 1901.<sup>66</sup> The Legislature subsequently allocated the proceeds from the settlement of the lawsuit to the new capitol project, with the result that there was no need to issue the bonds. Funding for the construction of the new capitol came almost entirely from the settlement of the lawsuit.<sup>67</sup>

The site selected for the new capitol building was the four-block area that was occupied at that time by the old State Penitentiary. The Legislature had been intending to close the antiquated prison for some time, and using its site would provide more space than the site of the Old Capitol and would also allow the Old Capitol to remain in use while the New Capitol was being built.

The legislation of 1900 created a State House Commission, with Governor Longino as its *ex officio* president. The commission promptly began its work, holding its first meeting on April 7, 1900. Prior to this meeting, in accordance with the legislation, the Governor had already arranged for advertisements requesting design proposals from interested architects.<sup>68</sup> Architects were invited to submit proposals for what was, in effect, an architectural competition to select a project architect.

Fourteen architectural firms submitted preliminary proposals:

1. Moad & Bramlet, Dallas, Texas.
2. E.E. Meyers, Detroit, Michigan.
3. J.W. Gaddis, Vincennes, Indiana.
4. Bruce & Morgan, Atlanta, Georgia.
5. Theodore C. Link, St. Louis, Missouri.
6. Weathers & Weathers, Memphis, Tennessee.
7. H. Wolters, Louisville, Kentucky.
8. George R. Mann, Little Rock, Arkansas.
9. James B. Cook, Memphis, Tennessee.
10. Bryan & Gilbert, Atlanta, Georgia.
11. J. Riley Gordon, Dallas, Texas.
12. Alfred Zucker, New York, New York.
13. G.W. Bunting, Indianapolis, Indiana
14. E.O. Murdock & Company, Omaha, Nebraska<sup>69</sup>

Faced with the difficult choice of selecting between these proposals, the commission decided to seek professional advice. They hired Bernard R. Green, the superintendent of construction for the Library of Congress in Washington, D.C., to serve as a consultant. He was asked to examine all the proposals and to make recommendations to the

<sup>66</sup> "Yazoo & Mississippi Railroad Company, Pltffs., in Err., v. Wirt Adams," in *The Supreme Court Reporter*, vol. 21 (November 1900-July 1901) (St. Paul: West Publishing Co., 1901), p. 240 ff. (viewed on-line on Google Books).

<sup>67</sup> Bailey, *History of the Mississippi State Capitol* (2004 draft), p. 21. The cost of the actual construction of the building was paid entirely from the proceeds of the lawsuit, but some additional costs associated with earthmoving and some later costs for furnishings were paid using other state funds.

<sup>68</sup> Mississippi, State House Commission, *Minutes*, pp. 4-5 (Official Records Series 637, in the collections of the Mississippi Department of Archives and History); Bailey, *History of the Mississippi State Capitol* (2004 draft), pp. 21-22.

<sup>69</sup> "Report of the State House Commission to the Legislature of Mississippi, 1902," published as an appendix to *The Official and Statistical Register of the State of Mississippi* [Volume 1], 1904, p. 654 (available on Google Books). The list is also included in Mississippi State House Commission, *Minutes*, pp. 15-17.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

commission. Green met with the commission on June 7, 1900, and began his examination of the plans, which were presented to him with the names of the submitters hidden, the plans being identified only by number, from 1 to 14. He completed his examination of the plans and made his report to the commission on June 11.<sup>70</sup> In his report, Green prefaced his comments about the specific proposed designs with some general observations about the design of capitol buildings:

The object and function of a State Capitol are mainly to furnish accommodations of due dignity and convenience for the Legislative, Executive and Judicial branches of the Government and the building should be so designed as to give architectural prominence and expression to this trinity of objects and functions. To provide a building that shall meet these requirements and be well lighted and aired from the exterior, as it should be, the plan must be on the order of wings and pavilions. These can also be made to emphasize the importance of the several government branches referred to and give them the needed separation from each other for business convenience. Several of the designs submitted follow out this idea more or less distinctly, by means of a symmetrical three-part plan or three-dome motive, while others treat the building as practically a single rectangular house with no expression of its unique significance. Furthermore the simple and more direct design is always the better so long as dignity and elegance of proportion are preserved. A Capitol, of all buildings, should be strikingly massive, grand, noble – typifying the power, honor, stability and superiority of the government over all individual, corporate or other institutions whatsoever in the state. It should, therefore, be at once recognizable, over all other buildings in the neighborhood, as the Capitol – regardless of its mere relative size, which may even be small – and never by any possibility be legitimately mistaken for any other institution whatsoever. Regardless of this principle, however, many State houses are designed to resemble schools, colleges, asylums and even factories and exhibition halls.

Some of the designs before us are open to this criticism, having many windows, thin walls, trifling domes or domed towers, pinnacles and rattling unrestful sky lines. The exterior walls of the building should have good thickness and deep window reveals, giving shade and apparent strength, and the porticos and angles should be deep, giving shadow. The dome or domes should be full, well rounded, with quiet outlines and not too high. The rotunda should be ample unobstructed by stairs or columns and of moderate height, that it may be a *rotunda* in fact, and not a well hole. It should always be available for an assembly room and meeting place for special occasions and the space it occupies thus rendered useful as well as architecturally imposing. To secure such a building within money limits, some minor conveniences may have to be yielded and the capacity of the building somewhat reduced. \$2,000,000 worth of space cannot be had in a \$1,000,000 building without thin and tawdry construction and treatment, which, although durable and strong enough, will look cheap and be a credit to nobody. Let the proposed New Capitol be designed and constructed along the lines above indicated, and within the dimensions that the available funds will warrant, and the outcome will be creditable to all concerned.<sup>71</sup>

Upon Green's recommendation, the commission selected proposal no. 5, which had been submitted by Theodore C. Link. In his report, Green made recommendations about changes which he believed would improve the design.<sup>72</sup> (These were all subsequently adopted in the final design). He further urged that the architect "should be appointed with the understanding that he shall enter *de novo* with the commission on the preparation of a complete design," using the original proposal only as a conceptual model.<sup>73</sup>

<sup>70</sup> Mississippi State House Commission, *Minutes*, pp. 17-19; and "Report of the State House Commission to the Legislature of Mississippi, 1902."

<sup>71</sup> Mississippi State House Commission, *Minutes*, pp. 20-22.

<sup>72</sup> Mississippi State House Commission, *Minutes*, pp. 23-24.

<sup>73</sup> Mississippi State House Commission, *Minutes*, p. 25.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

Green also offered comments on several of the other proposals, including no. 8, which had been submitted by George R. Mann.<sup>74</sup> Mann, formerly from St. Louis, but residing at that time in Little Rock, Arkansas, had recently completed the design of the Arkansas State Capitol, and was involved at that time with the early stages of its construction. Some years later, in 1937, Mann claimed that Link's final design for the dome of the Mississippi State Capitol had been based on his own original design, but this claim is questionable for several reasons, not the least of which is that Bernard Green had said of Mann's Mississippi proposal that "the domes are weak and thin in appearance."<sup>75</sup>

Link came to Jackson and met with the commission on June 13. The following day, the commission formally accepted his design as a preliminary plan, and officially selected him to be the project architect.<sup>76</sup> His contract was approved on June 30.<sup>77</sup> Link spent the next three months preparing the plans and specifications, though he apparently had finalized the design of the exterior as early as August, when an illustration of the building was published in a Kentucky newspaper.<sup>78</sup>

The final design had numerous changes from the original proposed design. Some were made upon the specific recommendation of Bernard Green. Others changes were likely made at the request of the Commission, and some changes were made by Link himself as he refined the design. The most evident change, made at the recommendation of Green, was the removal of a tall tower which had been the dominant feature of the original design. Two other changes that were made at Green's suggestion were the addition of an attic story (now the fourth story) and the inclusion of a *porte cochere* behind the front entrance steps.<sup>79</sup> The center dome was increased in height and placed upon a colonnaded drum, similar to the dome of St. Paul's Cathedral in London. The end pavilions were changed by the substitution of recessed porticoes instead of prostyle porticoes, and by the lowering of their domes and the removal of pediments at the base of the domes. These changes to the end pavilions had the effect of reducing their visual prominence and increasing the visual prominence of the center of the building.

Link presented his plans and specifications to the commission on October 15. The commission carefully examined the plans and specifications, and approved them the following day, when they also approved the advertisement for bids.<sup>80</sup> The bids for the project were opened on December 10, but all were too high, so the commission asked Link to make some modifications to the plans and requested revised bids from the applicants.<sup>81</sup> Nine contractors submitted revised bids, which were received on December 12. On December 13, the commission accepted the bid of W.A. and A.E. Wells, of Chicago. This firm was an experienced and highly-regarded construction company that had built important steel-frame commercial buildings in Chicago and other Midwestern cities, for such prominent architects as Holabird and Root. (By this time, the senior partner of the firm, W.A. Wells, had died. The firm was reorganized shortly afterwards as the Wells Brothers Company, but the State House Commission insisted that all business with regard to the Mississippi Capitol project be conducted using the name "W.A. and A.E. Wells."<sup>82</sup>) Their contract was approved on December 18, 1900.<sup>83</sup>

<sup>74</sup> Mississippi State House Commission, *Minutes*, p. 24.

<sup>75</sup> Mississippi, State House Commission, *Minutes*, p. 24.

<sup>76</sup> Mississippi State House Commission, *Minutes*, pp. 29-30.

<sup>77</sup> Mississippi State House Commission, *Minutes*, pp. 32-33. The actual contract is filed in Mississippi State House Commission, "Commission Files, 1900-1903" (Official Records, Series 634, Mississippi Department of Archives and History).

<sup>78</sup> *Daily Public Ledger* (Maysville, Kentucky), August 21, 1900, from the Chronicling America web site of the Library of Congress, <http://chroniclingamerica.loc.gov/lccn/sn86069117/1900-08-21/ed-1/seq-3/> A very similar illustration of the Mississippi State Capitol was published in *The Cook County Herald* (Grand Marais, Minn.), on October 27, 1900.

<sup>79</sup> A similar *porte cochere* is located behind the front steps of the New York State Capitol (begun in 1867 and completed in 1899).

<sup>80</sup> Mississippi State House Commission, *Minutes*, pp. 37-39.

<sup>81</sup> Mississippi State House Commission, *Minutes*, pp. 41-45. The complete specifications are indexed in the minutes on pages 45-49; the drawings are itemized on page 50, the complete specifications are transcribed on pages 51 to 177, and the advertisement for bids is shown on pages 178-179.

<sup>82</sup> Mississippi, State House Commission, *Minutes*, p. 449.

<sup>83</sup> Mississippi State House Commission, *Minutes*, pp. 184-186. The contract is filed in Mississippi State House Commission, "Commission Files, 1900-1903." (Official Records, Series 634, Mississippi Department of Archives and History).



Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

The contract became effective as of January 1, 1901, and that date has been cited in some sources as the beginning of construction, but the actual work of construction by the contractors apparently began in March.<sup>84</sup> On March 14, 1901, the State House Commission voted to hire J.L. Barnes, a building contractor from Greenville, Mississippi, to be their on-site construction superintendent. Barnes arrived in Jackson and reported for work the next day.<sup>85</sup>

After some initial delay related to site preparation and excavation for the foundations, construction work proceeded quickly and efficiently. In his monthly reports to the commission, Barnes, himself an experienced building contractor, seems to have been continually impressed by the professionalism and skill of the contractors and subcontractors and their workmen. In 1901, no project of this size, complexity, or technical sophistication had ever been undertaken in Jackson, or even in the entire state of Mississippi.

The subcontractors for the construction work were all selected by the contractors and reported to them, so there is little record of them in the commission minutes, but they are all listed in the booklet that was prepared as a record of the rather belated cornerstone-laying ceremony that took place on June 3, 1903.<sup>86</sup> The subcontractors were:

George Dugan, Bedford, Indiana	Cut Stone
N.O. Nelson Manufacturing Co., St. Louis	Marble and Mosaic
American Bridge Co, New York	Steel, Iron, and Bronze
Columbian Fireproofing Co., Pittsburgh	Fireproofing
The Northwestern Terra Cotta Company, Chicago	Terra Cotta
August Zander Co., Chicago	Plastering
Art Marble Co., Chicago,	Scagliola
J.C. McFarland & Co., Chicago	Roof and Skylights
Hoben & Doyle, Philadelphia	Plumbing
W.P. Nelson Co., Chicago	Painting
Louis J. Millet, Chicago	Art Glass
Otis Elevator Co., Chicago	Passenger Elevators
Mosler Safe Co., Hamilton, Ohio	Burglar proof vault
Orr & Locket Hardware Co., Chicago	Hardware
Cassidy & Sons Manufacturing Co., New York	Electric Fixtures

It is evident that many of these firms were from Chicago, where they had undoubtedly already had experience working with the W.A. and A.E. Wells Company.

Not listed among these subcontractors was Robert P. Bringhurst, of St. Louis, the sculptor who designed the tympanum of the portico. He may have been hired directly by Theodore Link.<sup>87</sup> Also missing from that list is A.R. Grieve, of St. Louis, the sculptor and metalworker who created the gold-leafed copper eagle that adorns the top of the dome.<sup>88</sup>

<sup>84</sup> *Proceedings Connected with Laying the Corner Stone of Mississippi's New State House in the City of Jackson on June 3, 1903*, the booklet produced to record the proceeding and speeches for the dedication of the building, states, on p. 71, that "Actual work on the building was begun Jan. 1, 1901," but the "Report of the State House Commission to the Legislature of Mississippi, 1902" uses somewhat more ambiguous wording, saying "The Messrs. Wells began operations under the contract on the 1st day of January, 1901." A report about the building in the 1908 *Official and Statistical Register*, however, on p. 213, says "The actual work was commenced on the building in March, 1901 and was completed by the contractors in July, 1903."

<sup>85</sup> Mississippi State House Commission, *Minutes*, pp. 210 and 212.

<sup>86</sup> *Proceedings Connected with Laying the Corner Stone*, p. 74.

<sup>87</sup> The *Minutes*, pp. 422-424, report that Link had presented the design for the tympanum to the commission on February 7, 1902.

<sup>88</sup> The only documentation that has been found thus far specifically identifying A.R. Grieve as the creator of the sculpted eagle is the caption and accession information of a photograph, made in 1903, showing Grieve standing next to the sculpture. The photograph is cataloged as PI/HS/1982.0095 ("Grieve, A.R."), item no. 1 (though it is the sole item in that folder) in the photograph collections of the Mississippi Department of Archives and History.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

There were also several contractors hired directly by the State House Commission to carry out parts of the project other than the construction of the building itself. As listed in the booklet,<sup>89</sup> they were:

Frank J. Butler, Greenville and Jackson, Miss.	Steam Fitting and Power Plant
Frank Adam Electric Co., St. Louis	Electric Wiring and Electric Work
J. Kennard Sons Co., St. Louis	Electric and Gas Light Fixtures
General Fireproofing Co., Youngstown, Ohio	Metal Stacks for State Library
George D. Barnard Co., St. Louis	Metal Furniture for State Officers
Wollaeger Manufacturing Co., Milwaukee	General Wood Furniture and Cabinet Work
Charles A. Babst, New Orleans	Granitoid pavements
Evans & Hamilton, Jackson	Grading
Board of Control of State Penitentiary, Jackson	Grading
E.S. Gordon, Jackson	Grading
Illinois Central Railroad Company ("at no cost to the state")	Railroad Track to New Capitol <sup>90</sup>

Construction proceeded remarkably quickly and smoothly for a project of its size and complexity. On April 3, 1902, Barnes reported to the commission that the stonework of the exterior walls was complete except for around the dome, and that was expected to be done within the next month.<sup>91</sup> On August 7, 1902, he reported that the brickwork had been completed, the stonework was complete except for carving, the structural steel was complete, the copper roofing was done, and the marble work and plastering in the interior was well underway.<sup>92</sup> On 4 December Barnes reported that "the principal work now being done is the marble and scagliola work which continues with the same degree of excellence and unabated zeal by the contractors." He added, "The Roman mosaic floor in the Governor's Reception Hall has been completed and is a magnificent piece of work." The windows had all been fitted by that time, so that the building was closed to the weather.<sup>93</sup> In April 1903 he reported "The stone carving is practically completed, and the eminent sculptor in charge of the tympanum has just been here and approved the work with some slight changes, which have all been done in a satisfactory manner,"<sup>94</sup>

The building was largely complete by June 3, 1903, when an elaborate ceremony was held to lay the cornerstone. This ceremony was, in effect, the dedication ceremony for the building. It drew an enormous crowd, despite rainy weather. Among the speakers that day was Governor Andrew H. Longino, who made this observation:

I deem it due to say ... that by singleness of purpose and untiring vigilance on the part of the commission, who at all times have enjoyed the confidence, co-operation, and friendship of the architect, Mr. Theodore C. Link, of St. Louis, Mo., and the contractors, Mssrs. Wells Bros. Co., of Chicago, Ill., together with the superintendents, sub-contractors, and all others connected with the work, that it has been possible to complete the building within the contract time, within the contract price, without labor disturbances or disagreements of any kind, and without the issuance of a dollar of bonds to be used in payment on the building.<sup>95</sup>

The building was not yet complete, however, for some work remained to be done on the interior by the marble and scagliola workers. On August 20, 1903, Barnes reported that the construction work was nearly complete, and that he had examined the building with the Assistant Supervising Architect (Theodore Link's son Karl Link) and the Contractor's Superintendent (Theodore H. Schlader), and had prepared a list of the minor items left to be done. He added, "The contractors have exhibited great wisdom in selecting the very best sub-contractors to be found in the

<sup>89</sup> *Proceedings Connected with Laying the Corner Stone*, p. 75.

<sup>90</sup> This railroad track was a construction spur that proved indispensable for transporting the vast amount of structural steel, cut stone, and brick used in the project. The spur was laid specifically to provide rail access to the site, and was taken up after the heavy construction work had been completed.

<sup>91</sup> Mississippi State House Commission, *Minutes*, pp. 433-435.

<sup>92</sup> Mississippi State House Commission, *Minutes*, pp. 466-467.

<sup>93</sup> Mississippi State House Commission, *Minutes*, pp. 500-502.

<sup>94</sup> Mississippi State House Commission, *Minutes*, pp. 548-549.

<sup>95</sup> *Proceedings Connected with Laying the Corner Stone*, p. 17.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

country ...”<sup>96</sup> After receiving Barnes’s report, “the members of the commission, accompanied by the architect and the contractor, proceeded to make a careful inspection of the entire building.” The commission then determined to formally accept the building from the contractor.<sup>97</sup>

At a special meeting on September 23, 1903, the commission adopted a resolution to begin the relocation of the state offices and records from the Old Capitol to the new building. The relocation set off a round of squabbling among state officials about space requirements and room assignments, which necessitated some reassignments.<sup>98</sup> Surprisingly, the legislative chambers were initially furnished with desks and chairs brought over from the Old Capitol, instead of new furniture.<sup>99</sup> In January 1904, some additional “metallic furniture” (filing cabinets) still needed to be purchased, but most of the furnishing of the building was complete.<sup>100</sup> On April 7, 1904, the State House Commission held its last meeting, authorizing the final payments on its remaining accounts and transferring the remaining balance of \$283.37 to the state treasury.<sup>101</sup>

The architect and the contractors were justifiably proud of the magnificent building. In 1902, while it was under construction, Theodore Link had entered his design for the Capitol in the Annual Exhibition of the Saint Louis Architectural Club, where it was displayed among the finest recent works of his fellow architects in his home city. It is unclear how much of the design was exhibited, but the catalog of the exhibition included a reproduction of the South Elevation drawing of the construction plans.<sup>102</sup> The contractors, the Wells Brothers Company, had two full pages in the advertising section of the catalog of that exhibition, including a full-page photograph of the Mississippi Capitol under construction.<sup>103</sup>

The completion of the New Capitol was met with great popular acclaim and admiration. One indication of its favorable reception was the degree to which it was emulated by other buildings throughout the state. Although the Capitol was not actually the first expression of American Renaissance Classicism to be built in Mississippi – the first was apparently the Ricks Memorial Library in Yazoo City, begun in 1900 and completed in 1902 – the Capitol was much more prominent and brought academic Classicism to the attention of the public in Mississippi. The impact of the construction of the new Capitol on the architecture of Mississippi was immediate and profound. Almost immediately following its construction – even while it was being built – architectural tastes swiftly changed throughout the state. The Romanesque Revival style, which had been the preferred style for public buildings in Mississippi since the mid-1880s, fell out of fashion virtually overnight. The last Romanesque county courthouse to be constructed, the Tallahatchie County Courthouse in Sumner, was built in 1902, and in the same year first true Neoclassical Revival courthouse was constructed. This was the Copiah County Courthouse in Hazlehurst, designed by James Reily Gordon, who had submitted a proposed design for the New Capitol. Nearly every new county courthouse and city hall built in the next twenty years was Classical Revival. Altogether thirty-three Classical Revival courthouses were built in Mississippi between 1902 and 1918, and several substantial municipal buildings. Numerous Classical Revival college buildings and public schools were erected during that same period. Even religious architecture expressed this new fashion for Classical architecture. The first Neoclassical Revival religious building in the state was Temple B’nai Israel in Natchez (1904-05), followed by Hebrew Union Temple in Greenville (1906), Temple Beth Israel in Meridian (1906), and First Baptist Church in Greenwood (1909-10). Between 1910 and 1918, dozens of Neoclassical Revival churches were built throughout Mississippi. How much of this sudden popularity of the Classical Revival for governmental and institutional architecture in Mississippi is attributable directly to the construction of the Capitol, and how much to other influences, is impossible to determine,

<sup>96</sup> Mississippi State House Commission, *Minutes*, pp. 580-581.

<sup>97</sup> Mississippi State House Commission, *Minutes*, pp. 582-584.

<sup>98</sup> Mississippi State House Commission, *Minutes*, p. 596.

<sup>99</sup> Mississippi State House Commission, *Minutes*, p. 596.

<sup>100</sup> Mississippi State House Commission, *Minutes*, p. 620.

<sup>101</sup> Mississippi State House Commission, *Minutes*, p. 629.

<sup>102</sup> “Mississippi State Capitol, Jackson, Mississippi, Theodore C. Link, Architect,” in the *Catalogue of the Annual Exhibition of the Saint Louis Architectural Club* (1902), p. 66.

<sup>103</sup> *Catalogue of the Annual Exhibition of the Saint Louis Architectural Club* (1902), pp. 92-93.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

but it is certainly clear that the construction of the Capitol coincided with an abrupt and substantial change in architectural fashion.

The New Capitol had admirers in other states as well. Shortly after its completion, the Mississippi State Capitol was the subject of a very favorable article, with photographs, in *The Inland Architect and News Record*, a monthly architectural journal published in Chicago.<sup>104</sup>

...[T]he new capitol building of Mississippi, just completed, represent[s] the unusual results of the combined efforts and methods of a commission, an architect and contractors. All may carry their heads in pleasant dignity, for without smirch, wire-pulling or jobbery of any kind, the construction of this beautiful building has been carried to a successful completion, finished within contract time without extras and within the estimated sum of the accepted contract; and hence it stands in its massive dignity an example of conscientious business methods that might well be followed by many who have public improvements in their charge,

This capitol building at Jackson, Mississippi, emphasizes the advent of prosperity and modern progress in the South, and its educational mission will be far-reaching in its salutary effects upon future public buildings throughout the Southern States.<sup>105</sup>

The article continues with detailed descriptions of the building and the process of its construction, and praises the work of the Wells Brothers Company, the Northwestern Terra Cotta Company, stonework contractor George Dugan, and the architect, Theodore C. Link. It concludes, "In this capitol building there is much that is worthy of critical study and deserving of a profound admiration."<sup>106</sup>

The Mississippi Capitol was regarded as a model by the capitol-building commissions of other states. When it was nearing completion, in May 1903, the building was visited by the Arkansas Capitol Commission in order to "obtain all the information that in their judgment would be of value in the prosecution of our work."<sup>107</sup> In 1905, a delegation from Idaho's capitol building commission, on a tour to examine the capitols of some other states, came to Jackson to see the new Mississippi Capitol. According to a report in *The Idaho Daily Statesman*, they were very impressed with the building.<sup>108</sup>

The members of the commission agree that the Mississippi Capitol building is more nearly such a one as is contemplated here and would require less changes to answer for Idaho's needs than any other single building inspected. The architectural effect is good, the interior arrangement could scarcely be improved upon, with the changes rendered necessary by the different offices to be accommodated, and there were no serious defects that were discovered in the short visit made.<sup>109</sup>

#### **Further Development of the Capitol and its grounds, 1904-c.1935**

The State House Commission, which oversaw the construction of the Capitol, had arranged for extensive grading to be done on the grounds, and for the construction of drives surfaced with "granitoid pavements." Over the next few years, the grounds were developed as a tree-shaded public park. Eventually several commemorative monuments were paced on the grounds.

<sup>104</sup> E.C. Clark, "Mississippi State Capitol," *The Inland Architect and News Record*, 42:3 (October 1903), pp. 22-23, with a photograph on p. 23 and six other photographs on accompanying plates.

<sup>105</sup> Clark, "Mississippi State Capitol," *The Inland Architect*, p. 22.

<sup>106</sup> Clark, "Mississippi State Capitol," *The Inland Architect*, pp. 22-23.

<sup>107</sup> Blake Wintory, "A Tale of Two Domes: Mississippi and Arkansas" (Part I), *Preservation in Mississippi*, August 22, 2011, <http://misspreservation.com/2011/08/22/architectural-twins-mississippi-and-arkansas-state-capitol-domes/>.

<sup>108</sup> "About the History of Idaho's Capitol," a brochure published by the Idaho Capitol Commission, viewed on-line on October 7, 2013 ([www.capitolcommission.idaho.gov/.../idaho\\_capitol\\_history\\_brochure](http://www.capitolcommission.idaho.gov/.../idaho_capitol_history_brochure)).

<sup>109</sup> "About the History of Idaho's Capitol." The direct quotation is from "Saw Six Capitols in Six States," *The Idaho Daily Statesman*, Thursday, 8 June 1905, p. 5.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

The first of the commemorative monuments on the Capitol grounds was the prow ornament, or figurehead, of the battleship U.S.S. *Mississippi* (BB-23), which was launched in 1905. The figurehead had been removed under an order by Secretary of the Navy George Mayer in 1909 directing the removal of the ornamental figureheads from U.S. Navy ships. In December 1909, at the request of Gov. Edmond Noel, the prow ornament of the *Mississippi* was shipped to Jackson to be placed on public display at the state capitol. About six months after its arrival it was put on exhibit on a temporary stand. In 1914 the prow ornament was permanently mounted on a concrete base on the north side of the Capitol grounds, where it remains today.<sup>110</sup> (The prow ornament of the U.S.S. *Maine* is similarly displayed in Bangor, Maine.)

The most prominent monument on the Capitol grounds is the Monument to the Women of the Confederacy, which is located directly south of the front steps of the Capitol. Its cornerstone was set in 1912, but the monument was not completed for several years. The bronze sculpture, designed by Belle Kinney and cast by Tiffany Studios, was finished in 1917.<sup>111</sup>

As was the custom for state capitol buildings at the time, the Mississippi State Capitol building had been designed to accommodate not only the two houses of the Legislature, the Supreme Court, and the office of the Governor, but also the offices of the various administrative officials of the state, including the Secretary of State, the Attorney General, the State Auditor, the State Treasurer, the Adjutant General, and others. However, a substantial growth in the functions of state government was occurring at this time under the influence of the Progressive Movement, and this was reflected in an increasing number of state officials and employees. Within a very short time, the Capitol was fully occupied and was beginning to become crowded. As records storage requirements and the numbers of employees of the various agencies increased, the need for additional office space became urgent. Some agencies found it necessary to rent commercial office space.<sup>112</sup> As an article in the *Vicksburg Evening Post* observed in 1910:

The new capitol is too small. That may sound like a pipe dream, but it is, nevertheless, as the various departments have 'nt [sic] sufficient room to store their records, and it begins to look as though the Railroad Commission and one or two others would have to seek new quarters in the near future.

The executive offices are badly crowded. There is no place to store records and state documents, such as must be kept, and there are millions of them to keep, too. Every inch of available space is utilized to care for these things, but still it is impossible to store them to advantage.

The Railroad Commission has a room about large enough for a young attorney starting out in business, and has a mass of records that must be retained, regardless of convenience. The commission is about as badly crowded as four in a bed on a hot summer's night, and something must be done to relieve the situation soon.

It will not be necessary for the Railroad Commission to remain at the capitol. This is one department that could occupy quarters out in the city in order to make more room for the other officers of the state, but no provision has been made for it, nor will be for at least two years.

The Attorney General is occupying the room set aside for the lieutenant governor, which relieved the congestion in his departments, but when the legislature meets in 1911 other arrangements will have to be made. The Secretary of State is also crowded more or less, as is the Adjutant General and one of two other state officers, and it is just possible the next legislature will be asked for an appropriation to secure additional quarters for some of the officers.

<sup>110</sup> Subject file, "Mississippi, U.S.S. (2<sup>nd</sup>) (1905)," Mississippi Department of Archives and History.

<sup>111</sup> Subject file, "Monument to the Women of the Confederacy," Mississippi Department of Archives and History; and Historic Resources Inventory File, "Monument to the Women of the Confederacy" (049-JAC-0001.1), Historic Preservation Division, Mississippi Department of Archives and History.

<sup>112</sup> Skates, *Mississippi's Old Capitol*, p. 122.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

With the development of the state, the business of the commonwealth is outgrowing the capitol. Few persons can realize this, but it is a fact that is brought out strongly every day in a hundred different ways to the state officers. There is no way to make an addition to the capitol, which means the Railroad Commissions, probably the Adjutant General, Land Commissioner, Insurance Commission and one or two other officers will be provided with other quarters in a few years.

Each year conditions become more congested, and within the next two years it is believed some measure of relief will have to be determined by the legislature.<sup>113</sup>

The first major initiative to create additional space for government offices was the renovation of the Old Capitol in 1916-17, to convert it to a state office building. This was done under the direction of architect Theodore C. Link, who had so greatly impressed the officials of the state by his work on the New Capitol that he was asked to plan and carry out the renovation of the Old Capitol. Soon after the completion of the renovation, the Department of Agriculture, the Board of Health, the Department of Education, and several other agencies relocated to the Old Capitol, while the Secretary of State, the Attorney General, the Auditor, and the Treasurer remained in the New Capitol.<sup>114</sup> The Department of Archives and History also remained in the New Capitol until the completion of the War Memorial Building, adjacent to the Old Capitol, in 1941.<sup>115</sup>

From 1920 to 1923, some work was done at the Mississippi State Capitol under the auspices of the State Bond Improvement Commission. The supervising architect for the Bond Improvement Commission was none other than Theodore C. Link, who had designed the Capitol and directed its construction twenty years before. The State Bond Improvement Commission was charged with a wide range of public works projects throughout Mississippi, including improvements to the facilities of state colleges, hospitals, and other institutions. Work on the New Capitol consisted of "painting, overhauling the heating system, repairs to plumbing, replacing the tile floor on the North Terrace, and miscellaneous minor repairs," as well as the installation of an electric power converter.<sup>116</sup> Among the "miscellaneous minor repairs" was the installation of two eighty-foot flagpoles in front of the Capitol in 1922.<sup>117</sup> These two flagstaves are the only readily visible features remaining from the work at the Capitol done by the State Bond Improvement Commission, and they are the only surviving features associated with Theodore C. Link's second period of involvement with the building.

In 1925, two German field howitzers, which had been captured during World War I, were placed on display in front of the Capitol.<sup>118</sup>

In 1930, during the administration of Governor Theodore Bilbo, some renovation work was done in the Governor's office suite under the direction of architect Vinson B. Smith, Jr. of Gulfport. It was at that time that the plaster ceilings in the Governor's Office were reworked, adding two semicircular tympanums adorned with heraldic griffins. These features remain in place today.<sup>119</sup>

Extensive decorative painting was done in the Capitol in 1934-35 under the auspices of the Civil Works Administration, as project #B4-50. This work included the creation of the four circular paintings of stylized

<sup>113</sup> "New Capitol Crowded, AG Camps in Lt. Gov's Office," *Vicksburg Evening Post*, July 8, 1910, p.6, quoted in *Preservation in Mississippi*, April 24, 2013, <http://misspreservation.com/2013/04/24/new-capitol-crowded-out-early/>.

<sup>114</sup> Skates, *Mississippi's Old Capitol*, p. 134.

<sup>115</sup> Skates, *Mississippi's Old Capitol*, pp. 134-135.

<sup>116</sup> Wilbur Trueblood, Acting Supervising Architect, "Report of the Supervising Architect" (December 31, 1923), in Mississippi State Bond Improvement Commission, *Final Report of the State Bond Improvement Commission* (1924), Official Records Series 669, Mississippi Department of Archives and History.

<sup>117</sup> State Bond Improvement Commission, "Building Project Files and Correspondence, 1919-1924," Official Records Series 666, Mississippi Department of Archives and History.

<sup>118</sup> *Biennial Report of the Adjutant General of the State of Mississippi for the Years 1924-1925*, pp. 57-58 and p. 68.

<sup>119</sup> "New Offices To Afford Privacy." *Clarion Ledger* (Jackson, Mississippi), October 15, 1930; Bailey, *History of the Mississippi State Capitol* (unpublished draft manuscript), p. 61; "A Guide to the Architecture of the Mississippi State Capitol" (2013), p. 12; and Mississippi Department of Archives and History, Historic Preservation Division. Historic Resources Inventory Database. Artisan files.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

historical subjects located within the drum of the dome, on the panels positioned above the paired columns in the four corners of the rotunda.<sup>120</sup>

### **The Capitol since 1935**

Although the relocation of several state agencies to the Old Capitol in 1917 alleviated some of the crowded conditions temporarily, the office areas of the New Capitol soon became crowded again. The Department of Archives and History moved to the War Memorial Building in 1941, and the completion of the Woolfolk State Office Building in 1950 created more office space, but offices in the Capitol continued to be crowded.

During the 1950s and 1960s, various superficial modifications were made to the interior of the Mississippi Capitol, mostly in an effort to more fully utilize office space within the building.<sup>121</sup> By the 1970s, the building was showing its age. The original steam heating system was still in use, and the electrical and telephone systems were woefully inadequate. The office areas were congested mazes of temporary partitions and dropped ceilings. These areas were largely out of public sight, however, for the Rotunda, the corridors, and the Legislative chambers still retained their historic appearance.

In 1972, two new state office buildings were completed, the Carroll Gartin Justice Building and the Walter Sillers Building, both located across High Street from the Capitol. The Supreme Court and the Attorney General's Office relocated to the Gartin Building immediately after its completion. Later, in 1976, the working offices of the governor and his staff were moved to the top floor of the Sillers Building.

A study was commissioned by the Legislature in 1972 to examine the condition of the Capitol and to make recommendations for repairs and renovations. After several years, a thorough renovation of the Capitol was initiated in 1977. The project, which was to include renovation of the office areas and restoration of the major historic interiors, was planned and carried out by a consortium of firms, bringing together architects, engineers, landscape architects, and interior designers. William Seale, a respected architectural historian and co-author of *Temples of Democracy: The State Capitols of the U.S.A.*, served as a consultant to the project. The former Central High School building, located across West Street, southwest of the Capitol, was acquired by the state to serve as a temporary meeting place for the legislature while the work was being done on the Capitol building. Work on the project began in July 1979, and was completed in 1982. The building was rededicated on June 3, 1983, eighty years after the original dedication ceremony.<sup>122</sup>

A ceremony observing the one-hundredth anniversary of the dedication of the Capitol was held on June 3, 2003. The building serves today as Capitol of the state, housing the legislative chambers, offices, and conference rooms for the Mississippi State Legislature and offices for the legislative support staff. The offices formerly used by various governmental agencies and the rooms originally used for the Supreme Court and the State Library are now used as legislative offices and meeting rooms. Although the Governor and gubernatorial staff have their working offices elsewhere, the Governor's Office in the Capitol is used on special occasions. The building is open regularly to the public for tours.

### **Assessing the architectural significance of a state capitol building within a national context**

In February 2009, the National Landmarks Survey of the National Park Service issued a paper, "Capitols as National Historic Landmarks: A National Historic landmark Special Study," by James Jacobs, which examines some of the

<sup>120</sup> "A Guide to the Architecture of the Mississippi State Capitol" (2013), pp. 3, 7-8; and Bailey, *History of the Mississippi State Capitol* (unpublished draft manuscript), pp. 61-62. There are several photographs, dated December 26, 1934, showing scaffolding for this work in place in the Rotunda. These photographs are cataloged as PI/STR/C36 (the "Capitols" collection), items no. 333 through 339, in the photograph collections of the Mississippi Department of Archives and History.

<sup>121</sup> Mississippi State Building Commission (later Mississippi Bureau of Building, Grounds, and Real Property Management), "Contract Files. 1952-1963," Official Records Series 1542, and "Project Files. 1942-1971," Official Records Series 1646, Mississippi Department of Archives and History.

<sup>122</sup> Robert J. Bailey, *History of the Mississippi State Capitol* (unpublished draft manuscript prepared for the Mississippi Department of Archives and History, 2004).

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

issues involved in assessing a state capitol building for national significance. The paper begins with a recognition of the prominence of state capitol buildings:

Capitols are among the most prominent building types found across the United States. The architectural succession of a state's capitols can be a telling narrative of its settlement, wealth, geographic location, aspirations, and regional or national standing. The great majority of current state capitols were either constructed or were subject to major additions and renovations during the period between the Civil War and World War I. Rising industrial and agricultural wealth, large increases in population, well-honed feelings of civic pride and competition, new building technologies and transportation systems allowing for the movement of structural and finish materials, and professionalism in the field of architecture all converged in these decades, resulting in some of the nation's finest public buildings. ...<sup>123</sup>

It would appear from this introduction that what followed would explore this theme in greater detail, and explore why these buildings might be significant, but instead, the paper shifts its theme to address some early designations of capitols as National Historic landmarks for their historical associations. Later, this very brief paper returns to the theme of architectural significance:

Because they are generally among the highest profile buildings in a capital city or, at times, an entire state, and often designed by noted architects or firms, arguing the national significance of capitols based on architecture has at times been relatively straightforward. Still, the practical and symbolic functions of these buildings, and the long and often labyrinthine construction histories, make demonstrating national significance and accurately documenting physical integrity a daunting process.<sup>124</sup>

After a summary of the architectural character of some of the older state capitol buildings, the paper addresses the subject of the post-Civil War state capitol buildings distinguished by the presence of a prominent dome:

Between the Civil War and World War I, more than a score of new capitols having prominent domes were completed, and many existing capitols were significantly modified with new wings, larger domes, and extensive remodeling. Without exception, these capitols embody Beaux-Arts planning principles and nearly all are representative of a strain of monumental classicism known most inclusively as American Renaissance. The superficial similarity between this generation of capitols is striking, and underscores both the obvious influence of the U.S. Capitol building, as well as the speed with which the form of a dominant dome became strongly symbolic of democracy in the United States.<sup>125</sup>

Having isolated "domed, Beaux-Arts capitols of the American Renaissance" as a distinctive category, the "Capitols as National Historic Landmarks" paper then mentions the four representatives of that group that have received NHL designation – the capitols of Texas, Michigan, Wisconsin, and Pennsylvania. The paper then addresses the issue of inclusion of capitols in published histories of American architecture. After listing some earlier buildings, the paper notes the lack of attention given to buildings of the American Renaissance era: "Intriguingly, except for the U.S. Capitol itself, the domed, Beaux-Arts state capitols have been largely ignored in most general architectural histories of the United States, undoubtedly in part because of their physical similarity."<sup>126</sup> However, despite having recognized the scarcity of published studies to provide a well established context for assessing architectural significance, the paper then proceeds to mention several state capitols "that might be significant based on architecture alone."

<sup>123</sup> James Jacobs, "Capitols as National Historic Landmarks," (U.S. Department of the Interior, National Park Service. February 2009), p. 2.

<sup>124</sup> "Capitols as National Historic Landmarks," p. 3.

<sup>125</sup> "Capitols as National Historic Landmarks," p. 4.

<sup>126</sup> "Capitols as National Historic Landmarks," p. 4.



Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

The paper implies that the biggest challenge confronting a researcher examining the architectural significance of a state capitol building from the American Renaissance era is the scarcity of historical studies addressing public architecture in general and state capitols in particular during that period, thus making it difficult to create a broad national context for interpreting the significance of any particular building. Despite the vast number of books that have been published about American architecture, very few recognized scholarly works have examined state capitols within an architectural context. The only well known work that specifically addresses the architectural history of state capitol buildings is *Temples of Democracy: The State Capitols of the U.S.A.*, by Henry-Russell Hitchcock and William Seale, which was published in 1976. Charles T. Goodsell's *The American Statehouse: Interpreting Democracy's Temples*, published in 2001, takes a more analytical and thematic approach to capitol buildings, rather than historical. A more recent book, *State Houses: America's 50 State Capitol Buildings* (2005), by Susan W. Thrane and Tom Patterson, is mainly a collection of fine color photographs with some historical and descriptive information provided about each building. Broad architectural histories seldom address state capitol buildings, and when they do, it is usually in a brief and cursory manner. The widely-used standard reference on architectural styles, *American Architecture Since 1780: A Guide to the Styles*, by Marcus Whiffen, does not cite a single state capitol building as an example of any of the American Renaissance styles. Walter C. Kidney, in his concise but insightful study of the American Renaissance era, *The Architecture of Choice: Eclecticism in America, 1880-1930*, briefly cites the capitols of Wisconsin, Minnesota, and Pennsylvania, before mentioning the later and more unusual Nebraska, Oregon, and North Dakota capitols.

What is required, then, to make a case for national significance for a state capitol of the American Renaissance era is for the researcher to become sufficiently well acquainted with the cultural and architectural history of the era to be able not only to interpret a particular building within its broader architectural and historical context, but also to show that the building makes a significant and singular statement about that context. In order to be nationally "significant," a historic building must "signify" a meaningful aspect of American history. In a sense, it must "tell a story" that substantially enriches or elucidates a broader historical narrative. A careful consideration of the architectural character and history of the Mississippi State Capitol within the context of the architecture of the United States from the 1890s through the 1910s reveals that the building does, indeed, make a significant and singular statement about academic Classicism at the turn of the twentieth century.

#### **The architectural significance of the Mississippi State Capitol**

The Mississippi State Capitol building is an exceptionally well designed, well executed, and well preserved example of American Renaissance architecture, combining an exceptionally fine Neoclassical Revival exterior with an interior that in its organization, spatial arrangements, materials, and finishes beautifully expresses the ideals of Beaux Arts Classicism. It is notable not only for the quality of its design and workmanship, but also for the degree to which it expresses a single, coherent architectural expression, designed by a *single* architect and constructed entirely within a *single* three-year program of construction, having been completed before any of the other American Renaissance capitols. Moreover, it retains a remarkably high degree of integrity from its period of construction in all respects: location, design, setting, materials, workmanship, feeling, and association.

But what is most significant about this magnificent building is that it is a clear and powerful statement that American Renaissance Classicism was a *national* movement – indeed, THE national "style" of architecture for American public buildings at the beginning of the twentieth century – and not simply a regional phenomenon limited to the urban centers of the Northeast. American Renaissance Classicism did not capture the national imagination because a few fine examples were built in Boston, New York, or Philadelphia, but, to a great extent, because it was expressed nationally and internationally in a highly visible and widely accessible manner at several enormously popular world's fairs, most notably the World's Columbian Exposition in Chicago in 1893, the Trans-Mississippi Exposition in Omaha in 1898, and the Louisiana Purchase Exposition in St. Louis in 1904. It was in these places that American Renaissance Classicism was embraced by the American public as the national style for monumental architecture. In an age of eclecticism, when many diverse styles were all in vogue at the same time, American Renaissance Classicism was, without question the dominant architectural style for public and institutional buildings – for capitols, courthouses, post offices, city halls, museums, libraries, public auditoriums, military memorials, college buildings, public schools, railroad stations, banks, and even many churches and synagogues – throughout the

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

United States; and its most prominent and most complete expressions were the state capitols of that period. It is this adoption of American Renaissance Classicism outside of the urban centers of the Northeast, under the influence of the world's fairs that the Mississippi State Capitol expresses most vividly.

At the time the Mississippi State Capitol was built, Mississippi was a poor state, its economy still dependent to a large degree on the production of cotton, though forestry had also become very important. It was a very rural state, with only a few small cities. The largest and most important were Vicksburg, with a population of 14,834 in 1900, and Meridian, with population of 14,050 in that year. Jackson, the capital city, was scarcely half their size, with a population in 1900 of only 7,816. One advantage Jackson did have was transportation. Jackson was one of Mississippi's railroad hubs, and because of the nation's broad and growing network of railroads, Jackson was linked by rail to other cities throughout the United States. Of particular importance to Jackson was the Illinois Central Railroad, for the city was located on its main north-south line between Chicago and New Orleans.

It is precisely *because* this magnificent building was built in what was then a very small capital city in an economically-challenged state in the Deep South, less than 40 years after it was economically, socially, and physically devastated by the Civil War, that the Mississippi State Capitol is nationally significant. Because it was built *where* it was built (in small, remote, and provincial Jackson, Mississippi), *when* it was built (1901-03), *by whom* it was built (a very prominent St. Louis architect and a leading Chicago construction company, using art glass from Chicago, structural steel from New York, limestone shipped by rail from Indiana, and marble from many sources), it makes a singular statement about both the monumental architecture of the United States between the 1890s and the 1910s and the historical context in which it was built.

Although not one of the pioneering works of academic Classicism from the 1890s, the Mississippi State Capitol was nonetheless squarely in the forefront of the movement. The construction of Mississippi Capitol predated the completion of many of the most notable examples of academic Classical Revival architecture in the United States, including the New York Public Library (1902-11), Grand Central Station (1903-13), Madison Square Presbyterian Church (1906), and Pennsylvania Station (1906-10) in New York City; Roosevelt Hall of the National War College (1903-07), Union Station (1903-08), the National Museum of Natural History (1904-11), the Cannon House Office Building (1905-08), the Russell Senate Office Building (1905-08), the Lincoln Memorial (1912-22), and the U.S. Supreme Court Building (1929-35) in Washington, D.C.; City Hall in San Francisco (1912-15); and the major Neoclassical works of John Russell Pope. The building also predated the construction of other landmark examples of academic Classical architecture in the Deep South, including former U.S. Post Office and Custom House (now City Hall) (1905-08) in Biloxi; the Louisiana Supreme Court Building (1907-09) and the Old Post Office (1914) in New Orleans; and the Shelby County Courthouse in Memphis (1909).

A particularly notable aspect of the Mississippi State Capitol is its exceptionally fine and diverse array of architectural glass, made by the firm of noted Chicago artisan and designer Louis J. Millet. A comprehensive study of the work of Millet and his associates has not yet been done, so the glasswork of the Mississippi Capitol cannot yet be assessed within a sufficiently well developed context, but it is noteworthy that the building contains important examples of the artistry of Millet and his firm.

#### Comparison with other state capitols from the 1890s through the 1910s

Henry-Russell Hitchcock and William Seale, in *Temples of Democracy: The State Capitols of the U.S.A.*, their important and often-cited study of the history of America's state capitols, separate the classically-inspired capitol buildings of the late nineteenth and early twentieth centuries into two groups: those that were largely built before 1890, which they refer to as the "Gilded Age" capitols, and those that were built from the 1890s through the 1920s, which they characterize as "Monuments of the American Renaissance." As discussed earlier in this document, the "Gilded Age" capitols were generally characterized by composition and detailing influenced by the High Victorian Italianate, French Second Empire, and French Renaissance styles, and they tended to have a distinct vertical emphasis, often expressed by tall, slender windows, attenuated columns, and domes raised upon tall, proportionally slender drums, which in several instances were multi-tiered. Included in this group are the capitols of Kansas (1866-1903), Illinois (1868-88), Iowa (1871-86), Michigan (1872-78), Indiana (1878-88), Texas (1882-88) (NHL, 1986),

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

Colorado (1886-1908), and Wyoming (1887-88 and 1889-90, enlarged 1915-1917) (NHL, 1987).<sup>127</sup> Hitchcock and Seale also include the Georgia capitol (1884-89) (NHL, 1973) in this group, despite the more academically Classical character of its exterior: "... In the context of its counterparts in other states, Atlanta's statehouse was advanced in design in a certain superficial sense. Its exterior showed a definite tendency toward the academic Classicism still to come. The interior, however, was drab and utilitarian except for the galleried light-courts. ..."<sup>128</sup>

The "American Renaissance" capitol buildings, built from the 1890s through the 1920s, are characterized by a much more "correct" academic Classicism. The composition of these buildings shows a strong Beaux Arts approach to design, but their detailing tends to be more expressive of the restrained and austere classicism of the Neoclassical Revival than of the more elaborate and ornamental Beaux Arts "style."

The academic Classicism of the American Renaissance first appeared in the urban centers of the Northeast. The first state capitol to express this new approach to Classical architecture was the Rhode Island State House (1892-1904). Designed by McKim, Mead & White, one of the most prestigious and respected architectural firms in the country at that time, this building was very highly regarded and influential, serving as an exemplar for many other capitol buildings. However, it does not itself represent or embody the *spread* of American Renaissance Classicism outside of the urbanized Northeastern states and its adoption nationally as the accepted style for public architecture.

The second of the American Renaissance capitols to be designed, and the first to be started after the World's Columbian Exposition, was the Minnesota State Capitol (1896-1905) (Cass Gilbert, architect). This was another very significant and highly influential building, and it exemplifies the spread of academic Classicism to prosperous cities of the upper Midwest. (At the end of the nineteenth century St. Paul, with a population of 163,065 in 1900, was a vastly larger city than Jackson, which had a population of only 7,816.)

The importance of these two buildings was summed up by Hitchcock and Seale in *Temples of Democracy*:

The Capitols of Minnesota and Rhode Island were both completed in the first decade of the twentieth century. They became important models which were never really copied, but which loomed behind every other project of that kind for a whole generation. If any American capitols ever represented the high style of their period, it is these two.<sup>129</sup>

It is interesting to note that the Mississippi capitol, begun in 1901 and completed in 1903, was finished *before* the Rhode Island and Minnesota capitols were completed.

At the same time that the Minnesota capitol was under construction, a state capitol was being built for Montana (1896-1902; enlarged 1909-12) (Charles E. Bell and J.H. Kent, of Helena, original architects). Although Classical in design, it is rather austere, and its architectural unity was altered when it was substantially enlarged, giving it a sprawling nine-part façade.

The building most comparable to the Mississippi State Capitol in many respects is the Arkansas State Capitol (1899-1915). Although begun one year before the Mississippi Capitol, it was not completed until twelve years after it. The initial designer and original architect of the Arkansas State Capitol was George R. Mann, of St. Louis. He was dismissed from the project in 1909, and Cass Gilbert, architect of the Minnesota State Capitol, was subsequently hired to complete the building. The building therefore lacks the architectural unity seen in the Mississippi capitol. This is especially evident in the dome. Mann's design had incorporated a dome based on the dome of St. Peter's Basilica, but the dome that was finally built was designed by Gilbert. It has an encircling peristyle like the dome of the Mississippi capitol, but it has unfluted Ionic columns, reflecting the columns of the façade but giving the building a more austere character. The portico of the Arkansas capitol is smaller and more restrained than the portico of the Mississippi capitol, and does not have a sculpted tympanum. The most notable architectural difference is that the body of the building is rectilinear on all four sides, with a portico at each end, where the Mississippi capitol has a peristyle apse at each end.

<sup>127</sup> The design and construction of these capitols is Hitchcock and Seale, *Temples of Democracy*, pp. 126-129.

<sup>128</sup> Hitchcock and Seale, *Temples of Democracy*, pp. 168-175.

<sup>129</sup> Hitchcock and Seale, *Temples of Democracy*, p. 218.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

About a year after construction began on the Mississippi capitol, work was started on the Pennsylvania State Capitol (1902-06) (NHL, 2006). This building is an exceptionally fine example of Beaux Arts Classicism, and it is located within an elegantly composed complex expressing the aesthetic of the City Beautiful movement.<sup>130</sup> In its grandeur, however, it tells a very different story than is told by the Mississippi capitol. Built as the capitol of a wealthy, populous Northeastern state, in a region rich in professional architects, skilled artists and artisans, and highly capable building contractors and craftsmen, it expresses the highest achievements of American Renaissance architecture, but, like the Rhode Island state house, it does not in itself exemplify the widespread adoption of academic Classicism as a truly national movement.

The Idaho State Capitol (1905-20) is similar to the Mississippi capitol in its architectural character and in its historical context. Indeed, it was built in a city even smaller than Jackson and even further moved from the centers of development of American Renaissance architecture in the Northeast. (The population of Boise, Idaho, in 1900 was only 5,957.) It was built, however, somewhat later than the Mississippi capitol, and its supervisory commission regarded Mississippi's capitol as a model for the design of their own building.<sup>131</sup> The Idaho capitol was built in two phases, the central block in 1905-12 and the wings in 1919-21, so it, too, lacks the architectural unity of the Mississippi capitol.

The Kentucky State Capitol (1905-09) (Frank Mills Andrews, architect) and the South Dakota State Capitol (1907-10) (Charles Emlen Bell, architect) are both noteworthy examples of American Renaissance state houses. Like the Mississippi capitol, each of these buildings was built within a short span of years under the direction of a single architect, but they were built slightly later, having been started after the completion of the Mississippi building, and the historic contexts of their construction are different. Although they, too, embody the nationwide adoption of academic Classicism during this period, they do not illustrate this as clearly or as powerfully as the Mississippi capitol.

The Wisconsin State Capitol (NHL, 2001), built from 1906 to 1917, is comparable in many respects to the capitols of both Minnesota in the Midwest and Pennsylvania in the Northeast, in terms of both its architectural character and its historic context. Its national significance, however, is derived as much from its close association with the La Follette family and the Progressive Movement as from its architecture.

The capitols of Utah (1912-15), Missouri (1913-17), and Oklahoma (1914-17) were all begun several years after the completion of the Mississippi capitol, by which time the use of academic Classicism for state capitol buildings was well established. The Washington Legislative Building (1922-28) and the West Virginia State Capitol (1924-32) were begun even later, after the end of World War I. Their architectural and historical context is therefore different from the capitol buildings erected earlier in the century.

All of the state capitol buildings erected between the 1890s and the 1920s are major governmental buildings expressing the academic Classicism of the American Renaissance, and all of them can be viewed superficially as examples of Beaux Arts-influenced domed capitol buildings; but each has its own individual character and each has its own story. Of all of these buildings, the state capitol that most vividly expresses, in a single building, *both* the fully-expressed architectural character of Beaux-Arts-influenced Classicism, as interpreted by a single architect, *and* the popular adoption of academic Classicism throughout the United States as a national architectural movement at the turn of the twentieth century is the Mississippi State Capitol.

<sup>130</sup> U.S. Department of the Interior, National Park Service, National Historic Landmark Nomination, Pennsylvania State Capitol Complex, Harrisonburg, Pennsylvania (September 4, 2012).

<sup>131</sup> "About the History of Idaho's Capitol," a brochure published by the Idaho Capitol Commission, viewed on-line on October 7, 2013 ([www.capitolcommission.idaho.gov/.../idaho\\_capitol\\_history\\_brochure](http://www.capitolcommission.idaho.gov/.../idaho_capitol_history_brochure)).

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

Some persons and firms involved with construction of the Capitol 1900-1903

Theodore C. Link, of St. Louis, architect

The architect of the Mississippi State Capitol was Theodore Carl Link (1850-1923) of St. Louis, Missouri. A native of Heidelberg, Germany, Link studied architecture and engineering in Paris<sup>132</sup> before immigrating to the United States in 1870. He settled in St. Louis and resided there for most of his life, though he also worked briefly in Pittsburgh and in New York. He had ties to Mississippi, however, though his wife, Annie C. Fuller, whom he married in 1875. Annie Fuller Link's uncle Sylvester Emory Cary was a prominent resident of Holly Springs, Mississippi. Link and his wife visited Holly Springs on several occasions and Link carried out several important architectural projects there.<sup>133</sup>

Link worked in partnership with Edward Cameron St. Louis in 1891. He worked with Alfred Rosenheim and William B. Ittner from 1894 to 1896 and in partnership with Rosenheim from 1896 to 1898. From 1898 to 1911 he practiced independently. In 1911 he formed a partnership with his son Karl, who died in 1913. Link practiced in partnership with Wilbur Trueblood from 1915 until his own death in 1923.<sup>134</sup>

Link was an exceptionally versatile architect, working skillfully on a very wide variety of building types and landscapes, including churches, governmental buildings, exhibition halls, collegiate buildings and college campus plans, hospitals, power plants, commercial buildings, railroad depots, YMCA buildings, public parks, and numerous private residences. These designs spanned a very wide range of architectural styles. His religious buildings including several different modes of Gothic and Romanesque architecture as well as Neoclassical Revival. His residential works included works in the Queen Anne, Shingle Style, Richardsonian Romanesque, Tudor Revival, Colonial Revival, Neoclassical Revival, and Renaissance Revival styles, as well as combinations of styles and more individualistic designs, many showing a Prairie Style influence. His office buildings were generally in the Chicago Commercial Style, expressing a confident use of steel frame construction. Several of his designs, including the Palace of Mines and Metallurgy at the St. Louis World's Fair of 1904, were in a free and imaginative style which Link himself called "Secession" in reference to the Vienna Secession Movement. His last designs, for Louisiana State University, were in a freely-interpreted Italian Renaissance style.

The most widely recognized and acclaimed of Link's works in his own lifetime was Union Station in St. Louis (1891-94), and it remains his most recognized and acclaimed building, having been designated a National Historic Landmark in 1970.

Another of Link's most prominent buildings was the Wabash Terminal in Pittsburgh (1903-04), a lavish Beaux-Arts building that was part railroad station and part high-rise office building. Other railroad buildings included Union Station in Little Rock, Arkansas (1907 and 1920-21) (National Register), and depots for the Wabash Railroad in Missouri, Illinois and Ohio. Link's religious works included Lindell Avenue Methodist Episcopal Church in St. Louis (1896-97; later relocated and rebuilt), Shaare Emuth Temple in St. Louis (1897; not extant), First Presbyterian Church in Alton, Illinois (1897), Second Presbyterian Church in St. Louis (1899-1900) (National Register, 1975), St. John's Methodist Church in St. Louis (1901-03) (in the Holy Corners Historic District, National Register, 1975), and Niedringhaus Memorial Methodist Church in Granite City, Illinois (1906). Link prepared master campus plans for Washington and Lee University in Lexington, Virginia, and Louisiana State University in Baton Rouge, Louisiana. Among his many collegiate buildings are several buildings at Monticello Seminary (now Lewis and Clark Community College), Godfrey, Illinois (1899); the Hall of Science at Westminster College, Fulton, Missouri (1901);

<sup>132</sup> There is some disagreement among various published sources as to which of the major architectural and engineering schools in Paris Link attended, but according to a biographical sketch in *The National Cyclopedia of American Biography*, volume 12 (New York: James T. White & Company, 1904), p. 104, and several other contemporary sources, he attended the École des Arts et Metiers. It is sometimes incorrectly asserted that Link attended the École des Beaux-Arts, but that is an error that is probably derived, in many instances, from an inaccurate biographical sketch of Link that was published in Henry F. Withey and Elise Rathburn Withey, *Biographical Dictionary of American Architects (Deceased)* (Los Angeles: Hennessey and Ingalls, 1970; originally published 1956), pp. 373-374.

<sup>133</sup> Information provided by Gary Tetley of St. Louis, Missouri.

<sup>134</sup> Information provided by Gary Tetley of St. Louis, Missouri.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

the Mississippi Synodical College Building in Holly Springs, Mississippi (1903); Reid Hall at Washington and Lee University (1904); several buildings at the University of Mississippi, Mississippi State University, Mississippi University for Women, and the University of Southern Mississippi (1920-21); and several buildings at Louisiana State University (1922-23), including the Memorial Tower. (Many of these buildings are listed on the National Register either individually or as parts of historic districts.) The Mississippi State Capitol was Link's most prominent governmental building, but he also submitted a proposed design for the Idaho State Capitol, in 1905, which ranked second place in the design competition,<sup>135</sup> and in 1912 he submitted a proposed design for the Missouri State Capitol; and he served as a consultant on the Arkansas State Capitol. In addition, he designed the Madison County Courthouse in Fredericktown, Missouri (1899) (National Register) and directed the renovation of the Old Mississippi State Capitol (National Historic Landmark) in 1916-17.

In 1920, the Mississippi Legislature established the State Bond Improvement Commission to oversee the expenditure of funds generated from a state bond program for construction and improvement of numerous state-owned properties throughout Mississippi. Impressed by Theodore Link from his work as architect of the new Capitol, and more recently as architect for the renovation of the Old Capitol, the Senate Finance Committee hired him to conduct a survey of needs and estimate of costs for the Bond Improvement program, and subsequently the Bond Improvement Commission hired him to work full-time as its supervising architect. In this position, he was responsible for overseeing all the construction and repair work authorized by the Commission, and his firm, Link and Trueblood, was designated to design all of the new buildings to be constructed under the program. The Commission was lavish in their praise of Link and his work, writing, in their first report to the Legislature:

Mr. Link was known to us as a man of national reputation in his profession. For nearly twenty years his name has been associated with the erection of the new capitol of our State. Only recently we had seen monumental expression of his ability, in the preservation, along intensely practical lines, of the Old Capitol. ... Mr. Link made no application for this position. We selected him on our own initiative, and solely because, in the exercise of our best efforts to reach a wise decision having only the interest of the state in mind it seemed best for us to do so. His selection does not warrant any inference or conclusion which would in the slightest degree reflect upon the character of any other architect. It simply means that for the particular situation which confronted us, we felt that we could use his services probably to better advantage than we could those of any other man who was available to us. And we do not consider it a violation of the proprieties to say here that Mr. Link has fully measured up to our expectations. He has complied with the spirit, no less than the letter, of his contract. He is a man of broad vision, of deep sympathies, and of infinite patience. He has given to the State, though this work, the best that it has been his to give. He has given up his residence in St. Louis, and has devoted his entire time and thought to the problems of your Commission.<sup>136</sup>

When contrasted with the volatile and contentious relations that have existed between many governmental project commissions and their architects, this is high praise indeed!

After the majority of the architectural work for the State Bond Improvement Commission was well underway, no longer needing his direct supervision, Link took a leave of absence from that position in 1922 in order to move to Baton Rouge, Louisiana, to design the overall plan and original buildings for the new campus of Louisiana State University.<sup>137</sup> While he was in Baton Rouge, he died on November 12, 1923, after a brief illness, at the age of 73.<sup>138</sup> Following his death, the State Bond Improvement Commission, in their final report to the Legislature in 1924, said of him, "...He was a great architect; a great artist; a gentleman in the truest sense of the term; and a devoted and loyal friend. His attachment to Mississippi, to which he referred as his adopted State, was both deep and sincere."

<sup>135</sup> "About the History of Idaho's Capitol," a brochure published by the Idaho Capitol Commission, p. 4, viewed on-line on October 7, 2013 ([www.capitolcommission.idaho.gov/.../idaho\\_capitol\\_history\\_brochure](http://www.capitolcommission.idaho.gov/.../idaho_capitol_history_brochure)).

<sup>136</sup> Mississippi State Bond Improvement Commission. *First Report of the State Bond Improvement Commission* (1922), pp. 8-9.

<sup>137</sup> Mississippi State Bond Improvement Commission. *Final Report of the State Bond Improvement Commission* (1924), p. 14.

<sup>138</sup> J. Michael Desmond, *The Architecture of LSU* (Baton Rouge: Louisiana State University Press, 2013), p. 40; and *Final Report of the State Bond Improvement Commission* (1924), p. 14.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

Link was so highly regarded in Mississippi that after his death the Legislature adopted a Concurrent Resolution officially expressing its sorrow.<sup>139</sup>

Theodore Link is generally not mentioned in the broad architectural histories. There may be several reasons for that. One reason is that Link was not a polemicist or a theoretician. Unlike some other well know architects of his time, he did not write books expressing his architectural ideas. He was focused on the creation of well-designed and well-constructed buildings that satisfied his clients. A second reason he is not more widely recognized is that Link practiced out of St. Louis, instead of one of the major cities of the Northeast, so his work was not, and is not today, as visible to architectural historians and architectural commentators, who have therefore tended regard Link as being only of "regional" prominence. A third reason for his lack of national recognition may have been Link's very versatility itself: he was so good at so many different things that he has not been considered exceptional in any one area of specialization, except to some extent as a designer of railroad stations, largely on account of his design of Union Station in St. Louis, even though he was by no means a specialist in railroad architecture.

To regard Union Station as the best example of Link's work may perhaps not reflect a clear understanding of either the range of Link's work or of the history of Union Station itself. As Paul Clifford Larson notes in *The Spirit of H.H. Richardson on the Midland Prairies*, Link produced the Union Station in partnership with Edward Cameron, who had worked in Richardson's office, and it is difficult to say how much of its design is attributable to him. Larson writes:

...[A]fter Richardson's death, Cameron returned [from Chicago] to his hometown of St. Louis and by 1891 had formed a partnership with the rising architect Theodore Link. Their dissociation in 1894 and Cameron's untimely death four years later have obscured Cameron's rightful recognition as co-architect of the Union Station in St. Louis ... one of the crowning achievements of the brief Richardsonian era in American architecture.<sup>140</sup>

The wide diversity of types of building designed by Link, and the very wide variety of their architectural styles, show that that he was an exceptionally versatile and talented architect. He was a consummate Eclectic in an age of Eclecticism, and one single building (even one so notable and widely recognized as Union Station in St. Louis) cannot express the variety and technical skill of his work. To appreciate the masterful eclecticism of Link, one must consider any one of his building within the broader context of the wide range of his works. In terms of its scale, its complexity, its manner of construction, and its mastery of detail, the Mississippi State Capitol can be considered to be one of Link's greatest works.

#### Bernard R. Green, of Washington, D.C., design selection consultant

Bernard Richardson Green (1843-1914) was a prominent civil engineer most noted for his work as the superintendent of construction for the Library of Congress (now called the Thomas Jefferson Building) in Washington, D.C., which was begun in 1890 and completed in 1897 (NHL, 1965). He was also involved in the construction of the State, War, and Navy Building (later known as the Old Executive Office Building, now called the Eisenhower Executive Office Building) (NHL, 1971) as an assistant to Colonel (later Brigadier General) Thomas Lincoln Casey (1831-1896), who directed the later phases of its construction from 1877 to 1888. Green also worked with Casey on the completion of the Washington Monument from 1879 to 1885.<sup>141</sup>

Green served a brief but very important role as consultant to the State House Commission in the selection of the architect for the Capitol and in making recommendations for changes to the proposed design, which were incorporated into the final design.

<sup>139</sup> Mississippi Senate, *Senate Journal* (1924), index, p. 2209, a xerographic copy of which is located in the Subject file, "Link, Theodore," Mississippi Department of Archives and History.

<sup>140</sup> Paul Clifford Larson, "H.H. Richardson Goes West: The Rise and Fall of an Eastern Star," in *The Spirit of H.H. Richardson on the Midland Prairies: Regional Transformations of an Architectural Style*, Paul Clifford Larson, editor (Ames., Iowa: University of Iowa Press, 1988), p. 27.

<sup>141</sup> "Green, Bernard Richardson," *The 20<sup>th</sup> Century Biography of Notable Americans*, vol. 4, p. 387.

Mississippi State Capitol  
(Additional Documentation)

Name of Property

Hinds County  
Mississippi  
County and State

On May 18, 1900, the Mississippi State House Commission, faced with the difficult task of selecting an architect for the Capitol building from the numerous architects who had submitted proposed designs, adopted a resolution authorizing the president of the commission "to employ Mr. Bernard Green, builder of the Congressional library building at Washington, D.C., to come to Jackson and act with this commission in examining the plans and specifications for a New Capitol building..."<sup>142</sup> On June 7, 1900, Green met with the commission in Jackson and "entered upon the discharge of his duties."<sup>143</sup> On June 11 he made a report to the commission giving his evaluation of the submitted plans. He recommended the selection of the architect of Design No. 5, which was the proposed plan submitted by Theodore Link. He made some positive comments about Design No. 8 (which had been submitted by George R. Mann) and Design No. 13 (which had been submitted by G.W. Bunting, of Indianapolis, Indiana), but was dismissive of the other designs.<sup>144</sup> Green also made some recommendations for the improvement of Design No. 5, which Link subsequently incorporated into his final design. These recommendations included the omission of the tower shown in the original design, the addition of an attic story, the inclusion of floor lights in the upper corridors to provide illumination to the first story corridor, and the placement of a basement entrance within a *porte cochere* located under the front steps.<sup>145</sup>

The span of time of Green's involvement with the design of the Capitol was very brief, but his contribution, in selecting Link's proposed design and in making recommendations for its improvement, was of great importance to the success of the project.

From 1901 to 1906 Bernard R. Green served as the superintendent of construction for the Pennsylvania State Capitol (NHL, 2013).<sup>146</sup> He was also the superintendent of construction for the National Museum of Natural History (originally called the United States National Museum), a part of the Smithsonian Institution, in Washington, D.C. (1904-1911, Hornblower & Marshall, architects).<sup>147</sup> Green was widely recognized as a leading authority on the design of libraries and library shelving systems. In 1908 the Sneed and Company Iron Works of Jersey City, New Jersey, published a book describing the library stack system devised by Green and citing numerous libraries where the system had been installed. The book was revised and reissued, under a slightly different title, in 1911.<sup>148</sup> Green served as a consultant for the library stacks for the New York Public Library, designed by Carrère and Hastings and completed in 1911.<sup>149</sup> Bernard R. Green died in 1914 and is buried at the Congressional Cemetery in Washington.

<sup>142</sup> Mississippi, State House Commission, *Minutes*, p. 17 (Official Records Series 637, in the collections of the Mississippi Department of Archives and History)

<sup>143</sup> Mississippi, State House Commission, *Minutes*, p. 18.

<sup>144</sup> Mississippi, State House Commission, *Minutes*, pp. 19-26.

<sup>145</sup> Mississippi, State House Commission, *Minutes*, pp. 23-24.

<sup>146</sup> *The State Capitol of Pennsylvania* (Harrisburg, Pa.: The Telegraph Printing Company, 1906), pp. 86, 91-92. (The National Historic Landmark nomination for the Pennsylvania State Capitol Complex does not mention Green's involvement with that capitol building.)

<sup>147</sup> Richard Rathbun, *A Descriptive Account of the Building Recently Erected for the Departments of Natural History of the United States National Museum* (U.S. Government Printing Office, 1913), pp. 11, 13; and Smithsonian Institution, Archives, Index listing for "United States National Museum, Superintendent of Construction for the United States National Museum Building, Records, 1903-1911" (Smithsonian Institution Archives record unit 81 [RU000081]).  
[http://siarchives.si.edu/collections/siris\\_arc\\_216688](http://siarchives.si.edu/collections/siris_arc_216688)

<sup>148</sup> Sneed and Company Iron Works, *Book Stack and Shelving for Libraries, Designed by Bernard R. Green* (Jersey City, N.J., 1908), and Sneed and Company Iron Works, *Library Planning, Bookstacks and Shelving* (Jersey City, N.J., 1911).

<sup>149</sup> "Undertaking Its Destruction," *The Wall Street Journal*, on-line edition (December 3, 2012),  
<http://online.wsj.com/news/articles/SB10001424127887323751104578151653883688578>, cited in ELMALVANEY [pseud.], "Mississippi's Connection to the New York Public Library," *Preservation in Mississippi* (January 3, 2013),  
<http://misspreservation.com/2013/01/03/mississippi-connection-to-the-new-york-public-library/>



Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

W.A. and A.E. Wells, of Chicago, general contractors

The firm of W.A. and A.E. Wells, of Chicago, was selected as the general construction contractors for the Capitol on December 13, 1900.<sup>150</sup> The contract was signed on December 18, to become effective on January 1, 1901. The State House Commission voted on August 20, 1903, to accept the completed building from the contractors.<sup>151</sup>

The firm was established in 1880 as partnership between Warren Ayer Wells (1830-1899) and his eldest son Addison E. Wells (1856-1933). During the 1890s the company was very active in the construction of steel-frame buildings in Chicago, erecting many of the city's major commercial buildings, including the Ayer Building (1899, Holabird & Roche, architects) (National Register) (HABS), the Cable Building (1899, Holabird & Roche, architects) (not extant) (HABS), and the Fine Arts Building (Studebaker Building) (1885 and 1898, Solon S. Bemon, architect).<sup>152</sup> They also erected buildings in St. Louis, Detroit, and Duluth.<sup>153</sup>

Following the death of W.A. Wells in 1899, the firm was reorganized in 1901 as the Wells Brothers Company, with A.E. Wells as president, in partnership with and his brothers Fred Amasa Wells (1859-1922) and Judd E. Wells (1865-1946). Although the firm used the name "Wells Brothers Company" during most of the time that the Mississippi State Capitol was under construction, the minutes of the State House Commission indicate that the Commission (desiring consistency in the financial accounts and other public records) insisted that all of the firm's communication with the State in connection with the Capitol contract be submitted using the name "W.A. and A.E. Wells" instead of "Wells Brothers."<sup>154</sup> The Commission minutes show that Judd E. Wells was the on-site representative of the company, for business purposes,<sup>155</sup> although the supervisor of construction for the company was Theodore H. Schlader.

An advertisement published in 1902 identifies the firm as "Wells Brothers Company, successors to W.A. & A.E. Wells, General Building Construction," with offices in Chicago, Philadelphia, Baltimore, and Jackson (at the Mississippi State Capitol Building).<sup>156</sup> Major works finished by the firm after the completion of the Mississippi State Capitol included the Chicago Building (Chicago Savings Bank Building) (1904, Holabird & Roche, architects) (National Register) and the Republic Building (1905, Holabird & Roche, architects) (not extant) (HABS) in Chicago, and the Belvidere Hotel (1903, Parker & Thomas, architects) (National Register) in Baltimore. The brothers also established a separate firm, Wells Brothers Company of New York, with F.A. Wells as president. This related firm erected numerous prominent buildings in New York City and major buildings in Syracuse and Philadelphia.

Louis J. Millet, subcontractor for art glass

The original stained glass and other decorative glasswork in the Capitol was executed by the firm of Louis J. Millet of Chicago. However, because he was a subcontractor to W.A. and A.E. Wells, rather than working directly for the State House Commission, there are few documentary records of his involvement.

Louis J. Millet (1856-1923) was a noted designer and decorative artist specializing in stained glass. A native of New York, he attended the École des Beaux-Arts and the École des Arts Decoratifs in Paris before setting in Chicago, where he and George Healy established an architectural decorative arts firm. Healy and Millet worked closely with the architect Louis Sullivan in creating the interiors of the Auditorium Building (1889)<sup>157</sup> (NHL, 1975) and the

<sup>150</sup> Mississippi, State House Commission, *Minutes*, p. 184.

<sup>151</sup> Mississippi, State House Commission, *Minutes*, pp. 586.

<sup>152</sup> That these buildings were constructed by the firm of W.A. and A.E. Wells is documented in *A History of the City of Chicago, Its Men and Institutions* (Chicago: Inter Ocean, 1900), p. 307.

<sup>153</sup> *A History of the City of Chicago, Its Men and Institutions*, p. 307.

<sup>154</sup> Mississippi, State House Commission, *Minutes*, p. 449.

<sup>155</sup> Mississippi, State House Commission, *Minutes*, pp. 215, 371.

<sup>156</sup> An advertisement in *A Catalogue of the Annual Exhibition of the Saint Louis Architectural Club* (St. Louis, 1902), p. 92. Included in the exhibition was Link's drawing of the main elevation of the Mississippi State Capitol, and a photograph of the construction of the Capitol accompanied the advertisement by the Wells Brothers Company.

<sup>157</sup> Alice Sinkevitch, editor, *AIA Guide to Chicago* (San Diego and New York: Harcourt Brace & Co., 1993), pp. 46-48.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

Kehilath Anshe Ma'ariv Synagogue (Pilgrim Baptist Church) (1890-91)<sup>158</sup> in Chicago. They also carried out Sullivan's stencil designs for the Chicago Stock Exchange Trading Room (1894). After the firm of Healy & Millet was dissolved in 1899, Millet continued in practice independently as an architectural decorative artist.<sup>159</sup> After the completion of the Mississippi State Capitol, Millet worked with Sullivan in creating the interiors of the National Farmers Bank in Owatonna, Minnesota (1904-08) (NHL, 1976).<sup>160</sup> He also designed a notable stained glass window for Second Presbyterian Church in Chicago (National Historic Landmark, 2013),<sup>161</sup> and worked with architect George Washington Mayer on several buildings, including the J.R. Watkins Company Administration Building (1911-13) (National Register) in Winona, Minnesota.

Robert P. Bringham, sculptor, designer of the pediment

Robert Porter Bringham (1855-1925) was a sculptor and art teacher who worked in St. Louis. He executed several large sculptural works for the Trans-Mississippi Exposition (the Omaha World's Fair) in 1898 and the Louisiana Purchase Exposition (the St. Louis World's Fair) in 1904. His most recognized surviving works are his bronze statue of Ulysses S. Grant (1888), located on the grounds of the City Hall in St. Louis, and his monument to Elijah P. Lovejoy (1897) in Alton, Illinois.

Bringham was the designer of the sculptural composition in the tympanum of the front portico of the Mississippi State Capitol, but the work was largely carried out by stone-carvers working from his model.

Wollaeger Manufacturing Company, contractor for custom-made wood furniture

The Wollaeger Manufacturing Company of Milwaukee, Wisconsin, built the custom-made wood furniture for the Capitol, including the Speaker's rostrum in the House of Representatives Chamber, the President's podium in the Senate Chamber, and the Justices' bench in the Supreme Court Chamber. According to an advertisement in a builders' supply directory from 1912, the firm manufactured "special furniture and fixtures for banks, offices and public buildings in wood, marble, and bronze, executed from architects' or our own designs." They produced "special work only; no stock goods." Besides the Mississippi State Capitol, the Wollaeger Manufacturing Company provided custom-made furniture for the Wisconsin State Capitol (George B. Post & Sons, architects), the Kentucky State Capitol (Frank M. Andrews & Co., architects), the Montana State Capitol (Bell & Kent, architects), the Washington State Capitol (W.A. Ritchie, architect), and the Library of Congress (Bernard R. Green, listed as architect), as well as numerous courthouses and banks throughout the United States.<sup>162</sup>

J.F. Barnes, superintendent of construction

John F. Barnes (1850-1919) was a building contractor who resided in Greenville, Mississippi, before moving to Jackson in 1901 to become superintendent of construction for the Mississippi State Capitol. In this capacity he served as the on-site agent for the State House Commission, ensuring that the construction work was being done according to the plans and specifications and providing monthly reports to the commission on the progress of the work. Before taking this position, he had been the contractor for numerous notable buildings in Mississippi, including the Old Bolivar County Courthouse (1889) in Rosedale, the Washington County Courthouse (1891) in Greenville, Temple Gemiluth Chassed (1891-92) in Port Gibson, the Old First Presbyterian Church (1891-92) in Jackson, and the Masonic Temple (1895) in Biloxi. After the completion of the Mississippi State Capitol, he built

<sup>158</sup> Sinkevitch, ed., *AIA Guide to Chicago*, pp. 378-379.

<sup>159</sup> U.S. Department of the Interior, National Park Service, National Historic Landmark Nomination, Second Presbyterian Church, Chicago, Illinois (September 4, 2012), pp. 46-47.

<sup>160</sup> Lauren S. Weingarden, "The Colors of Nature: Louis Sullivan's Architectural Polychromy and Nineteenth-Century Color Theory," *Winterthur Portfolio*, 20:4 (Winter 1985), 258-259.

<sup>161</sup> U.S. Department of the Interior, National Park Service, National Historic Landmark Nomination, Second Presbyterian Church, Chicago, Illinois (September 4, 2012), pp. 46-47.

<sup>162</sup> *Building Trade Catalogs* (New York: Associated Builders Catalog Co., 1912), Section 43A, no. 3, viewed on Google Books.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

numerous prominent buildings in Jackson, including the Cowan Hotel (1905), the Pythian Castle (1906), the Carnegie Library at Millsaps College (1906-07) (none of which is extant), and several public schools.<sup>163</sup>

Some persons and firms involved with the Capitol and its grounds, 1904-c.1935

Belle Kinney, sculptor, designer of the Monument to the Women of the Confederacy (1917)

Belle Kinney (1890–1959) was a sculptor noted for her bronze statuary. Born in Nashville, she spent her early years in Tennessee and later worked in New York. In 1897, at the age of 7, she won a youth sculpture competition at the Tennessee Centennial Exposition. She later attended the Art Institute of Chicago, where she subsequently served as an instructor. In 1921 she married Austrian-born sculptor Leopold F. Scholz (1877-1946), and collaborated with him on several commissions.<sup>164</sup>

Besides the Monument to the Women of the Confederacy, her major works include the bust of Colonel Richard Owen in the Indiana Statehouse in Indianapolis (1913), the statue of Andrew Jackson in the United States Capitol (1927), the statue of John Sevier in the U.S. Capitol (1931), the Victory sculpture at the Bronx County World War I Memorial in New York (1933), and a bust of Admiral Albert Gleaves at the U.S. Naval Academy in Annapolis (1938).<sup>165</sup>

In 1910, when Kinney was only 20 years old, her design was selected by the United Confederate Veterans as the recommended design for a monument to the Women of the Confederacy. The organization had intended that the design be used for similar monuments throughout the South, but only Mississippi and Tennessee erected monuments using her design.<sup>166</sup> The Mississippi monument was completed and unveiled in 1917, and the Tennessee monument in 1926.

Theodore C. Link, supervising architect for the State Bond Improvement Commission (1920-23)

Link's second period of involvement with the Mississippi State Capitol came when he served as the supervising architect for the State Bond Improvement Commission from 1920 until his death in 1923. In this position, he supervised work on state-owned buildings throughout Mississippi, and his firm was designed new buildings at several state institutions, including the University of Mississippi and the schools that would later become Mississippi State University, Mississippi University for Women, and the university of Southern Mississippi. Work at the Capitol that was administered by the State Bond Improvement Commission consisted of the installation of an electrical power converter, a new telephone switchboard, a new mail distribution box, and other such mundane improvements. One task carried out at the Capitol under this program was the purchase and installation of the two flagstuffs positioned in front of the building. These two flagstuffs remain today as the only visible features associated with Link's second period of involvement with the New Capitol. After about August of 1922, Link's association with the Bond Improvement Commission was only nominal, for he had taken a leave of absence from his position with that agency to design the new campus of Louisiana State University in Baton Rouge, where he died on November 12, 1923.<sup>167</sup>

<sup>163</sup> Mississippi Department of Archives and History, Historic Preservation Division. Historic Resources Inventory Database. Artisan files.

<sup>164</sup> Pamela H. Simpson, "Belle Kinney," *The Grove Encyclopedia of American Art*, Volume 1, edited by Joan M. Marter (Oxford and New York: Oxford University Press, 2011), p. 45.

<sup>165</sup> Simpson, "Belle Kinney," p. 45.

<sup>166</sup> Elise L. Smith, "Belle Kinney and the Confederate Women's Monument," *Southern Quarterly*, 32:4 (Summer 1944), pp. 6-31; Gaines M. Foster, *Ghosts of the Confederacy: Defeat, the Lost Cause, and the Emergence of the New South* (Oxford and New York: Oxford University Press, 2011), pp. 175-178.

<sup>167</sup> Mississippi State Bond Improvement Commission. *Final Report of the State Bond Improvement Commission* (1924), p. 14.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

Vinson B. Smith, Jr., architect for alterations to the Governor's Office (1930)

Vinson B. Smith, Jr. (1891-1964) was an architect based in Gulfport, Mississippi, who directed renovations to the governor's office suite in 1930, at the request of Governor Theodore Bilbo.

His works included the G. B. Dantzer House in Gulfport (1924) (NR), the campus plan and several of the original buildings of the Mississippi State Hospital at Whitfield (1928-1930), the Administration Building and Bennett Auditorium at what is now the University of Southern Mississippi (1928-29), and two public schools in Gulfport (1934). Later in the 1930s he formed a partnership with Carl B. Olschner. Their firm oversaw the construction of the (old) Pascagoula High School in Pascagoula, Mississippi, completed in 1939.<sup>168</sup> In the late 1940s Smith worked in partnership with John M. Lachin, Jr.<sup>169</sup>

---

## 9. Major Bibliographical References

### Bibliography (Cite the books, articles, and other sources used in preparing this form.)

"Addison E. Wells, Noted Architect, Dies At 76." *Manitowoc Herald-Times*, Manitowoc, Wisconsin, November 4, 1933.

Allen, William C. *History of the United States Capitol: A Chronicle of Design, Construction, and Politics*. Honolulu, Hawaii: University Press of the Pacific, 2005. (Originally published in hardcover in 2001.)

*The American Architect and Building News*, vol. 70, no. 1304 (December 22, 1900).

*Annual Exhibition of the Saint Louis Architectural Club: Illustrated Catalogue of Drawings and Examples of Work in the Allied Arts*. St. Louis, 1902.

Appelbaum, Stanley. *The Chicago World's Fair of 1893: A Photographic Record*. New York: Dover Publications, Inc., 1980.

Bach, Ira J., editor. *Chicago's Famous Buildings*. Third Edition. Chicago: University of Chicago Press, 1980.

Bailey, Robert J. *History of the Mississippi State Capitol*. Unpublished manuscript prepared for the Mississippi Department of Archives and History, 2004.

Bolotin, Norman, and Christine Laing. *The World's Columbian Exposition: The Chicago World's Fair of 1893*. Urbana and Chicago: University of Illinois Press, 2002. (Originally published by Preservation Press in 1992.)

Clark, E.C. "Mississippi State Capitol." *The Inland Architect and News Record*, 42:3 (October 1903).

Curl, James Stevens. *Classical Architecture: An Introduction to Its Vocabulary and Essentials, with a Select Glossary of Terms*. New York: W.W. Norton & Co., 2001. (Originally published in 1992).

Desmond, J. Michael. *The Architecture of LSU*. Baton Rouge: Louisiana State University Press, 2013.

---

<sup>168</sup> Mississippi Department of Archives and History, Historic Preservation Division. Historic Resources Inventory Database. Artisan files.

<sup>169</sup> Mississippi Department of Archives and History, Historic Preservation Division. Historic Resources Inventory Database. Artisan files; and 1947 city directory, Gulfport, Mississippi, p. 427, viewed on Ancestry.com on October 6, 2013.

Mississippi State Capitol  
(Additional Documentation)

Name of Property

Hinds County  
Mississippi  
County and State

- ELMALVANEY [pseud.] "Critiquing the New Capitol Designs (1900) [Part 1]." *Preservation in Mississippi*, May 24, 2011. <http://misspreservation.com/2011/05/24/critiquing-the-new-capitol-designs-1900/>
- ELMALVANEY [pseud.] "Critiquing the New Capitol Designs (1900) – Part 2." *Preservation in Mississippi*, May 25, 2011. <http://misspreservation.com/2011/05/25/critiquing-the-new-capitol-designs-1900-part-2/>
- ELMALVANEY [pseud.] "Critiquing the New Capitol Designs [Part 3] – Bernard Green's unofficial opinion." *Preservation in Mississippi*, May 26, 2011. <http://misspreservation.com/2011/05/26/critiquing-the-new-capitol-designs-bernard-greens-unofficial-opinion/>
- ELMALVANEY [pseud.] "Mississippi's Connection to the New York Public Library." *Preservation in Mississippi*, January 3, 2013. <http://misspreservation.com/2013/01/03/mississippi-connection-to-the-new-york-public-library/>
- ELMALVANEY [pseud.] "More Architect/Builder Pics: Link and Barnes." *Preservation in Mississippi*, December 1, 2009. <http://misspreservation.com/2009/12/01/more-architect-pics-link-and-barnes/>
- ELMALVANEY [pseud.] "The Story of Mississippi's New Capitol [Part 1]: Hiring an Architect." *Preservation in Mississippi*, January 25, 2010. <http://misspreservation.com/2010/01/25/the-story-of-mississippi-new-capitol-hiring-an-architect/>
- ELMALVANEY [pseud.] "The Story of Mississippi's New Capitol [Part 2]: Hiring the Contractor." *Preservation in Mississippi*, January 26, 2010. <http://misspreservation.com/2010/01/26/the-story-of-mississippi-new-capitol-hiring-the-contractor/>
- ELMALVANEY [pseud.] "The Story of Mississippi's New Capitol [Part 3]: Git-R-Done." *Preservation in Mississippi*, January 27, 2010. <http://misspreservation.com/2010/01/27/the-story-of-mississippi-new-capitol-git-r-done/>
- ELMALVANEY [pseud.] "The Story of Mississippi's New Capitol [Part 4]: Barnes and Link report in." *Preservation in Mississippi*, January 28, 2010. <http://misspreservation.com/2010/01/28/the-story-of-mississippi-new-capitol-barnes-and-link-report/>
- Fletcher, Bannister. *A History of Architecture* (eighteenth edition, revised by J. C. Palmes). New York: Charles Scribner's Sons, 1975.
- Goodsell, Charles T. *The American Statehouse: Interpreting Democracy's Temples*. Lawrence, Kansas: University Press of Kansas, 2001.
- Gowans, Alan. *Styles and Types of North American Architecture: Social Function and Cultural Expression*. New York: HarperCollins, 1993 (© 1992).
- "Green, Bernard Richardson." *The 20<sup>th</sup> Century Biographical Dictionary of Notable Americans*, Vol. 4. Boston: The Biographical Society, 1904.
- "A Guide to the Architecture of the Mississippi State Capitol" (booklet). 2013.
- A History of the City of Chicago, Its Men and Institutions*. Chicago: Inter Ocean, 1900.
- The State Capitol of Pennsylvania*. Harrisburg, Pa.: The Telegraph Printing Company, 1906.
- Hitchcock, Henry-Russell, and William Seale. *Temples of Democracy: The State Capitols of the U.S.A.* New York: Harcourt Brace Jovanovich, 1976.
- Jacobs, James. "Capitols as National Historic Landmarks." U.S. Department of the Interior, National Park Service. February 2009.
- Jordy, William H. *American Buildings and Their Architects: Progressive and Academic Ideals at the Turn of the Twentieth Century*. Garden City, New York: Anchor, 1976 (paperback). Originally printed 1972.

Mississippi State Capitol  
(Additional Documentation)

Name of Property

Hinds County  
Mississippi  
County and State

Kidney, Walter C. *The Architecture of Choice: Eclecticism in America, 1880-1930*. New York: George Braziller, 1974.

Kinsey, Joni L. "Link, Theodore C. (1850-1923)." *Dictionary of Missouri Biography*. Edited by Lawrence O. Christensen. Columbia, Missouri: University of Missouri Press, 1999.

"Link, Theodore C." *The National Cyclopedia of American Biography*, volume 12. New York: James T. White & Company, 1904.

Marquis, Albert Nelson, editor. *The Book of Chicagoans: A Biographical Dictionary of Leading Living Men of the City of Chicago, Volume 2*. Chicago, A.N. Marquis & Company, 1911. (viewed on-line)

Mississippi. Adjutant General. *Biennial Report of the Adjutant General of the State of Mississippi for the Years 1924-1925*.

Mississippi Department of Archives and History, Archives and Records Services Division. Subject File: "Capitol Building, New: 1897-1919."

Mississippi Department of Archives and History, Archives and Records Services Division. Subject File: "Capitol Building, New: 1920-1939."

Mississippi Department of Archives and History, Archives and Records Services Division. Subject File: "Capitol Building, New: Historical Sketches and Undated."

Mississippi Department of Archives and History, Archives and Records Services Division. Subject File: "Liberty Bell."

Mississippi Department of Archives and History, Archives and Records Services Division. Subject File: "Link, Theodore."

Mississippi Department of Archives and History, Archives and Records Services Division. Subject File: "Mississippi, U.S.S. (2<sup>nd</sup>) (1905)."

Mississippi Department of Archives and History, Administration Division. Pre-Renovation Photographs of New Capitol, 1977. Official Records, Series 2351: Mississippi Department of Archives and History.

Mississippi Department of Archives and History, Historic Preservation Division. Historic Resources Inventory Database. Artisan files.

*Mississippi Official and Statistical Register*. 1904.

*Mississippi Official and Statistical Register*. 1908.

Mississippi State Bond Improvement Commission. Architectural Drawings and Blueprints, 1905-1923; undated. Official Records, Series 667, Mississippi Department of Archives and History.

Mississippi State Bond Improvement Commission. Building Project Files and Correspondence, 1919-1924. Official Records, Series 666, Mississippi Department of Archives and History.

Mississippi State Bond Improvement Commission. *First Report of the State Bond Improvement Commission*. 1922.

Mississippi State Bond Improvement Commission. *Final Report of the State Bond Improvement Commission*. 1924. Official Records, Series 669, Mississippi Department of Archives and History.

Mississippi State Building Commission; Mississippi Bureau of Building, Grounds, and Real Property Management. Contract Files, 1952-1963. Official Records, Series 1542, Mississippi Department of Archives and History.

Mississippi State Building Commission; Mississippi Bureau of Building, Grounds, and Real Property Management. Project Files, 1942-1971. Official Records, Series 1646, Mississippi Department of Archives and History.

Mississippi State Building Commission files: New Capitol Construction, Repairs, and Restoration, 1900-1982. Official Records, Series 142, Mississippi Department of Archives and History.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

- Mississippi State House Commission. Commission Files, 1900-1903. Official Records, Series 634, Mississippi Department of Archives and History.
- Mississippi State House Commission. Minutes, 1900-1904. Official Records, Series 637, Mississippi Department of Archives and History.
- Mississippi State House Commission. Photographs of New Capitol, 1900-1903. Official Records, Series 317, Mississippi Department of Archives and History.
- Mississippi State House Commission. Proceedings Connected with Laying the Corner Stone of Mississippi's New State House in the City of Jackson on June 3, 1903. Jackson: Tucker Printing House, the Mississippi State House Commission, 1903.
- "New Offices To Afford Privacy." Clarion Ledger (Jackson, Mississippi), October 15, 1930.
- Reed, Henry Hope. The United States Capitol: Its Architecture and Decoration. New York: W.W. Norton and Company, 2005.
- Roland, Dunbar, editor. "Capitol, New." Mississippi, Comprising Sketches of Counties, Towns, Events, Institutions, and Persons, Arranged in Cyclopedic Form. Volume I, A-K. Atlanta, Georgia: Southern Historical Publications Association, 1907.
- Rosell, Thomas [pseud.] "A Rosetta Stone and Truth about the Dome?" Preservation in Mississippi, September 6, 2011. <http://misspreservation.com/2011/09/06/a-rosetta-stone-and-truth-about-the-dome/>.
- Sanborn Map Company. Fire Insurance Maps of Jackson, Mississippi. February 1892 (sheet 2), March 1900 (sheet 2), October 1904 (sheet 7), July 1909 (sheet 11), and April 1914 (sheet 14).
- Simmonds, Tricia. St. Paul's Cathedral. Bath, England: Unichrome, Ltd., 1992.
- Simpson, Pamela H. "Kinney, Belle." The Grove Encyclopedia of American Art, Volume I, edited by Joan M. Marter. Oxford and New York: Oxford University Press, 2011.
- Sinkevitch, Alice, editor. AIA Guide to Chicago. San Diego and New York: Harcourt Brace & Co., 1993.
- Skates, John Ray. Mississippi's Old Capitol: Biography of a Building. Jackson: Mississippi Department of Archives and History, 1990.
- Smith, Elise L. "Belle Kinney and the Confederate Women's Monument." Southern Quarterly, 32:4 (Summer 1944): 6-31.
- "State Accepts Liberty Bell in Formal Ceremony." Jackson Daily News (Jackson, Mississippi), July 5, 1950.
- Thrane, Susan W., and Tom Patterson. State Houses: America's 50 State Capitol Buildings. Erin, Ontario, Canada: Boston Mills Press, 2005.
- U.S. Department of the Interior, National Park Service. National Historic Landmark Nomination, Pennsylvania State Capitol Complex, Harrisburg, Pennsylvania. September 4, 2012.
- U.S. Department of the Interior, National Park Service. National Historic Landmark Nomination, Second Presbyterian Church, Chicago, Illinois. September 4, 2012.
- Waterman, A.N., editor. Historical Review of Chicago and Cook County and Selected Biography. Volume 2. Chicago and New York, Lewis Publishing Co., 1908.
- Weingarden, Lauren S. "The Colors of Nature: Louis Sullivan's Architectural Polychromy and Nineteenth-Century Color Theory." Winterthur Portfolio 20:4 (Winter 1985), 243-260.
- WFT Architects. "New Capitol: Space Utilization." Schematic drawings. May 2008.
- Whiffen, Marcus. American Architecture Since 1780: A Guide to the Styles. Cambridge, Mass.: MIT Press, 1969.
- Whiffen, Marcus, and Frederick Koeper. American Architecture 1607-1976. Cambridge, Mass.: MIT Press, 1981.

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

Wilson, Richard Guy. *McKim, Mead & White, Architects*. New York: Rizzoli, 1983.

Wilson, Richard Guy, et al. *The American Renaissance, 1876-1917*. New York: The Brooklyn Museum, 1979.

Wintory, Blake "A Tale of Two Domes: Mississippi and Arkansas" (Part I). *Preservation in Mississippi*, August 22, 2011. <http://misspreservation.com/2011/08/22/architectural-twins-mississippi-and-arkansas-state-capitol-domes/>.

Wintory, Blake "A Tale of Two Domes, Part II." *Preservation in Mississippi*, August 23, 2011. <http://misspreservation.com/2011/08/23/a-tale-of-two-domes-part-ii/>.

Wintory, Blake "A Tale of Two Domes, Part III." *Preservation in Mississippi*, August 24, 2011. <http://misspreservation.com/2011/08/24/architectural-twins-mississippi-and-arkansas-state-capitol-domes-part-iii/>.

Wintory, Blake "A Tale of Two Domes, Finale" (Part IV). *Preservation in Mississippi*, August 25, 2011. <http://misspreservation.com/2011/08/25/architectural-twins-mississippi-and-arkansas-state-capitol-domes-part-iv/>.

Withey, Henry F., and Elise Rathburn Withey. *Biographical Dictionary of American Architects (Deceased)*. Los Angeles : Hennessey and Ingalls, 1970. (Originally published 1956.)

**Previous documentation on file (NPS):**

- preliminary determination of individual listing (36 CFR 67) has been requested
- previously listed in the National Register
- previously determined eligible by the National Register
- designated a National Historic Landmark
- recorded by Historic American Buildings Survey #MS-191\_\_\_\_\_
- recorded by Historic American Engineering Record # \_\_\_\_\_
- recorded by Historic American Landscape Survey # \_\_\_\_\_

**Primary location of additional data:**

- State Historic Preservation Office
  - Other State agency
  - Federal agency
  - Local government
  - University
  - Other
- Name of repository: Mississippi Department of Archives and History\_\_

**Historic Resources Survey Number (if assigned):** 049-JAC-0001 NR, ML \_\_\_\_\_



Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

**10. Geographical Data**

**Acreage of Property** 11 acres

Use either the UTM system or latitude/longitude coordinates

**Latitude/Longitude Coordinates**

Datum if other than WGS84: \_\_\_\_\_

(enter coordinates to 6 decimal places)

- |              |            |
|--------------|------------|
| 1. Latitude: | Longitude: |
| 2. Latitude: | Longitude: |
| 3. Latitude: | Longitude: |
| 4. Latitude: | Longitude: |

**SEE CONTINUATION SHEET**

**Or**

**UTM References**

Datum (indicated on USGS map):

NAD 1927 or  NAD 1983

- |          |           |           |
|----------|-----------|-----------|
| 1. Zone: | Easting:  | Northing: |
| 2. Zone: | Easting:  | Northing: |
| 3. Zone: | Easting:  | Northing: |
| 4. Zone: | Easting : | Northing: |

**Verbal Boundary Description** (Describe the boundaries of the property.)

Mississippi State Capitol  
(Additional Documentation)  
Name of Property

Hinds County  
Mississippi  
County and State

Parcel 35-1 on Tax Map 688, in SE ¼, Sec. 3, T5N, R1E, Hinds County, Mississippi

**Boundary Justification** (Explain why the boundaries were selected.)

This is the entire parcel historically associated with the property.

**11. Form Prepared By**

name/title: Richard J. Cawthon, consulting architectural historian  
organization: \_\_\_\_\_  
street & number: P.O. Box 1108  
city or town: Jackson State: MS zip code: 39215-1108  
e-mail scribbler@bellsouth.net  
telephone: 601-206-9295  
date: October 31, 2013

**Additional Documentation**

Submit the following items with the completed form:

- **Maps:** A USGS map or equivalent (7.5 or 15 minute series) indicating the property's location.
- **Sketch map** for historic districts and properties having large acreage or numerous resources. Key all photographs to this map.
- **Additional items:** (Check with the SHPO, TPO, or FPO for any additional items.)

**Photographs**

Submit clear and descriptive photographs. The size of each image must be 1600x1200 pixels (minimum), 3000x2000 preferred, at 300 ppi (pixels per inch) or larger. Key all photographs to the sketch map. Each photograph must be numbered and that number must correspond to the photograph number on the photo log. For simplicity, the name of the photographer, photo date, etc. may be listed once on the photograph log and doesn't need to be labeled on every photograph.

Mississippi State Capitol  
(Additional Documentation)

Name of Property

Hinds County  
Mississippi  
County and State

**Photo Log**

Name of Property: Mississippi State Capitol

City or Vicinity: Jackson

County: Hinds

State: Mississippi

Photographer: Jennifer Baughn, Chief Architectural Historian  
Mississippi Department of Archives and History

Date Photographed: July 9 and 30, 2012

Description of Photograph(s) and number, include description of view indicating direction of camera:

- 1 of 40. Exterior. North elevation. Camera facing south.
- 2 of 40. Exterior. North elevation. Camera facing south.
- 3 of 40. Exterior. North elevation. Camera facing south.
- 4 of 40. Exterior. North elevation detail. Camera facing south.
- 5 of 40. Exterior. South elevation. Camera facing north.
- 6 of 40. Interior. Rotunda. Camera facing north.
- 7 of 40. Interior. Rotunda. Camera facing up.
- 8 of 40. Interior. House Chamber entrance. Camera facing west.
- 9 of 40. Interior. House Chamber. Camera facing southeast.
- 10 of 40. Interior. House Chamber. Camera facing east.
- 11 of 40. Interior. House Chamber. Camera facing west.
- 12 of 40. Interior. House Chamber. Camera facing up.
- 13 of 40. Interior. House Chamber. Camera facing east.
- 14 of 40. Interior. Senate Chamber entrance. Camera facing east.
- 15 of 40. Interior. Senate Chamber. Camera facing west.
- 16 of 40. Interior. Senate Chamber. Camera facing east.
- 17 of 40. Interior. Senate Chamber. Camera facing up.
- 18 of 40. Interior. Senate Chamber. Camera facing up.
- 19 of 40. Interior. Senate Chamber. Camera facing up.
- 20 of 40. Interior. Senate Chamber. Camera facing north.
- 21 of 40. Interior. Great Staircase. Camera facing north.
- 22 of 40. Interior. Great Staircase. Camera facing north.
- 23 of 40. Interior. Great Staircase. Camera facing north.
- 24 of 40. Interior. Great Staircase. Camera facing north.
- 25 of 40. Interior. Great Staircase, Fourth floor. Camera facing north.
- 26 of 40. Interior. Great Staircase, Fourth floor. Camera facing southwest.
- 27 of 40. Interior. Stairs. Camera facing north.
- 28 of 40. Interior. Elevator. Camera facing north.
- 29 of 40. Interior. First Floor. Camera facing northwest.
- 30 of 40. Interior. Second floor corridor. Camera facing west.
- 31 of 40. Interior. Second floor corridor. Camera facing west.
- 32 of 40. Interior. Third floor corridor. Camera facing west.
- 33 of 40. Interior. Fourth floor corridor. Camera facing west.
- 34 of 40. Interior. Governor's Office. Camera facing east.
- 35 of 40. Interior. Governor's Office. Camera facing east.
- 36 of 40. Interior. Governor's Office floor detail. Camera facing down.

Mississippi State Capitol  
(Additional Documentation)

Name of Property

Hinds County  
Mississippi

County and State

- 
- |           |   |
|-----------|---|
| 37 of 40. | Interior. Supreme Court Chamber entrance. Camera facing east. |
| 38 of 40. | Interior. Supreme Court Chamber. Camera facing east.          |
| 39 of 40. | Interior. State Library. Camera facing west.                  |
| 40 of 40. | Interior. UDC Reception Room. Camera facing north.            |

**Paperwork Reduction Act Statement:** This information is being collected for applications to the National Register of Historic Places to nominate properties for listing or determine eligibility for listing, to list properties, and to amend existing listings. Response to this request is required to obtain a benefit in accordance with the National Historic Preservation Act, as amended (16 U.S.C. 460 et seq.).

**Estimated Burden Statement:** Public reporting burden for this form is estimated to average 100 hours per response including time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding this burden estimate or any aspect of this form to the Office of Planning and Performance Management, U.S. Dept. of the Interior, 1849 C. Street, NW, Washington, DC.

**United States Department of the Interior  
National Park Service**

**National Register of Historic Places  
Continuation Sheet**

Section number   10   Page   1  

Mississippi State Capitol (Additional Documentation)
Name of Property Hinds County, Mississippi
County and State
Name of multiple listing (if applicable)

**Latitude/Longitude Coordinates**

(Follow similar guidelines for entering these coordinates as for entering UTM references described on page 55, *How to Complete the National Register Registration Form*. For properties less than 10 acres, enter the lat/long coordinates for a point corresponding to the center of the property. For properties of 10 or more acres, enter three or more points that correspond to the vertices of a polygon drawn on the map. The polygon should approximately encompass the area to be registered. Add additional points below, if necessary.)

Datum: WG 84


- |              |           |            |            |
|--------------|-----------|------------|------------|
| 1. Latitude: | 32.308333 | Longitude: | -90.169444 |
| 2. Latitude: | 32.303333 | Longitude: | -90.169444 |
| 3. Latitude: | 32.307778 | Longitude: | -90.170000 |
| 4. Latitude: | 32.305556 | Longitude: | -90.189167 |


United States Department of the Interior  
National Park Service

National Register of Historic Places  
Continuation Sheet


Section number 10 Page 1

Mississippi State Capitol (Additional Documentation)
Name of Property Hinds County, Mississippi
County and State
Name of multiple listing (if applicable)






Mississippi State Capitol  
 Jackson, Hinds County, Mississippi  
 Sketch Plan of the Site and Vicinity



FIRST FLOOR PLAN


> Photographs






SECOND FLOOR PLAN

> Photograph



THIRD FLOOR PLAN

> Photograph





FOURTH FLOOR PLAN

> Photograph

















HOUSE  
OF REPRESENTATIVES.















SENATE.

MISSISSIPPI SENATE  
SESSION 2012

BROWN	307	JORDAN	405 A
BROWNING	213 C	KIRBY	212 D
BRYAN	409 A	LEE	213 E
BURTON	215 B	MCDANIEL	405 D
BUTLER K.	405 C	SIMMONS W.	404 C
CARMICHAEL	213 A	TOLLIBON	404 A
CHASSANIOL	212 A	TURNER	410
CLARKE	214 D	WILEMON	405 B
DAWKINS	209 MEZZ		




















































SVPREME COVRT











National Register of Historic Places  
Memo to File

# Correspondence

The Correspondence consists of communications from (and possibly to) the nominating authority, notes from the staff of the National Register of Historic Places, and/or other material the National Register of Historic Places received associated with the property.

Correspondence may also include information from other sources, drafts of the nomination, letters of support or objection, memorandums, and ephemera which document the efforts to recognize the property.

12/4/69

CONTROL SHEET  
National Register  
Inventory-Nomination Forms

69000086  
Mississippi State Capitol  
Miss. NPS Number

~~New Capital~~  
Hinds Co.

69-11-23-0003

RECEIPT

SIGN OFF

Date of Receipt	<u>10/29/69</u>	Yes	No	Number
Data Page		<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Photo(s)		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>2</u>
Photo Description(s)		<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Map(s)		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<u>1</u>
Map Description(s)		<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Logged		<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Acknowledged	<u>10/30/69</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	O.K.

10/30/69 *Pa*

REVIEW

Historian Comments

*OK*

Architect Comments

*OK*

Chief Architect  Chief Archeologist  Chief Historian

*Bl 11/3/69*  
*Chambers*  
*10/30/69*

Keeper Comments

*OK*

*10/27/69*

ENTRY

Chief, OAHF Comments

*OK*  
*11-24-69*

Date of Entry

Registry Clerk	Yes	No	Date
Assign NPS No.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Acknowledgement Sent	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

EDITORIAL PROCESSING

Editor

Federal Register Entry

Date  
12/2/69

Annual Edition Entry

FILE

FILE

FILE

WORKING NO.  
10-29-69-3

NOV 25 1969

11-18

NOV 25 1969

Entered in National Register

BASIC FILE RETAINED IN HR

Hon. James Oliver Eastland  
United States Senate  
Washington, D. C.

Dear Senator Eastland:

We are pleased to inform you that the Historic Properties listed on the enclosure have been nominated by the officer appointed by the Governor for the implementation of the National Historic Preservation Program in Mississippi and have been entered into the "National Register of Historic Places."

Senator John Cornelius Stennis and the appropriate Representatives have also been provided with this information. A leaflet explaining the National Register is enclosed.

Sincerely yours,

(Signed)

Ernest Allen Connelly  
Chief, Office of Archeology  
and Historic Preservation

Enclosures

cc:  
Dr. R. A. McLeure, Director, State of Mississippi, Department of Archives and History, P. O. Box 571, Jackson, Mississippi 39201

Duplicate letters sent to:  
Hon. John Cornelius Stennis  
Hon. Jamie L. Whitten  
Hon. Charles H. Griffin

cc: Regional Director, Southeast Region  
T-Mr. Butterfield  
DAL-Mr. Melvin

11/20/69

RG:mole:em



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
NATIONAL PARK SERVICE  
801 19TH STREET, N. W.  
WASHINGTON, D. C. 20005

IN REPLY REFER TO:

H34-HR

NOV 25 1969

Properties added to the National Register of Historical Places

MISSISSIPPI

Jacinto Courthouse (Alcorn County)  
Dupree Mound (Hinds County)  
Pocahontas Mound A (Hinds County)  
Berry Mounds and Village (Hinds County)  
The Capitol Green (Hinds County)  
Governor's Mansion (Hinds County)  
The New Capitol (Hinds County)  
The Old Capitol (Hinds County)  
Floyd Mound (Hinds County)  
City Hall (Hinds County)

take



# State of Mississippi

Jackson 39205

May 16, 1973

William F. Winter  
Lieutenant Governor  
Box 1787

Dr. William J. Murtagh  
Keeper, National Register  
National Register of Historic Places  
Department of the Interior  
Washington, D. C. 20240

Dear Dr. Murtagh:

The renovation of Mississippi's 1903 New Capitol has been authorized by the Mississippi Legislature. In planning the allocation of space in this building, which will continue to be used as the seat of government, it has been proposed that the Supreme Court Chamber, on the second floor, will be converted into several small offices to be used by the Governor and members of his staff. The Governor's office on the third floor would be converted to use by the Legislature. Plans for the renovation call for structural alterations in the Supreme Court Chamber, which has been used continuously as the Supreme Court Chamber since 1903.

The Board of Trustees of the Department of Archives and History has requested that the State Building Commission allocate a portion of the planning funds for the New Capitol renovation project for the purpose of providing a thoroughly documented preservation study of this historic building, which is entered in The National Register of Historic Places.

We feel that the history of the fabric of a landmark building should be accurately recorded before any changes are made, and it is obvious that such a study could very well detect historic features of the building which should be preserved as an integral part of the renovation plan.

MAY 23 1973



Dr. William J. Murtagh


Page 2

May 16, 1973

The Legislative Committee charged with the direction of the project would appreciate your views as to whether the Supreme Court Chamber should be altered, and if so, to what extent, so that its historical integrity may be preserved. In order that you might make a preliminary professional judgment, we are sending you photographs of the Supreme Court Chamber.

I will appreciate a prompt reply, as the project planning is well underway.

Sincerely yours,

A handwritten signature in cursive script that reads "William F. Winter".

William F. Winter, President  
Board of Trustees  
Mississippi Department of  
Archives and History

WFW:ja

Enclosure

JUN 12 1973

H34-PHR

Mr. William F. Winter, President  
Board of Trustees  
Mississippi Department of  
Archives and History  
Jackson, Mississippi 39205

Dear Mr. Winter:

Thank you for your letter of May 16 and its enclosures.

The photographs which you enclosed would seem to indicate that many changes have been made in the Supreme Court Chamber since the construction of the building in 1903. Let me hasten to add, however, that it is always difficult to make such professional value judgements without experiencing the actual spaces and textural qualities of the materials at first hand. While changes would indeed appear to have been made in the room, the extent of change and the detail of change, it seems to me, would be impossible to determine without incisive research into the history of the structure. I would heartily endorse that a portion of the planning funds for the renovation project be set aside for the purpose of thoroughly documenting the building before another change takes place. I think this is especially important in view of the fact that the building is on the National Register. I would suggest that Dr. William Seale of 111 Prince Street, Alexandria, Virginia 22314 might be the proper person available for such a study as an "outside" consultant. Dr. Seale is just finishing up a study of United States' State Capitols under a grant from the National Endowment for the Humanities to the Victorian Society in America. He would be eminently qualified for this endeavor.

I find it difficult, if not impossible, to directly answer your question in the last paragraph of your letter without actually seeing the building. Suffice it to say that alterations of major interior spaces in public buildings of this nature are usually questionable actions. Such alteration could, of course, be made providing the materials inserted could be worked around the existing moldings instead of doing harm through their destruction. I venture to conclude that no valid professional judgement could be made without the personal visit on the

part of someone like Dr. Seale and the revelation through research as to whether these spaces have been previously broken up or not and exactly what changes have already taken place in the building. Without knowing the symptoms, the patient is difficult to diagnose.

I realize that I have not been very helpful in response to your letter, but I can not urge you more strongly to insist upon some documentation before any physical alterations to the building takes place again.

Sincerely yours,

William J. Murtagh (Sgd.)

William J. Murtagh  
Keeper of the National Register

cc:

Dr. R.A. McLemore, Director  
State of Mississippi Department  
of Archives and History  
P.O. Box 571  
Jackson, Mississippi 39205 w/cy inc ltr

Director, Southeast Region w/cy inc ltr

LI

PHR w/cy inc ltr

WJMurtagh: kmk 6/8/73 BASIC FILE RETAINED IN PHR

UNITED STATES DEPARTMENT OF THE INTERIOR  
NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES  
EVALUATION/RETURN SHEET

REQUESTED ACTION: ADDITIONAL DOCUMENTATION

PROPERTY NAME: Mississippi State Capitol

MULTIPLE NAME:

STATE & COUNTY: MISSISSIPPI, Hinds

DATE RECEIVED: 4/16/14 DATE OF PENDING LIST:  
DATE OF 16TH DAY: DATE OF 45TH DAY: 6/02/14  
DATE OF WEEKLY LIST:

REFERENCE NUMBER: 69000086

NOMINATOR: STATE

REASONS FOR REVIEW:

APPEAL: N DATA PROBLEM: N LANDSCAPE: N LESS THAN 50 YEARS: N  
OTHER: N PDIL: N PERIOD: N PROGRAM UNAPPROVED: N  
REQUEST: Y SAMPLE: N SLR DRAFT: N NATIONAL: Y

COMMENT WAIVER: N

ACCEPT  RETURN  REJECT 6-2-2014 DATE

ABSTRACT/SUMMARY COMMENTS:

*Provides good argument for the Natl significance of  
Bldg. Reviewed by NHL as well*

RECOM./CRITERIA Accept C

REVIEWER Joy Slant DISCIPLINE \_\_\_\_\_

TELEPHONE \_\_\_\_\_ DATE \_\_\_\_\_

DOCUMENTATION see attached comments Y/N see attached SLR Y/N 0

If a nomination is returned to the nominating authority, the nomination is no longer under consideration by the NPS.



PO Box 571, Jackson, MS 39205-0571  
601-576-6850 • Fax 601-576-6975  
mdah.state.ms.us  
H.T. Holmes, Director

April 14, 2014

Mr. Paul Loether  
Program Director, National Register of Historic Places  
National Park Service  
1201 Eye Street, NW (2280)  
Washington, D.C. 20005



Dear Mr. Loether:

We are pleased to enclose the nomination form and supporting documents to nominate the following properties to the National Register of Historic Places:

Mississippi State Capitol (Additional Documentation), Jackson, Hinds County 69000086

The property was approved for nomination by the Mississippi National Register Review Board at its meeting on November 21, 2013.

We trust you will find the enclosed materials in order and will let us hear from you at your convenience.

Sincerely,

A handwritten signature in blue ink that reads "H.T. Holmes".

H.T. Holmes  
State Historic Preservation Officer

By: William M. Gatlin  
National Register Coordinator