

1092

NPS Form 10-900
(Rev. 10-90)

OMB No. 1024-0018

United States Department of the Interior
National Park Service

NATIONAL REGISTER OF HISTORIC PLACES
REGISTRATION FORM

1. Name of Property

historic name ___ Lake Overholser Bridge _____

other names/site number _____

2. Location

street & number: North Overholser Drive, 1/2 mile west of North Council Road

not for publication: N/A

city or town: Oklahoma City

vicinity: N/A


state: Oklahoma code: OK

county: Oklahoma code: 109

zip code: 73132

3. State/Federal Agency Certification

As the designated authority under the National Historic Preservation Act of 1986, as amended, I hereby certify that this nomination request for determination of eligibility meets the documentation standards for registering properties in the National Register of Historic Places and meets the procedural and professional requirements set forth in 36 CFR Part 60. In my opinion, the property meets does not meet the National Register Criteria. I recommend that this property be considered significant nationally statewide locally. (N/A See continuation sheet for additional comments.)

 1-20-04
Signature of certifying official Date

Oklahoma Historical Society, SHPO
State or Federal agency and bureau

In my opinion, the property meets does not meet the National Register criteria. (See continuation sheet for additional comments.)

Signature of commenting or other official Date

State or Federal agency and bureau

4. National Park Service Certification

I, _____, hereby certify that this property is:

- entered in the National Register Beth Boland 3/2/04
 See continuation sheet.
- determined eligible for the _____
 National Register
- See continuation sheet.
- determined not eligible for the _____
 National Register
- removed from the National Register _____
- other (explain): _____

Signature of Keeper Date of Action

5. Classification

Ownership of Property (Check as many boxes as apply)

- private
- public-local
- public-State
- public-Federal

Category of Property (Check only one box)

- building(s)
- district
- site
- structure
- object

Number of Resources within Property

Contributing	Noncontributing
<input type="checkbox"/>	<input type="checkbox"/> buildings
<input type="checkbox"/>	<input type="checkbox"/> sites
<input checked="" type="checkbox"/> 1	<input type="checkbox"/> structures
<input type="checkbox"/>	<input type="checkbox"/> objects
<input checked="" type="checkbox"/> 1	<input type="checkbox"/> Total

Number of contributing resources previously listed in the National Register 0

Name of related multiple property listing (Enter "N/A" if property is not part of a multiple property listing.) Oklahoma Route 66 Historic Resources, 1926-1970_____

6. Function or Use

Historic Functions (Enter categories from instructions)

Cat: TRANSPORTATION Sub: road-related (vehicular)

_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

Current Functions (Enter categories from instructions)

Cat: TRANSPORTATION Sub: road-related (vehicular)

_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

7. Description

Architectural Classification (Enter categories from instructions)

Other: Mixed Truss Bridge

Materials (Enter categories from instructions)

foundation CONCRETE

roof N/A

walls N/A

other STEEL

Narrative Description (Describe the historic and current condition of the property on one or more continuation sheets.)

8. Statement of Significance

Applicable National Register Criteria (Mark "x" in one or more boxes for the criteria qualifying the property for National Register listing)

A Property is associated with events that have made a significant contribution to the broad patterns of our history.

B Property is associated with the lives of persons significant in our past.

C Property embodies the distinctive characteristics of a type, period, or method of construction or represents the work of a master, or possesses high artistic values, or represents a significant and distinguishable entity whose components lack individual distinction.

D Property has yielded, or is likely to yield information important in prehistory or history.

Criteria Considerations (Mark "X" in all the boxes that apply.)

A owned by a religious institution or used for religious purposes.

B removed from its original location.

C a birthplace or a grave.

D a cemetery.

E a reconstructed building, object, or structure.

F a commemorative property.

G less than 50 years of age or achieved significance within the past 50 years.

Areas of Significance (Enter categories from instructions)

TRANSPORTATION

ENGINEERING

Period of Significance 1924-1958

Significant Dates 1924, 1925, 1926, 1958 _____

Significant Person (Complete if Criterion B is marked above)

 N/A _____

Cultural Affiliation N/A _____

Architect/Builder General Construction Company

Narrative Statement of Significance (Explain the significance of the property on one or more continuation sheets.)

9. Major Bibliographical References

(Cite the books, articles, and other sources used in preparing this form on one or more continuation sheets.)

Previous documentation on file (NPS)

 preliminary determination of individual listing (36 CFR 67) has been requested.

 previously listed in the National Register

 previously determined eligible by the National Register

 designated a National Historic Landmark

 recorded by Historic American Buildings Survey # _____

 recorded by Historic American Engineering Record # _____

Primary Location of Additional Data

 x State Historic Preservation Office

 Other State agency

 Federal agency

 Local government

 University

 x Other

Name of repository: Oklahoma Department of Transportation _____

10. Geographical Data

Acreage of Property _ less than two acres _____

UTM References (Place additional UTM references on a continuation sheet)

Zone	Easting	Northing	Zone	Easting	Northing
1	_14_	_624203E_	_3930729N_	3	_____
2	_____	_____	4	_____	_____

____ See continuation sheet.

Verbal Boundary Description (Describe the boundaries of the property on a continuation sheet.)

Boundary Justification (Explain why the boundaries were selected on a continuation sheet.)

11. Form Prepared By

name/title ___ Michael Cassity _____

organization ___ Michael Cassity Historical Research and Photography ___ date ___ August 7, 2003 ___

street & number ___ 304 West Albuquerque _____ telephone ___ 918 451-8378 _____

city or town ___ Broken Arrow _____ state ___ OK ___ zip code ___ 74011 _____

Additional Documentation

Submit the following items with the completed form:

Continuation Sheets

Maps

A USGS map (7.5 or 15 minute series) indicating the property's location.

A sketch map for historic districts and properties having large acreage or numerous resources.

Photographs

Representative black and white photographs of the property.

Additional items (Check with the SHPO or FPO for any additional items)

Property Owner

(Complete this item at the request of the SHPO or FPO.)

name __ City of Oklahoma City _____

street & number __ 200 N Walker, 3rd Floor _____ telephone _ 405-297-2345 _

city or town _ Oklahoma City _____ state _ OK _____ zip code _ 73102 _____

=

United States Department of the Interior
National Park Service

NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET

Section 7 Page 9

Lake Overholser Bridge

Oklahoma County, Oklahoma

Description

Located on the west side of Oklahoma County as Route 66 leaves the greater Oklahoma City metropolitan area heading west, the Lake Overholser Bridge is a mixed truss bridge of impressive design and proportions. The bridge enables traffic to cross over the North Canadian River as it empties into the Oklahoma City municipal reservoir, Lake Overholser. Constructed in 1924 and 1925, this bridge represented a significant engineering accomplishment that has lasted to the present and that for three decades served Route 66. The main road, a modern divided highway, and an alternate bridge now pass immediately to the north and this bridge now carries only local traffic. The bridge retains its integrity of structure, materials, workmanship, location, appearance, feeling, and association.

The Lake Overholser Bridge is a steel bridge mounted on concrete piers in the North Canadian River, also known as the inlet to Lake Overholser. A six span bridge, 748 feet long, the structure is noticed not only by travelers who cross over it, but also by those who speed past on the adjacent modern highway. A defining feature of the bridge is that it is constructed of two different types of steel trusses. Each end of the bridge has a camelback Warren pony truss and between those lower, open, trusses on the ends, four Parker through-trusses rise overhead and add mass and height to the structure. Each Parker through-truss is made of eight panels, each eighteen feet long, rising to a height of twenty-eight feet at the center. The pony trusses at the east and west ends of the bridge are made of five panels each, and rise to ten feet at their center with a length of eighty feet. A lattice steel handrail runs the full distance of the bridge on each side for the adventurous pedestrian. The roadway on the bridge, made of concrete, is twenty feet wide with concrete curbing on each side, but at an unknown date the concrete roadway was covered with asphalt. The clearance between the roadway and the bridge structure overhead is fourteen and a half feet. The abutments are made of concrete wingwalls that angle outward and away (toard the banks) from the bridge on the banks. The piers, located at each point where the spans join, are pairs of concrete posts connected by a poured panel of concrete.

United States Department of the Interior
National Park Service

NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET

Section 7 Page 10

Lake Overholser Bridge

Oklahoma County, Oklahoma

The Lake Overholser Bridge on Route 66 is over three-quarters of a century old and has been used almost the entire span of its life, except for a short period in the 1990s when it was closed. It continues in use and retains a high integrity of location, design, materials, workmanship, feeling, and association.

United States Department of the Interior
National Park Service

NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET

Section 8 Page 11

Lake Overholser Bridge

Oklahoma County, Oklahoma

Narrative Statement of Significance

Summary

The Lake Overholser Bridge in Oklahoma City, Oklahoma, emerged in the flurry of road construction in the state from 1923 to 1925 and within two years became an important feature of Route 66 as it crossed the state. Still an active and usable bridge, the structure retained its association with Route 66 until a new route replaced it in 1958. The bridge is significant within the Multiple Property nomination, "Oklahoma Route 66 Historic Resources, 1926-1970," as a representative of the property type "Road Bridges on Route 66" under Criterion A in the area of significance, Transportation, and under Criterion C in the area of significance, Engineering.

Historical Significance of the Lake Overholser Bridge

In the 1920s as Oklahoma moved systematically into a period where automobiles replaced horses and buggies, the state launched a program to upgrade its road network with the goal of paving the major thoroughfares. In fact, the state's roads prior to this time did not effectively constitute a system, but were an assortment of roadways, the vast majority unpaved, connecting rural villages to county seats and markets. In 1924, the State Highway Commission undertook a major innovation. In that year, the commission published a map indicating the roads in the state and called it a system:

This system consists of State Highways, numbered consecutively from 1 to 26, embracing nearly 5,000 miles of road, and described by listing the major towns or control points through which each highway passes. Each State Highway will be marked by erecting a sufficient number of official State Highway signs in the center of which will be a figure denoting the number of the highway.¹

¹ *Annual Report of the [Oklahoma] State Highway Commission for the Years 1919 to*

United States Department of the Interior
National Park Service

NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET

Section 8 Page 12

Lake Overholser Bridge

Oklahoma County, Oklahoma

One of these “highways” was State Highway 3, a road that ran east and west across the state from Fort Smith, Arkansas to Texola on the border of the Texas panhandle. Known also as the Postal Road, this was one of the primary corridors stretching across the state. Very little of it was paved however, and the floods of 1923 along the South Canadian River washed out virtually every bridge in the Oklahoma City area. For two years traffic on the Postal Highway and 39th Street had to cross the river on a ferry and pay twenty-five cents per car.² In 1924 the state used money from the Bureau of Public Roads in the U.S. Department of Agriculture to pave slightly over seven miles of Highway 3 in Oklahoma County, “from Oklahoma City west to the city Reservoir” in Federal Aid Project No. 60.³ The bridge formed Federal Aid Project No. 60C. Constructed beginning in 1924, and completed in 1925, the bridge opened for traffic on August 2, 1925; soon afterwards the new paved road connecting it on the east to Oklahoma City also opened.⁴

In 1926 the change that came to the bridge did not alter its physical characteristics, but did reconfigure its historical significance. The same week in 1925 that the bridge was opened for traffic, the local press reported that Highway 3, in which it formed a vital link, was being considered as part of one of the through-routes to be designated as a U.S. highway when the U.S. Bureau of Public Roads completed its plans.⁵ When U.S. Route 66 was designated the next year, the new highway made use of existing roadways, including this one. As Route 66 coursed its way west from Oklahoma City, it followed Highway 3 to the Texas state line at Texola and thus took its travelers over the Lake Overholser Bridge.

1924 Inclusive (Oklahoma City: State of Oklahoma, 1925), 7-8.

² “Road Conditions this Week,” *Daily Oklahoman*, August 31, 1924.

³ *Annual Report of the [Oklahoma] State Highway Commission for the Years 1919 to 1924 Inclusive*, 44.

⁴ *Daily Oklahoman*, August 2, 9, 1925.

⁵ “Seven State Roads may Link up with National System,” *Daily Oklahoman*, August 5, 1925; “U.S. to Accept Eight Highway Lines in State,” *Daily Oklahoman*, August 6, 1925.

United States Department of the Interior
National Park Service

NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET

Section 8 Page 13

Lake Overholser Bridge

Oklahoma County, Oklahoma

For more than three decades, this bridge served as a critical link for motorists traveling across the country and across the state as they also crossed over the bridge. Whether traveling as part of the new fad of auto-campers, traveling to find hopes for a new life in different locations after suffering the privations of agricultural depression, traveling as part of the emerging trucking industry that came to replace the railroads, or as part of the immense wave of tourists unleashed by post-World War II prosperity, Route 66 travelers who passed through central Oklahoma passed over and through the structure that made up the Lake Overholser Bridge. With its striking length, it doubtless impressed some. For others, it became a permanent part of the landscape in the way that a familiar landmark would be taken for granted as a waypoint. Thus, in his popular guide book to the highway, Jack Rittenhouse casually commented as he guided Route 66 travelers west out of Oklahoma City, "Cross a steel bridge over the North Canadian River."⁶ The volume of traffic across this stretch of road, in fact, was nothing short of enormous. The two-lane road, at twenty feet, wider than the state standard at the time of its construction, could not sustain the volume. In 1958 this road was replaced on Route 66 by a four-lane divided highway immediately to its north, and the new road included a new, wider bridge. This newer segment of Route 66 meant that the old bridge lost its association with Route 66, although the road and bridge continued to carry local traffic for the remainder of the twentieth century except for a time in the 1990s when it was closed; when it reopened, it carried a lower load limit, a factor which should prolong its life.

This bridge fits exactly the requirements for the property type "Road Bridges along Route 66" in the Multiple Property nomination, "Oklahoma Route 66 Historic Resources, 1926-1970," in the area of Transportation.

Engineering / Architectural Significance of the Lake Overholser Bridge

⁶ Jack D. Rittenhouse, *A Guide Book to Highway 66* (Los Angeles: privately published, 1946; reprint, Albuquerque: University of New Mexico Press, 1989, 2000), 56.

United States Department of the Interior
National Park Service


NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET

Section 8 Page 14

Lake Overholser Bridge

Oklahoma County, Oklahoma

The Lake Overholser Bridge also meets the requirements for significance under Criterion C. The standard reference on Oklahoma bridges notes that "During the 1920s bridge building began to feel the effects of state standards for design, and the first structures reflecting Oklahoma's participation in the federal aid system appeared on major highways."⁷ Thus, as part of its surge to develop a meaningful highway system, the State Highway Commission developed standardized plans for structural steel superstructures. The Lake Overholser Bridge exemplified the application of those plans in one of the earliest projects. The state was moving away from timber in its bridges and also moving toward wider roadbeds. As the 1923-1924 *Annual Report* noted, "the materials generally employed in the construction of these bridges are steel and concrete." And, it said, "All bridges have clear roadways of not less than sixteen feet, and the width is eighteen feet or more on the bridges constructed more recently. Wherever considerable traffic is expected, wider roadways on the bridges are recommended and constructed."⁸ The expectation for this bridge was clear: the roadway was built twenty feet wide to accommodate plenty of traffic.



United States Department of the Interior
National Park Service

NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET

Section 8 Page 15

Lake Overholser Bridge

Oklahoma County, Oklahoma

Diagram: Oklahoma State Highway Commission plans used for Parker through-truss in Lake Overholser Bridge, Federal Aid Project 60C. Plans courtesy Oklahoma Department of Transportation.




Diagram: Oklahoma State Highway Commission plans for Pony Truss used in Lake Overholser Bridge, Federal Aid Project 60C. Plans courtesy, Oklahoma Department of Transportation.

The bridge is also significant because of its unusual combination of trusses. With both Parker through-trusses and pony trusses, the bridge represents not only a particular design of bridges, but also does so with an elegant symmetry not found in many other examples of that mixed truss type. Finally, the bridge is important because of its size. It is 748 feet long. There are a few larger bridges on Route 66 in Oklahoma, but none larger are as old as this bridge.

The Lake Overholser Bridge in this way is significant under Criterion C in the area of significance of Engineering because it represented a departure in the construction of bridges on highways in the state, because it is an example of the earliest standardized plans

United States Department of the Interior
National Park Service

NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET

Section 8 Page 16

Lake Overholser Bridge

Oklahoma County, Oklahoma

that were being developed and put to use, and because it represented a distinct type of bridge, the mixed truss bridge, and also because of its extraordinary length, making it stand out even more as a significant engineering resource along Route 66.

Conclusion

Because of its direct association with Route 66 during the period of its historic significance, the Lake Overholser Bridge is significant under Criterion A within the Multiple Property Nomination, "Oklahoma Route 66 Historic Resources, 1926-1970" as the property type "Road Bridges on Route 66." Because of its distinct period, type, and style of construction the Lake Overholser Bridge is also eligible under Criterion C in the Multiple Property Nomination in the area of significance Engineering.

United States Department of the Interior
National Park Service

NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET

Section 9 Page 17

Lake Overholser Bridge

Oklahoma County, Oklahoma

Major Bibliographical References

Anderson, Kathy, Jim Ross, and Gary Ray Howell, Oklahoma Route 66 Association, *Oklahoma Route 66 Roadbed Documentation Project (1926-1970): A Survey of Roadbed and Integral Structures* (Oklahoma city: Oklahoma SHPO, 2002).

Annual Report of the [Oklahoma] State Highway Commission for the Years 1919 to 1924 Inclusive (Oklahoma City: State of Oklahoma, 1925), 7-8.

King, Joseph E., *Spans of Time: Oklahoma Historic Highway Bridges* (Oklahoma City: Oklahoma Department of Transportation, 1993).

Oklahoma Department of Transportation, Road and Bridge Files, Oklahoma City.

“Putting the Canadian Back into its Cage,” *Daily Oklahoman*, May 10, 1925.

“Road Conditions this Week,” *Daily Oklahoman*, August 31, May 10, June 21, August 2, 9, 30, 1925.

Rittenhouse, Jack D., *A Guide Book to Highway 66* (Los Angeles: privately published, 1946; reprint, Albuquerque: University of New Mexico Press, 1989, 2000).

Ross, Jim, *Oklahoma Route 66* (Arcadia, Oklahoma: Ghost Town Press, 2001).

“Seven State Roads may Link up with National System,” *Daily Oklahoman*, August 5, 1925.

“U.S. to Accept Eight Highway Lines in State,” *Daily Oklahoman*, August 6, 1925.

United States Department of the Interior
National Park Service

NATIONAL REGISTER OF HISTORIC PLACES
CONTINUATION SHEET

Section 10 Page 18

Lake Overholser Bridge

Oklahoma County, Oklahoma

Verbal Boundary Description

This property includes the bridge and approaches with boundaries forming a rectangle fifty feet wide and eight hundred feet long centered on the Lake Overholser Bridge.

Boundary Justification

This boundary includes the property historically associated with the Lake Overholser Bridge.