United States Department of the InteriorNational Park Service

National Register of Historic Places Continuation Sheet

Section number	_ Page			
	SUPPLI	EMENTARY I	ISTING RECORD	
NRIS Reference M	lumber:	88001461	Date Listed:9/14	1/88
Shaw House Property Name			Marion County	WVA St ate
Multiple Name				عيد علت مجد نبية عيد علت محد الجاء علت علت ال
Places in accord subject to the	lance wit following the Nati	h the atta exception onal Park	tional Register of Hisached nomination documes, exclusions, or and Service certification	mentation endments,
atuil Andre Signature of the	LW) Keeper		9/14/88 Date of Action	
Amended Items in	Nominat	ion:		
home of Harry Sh	naw, a no	ted attor:	s historic significand ney and jurist. "Law nce for Criterion B.	" is

DISTRIBUTION:

National Register property file Nominating Authority (without nomination attachment)

agrees that these changes are appropriate.

nomination makes it clear that Shaw's main achievements were in the field of politics. Also, based on the National Register

definitions of properties, this nomination should be checked as a district, rather than building. Rod Collins with the WV SHPO

1xb1

OMB No. 1024-0018

United States Department of the Interior National Park Service

RECEIVED

AUG 3 1988

NATIONAL REGISTER

National Register of Historic Places Registration Form

This form is for use in nominating or requesting determinations of eligibility for individual properties or districts. See instructions in *Guidelines* for Completing National Register Forms (National Register Bulletin 16). Complete each item by marking "x" in the appropriate box or by entering the requested information. If an item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, styles, materials, and areas of significance, enter only the categories and subcategories listed in the instructions. For additional space use continuation sheets (Form 10-900a). Type all entries.

d Name of Brancolo			
1. Name of Property	77 77		
historic name Shaw House; Sha	w, Harry, House		
other names/site number			
2. Location			
			not for publication
1.00 1.00 5041.00	wn Avenue		vicinity
	54 county	W : anda 0/0	
state West VIIgIIIIa Code	54 county	Marion code 049	zip code 26554
3. Classification			
Ownership of Property	Category of Property	Number of Resou	rces within Property
X private	X building(s)	Contributing	Noncontributing
public-local	district	2	0 buildings
public-State	site		sites
public-Federal	X structure		0 structures
public-i edelai	object		objects
	oplect		O Total
None of volated multiple property listing	·	Number of contrib	
Name of related multiple property listing N/A] :		outing resources previously
IV/A		iisted in the Natio	nal Register <u>N/A</u>
4. State/Federal Agency Certificat	tion		
In my opinion, the property meets Signature of certifying official In my opinion, the property meets State or Federal agency and bureau In my opinion, the property meets Signature of commenting or other official State or Federal agency and bureau	and meets the procedures does not meet the	al and professional requirements se	of forth in 36 CFR Part 60. continuation sheet. 7/28/88 Date
5 National Park Coming Contidens			
5. National Park Service Certificate I, hereby, certify that this property is:	LIOII		
entered in the National Register. See continuation sheet. determined eligible for the National Register. See continuation sheet. determined not eligible for the National Register. removed from the National Register.		Andrus	<u>9 14 88</u>
other, (explain:)		Signature of the Keeper	Date of Action
		-	

6. Function or Use			
Historic Functions (enter categories from instructions)	Current Functions (enter categories from instructions)		
Domestic single dwelling	residence		
secondary structures	garage, well, etc.		
7. Description			
Architectural Classification (enter categories from instructions)	Materials (enter categories from instructions)		
	foundation cement, brick		
Late 19th and 20th Century Revivals	walls hollow tile, brick		
Tudor Revival	stucco		
	roof red shingle clay tile		
	other N/A		

Describe present and historic physical appearance.

The Shaw House projects a bold silhouette at the center of a 2-acre lawn on a hillock above Morgantown Avenue in Fairmont, Marion County, West Virginia. The Tudor-syle, $2\frac{1}{2}$ -story house and ancillary structures represent an important early 20th-century ensemble that survives, in an excellent state of preservation, from an era when one concept of suburban housing development was based upon the desire of a wealthy clientele to have professionally designed surroundings, amenities, and comforts suitable to both country and city living. While late 20th-century neighborhoods have grown up around the Shaw House, the complex retains its period ambience and architectural integrity.

1. Shaw House - Picturesque details, favored by architects of the period employing the Tudor style, are all present in the house. Principal among these are the steeply pitched main roof, prominent cross gables, combinations of brick and stucco wall cladding punctuated with simulated half-timbering, and tall chimney stacks rising out of expansive, red shingle-tiled roof planes.

The upper story throughout is clad in gray stucco. Detailing is confined for the most part to contrasting brickwork around window openings. False half-timbering is also used, but sparingly, usually in concert with windows or dormers. Contrasting textures, nevertheless, enliven the facade with red brick veneer over hollow tile at the first story, and stucco above.

Combinations of double-hung and casement windows are found at all elevations. Windows of major rooms are generally of the 6 over 1 variety, typical of period revival houses of the early 20th century, while those in dormers and bay windows are casements of wood with multiple square panes. Most distinctive of all windows is the great landing window, centered in the front elevation at the second floor, which enbodies the unique Tudor-style combination of tall windows - in this instance within a group of three - beneath small transoms. Multiple leaded glass square panes are here arranged with stained glass rondels featuring coats-of-arms.

Beneath a sloping tile roof, the doorway opens into a spacious entrance hall. To the left, a natural wood-finished open stairway rises in several flights to the second floor. Both the formal living room and dining room are entered from the entrance foyer through double French doors. The doors, with there multiple glass panes, may be opened to provide access to all parts of the first floor, a characteristic flow of space found in early 20th century period houses. The living room is the most formal chamber of the Shaw House. Here all wall, ceiling, and floor surfaces are finished in materials of fine craftmanship. Sometimes called

United States Department of the InteriorNational Park Service

National Register of Historic Places Continuation Sheet

Section number7	Page2	Shaw House; Shaw, Harry, House

the "long gallery," it is so-named because its principal decoration, an ornamental plaster ceiling, is Elizabethian-style strapwork copied by the architects from Haddon Hall in Derbyshire, England. Walls of the living room are paneled in birch which retains their original luster. Contributing.

- 2. <u>Garage</u> Designed with a steeply pitched hipped roof, the 1-story red brick garage is a building that compliments its larger companion. Like the house, the roof is covered with red shingle clay tiles. The building's entrance facade is divided between two sets of double wood doors, the lower panels of which feature wood flush diagonal boards; the upper panels are each fitted with 4 glass panes. Contributing.
- 3. <u>Well House</u> A well house stands in a grove of small trees to the edge of the driveway, beyond the entrance. Also professionally designed, the tiny structure shelters a stone circular base beneath a gable roof covered with red clay tiles. The trusses of the roofing system are large timbers, mortised and tenoned. Contributing.
- 4. Entrance Pavilion Red shingle tiles are again employed in roofing. The gabled open structure stands above the sidewalk on randow ashlar piers, supported by massive timber work that is mortised and tenoned. The trusses are similar to those in the well house. Flanking the rustic pavilion is a randow ashlar retaining wall that runs the full length of the property along Morgantown Avenue. The wall is an important part of the total property design. Both the wall and pavilion are located at the front of the property. Visitors pass beneath the pavilion from the street and proceed up a flight of stone steps at which point a tile-covered sidewalk crosses the lawn to the front entrance. Contributing.

Shaw House stands close to the center of an expansive lawn and is reached by a red tile-paved sidewalk and curving, asphalt driveway. Plantings and trees are arranged, particularly as setting, about the pavilion and well house which were themselves designed as integral parts of the landscape plan. The planting plan includes: Lombardy poplar, hemlock, cypress, magnolia, pin oak, birch, cedar, juniper, azalea, etc.

At the rear of the house the driveway connects the garage with the main driveway which passes through a gate containing large ornate wooden double doors.

8. Statement of Significance	
Certifying official has considered the significance of this property in nationally X state	The state of the s
Applicable National Register Criteria A B C C	
Criteria Considerations (Exceptions))
Areas of Significance (enter categories from instructions) Law	Period of Significance c. 1919 - 1936 C. 1919
Architecture	
Landscape Architecture	
	Cultural Affiliation N/A
Significant Person Harry Shaw	Architect/Builder Jones and Nuzum, architect Alex MacElwee, landscape gardner

State significance of property, and justify criteria, criteria considerations, and areas and periods of significance noted above.

The Shaw House is significant for its association with Harry Shaw (1872-1952), a noted attorney and jurist of the early 20th century in north-central West Virginia. The house, ancillary structures, and grounds are equally significant as well-preserved examples of early 20th century suburban architecture and landscape design.

Harry Shaw studied at Duquesne College (University) Pittsburgh, at Fairmont Normal School (Fairmont State College), and at West Virginia University, where in 1895 he earned an LL.B. He also earned an A.B. from WVU in 1898. The law firm of Shaw and Shaw was established in 1922, with the addition of Victor Shaw who remained in practice with his father for the rest of his life.

From 1909 to 1928 Harry Shaw was president of the Union Independent School District, Marion County. In 1905, Governor W.M.O. Dawson appointed Shaw a director of the board of the West Virginia Penitentiary. Prior to that service Shaw was clerk of the House of Delegate of West Virginia (1901 - 1907). As a delegate to the Republican National Convention in 1912, Shaw sat on the Credentials Committee which decided the famous contest between Theodore Roosevelt and William Howard Taft. On January 30, 1928, Governor Gore appointed Shaw judge of the Circuit Court, a position to which Shaw was thereafter elected, serving until 1936.

About 1919, Attorney Shaw, successful in his career, commissed the Fairmont architectural firm of Jones and Nuzum, then practicing at 306 Jefferson Street, to design a fine suburban house above Morgantown Avenue in East Fairmont. Will Palmer Nuzum and Red Jones were prominen among north-central West Virginia architects. They were joined in their efforts by Mr. Alex MacElwee, landscape gardner (architect), who prepared a planting plan for the house's grounds. (The architectural plans, specifications, and landscape plans survive in the hands of the owner, Mrs. Victor [Thelma] Shaw, who has resided in the house since 1928.)

The house designed by Jones and Nuzum was suitable to comforts and ambience expected by a wealthy client who desired a suburban residence away from the bustle and pollution of downtown, but possessing the refinements of an urban town house. Such houses then rising in America were often designed with large garages to accommodate automobiles and were within short distances of city streets or street car lines that provided easy access to the inner city. Importantly, such houses were designed in traditional, conservative, period revival

9. Major Bibliographical References	
Comstock, Jim. The West Virginia Heritage Encycloped Vol. 20, p. 4307.	ia. Richwood, W.Va. 1976,
Nicolson, Nigel. <u>Great Houses of Britain</u> . Boston, M pp. 22-23.	ass.: David R. Godine, 1978,
Ridenhour, Laura. "Fairmont's Shaw Home: Fulfillmen <u>Virginian</u> , Fairmont, W.Va., March 8, 1981.	t of a Dream." <u>Times - West</u>
West Virginia and West Virginia Biography, Chicago an Historical Society, Vol. 2, 1923, pp. 22-23.	d New York: The American
	See continuation sheet
Previous documentation on file (NPS):	
The state of the s	imary location of additional data:
	State historic preservation office
previously listed in the National Register	Other State agency
previously determined eligible by the National Register	Federal agency
designated a National Historic Landmark	Local government
recorded by Historic American Buildings	University
Survey #	Other
	pecify repository:
Record #	N/A
10. Geographical Data	
Acreage of property 2.43 acres	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Easting Northing
	To a continuation about
	See continuation sheet
Verbal Boundary Description	
The nominated property is inclusive of lot No. Assessor's Map, January 31, 1958. (See red line mar sketch map.)	2, Map No. 03-05, City of Fairmont ked per boundary on attached
	See continuation sheet
	Joee Continuation Sheet
Boundary Justification	
The nominated property extends to the edge of to of a curved driveway, which reflects the concentration which convey a strong sense of historical relationship.	on of buildings and structures
setting.	
	See continuation sheet
11. Form Prepared By	
name/title Rodney S. Collins, Architectural Historian	
organization W.V. Dept. of Culture and History	dateMay 24, 1988
street & numberCultural Center	telephone 304 348-0240
city or town Charleston	state W.Va. zip code 25305

United States Department of the InteriorNational Park Service

National Register of Historic Places Continuation Sheet

Section number	8	Page2	Shaw	House;	Shaw,	Harry,	House	

styles and were set within expansive, landscaped grounds where dependencies or outbuildings might provide complementary touches. The entrance pavilion and well house are examples of this design practice. The Shaw House complex survives as an excellent and well-preserved example of this early 20th century building tradition in north-central West Virginia.

Shaw House is a significant example of Tudor Revival or "Stockbrocker" architecture, a style embodying steeply pitched roofs, dormers, high chimneys, and combinations of wall materials such as brick, stucco, and false half-timbering. An unusually fine Elizabethian-style landing window, incorporating leaded cames and stained glass rondels, dominates the center front elevation bay adjacent to the front door. The interior features a birch paneled living room beneath a Tudor-style ceiling, patterned after the strapwork of the Long Gallery at Haddon Hall in Derbyshire, England. The ceiling is one of the finest of its type known in West Virginia.

