للاشتالا وتستاسا والمتاس

# National Register of Historic Places Registration Form

FEB 1 8 1913 NATIONAL

REGISTER

This form is for use in nominating or requesting determinations for individual properties and districts. See instructions in *How to Complete the National Register of Historic Places Registration Form* (National Register Bulletin 16A). Complete each item by marking "x" in the appropriate box or by entering the information requested. If an item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, architectural classification, materials, and areas of significance, enter only categories and subcategories from the instructions. Place additional entries and narrative items on continuation sheets (NPS Form 10-900a). Use a typewriter, word processor, or computer, to complete all items.

1. Name of Property	
historic name Griffin, Cornish, Round Barn	
other names/site number <u>Keeler Barn</u>	
2. Location	
street & number 2015 S.W. Fox Lake Road	N/A not for publication
city or town Pleasant Lake	XI vicinity
state Indiana code IN county <u>Steuben</u>	_ code <u>151</u> zip code <u>46703</u>
3. State/Federal Agency Certification	
Signature of certifying official/Title Indiana Department of Natural Resources State of Federal agency and bureau  In my opinion, the property  meets does not meet the National Register criteria. ( Se	e continuation sheet for additional
Signature of certifying official/Title Date	
State or Federal agency and bureau	
. National Park Service Certification	
hereby certify that the property is:  See continuation sheet.  determined eligible for the	Date of Action 4/2/93
National Register  See continuation sheet.	
determined not eligible for the	
National Register.	

Steuben Co., IN

County and State

Ownership of Property (Check as many boxes as apply)	Category of Property (Check only one box)	Number of Res (Do not include pre	cources within Propert viously listed resources in the	<b>y</b> e count.)
🗓 private	building(s)	Contributing	Noncontributing	
☐ public-local	☐ district ☐ site	1	0	buildings
<ul><li>☐ public-State</li><li>☐ public-Federal</li></ul>	☐ structure	0	0	sites
·	□ object	0	0	
		0	0	
		1	0	Total
Name of related multiple po (Enter "N/A" if property is not part	roperty listing of a multiple property listing.)	Number of con in the National	tributing resources pr Register	eviously listed
Round and Polygon	al Barns of Indiana	0		
6. Function or Use				
Historic Functions		<b>Current Functions</b>		
(Enter categories from instructions)		(Enter categories from	mstructions)	
(Enter categories from instructions)  AGRICULTURE: anima	al facility	, -	: storage, ani	mal facil
· · · · · · · · · · · · · · · · · · ·	al facility	, -	•	mal facil
· · · · · · · · · · · · · · · · · · ·	al facility	, -	•	mal facil
AGRICULTURE: anima		, -	•	mal facil
AGRICULTURE: anima	al facility	, -	•	mal facil
AGRICULTURE: anima		, -	•	mal facil
AGRICULTURE: anima		, -	•	mal facil
AGRICULTURE: anima		, -	•	mal facil
AGRICULTURE: anima		, -	E: storage, ani	mal facil
AGRICULTURE: anima  7. Description  Architectural Classification		AGRICULTURI	E: storage, ani	mal facil
7. Description Architectural Classification (Enter categories from instructions)		AGRICULTURI	e: storage, and	mal facil
7. Description Architectural Classification (Enter categories from instructions)		Materials (Enter categories from foundationCONowallsCER	e: storage, and	mal facil
7. Description Architectural Classification (Enter categories from instructions)		Materials (Enter categories from foundationCONG wallsCER.	instructions) CRETE AMIC TILE	

Narrative Description (Describe the historic and current condition of the property on one or more continuation sheets.)

8 S	atement of Significance	· · · · · · · · · · · · · · · · · · ·
Appl	icable National Register Criteria "x" in one or more boxes for the criteria qualifying the property	Areas of Significance (Enter categories from instructions)
for Na	tional Register listing.)	AGRICULTURE
<b>Ճ</b> A	Property is associated with events that have made a significant contribution to the broad patterns of our history.	ARCHITECTURE
□В	Property is associated with the lives of persons significant in our past.	
ßC	Property embodies the distinctive characteristics of a type, period, or method of construction or represents the work of a master, or possesses high artistic values, or represents a significant and distinguishable entity whose components lack individual distinction.	Period of Significance
□ D	Property has yielded, or is likely to yield, information important in prehistory or history.	Two discussions accounts
	ria Considerations "x" in all the boxes that apply.)	Significant Dates
Prope	erty is:	
<b>□</b> A	owned by a religious institution or used for religious purposes.	
□В	removed from its original location.	Significant Person (Complete if Criterion B is marked above) NA
$\square$ C	a birthplace or grave.	
□ D	a cemetery.	Cultural Affiliation NA
	a reconstructed building, object, or structure.	
□F	a commemorative property.	
□ G	less than 50 years of age or achieved significance within the past 50 years.	Architect/Builder Griffin, Cornish
	ntive Statement of Significance n the significance of the property on one or more continuation sheets.)	
9. M	ajor Bibliographical References	
Bibile (Cite the	ography ne books, articles, and other sources used in preparing this form on one	e or more continuation sheets.)
Previ	ous documentation on file (NPS):	Primary location of additional data:
	preliminary determination of individual listing (36 CFR 67) has been requested previously listed in the National Register previously determined eligible by the National Register designated a National Historic Landmark recorded by Historic American Buildings Survey	<ul> <li>☐ State Historic Preservation Office</li> <li>☐ Other State agency</li> <li>☐ Federal agency</li> <li>☐ Local government</li> <li>☐ University</li> <li>☑ Other</li> <li>Name of repository:</li> </ul>
	# recorded by Historic American Engineering	Historic Landmarks Foundation of Indiana

Griffin Round Barn	Steuben Co., IN
Name of Property	County and State
10. Geographical Data	
Acreage of Property Less than 1 acre	
<b>UTM References</b> (Place additional UTM references on a continuation sheet.)	
1 1 6 6 6 3 5 0 0 0 A Northing 2 1 Northing	3 Zone Easting Northing 4 See continuation sheet
Verbal Boundary Description (Describe the boundaries of the property on a continuation sheet.)	
Boundary Justification (Explain why the boundaries were selected on a continuation sheet.)	
11. Form Prepared By	
name/titleMcMahan	
organization Historic Landmarks Foundation of I	N date November 11, 1991
street & number 340 W. Michigan St.	telephone(317) 639-4534
city or townIndianapolis sta	ate IN zip code 46202
Additional Documentation	
Submit the following items with the completed form:	
Continuation Sheets	
Maps	
A USGS map (7.5 or 15 minute series) indicating the propert	y's location.
A Sketch map for historic districts and properties having larg	e acreage or numerous resources.
Photographs	
Representative black and white photographs of the property	<i>y</i> .
Additional items (Check with the SHPO or FPO for any additional items)	
Property Owner	
(Complete this item at the request of SHPO or FPO.)	
name <u>Cary Keeler</u>	
street & number 2015 S.W. Fox Lake Rd.	telephone
city or town Angola sta	ate IN zip code 46703

Paperwork Reduction Act Statement: This information is being collected for applications to the National Register of Historic Places to nominate properties for listing or determine eligibility for listing, to list properties, and to amend existing listings. Response to this request is required to obtain a benefit in accordance with the National Historic Preservation Act, as amended (16 U.S.C. 470 et seq.).

Estimated Burden Statement: Public reporting burden for this form is estimated to average 18.1 hours per response including time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding this burden estimate or any aspect of this form to the Chief, Administrative Services Division, National Park Service, P.O. Box 37127, Washington, DC 20013-7127; and the Office of Management and Budget, Paperwork Reductions Projects (1024-0018), Washington, DC 20503.

# **National Register of Historic Places Continuation Sheet**

Section number .	7	Page _	1	Griffin	Round	Barr
occion number .		. ugo –		Steuben	Co., :	IN

The Cornish Griffin Round Barn, constructed sometime between 1910 and 1920, is the only round barn in Indiana that is constructed of hollow glazed tile. Built by Cornish Griffin, this sixty foot diameter round barn is located in rural Steuben County just southwest of Angola, Indiana. The site is rather picturesque with a frame farmhouse on the east with a shed behind, all of which are separated from the round barn by a north-south gravel drive. The barn and house are surrounded by mature trees and there are pastures to the west and north and a large lawn and garden to the south between the barn and the road. The Cornish Griffin Barn retains its integrity in regard to location, design, setting, materials, workmanship, feeling and association, meeting all of the requirements set forth in the registration requirements for multiple property nominations.


The unique barn is topped by a two pitch gambrel roof that is crowned by a glazed tile silo that penetrates the roof to form a cupola. The silo/cupola is sheltered by a two-pitch gambrel and there is a small dormer with a four light window on the east side of the silo/cupola's roof (Photo 1). The silo/cupola is constructed of glazed tile in a dark golden brown color and it contains four rectangular openings, one at each of the compass points. These openings are accentuated by tan glazed tiles that form a diamond pattern around the window outline. The glazed tile walls rest firmly on the poured concrete foundation.

The roof surfaces are covered in wood shingles, a treatment original to the barn. There is a slight overhang to the eaves which reveals the exposed rafters in the soffit region. The wall surfaces are comprised of hollow glazed tile with concrete lintels over the door and window openings.

The main or south facade (Photo 2) is characterized by large one and one-half story doors made of vertical wood planks that slide on overhead tracks. There is a large concrete lintel over the doors on which the name GRIFFIN is inscribed in the surface (Photo 3). There is another large doorway on the east that is identical except for the inscription in the concrete lintel (Photo 4). Finally, a smaller human-sized doorway completes the lower level entrances, this one located on the west and composed of wood planks similar to its larger neighbors. Between the south and

## National Register of Historic Places Continuation Sheet

Section number 7 Page 2 Griffin Round Barn Steuben Co., IN



# **National Register of Historic Places Continuation Sheet**

Section number7	Page	3	Griffin	Round	Barn
		·	Steuben	Co.,	IN

east doors are two, evenly spaced four light windows with concrete lintels. The lintels are stamped with a circular medallion that contains a maple leaf and is typical of all of the window openings (Photo 5). Between the east and west doors are four evenly spaced four light windows and finally, between the west and south doors are three more evenly spaced four light units (Photo 6). There is one upper level opening, a window opening without sash facing the west.

The interior of the structure is also very interesting with the glazed tile walls extending up one and one-half stories and the centralized silo standing as a great support for the roof above. The lower level is divided into several pen areas to facilitate the storage and handling of animals. Inside the south doors the area on the southeast, from the west edge of the south doors to the north edge of the east doors, is open to the upper level, emphasizing the grandeur of the space (Photo 7). Around to the north, underneath the internally radiating floor joists of the upper level, is a large open area that is broken only by the line of four columns that support a laminated beam above (Photo 8). These columns, placed about six feet from the silo's walls, support the laminated beam that offers intermediate bracing of the large floor joists. Along the same column line, a section of wall runs from roughly the north to the west complimented by wall sections that return to the exterior walls to form a pen in the northwest quadrant of the barn. This is followed by fencing sections that create another pen between the northwest and the south doors. Finally, there are gates on the west side, lining up with the west door and immediately inside of the south doors (Photo 9). The overall effect is an efficiently arranged central feeding alley with pen space around the perimeter that is well lit by the numerous window and door openings.

The upper level, found in the area from the north edge of the east doors around to the west edge of the south doors and comprising approximately two-thirds of the circle, is an open area for the storage of hay and straw. The central silo aids in supporting the large roof structure (Photo 10) with the inwardly radiating roof trusses braced at the center by a laminated beam that is tied to the silo. Unlike some other examples and because of the silo's support, there is no laminated beam at the juncture

# **National Register of Historic Places Continuation Sheet**

Section number _	7	Page _	4	Griffin	Round	Barn
Occion number -		i age —		Steuben	Co., ]	ĹΝ

of the two roof pitches. The intermediate support network is comprised of a series of 2" x 10" pieces that extend from the lower portion of the upper pitch to about midway on the lower roof section. The lower section then transfers the load to the extremely durable and strong exterior walls. Finally, there is a series of ladder rungs attached to the silo's face on the east side that facilitates access to the upper reaches of the barn.

The Cornish Griffin Round Barn of Steuben County, Indiana, is one of a kind in the state. It has been extremely well-preserved and closely resembles what life on the farm was like at the turn of the century.

# **National Register of Historic Places Continuation Sheet**

Section number	8	Page _	5	Griffin	Round	Barn
		. 490 -		Steuben	Co., :	IN

The Cornish Griffin Round Barn is located in rural Steuben County's Steuben Township, just south of Angola, Indiana. The Griffin Barn is a highly significant structure because of its association with the development of round and polygonal barns in Indiana (see historic context, "Round and Polygonal Barns of Indiana.") It is one of very few masonry round barns, and is the only glazed tile example in Indiana. The barn is an important and direct link to the agricultural development that occurred in the state from 1850 to 1936 (and beyond) and has changed little to none since its erection before 1920. The period of greatest significance was from c.1915 to 1936 after which round and polygonal barns lost their popularity. By 1936, round and polygonal barns were considered obsolete and the last round structure was built in the state to replace a 1915 round barn that had burned (Grant County, Richland Township, extant).

The original owner of the barn was Cornish Griffin who also built the magnificent structure. He purchased the hollow glazed clay tile for the walls and silo and mixed the concrete on site that was used for the mortar and for the lintels of the door and window openings. To add further distinction to his unique barn, Griffin inscribed his name in the concrete lintel over the south door and stamped a maple leaf pattern in the center of each window lintel. The lower level of the great structure was laid out in a carefully devised set of pens around the large glazed tile central silo. The upper level was for the storage of hay and straw and the entire area from the west edge of the south door to the north edge of the east door was left open to the upper level, allowing for the free and efficient movement of equipment and access to the hay mow.1

Griffin, who had built an earlier frame house on the property (the house was built in 1903) along with a chicken coop, owned the property for numerous years. After Mr. Griffin's death, the farm passed out of the family to Don Johnson who owned it for a number of years before selling it to the Swinage family. The Swinage family eventually sold it to Nancy Brady and then in 1986 to Cary Keeler, the current owner, Mr. Keeler does an excellent job of maintaining the structure. Although the primary use for the barn today is storage, Mr. Keeler does have horses which are housed in the barn during the colder months of the year. The silo is no

OMB Approval No. 1024-0018

## **United States Department of the Interior**National Park Service

# National Register of Historic Places Continuation Sheet

Section number	8	Page _	6	Griffin	Round	Barr
		· ugc —		Steuben	Co., ]	ΓN

longer used but is in good condition and the upper level still contains hay and straw in addition to other items.2

The most dramatic point of significance for the Cornish Griffin Round Barn is the fact that it is the only Indiana example that was constructed of hollow glazed clay tile. Although these tile barns are quite prominent in Iowa, according to Lowell Soike in Without Right Angles, the trend in Indiana was for wood barns. Of the 219 round and polygonal structures in the state, only eight were constructed of materials other than wood. There were three poured concrete barns built; one in Greene County (Jefferson Township, extant), one in LaGrange County (Newbury Township, extant) and one in Sullivan County (Turman Township, razed). There were also three concrete block barns built with only one remaining in Boone County's Center Township. The other two examples, both razed, were located in Greene County (Jefferson Township and Howard County (Harrison Township). Finally, aside from the Cornish Griffin tile barn, the only other material besides wood was the brick barn built in Fountain County's Richland Township, which unfortunately, was torn down in 1989.

In Indiana, 219 round and polygonal barns were constructed between the years of 1850 and 1936 and of these 151 were true circles. Of these 151 examples, only 77 remain and the Cornish Griffin Round Barn is one of them. More importantly though, the Griffin Barn is the only example in the state that was constructed of hollow glazed clay tile and distinguishes itself by its materials and the decorative qualities of the concrete lintels and contracting clay tile window surrounds. The barn has all of the essential physical characteristics that it possessed at the time of its period of significance, c.1915 to the mid 1930s.

## National Register of Historic Places Continuation Sheet

Section number	8	Page 7	Griffin Round Barn
			Steuben Co., IN

#### **ENDNOTES**

- 1. John Hanou, research compiled on Indiana's round and polygonal barns from 1986 to present. Archived at Historic Landmarks Foundation of Indiana, 340 West Michigan Street, Indianapolis, IN 46202.
- 2. Cary Keeler, owner of the Griffin (Keeler) barn, Angola, Indiana. Interviewed by Jerry McMahan, 27 October 1991.

### National Register of Historic Places Continuation Sheet

Section number9	Page8	Griffin Round Barn
	•	Steuben Co., IN


#### **BIBLIOGRAPHY**

- Hanou, John. Research compiled on Indiana's round and polygonal barns from 1986 to present. Archived at Historic Landmarks Foundation of Indiana, 340 West Michigan Street, Indianapolis, IN 46202.
- Intensive architectural survey of Indiana's round and polygonal barns.

  Conducted June to August 1991, conducted by Jerry McMahan, areawide survey of round and polygonal architectural and historical resources.
- Keeler, Cary. Owner of the Griffin (Keeler) barn, Angola, Indiana. Interviewed by Jerry McMahan, 27 October 1991.
- Soike, Lowell J. Without Right Angles, The Round Barns of Iowa. Des Moines, IA: Iowa State Historical Department, Office of Historic Preservation, 1983.

## National Register of Historic Places Continuation Sheet

Section number \_\_\_\_\_10 Page \_\_\_9\_\_\_



# GRIFFIN (KEELER) BARN SITE PLAN NO SCALE

C. 1920 TRUE CIRCLE STEUBEN COUNTY, INDIANA STEUBEN TOWNSHIP

OMB Approval No. 1024-0018

## **United States Department of the Interior**National Park Service

# **National Register of Historic Places Continuation Sheet**

Section number 10 Page 10 Griffin Round Barn Steuben Co., IN

#### Verbal Boundary Description

The Griffin Round Barn is located in the NWNE of Section 4, T36N-R13E of Steuben Township, Steuben County, Indiana. Referring to the site plan, beginning at a point one foot west of the northwest corner of the shed (Point A), then proceed north 25 feet to Point B, then proceed west 200 feet to Point C, then proceed south 200 feet to Point D, then proceed west 200 feet to Point E, Point E being in line with points A and B, then proceed north along said line for 175 feet to Point A.

#### **Boundary Justification**

The boundary includes only the nominated resource.

# National Register of Historic Places Continuation Sheet

tion number Page	
SUPPLEMENT	ARY LISTING RECORD
NRIS Reference Number: 930001	Date Listed: 4/2/93
Cornish Griffin Round Barn Property Name:	Steuben IN County: State:
Round and Polygonal Barns of	Indiana MPS
Multiple Name	
Places in accordance with the subject to the following exce	ne National Register of Historic e attached nomination documentation eptions, exclusions, or amendments Park Service certification includion. $\frac{5/27/93}{\text{Date of Action}}$
Amended Items in Nomination:	
Technical oversight was corre	ected through a phone call to the

#### DISTRIBUTION:

National Register property file Nominating Authority (without nomination attachment)

Indiana SHPO. The verbal boundary description should read "...east 200' to point E" rather than west. The nomination is

officially amended to include this information.