UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

DATA SHEET FOR NPS USE ONLY

RECEIVED CT 2 4 1975

DATE ENTERED

MAY 1 3 1976

	SEE	NSTRUCTIONS IN HOW T TYPE ALL ENTRIES (S			
1	NAME	TIPE ALL ENTRIES (COMPLETE APPLICAE	SEE SECTIONS	· · - · · · · · · · · · · · · · · · · ·			
Je.	/HISTORIC							
* ?	<u>* </u>							
	AND/OR COMMON	THOMAS HOUSE			ř			
2	LOCATION			m 7 304				
	STREET & NUMBER		1.8 miles northeast of Ruthsburg					
CITY, TOWN				NOT FOR PUBLICATION CONGRESSIONAL DISTR	IICT			
		uthsburg X	VICINITY OF	First				
	STATE Ma	aryland	24	Queen Anne's	035			
3	CLASSIFIC	ATION						
	CATEGORY	OWNERSHIP	STATUS	PRES	PRESENT USE			
	DISTRICT	PUBLIC	OCCUPIED	AGRICULTURE	MUSEUM			
	_XBUILDING(S)	XPRIVATE	XUNOCCUPIED	COMMERCIAL	PARK			
	STRUCTURE	BOTH	XWORK IN PROGRESS	EDUCATIONAL	X PRIVATE RESIDENC			
	SITE OBJECT	PUBLIC ACQUISITION	ACCESSIBLE	ENTERTAINMENT	RELIGIOUS			
	_060501	IN PROCESS	YES: RESTRICTED	GOVERNMENT	SCIENTIFIC			
		BEING CONSIDERED	YES: UNRESTRICTEDNO	INDUSTRIAL MILITARY	TRANSPORTATIONOTHER:			
4		PROPERTY Mrs. Warren J. Ba	anse and Albert	Banse				
	STREET & NUMBER							
		Route 5						
	CITY. TOWN Willian	nstown	VICINITY OF	STATE New Jersey 0	8094			
5		OF LEGAL DESCR						
	COURTHOUSE, REGISTRY OF DEEDS,		ounty Courthous	e				
	STREET & NUMBER							
	CITY, TOWN	Centreville		STATE Maryland				
6	REPRESEN	TATION IN EXIST	ING SURVEYS					
	TITLE							
	DATE		FEDERAL	_STATECOUNTYLOCAL				
, 	DEPOSITORY FOR SURVEY RECORDS	`						
	CITY, TOWN			STATE				

CONDITION

CHECK ONE

CHECK ONE

_EXCELLENT X_GOOD

__FAIR

__DETERIORATED

__UNEXPOSED

X_UNALTERED
__ALTERED

X_ORIGINAL SITE
__MOVED DATE_____

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

The Thomas House is located on the northwest side of Maryland Route 304, approximately 1.8 miles northeast of Ruthsburg, in Queen Anne's County, Maryland.

The Thomas House is distinguished by a stepped, two-part plan designed to represent two separate building phases and to have the appearance of a Federal townhouse with a lower, two-story wing. Based on architectural and decorative elements supplemented by family and property records, the house appears to have been built between 1798 and 1821.

The main or larger section of the two parts is two-storys high and three bays wide. The lower north section is also of two storys and has two bays, but its windows are of smaller dimensions and are positioned lower than those of the main block. Four chimneys protrude from the gable roof of the main block, two on each end. The northwest chimney is the largest of the four and carries the flues for three fireplaces in the lower, north portion of the house. The deep, semi-circular arched entrance doorway is centered on the facade and opens into a hallway extending the full depth of the house. It has a molded pilastered surround with paneled reveals and a traceried fanlight over a six-panel door. The windows are of six-over-nine sash on the main block and sixover-six sash on the lower part. All have flat arches of splayed stretcher brick, wood sills, and once had exterior blinds. The roof cornice of the main portion is decorated with carved modillion blocks and a dentiled bedmolding and has gable returns. Apparently in an effort to make the lower part appear later, or to accentuate the main block, its cornice has only ogee crown and bedmoldings. Both parts of the house are of brick construction, Flemish bond on the west (facade) and south (approach) sides and common bond on the other two. The house stands on flush, common bond foundation walls that enclose a full cellar beneath the main block and a half-cellar beneath the lower section. The cellar rooms are lighted by four windows on the west front and two windows on the east side, all aligned with the windows above.

The south end of the Thomas House is two bays wide on the two main floor levels and the attic. The north end shows an interesting combination of roof lines: that of the main block, the gable roof of the one-room deep lower section, and , behind this, the lean-to roof of the one-story kitchen. The kitchen, also part of the original plan, has, in the past several years, suffered extensive deterioration. The roof and north end wall have collapsed and the east side wall is bulged and broken in several areas. Its reconstruction is planned by the present owners as part of the restoration of the house.

The entrance door on the west front, for which a brick stoop and steps is planned, opens into a center stair hall (see plan). The stair rises along the north wall from west to east at the rear of the hall and has delicately turned posts, a molded rail and scrolled stepends. (At

PERIOD	AF	REAS OF SIGNIFICANCE CH	IECK AND JUSTIFY BELOW	
PREHISTORIC	ARCHEOLOGY-PREHISTORIC	COMMUNITY PLANNING	LANDSCAPE ARCHITECTURE	RELIGION
1400-1499	ARCHEOLOGY-HISTORIC	CONSERVATION	LAW	SCIENCE
1500-1599	AGRICULTURE	ECONOMICS	LITERATURE	SCULPTURE
1600-1699	XARCHITECTURE	EDUCATION	MILITARY	SOCIAL/HUMANITARIAN
1700-1799	ART	ENGINEERING	MUSIC	THEATER
X_1800-1899	COMMERCE	EXPLORATION/SETTLEMENT	PHILOSOPHY	TRANSPORTATION
1900-	COMMUNICATIONS	INDUSTRY	POLITICS/GOVERNMENT	OTHER (SPECIFY)
		INVENTION		
	, , , , , , , , , , , , , , , , , , ,		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
	1, 3,			

SPECIFIC DATES

1798-1821

BUILDER/ARCHITECT

STATEMENT OF SIGNIFICANCE

Built between 1798 and 1821 by a long-established Eastern Shore family, the Thomas House is a Federal brick dwelling whose style and size are indicative of the economic security of its builders and the architectural taste of the time.

The first members of the Thomas family arrived in Maryland in the last quarter of the seventeenth century. The family grew quite large on the Eastern Shore, with branches in Talbot, Kent, and Queen Anne's Counties.

Thomas Thomas, of the third generation to be born in Maryland, was a planter resident in Queen Anne's County. In 1755 he received a patented certificate for part of a tract called "Winfield" containing 297.5 acres. On this property were twelve cultivated acres, "one new framed Dwelling house, 20 by 16 foott, one old Rotton Log house-one old milk house, 8 by 8 foott, Eight apple trees, Eleven Cherry trees, one peach tree, and 370 panels of old Rotton fence." Three years later, Thomas was granted another certificate for 275 more acres of Winfield (the original patent having been for 1000 acres). All of this land was apparently resurveyed before 1769 when Thomas sold sixty-three acres of "Winfield Corrected" to William Yoe. 1

Thomas died in 1770, leaving several parts of "Winfield" and "Winfield resurveyed" to his sons. To James Thomas he devised his "dwelling plantation . . . being part of a tract . . . called Winfield and also all that part of a tract . . . called Winfield resurveyed which stands on the north side of the road that leads from Queens Town to Choptank Bridge . . . " His son Thomas received the part of the latter tract to the south of the road which, since he was farming in Carolina, he sold to his brother James, a planter in Queen Anne's County, in the following year. 2

James Thomas died in 1807, leaving 125 acres of "Winfield" and "Winfield Corrected" to his son James. The latter sold the property of 150 acres six years later to Dr. John Thomas. Dr. Thomas died before 1821 when his wife Elizabeth wrote a will in which she mentioned the "arable or cleared land purchased of James Thomas now deceased," which was left to her son, John Baynard Thomas, by his father. John B. Thomas acquired 106 acres more of "Winfield" from the trustee of the real estate

PRIMARY SOU	BIBLIOGRAPHI JRCES at the Hainty Courthouse,	ll of Reco	ds, Annapo		ne Que	en A	nne's
Federal Din	us of the United rect Tax Assessi ds and Patented cords of Queen A	ment of 179 Certificat	98, Tuckaho tes, Queen	oe Hundred,	Queen	Ann	e's County
10GEOGR	APHICAL DATA						
	NOMINATED PROPERTY	20					
Bc 1,8	4 1, 9 1, 5, 0 4, 3 EASTING NORT 4 1, 9 5, 6, 0 4, 3	1, 8 6, 2, 0 HING 1, 8 6, 6, 0	A p 1, 8 ZONE C D 1, 8	4 1, 9 3, 2, 0 EASTING 4 1, 9 3, 8, 0	43 1 NORTHI 43 1	8 83 NG 8 44	10
				•			
LIST A	ALL STATES AND COUNTI	ES FOR PROPERT	IES OVERLAPPIN	IG STATE OR COUN	ITY BOUN	IDARIE	S
STATE		CODE	COUNTY			COI	DE
STATE		CODE	COUNTY			CO	DE
MEODM D	DEDARED DV						
NAME / TITLE	REPARED BY J. Richard Rive	oire Arch	iteatural l	Historian «		<u>.</u> -	
7771127	Pamela M. James				pr	נוו	
ORGANIZATION				DATE			· · · · · · · · · · · · · · · · · · ·
OTDEST O MUMA	Maryland Histor	rical Socie	ety	July 197			
STREET & NUMB	21 State Circle	<u> </u>	· ·	TELEPH 301) 267-14			
CITY OR TOWN	ZI DEACE CITCI			STATE			
•	Annapolis			Maryland :	21401		
12 STATE I	HISTORIC PRES	ERVATIO	N OFFICER	R CERTIFIC	ATION	J	
	THE EVALUATED S						
N	ATIONAL	STAT		LOCAL			
	d State Historic Preservation						
	e this property for inclusior edures set forth by the Nati			y that it has been e	valuated	accordi	ng to the
oritoria ana proof	000100 001 101 111 27 1110 1101	Alan 1A	' 1				
STATE HISTORIC	C PRESERVATION OFFICER SIG	A WY	Kena				
TITLE St	ate Historic Pr	servation	Officer	DATE	Oct.	16.	1975
		T					

AVO HISTORIC PRESERVATION

KEEPER OF THE NATIONAL REGISTER

GPO 888-445

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

FOR NPS USE ONLY

RECEIVEDOCT 2 4 1975

DATE ENTERED

MAY 1 3 1976

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

CONTINUATION SHEET

Queen Anne's County Maryland

Thomas House

ITEM NUMBER

PAGE 1

Description, continued

one time, probably about 1900, the stair area was separated from the hall by a frame partition. The wall has since been removed). enframement of the front entrance has a molded, crosseted surround with fluted strapwork and, framing the fanlight, imposts and a molded keystone.

On the south side of the hall are two rooms of near equal size. The southwest parlor has deep, full height reveals at the windows with hidden blinds and under-window panels. There are also molded baseboards and chairrails. The mantel has a blocked frieze, fluted dentils under the cornice shelf, and roped moldings around the fireplace opening. southeast chamber is less elegantly treated and has only a dentiled band on the mantel and, flanking the mantel on one side, a paneled full height cupboard. In both rooms and the hall there are crosseted surrounds framing the windows and doors. A door connecting the two parlors, however is a circa 1900 introduction, and its surround is unornamented.

On the north side of the hall are two rooms. The northwest room, originally the dining room and two steps lower than the hall, has a paneled fireplace wall, an enclosed stair in the southeast corner, and crosseted surrounds on the windows and doors. On the east side of this room is the kitchen, one-story high and three steps lower than the dining room. The kitchen has a large fireplace opening on its south wall with a shallow closet on its east side. It appears that this closet was once a doorway opening onto a short flight of steps down to the cellar of the main block. The opening has been bricked over for There is a partially enclosed flight of steps to the cellar many years. in the southeast corner of the kitchen. The kitchen chimney base and stack is built on the outside end of the main block and curves up along the wall to project above the roof line near the gable peak.

On the second floor of the house there are three bedchambers, one over each of the prinicpal first floor rooms. The head of the stair hall is partitioned off to provide for a small fourth room. work in these rooms is similar in profile to that of the first floor but much simpler in its manner of execution. Two interesting features, however, exist. One is the window lighting the stair landing between the first and second floor levels. Its sill is "supported" by two ogee-shaped brackets with drops. Another is the use of a paneled gate and rail framing the stairwell in the northwest bedchamber.

continued

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

FOR NPS USE ONLY

RECEIVED OCT 2 4 1975

DATE ENTERED

MAY 1 3 1976

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

Thomas House Queen Anne's County

CONTINUATION SHEET Maryland

ITEM NUMBER 7, 8 PAGE 2

Description, continued

The basement of the Thomas House has four rooms. That part of the basement beneath the main block follows the same room configuration as the first floor and has brick floors and recessed arches in the chimney bases. The basement area beneath the first floor southeast room originally housed the winter kitchen and has an expansive fireplace opening.

Significance, continued

of Richard Legg in 1842. The dwelling now called the Thomas House is mentioned in 1879 (and until at least 1967) as standing on the "Home Farm of the late John B. Thomas," comprised of parts of "Hawkins Pharsalia," "Thomas' Addition," and "Winfield." 3

The Thomas House is not on the Federal Direct Tax Assessment of 1798 for Queen Anne's County. The "Winfield" tracts are listed on the assessment in Tuckahoe Hundred under the ownership of James Thomas and a Dr. John Thomas. There is a house on each of their properties, but both are 1 1/2-story frame buildings. The Thomas House was thus built after 1798, either by James Thomas, Sr., between 1798 and 1807; James Thomas, Jr., between 1807 and 1813; or (Dr.) John Thomas, between 1813 and 1821.

The Thomases were typical members of Tidewater Maryland's eighteenth and early nineteenth century society. All of the men mentioned above were planters, with the possible exception of Dr. John Thomas, although it is likely that he farmed also. James Thomas held four slaves according to the 1790 federal census, which was about the average number for that half of the population who owned slaves. Thomas' home, as described in the 1798 tax assessment, was a framed dwelling with two brick chimneys, 34' X 18', with three windows, valued at \$200. This was again an average sized house for a person of his economic position, i.e., although by no means wealthy, comfortable and better off than the majority of planters at the time.

From this economic background came, with the economic stabilization after the formation of the new nation, the means and desire to build a dwelling such as the Thomas House. Quite a larger building than the frame one of the eighteenth century, it is also constructed of the more durable building material of brick. Its style is that of a Federal townhouse popular in the towns and cities of that day, reflecting an effort on the part of its builder to be fashionable.

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

FOR NPS USE ONLY

RECEIVED OCT 2 4 1975

DATE ENTERED

MAY 1 3 1976

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

Thomas House Queen Anne's County

CONTINUATION SHEET Maryland

ITEM NUMBER 8, 9 PAGE 3

Significance, continued

This latter fact may be one clue pointing to Dr. John Thomas as the builder of the house. A well-known man in the county from the third quarter of the eighteenth century, he owned several lots in Centreville and may have desired to move to a country home whose style would reflect his position.

John B. Thomas, mid-nineteenth century occupant of the house, was also an active resident of Queen Anne's County. He was a trustee of the county almshouse, an inspector of primary schools, a commissioner for a railroad to be built from Queen Anne's to Cecil County, and a commissioner for the organization of a bank in Centreville. He also served several terms in the state legislature and was a member of the county committee appointed to take charge in the secession crisis of 1861. The Thomas House property remained in his family until 1928.

IPatented Certificates 1167 and 1169, Queen Anne's County Deed RT H/315.

²Queen Anne's County Will WHN 2/325.

3Queen Anne's County Wills WHN 4/315 and TCE 2/61 and Queen Anne's County Deeds JB 2/144, JT 2/369, JT 2/371, JT 2/372, JT 3/500, JW 9/212, JEG 2/434, BHT 8/391, TSP 70/62, and CWC 28/446.

⁴Federal Direct Tax Assessment for 1798, Tuckahoe Hundred, Queen Anne's County, Maryland.

⁵Frederic Emory, Queen Anne's County, Maryland, . . . (Reprint of 1886 ed.; Baltimore, Maryland: Maryland Historical Society, 1950).

Bibliographical References, continued

SECONDARY SOURCES

Emory, Frederic. Queen Anne's County, Maryland, Its Early History and Development. Reprint of 1886-1887 ed. Baltimore: Maryland Historical Society, 1950.

continued

Form No. 10-300a (Rev. 10-74)

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

FOR NPS USE ONLY RECEIVED OCT 2 4 1975

DATE ENTERED

NATIONAL REGISTER OF HISTORIC PLACES

MAY 1 3 1976

INVENTORY -- NOMINATION FORM

Oueen Anne's County ITEM NUMBER 9 CONTINUATION SHEET Maryland PAGE

Thomas House

Bibliographical References, continued

Early Manor and Plantation Houses of Maryland. Forman, Henry Chandlee. Easton, Maryland: By the Author, 1934.

Spencer, Richard Henry. Thomas Family of Talbot County, Maryland, and Baltimore: Williams and Wilkins Co., 1914. Allied Families.

Thomas, Lawrence Buckley, D.D. The Thomas Book New York: Henry T. Thomas Co., 1896.

Form No. 10-300a (Rev. 10-74)

UNITED STATES DEPARTMENT OF THE INTERIOR
NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

FOR NPS USE ONLY

RECEIVED MAR 1 0 1976

DATE ENTERED

MAY 1 3 1976

CONTINUATION SHEET Ma.

Thomas House Queen Anne's County

Maryland ITEM NUMBER


PAGE 5


ARCHITECTURAL SIGNIFICANCE

The Thomas House is a substantial house of the Federal period, solidly and well built. It has what is essentially a four-square plan in a form that successfully combines a townhouse with rural vernacular forms. The woodwork on both exterior and interior is of good quality, finely executed. The exterior cornice work is particularly good and largely intact. The interior woodwork is about 95% intact, the mantels, paneled recesses, and stair being among the finer details. A unique feature in the dining room chamber is a waist-high door in front of the enclosed stair; this has not been found in any other Eastern Shore building to date.

Two barns also stand on this property. One is of early 19th century date of hewn frame, the other is a shed of later date. Both are in poor repair.

MOB:pmj 2/24/76





RUTHSBURG VIC., QUEEN ANNE COUNTY, MARYLAND DRIEWONE 7/75